

CARL CHRISTENSEN

# INDEX FILICUM

SUPPLEMENTUM TERTIUM

PRO ANNIS 1917—1933



APUD H. HAGERUP

HAFNIAE OCT. 1934

THIS third supplement to INDEX FILICUM contains names of new genera and species and new combinations of names published during the years 1917—1933, together with a few older names omitted from the Index and from the two earlier supplements. I dare scarcely hope that the list is complete. Botanical literature is much more scattered since the war than formerly and a considerable number of new periodicals, several of which I have not seen, have been issued during the last fifteen years, especially in extra-European countries. Nevertheless I hope that the overlooked names are only few, thanks to the many writers who have kindly sent me separate copies of their papers and to some colleagues who have furnished me with names from those papers to which I have not had access. For this service I render my heartiest thanks, to Mr. A. H. G. ALSTON, British Museum (Natural History), London, who has helped me in different ways and lent me his manuscript list of new species, and to Mr. R. C. CHING, Peiping, who sent me a long list of corrections, Professor E. B. COPELAND, Berkeley (California), Mr. R. E. HOLTTUM, Singapore, Señor G. LOOSER, Santiago de Chile, Dr. W. R. MAXON, Washington, Professor E. D. MERRILL, New York and Mr. C. A. WEATHERBY, Gray Herbarium.

Besides the enumeration of new names this supplement — like the two earlier ones — contains a considerable number of corrections and changes of names. While such corrections were enumerated separately in the first two supplements they are here incorporated in the list of new names. This arrangement is probably more convenient, as separate lists of *Corrigenda* are liable to be overlooked.

The corrections and changes are essentially of four kinds:

- 1). Simple corrections of wrong citations or of spellings of names in the Index.
- 2). Restoration of varieties to specific rank and reduction to synonyms of species adopted as valid in the Index. Such changes are very numerous and are due in part to the extensive taxonomic study of ferns during recent years by competent pteridologists, but chiefly to my own studies in the larger European herbaria. Such changes, as a rule, are listed only for the chief entries in the Index and supplements, and not for changes in the synonymy.
- 3). Changes of generic names. These are few, the most important being the choice of *Tectaria* for *Aspidium*, which is warranted because most new species of this genus have been described under that name, which is no doubt the earlier one. On the other hand I cannot follow some American writers in using *Thelypteris* for *Dryopteris* sens. lat. If the former name is to be used at all it must replace *Lastrea* only, a single subgenus of *Dryopteris* sens. Ind., which I regard as a most natural genus, and cannot be used for the hundreds of other species of *Dryopteris*.

- 4). Changes in the conception of genera. We are still far from a thoroughly natural classification of the genera of ferns on a real genetical basis, but during recent years there have been several valuable contributions to a much better classification and delimitation of really natural groups of species and in many cases such groups have been raised to generic rank. I am in agreement with these authors in most cases but I regret that I cannot always follow them in this supplement. Since the Index has become the standard work for the arrangement of ferns in most herbaria and the splitting of big genera such as *Dryopteris* and *Polypodium* is hardly possible in the present state of our knowledge, I have confined myself in this supplement to segregating from the larger groups such smaller natural groups as are widely accepted and can be segregated easily in herbaria. Even so, until these large genera are monographed, there will remain a considerable number of species of which the taxonomic position will be uncertain to all but trained pteridologists.

In the *Enumeratio generum systematica* I follow as a whole the classification of Diels, repeated in Index, in spite of it does not correspond to our present knowledge of the natural relationship of the fern-genera. I find it, however, less appropriate to publish in this supplement, which is a supplement only, a thorough revision of the classification which is under preparation for another work, and I confine myself, therefore, to insert the new genera listed in the three supplements and to replace some genera, the former position of which was too unnatural. The generic number quoted in the alphabetical Index refer to the systematical enumeration in this supplement.

Copenhagen, March 1. 1934.

CARL CHRISTENSEN.

**Postscript.** About a year before the printing of this supplement began (April 1st 1934) I had finished my part of the paper on the ferns of Mount Kinabalu (see Cat. Litt., C. Chr. no. 61), in which several new species were described and new combinations made. The paper was however first issued in June and copies received in August and I could not therefore refer to it in the supplement, in which most of the same new combinations are listed as new ones, before the tenth sheet (pag. 160) was printed. The combinations are thus first published in the said paper, but I have added the right citations in an appendix to the supplement (v. pag. 196), in which also the new species, though published in 1934, are listed. In the appendix are also included a number of new species and new combinations overlooked by me, for references to which I am indebted to Mr. F. BALLARD, Kew.

October 1934.

---

# ENUMERATIO GENERUM SYSTEMATICA (HINC INDE EMENDATA)

Columna numerorum sinistra numeros generum Indicis  
pag. XIII—LX indicat.

Numeri Romani (I), (II), (III) ad Supplementa I: 1906—12, II: Suppl. préliminaire 1913—16, III: 1917—33, ubi species enumerantur, referunt.

Species typica generum (excl. monotypicorum) subgenerumque in ().

## HYMENOPHYLLACEAE.

	Species
1. <b>Trichomanes</b> L. Index excl. § 1, 4.	330
2. <b>Cardiomanes</b> Presl 1843 (III). Trichomanes § 4 Index.	1
3. <b>Serpyllopsis</b> v. d. Bosch 1861 (III). Trichomanes § 1 Index.	1
4. <b>Hymenophyllum</b> Smith.	320
§ 1. <b>Sphaerocionium</b> (Presl 1843) = Euhymenophyllum Index. — § Hemicyatheon Domin 1913 (II) (H. Baileyanum). — § Buesia Morton 1932 (III) (H. mirificum).	
§ 2. <b>Leptocionium</b> (Pr.). — ? Tetralasma Philippi 1860 (I). — § Acanthotheca Nakai 1926 (III) (H. acanthoides).	

## GENERA INCERTAE SEDIS.

1. <b>Loxsonia</b> R. Brown.	1
2. <b>Loxsomopsis</b> Christ.	3
3. <b>Hymenophyllopsis</b> Goebel 1929 (III) (H. dejectum).	2

## CYATHEACEAE.

1. <b>Culcita</b> Presl 1836, Maxon 1922 (III) (C. macrocarpa). Balantium Index (non Kaulfuss).—§ Calochlaena Maxon 1922 (III) (C. dubia).	9
2. <b>Dicksonia</b> L'Héritier. Balantium Kaulfuss 1824 (non Index).	22
3. <b>Cibotium</b> Kaulfuss. § Microcibotium Hayata 1929 (III) (C. barometz).	12
4. <b>Thyrsopteris</b> Kunze.	1

	Species
<b>5. Cyathea Smith</b>	356
Sectiones generis sensu lat.: Acanthea, Gymnopremnon, Trachypremnon Lindig 1861 (III).	
<b>6. Hemitelia R. Brown.</b>	99
Cyathea sp. Copeland, Domin (III).	
<b>7. Alsophila R. Brown.</b>	295
Cyathea sp. Copeland, Domin (III). — Thysanobotrya v. A. v. R. 1918.	

### POLYPODIACEAE.

77. <b>1. Plagiogyria Mett.</b>	31
7. <b>2. Matteuccia Todaro.</b>	4
Pteretis Rafinesque 1818 (II). — Pentarrhizidium Hayata 1927 M. japonica).	
8. <b>3. Onoclea L.</b>	1
1. <b>4. Diacalpe Bl.</b>	1
5. <b>5. Peranema Don.</b>	1
3. <b>6. Woodsia R. Br.</b>	37
Trichocyclus Dulac 1867 (I). — Acrolysis Nakai 1925 (III) (W. polystichoides).	
4. <b>7. Hypoderris R. Br.</b>	4
5. <b>8. Cystopteris Bernh.</b>	18
Cyste Dulac 1867 (I). — Filicula Seguiet 1754 (II), Farwell 1931 (III). — Acystopteris Nakai 1933 (III) (C. japonica).	
<b>9. Stenolepia v. A. v. R. 1909 (I) (S. tristis).</b>	1
6. <b>10. Acrophorus Pr.</b>	3
7. = 2.	
8. = 3.	
<b>11. Lithostegia Ching 1933 (III)</b>	1
9. <b>12. Dryopteris Adanson.</b>	1213
Filix Hill 1755, Farwell 1916 (II). — Filix-Mas Hill 1756. Far- well 1931 (III).	
<b>Subgenera nova a me 1911 circumscripta.</b>	
(Vide Vid. Selsk. Skr. VIII. 6. 9. 1920.)	
§ 1. <b>Lastrea (Pr.) = Thelypteris Schmidel 1726 (I) (forte nom. opt. hujus subgeneris) (D. thelypteris).</b>	
Eudryopteris sect. c, d, e et Phegopteris part. Index. — Christella Lev. 1915 (II).	
Sect. Glaphyopteris (Pr.). — Sect. Pteridrys C. Chr. 1934 (III p. 200). (D. sylvatica).	
§ 2. <b>Gymnocarpium (Newman) (D. Linnaeana).</b>	
Currania Copeland 1909 (I) (C. gracilipes).	
§ 3. <b>Steiropteris C. Chr. (I). (D. deltoidea).</b>	
§ 4. <b>Cyclosorus (Link) Index excl. b. (D. gongylodes)</b>	
§ 5. <b>Leptogramma (J. Sm.) Index (D. africana).</b>	
§ 6. <b>Stegnogramma (Bl.) Index (D. stegnogramma).</b>	

- § 7. **Goniopteris** (Pr.) Index emend. C. Chr. (D. vivipara).  
sect. *Asterochlaena* C. Chr. (III) et *Eugoniopteris*.
- § 8. **Meniscium** (Schreb.) Index (D. reticulata).
- § 9. **Eudryopteris** (D. filix mas) — 1. *Eudryopteris* sect. b, f, g, h. Index.
- § 10. **Hypodematium** (Kunze) (D. crenata) — *Eudryopteris* sect. k. Index.
- § 11. **Ctenitis** C. Chr. 1911 (I) (D. falciculata). — *Eudryopteris* sect. i. et *Phegopteris* part. Index.  
Sect. 1. *Euctenitis* (D. submarginalis).  
— 2. *Hirtae* (D. hirta)  
— 3. *Amplae* (D. ampla).  
— 4. *Subincisae* (D. subincisa). — *Melagastrum* J. Sm.  
— 5. *Protensae* (D. protensa).
- § 12. **Parapolystichum** Keys. (D. effusa).
- § 13. **Polystichopsis** (J. Sm.) (D. pubescens). — *Eudryopteris* sect. j. Index.
10. = 35.
11. = 22.
12. = 16.
13. **Monachosorella** Hayata 1927 (III) (*M. Maximowiczii*). 2  
*Ptilopteris* Hance part. 1884.
37. 14. **Monachosorum** Kunze. 3
15. **Stigmatopteris** C. Chr. 1909 (III) (*S. rotundata*). 26  
§ *Dryopteris* § *Phegopteris* part. Index.
12. 16. **Sphaerostephanos** J. Sm. 1839 (III) (*S. polycarpa*). 5  
*Mesochlaena* R. Br., Index.
17. **Dictyocline** Moore 1855 (III). 1
18. **Atalopteris** Maxon et C. Chr. 1922 (III) (*A. aspidioides*). 3
19. **Psomiocarpa** Presl 1849 (III) (*P. apiifolia*). 1
20. **Heterogonium** Presl 1849 (III) (*H. aspidioides*). 4
19. 21. **Plecosorus** Fée. 1
11. 22. **Fadyenia** Hook. 1
13. 23. **Didymochlaena** Desv. 2
14. 24. **Cyclopeltis** J. Sm. 6
15. = 33.
16. = 166.
- 16a. = 31.
17. 25. **Polystichum** Roth. Index excl. § 2—3. ca. 225  
*Aetopteron* Ehrhart 1789, House 1920 (III). — *Sorolepidium*  
Christ 1911 (I). — *Hemesteum* Lév. 1915 (II).
26. **Maxonia** C. Chr. 1916 (II). 1  
*Dryopteris* § *Peismapodium* Maxon 1909 (I).
27. **Cyrtomium** Presl 1836 (I) (*C. falcatum*). 11  
*Polystichum* § 3. Index excl. a b.
18. 28. **Phanerophlebia** Pr. 9

	Species
19. = 21.	
20. 29. <i>Cyclodium</i> Pr.	2
21. 30. <i>Polybotrya</i> H. B. W., Index 3, 5, 6.	24
16a. 31. <i>Adenoderris</i> J. Sm.	2
32. <i>Camptodium</i> Fée 1852 (III).	1
15. 33. <i>Tectaria</i> Cav. 1802 (III) — <i>Aspidium</i> Index — <i>Palma-Filix</i> Adanson 1763. — <i>Grammatosorus</i> Regel 1866 — <i>Campylogramma</i> v. A. v. R. part. 1917, Goebel 1931 (III).	209
34. <i>Tectaridium</i> Copeland 1926 (III).	2
10. 35. <i>Luerssenia</i> Kuhn.	1
36. <i>Hemigramma</i> Christ 1906 (I) ( <i>H. latifolia</i> ). <i>Anapausia</i> Nakai 1933.	6 6
37. <i>Quercifilix</i> Copeland 1928 (II).	1
22. 38. <i>Stenosemia</i> Presl.	3
23. 39. <i>Bolbitis</i> Schott 1834, Ching 1934 ( <i>B. serratifolia</i> ). <i>Leptochilus</i> § 2, 3 Index. — <i>Campium</i> § <i>Heteroneurum</i> Copeland 1928.	83
24. = 164.	
40. <i>Egenolfia</i> Schott 1834, Ching (III) ( <i>E. Hamiltoniana</i> ). <i>Polybotrya</i> § 1 Index.	10
25. 41. <i>Oleandra</i> Cav.	35
26. 42. <i>Arthropteris</i> J. Sm.	17
43. <i>Psammiosorus</i> C. Chr. 1932 (III).	1
27. 44. <i>Nephrolepis</i> Schott.	35
45. <i>Cystodium</i> J. Sm. (III). <i>Saccoloma</i> § 3. Index.	1
28. = 50.	
29. 46. <i>Saccoloma</i> Kaulf. Index § 1.	1
30. = 76.	
47. <i>Ormoloma</i> Maxon 1933 (III) ( <i>O. Imrayanum</i> ).	2
31. = 59.	
48. <i>Ithycaulon</i> Copeland 1929 (III) ( <i>I. moluccanum</i> ). <i>Saccoloma</i> § 2 Index.	9
49. <i>Orthiopteris</i> Copeland 1929 (III).	1
28. 50. <i>Humata</i> Cav.	43
51. <i>Leucostegia</i> Presl 1886 (III) ( <i>L. immersa</i> ). <i>Davallia</i> § 3 Index. — <i>Araiostegia</i> Copeland 1927 ( <i>A. hymenophylloides</i> ).	20
32. 52. <i>Davallia</i> Smith, Index § 3.	36
53. <i>Scyphularia</i> Fée 1852 (III) ( <i>S. pentaphylla</i> ). <i>Davallia</i> § 2 Index.	7
54. <i>Parasorus</i> v. A. v. R. 1922 (III).	1
55. <i>Davallodes</i> Copeland 1908 (III) ( <i>D. hirsutum</i> ).	12
56. <i>Trogostolon</i> Copeland 1927 (III).	1

## POLYPODIACEAE

	9
	Species
36. 57. <b>Dennstaedtia</b> Bernh.	70
33. 58. <b>Microlepia</b> Presl.	45
31. 59. <b>Leptolepia</b> Mett.	1
60. <b>Oenotrichia</b> Copeland 1929 (III) ( <i>O. maxima</i> ).	3
61. <b>Stenoloma</b> Fée 1852 (III) ( <i>S. clavatum</i> ).	18
<i>Odontosoria</i> § 1 <i>Euodontosoria</i> Index. — <i>Sphenomeris</i> Maxon 1913 ( <i>S. clavata</i> ).	
34. 62. <b>Odontosoria</b> (Pr.) Fée ( <i>O. aculeata</i> ).	12
<i>O.</i> § 2. <i>Stenoloma</i> Index.	
35. 63. <b>Tapeinidium</b> (Pr.) C. Chr.	12
<i>Protolindsaya</i> Cop. 1910 (I).	
36. = 57.	
37. = 14.	
38. 64. <b>Schizoloma</b> Gaud.	24
96. 65. <b>Taenitis</b> Willd. incl. <i>Platytaenia</i> Kuhn Index Gen. 97.	4
39. 66. <b>Dictyoxiphium</b> Hooker.	1
40. 67. <b>Lindsaya</b> Dryander.	159
41. 68. <b>Athyrium</b> Roth.	185
<i>Anisocampium</i> Presl 1849. — <i>Cornopteris</i> Nakai 1930 ( <i>C. decurrenti-alata</i> ). — <i>Lunathyrium</i> Koidzumi 1932 (III).	
42. 69. <b>Diplazium</b> Sw.	381
<i>Athyrium</i> sp. Milde, Copeland. — <i>Monomelangium</i> Hayata 1928 (III).	
43. 70. <b>Diplaziopsis</b> C. Chr.	2
44. = 71.	
45. 71. <b>Diplora</b> Bak. (III).	4
<i>Triphlebia</i> Bak. 1886, Index. — <i>Phyllitis</i> sp. v. A. v. R. 1908 (I). — <i>Phyllitis</i> § <i>Macrophyllidium</i> Ros. 1914 (II) ( <i>Ph. Grashoffii</i> ).	
46. 72. <b>Phyllitis</b> Ludwig.	8
? <i>Biropteris</i> Kümmerle 1922 (III).	
47. 73. <b>Camptosorus</b> Link.	2
48. 74. <b>Asplenium</b> L. Index excl. § 6 <i>Loxoscapha</i> .	664
<i>Chamaefilix</i> Hill 1756, Farwell 1931 (III). — <i>Trichomanes</i> Bubani 1901, Nieuwland 1912 (II). — <i>Hymenasplenium</i> Hayata 1927 (III). — <i>Boniniella</i> Hayata 1927 (III).	
75. <b>Loxoscapha</b> Moore 1853 (III) ( <i>L. thecifera</i> ).	8
<i>Asplenium</i> § 6 Index.	
30. 76. <b>Diellia</b> Brack.	6
77. <b>Holodictyum</b> Maxon 1908 (I) ( <i>H. Ghiesbreghtii</i> ).	2
49. 78. <b>Ceterach</b> Garsault.	6
50. 79. <b>Pleurosorus</b> Fée.	3
80. <b>Pleurosoriopsis</b> Fomin 1930 (III).	1
51. 81. <b>Blechnum</b> L.	180
<i>Lonchitis-aspera</i> Hill 1756, Farwell 1931 (III). — <i>Homophyllum</i> Merino (II). — <i>Diploblechnum</i> Hayata 1922 (III). — <i>Spicantopsis</i> cum § <i>Heterospicanta</i> Nakai 1933 (III).	



	Species
52. 82. <b>Sadleria Kaulfuss.</b>	7
53. 83. <b>Brainea J. Sm.</b>	1
54. = 86.	
55. 84. <b>Woodwardia Smith.</b>	10
56. 85. <b>Doodia R.Br.</b>	11
54. 86. <b>Stenochlaena J. Sm.,</b> Index excl. <i>Teratophyllum</i> Mett.	47
87. <b>Teratophyllum (Bl.) Mett.</b> 1866, Holttum 1932 (III) ( <i>T. aculeatum</i> ).	10
88. <b>Thysanosoria Gepp</b> 1917 (III).	1
89. <b>Lomagamma J. Smith</b> 1841 (I) ( <i>L. lomarioides</i> ). <i>Leptochilus</i> § 4 Index.	15
57. 90. <b>Pterozonium Fée.</b>	4
58. 91. <b>Syngamma J. Sm.</b>	20
92. <b>Craspedodictyum Copeland</b> 1911 (III) ( <i>C. grande</i> ).	5
59. 93. <b>Anogramma Link.</b>	7
<i>Pityrogramma</i> § <i>Anogramma</i> et § <i>Monosorus</i> ( <i>A. microphylla</i> ) Domin 1928 (III).	
60. = 97.	
61. = 98.	
62. = 104.	
63. = 99.	
64. = 101.	
65. 94. <b>Pityrogramma Link</b> 1833, Maxon 1913, Domin 1928 (III) ( <i>P. calomelanos</i> ).	41
<i>Ceropteris</i> Link 1841, Index. — § <i>Trichophylla</i> Domin 1928 ( <i>P. ferruginea</i> ). — § <i>Oligolepis</i> Domin 1928 ( <i>P. sulphurea</i> ) = <i>Gymnogramme</i> § <i>Cerogramme</i> Diels 1899, Index.	
66. 95. <b>Trismeria Fée.</b>	2
96. <b>Cerosora (Baker) Domin</b> 1929 (III).	1
<i>Gymnogramme</i> § <i>Cerosora</i> Bak. 1887, Index.	
60. 97. <b>Gymnogramme Desv.,</b> Index § 1—3.	60
61. 98. <b>Jamesonia Hook. et Grev.</b>	18
<i>Gymnogramme</i> sp. Hieron. 1909.	
63. 99. <b>Hemionitis L.</b>	8
108. 100. <b>Trachypteris André.</b>	2
64. 101. <b>Gymnopteris Bernhadi,</b> Index excl. § 2.	9
102. <b>Bommeria Fournier</b> 1876 (II) ( <i>B. pedata</i> ).	4
<i>Gymnopteris</i> § 2 Index.	
70. 103. <b>Aspleniopsis Mett.</b>	1
62. 104. <b>Coniogramme Fée.</b>	22
67. 105. <b>Pellaea Link.</b>	85
<i>Cassebeera</i> Farwell 1931 (nom. opt.?)	
68. 106. <b>Doryopteris J. Smith.</b>	41
107. <b>Saffordia Maxon</b> 1913 (II).	1
69. 108. <b>Adiantopsis Fée.</b>	16

70. = 103.
71. 109. **Notholaena R.Br.** 64  
*Chrysochosma* (J. Sm.) Kümmerle 1914 (II).
72. 110. **Cheilanthes Sw.** 131  
*Allosorus* Farwell 1919 (III). — *Aspidotis* Nuttall = *Hypolepis* § 2 Index. — Ch. § *Hypolepidopsis* Hier. 1920 (III) (*G. Bergiana*).  
— *Pomatophytum* Jones 1930 (III).
111. **Sinopteris C. Chr. et Ching** 1933 (III) (*C. grevilleoides*). 2
112. **Cheilanthopsis Hieronymus** 1920 (III). 1
73. 113. **Hypolepis Bernhardi** Index excl. 2. 49
74. 114. **Llavea Lagasca.** 1
75. 115. **Onychium Kaulfuss.** 6  
*O.* § *Cryptogrammopsis* Kümmerle 1930 (III) (*O. japonicum*).
76. 116. **Cryptogramma R.Br.** 7
- 76a. 117. **Neurosoria Mett.** 1
77. = 1.
78. 118. **Adiantum L.** 226
79. 119. **Actiniopteris Link.** 1
80. 120. **Amphiblestra Presl.** 1
81. 121. **Anopteris (Prantl) Diels.** 1
82. 122. **Ochropteris J. Smith.** 1
83. 123. **Pteris L.** Index excl. *Schizostege*. 269  
*Lathyropteris* Christ 1907 (I).
124. **Hemipteris Rosenstock** 1908 (I). 1
125. **Schizostege Hillebrand** 1888 (I) (*S. Lydgatei*). 3
84. = 130.
126. **Neurocallis Fée** 1845. 1
109. 127. **Acrostichum L.** Index excl. *Neurocallis*. 4
128. **Anisosorus Trevisan** 1851 (III) (*A. hirsutus*). 2  
*Lonchitis* § 2 Index.
85. 129. **Lonchitis L.** Index § 1. 9
84. 130. **Histiopteris (Ag.) J. Sm.** 8
86. 131. **Pteridium Gleditsch.** coll. 1  
*Filix-foemina* Hill 1755, Farwell 1931.
87. 132. **Paesia St. Hilaire.** 12
88. 133. **Monogramma Schkuhr**, Index excl. § 1 sect. a, b, c et § 2. 2
134. **Vaginularia Fée** 1843 (III) (*V. trichoidea*). 6  
*Monogramma* § 1 sect. b, c Index.
89. 135. **Vittaria Smith**, Index excl. § 3. 84
136. **Ananthocorus Underwood et Maxon** 1908 (III). 1  
*Vittaria* § 3 Index.
90. 137. **Hecistopteris J. Smith.** 1
91. 138. **Antrophyum Kaulfuss.** 48  
*Polytaenium* Desv. 1827, Benedict 1911 (I) — A. § *Antrophyopsis* Benedict 1911 (*A. Boryanum*). — A. § *Bathia* C. Chr. 1925 (III) (*A. bivittatum*).

- |   | Species |
|---|---------|
| 92. 139. <b>Anetium</b> (Kze.) Splitgerber.   | 1       |
| 93. = 163.  |         |
| 94. = 151.  |         |
| 95. = 147.  |         |
| 96. = 65.   |         |
| 97. = 65.   |         |
| 98. = 148.  |         |
| 99. = 152.  |         |
| 99a. = 165.   |         |
| 140. <b>Cochlidium</b> Kaulfuss 1820. C. Chr. 1929 (III) (C. graminoides).<br>Pleurogramme Presl 1836—Monogramma § 1 sect. a et § 2, Index.   | 10      |
| 141. <b>Scleroglossum</b> v. A. v. R. 1912, C. Chr. 1929 (III) (S. pusillum).<br>Vittaria sp. Index.  | 7       |
| 142. <b>Nematopteris</b> v. A. v. R. 1918, C. Chr. 1929 (III) (N. pyxidata).  | 2       |
| 143. <b>Oreogrammitis</b> Copeland 1917 (III).  | 1       |
| 100. 144. <b>Polypodium</b> L. Index excl. § 6 sect. q. t et 8.   | 1127    |
| <b>Subgenera ad interim:</b>  |         |
| 1. <b>Grammitis</b> (Sw.) — Eupolypodium sect. a, b, c, (e).  |         |
| 2. <b>Eupolypodium</b> sens. lat. Index excl. sect. a—g (d?).<br>Micropolypodium Hayata 1928 (III).   |         |
| 3. <b>Calymmodon</b> (Presl, Copeland 1917).<br>Eupolypodium sect. f. Index.  |         |
| 4. <b>Acrosorus</b> (Copeland 1905, 1929) (I) (A. exaltatus).   |         |
| 5. <b>Cryptosorus</b> (Fée 1843).<br>Eupolypodium sect. g Index.  |         |
| 6. <b>Prosaptia</b> (Presl 1836) (Pr. contigua).<br>Davallia § 1 Index.   |         |
| 7. <b>Goniophlebium</b> Bl.   |         |
| 8. <b>Phlebodium</b> (R. Br.)   |         |
| 9. <b>Campyloneurum</b> (Presl).  |         |
| 10. <b>Marginaria</b> (Bory).   |         |
| 11. <b>Pleopeltis</b> (H. et B.) (P. angustum).<br>§ 6 sect. o et i? Index.<br>? Epidryopteris Rojas 1917 (III).  |         |
| 12. <b>Anaxetum</b> (Schott 1834) (P. crassifolium).<br>§ 6 sect. e (excl. syn.) Index. — Pessopteris Und. et Maxon 1908 (I).   |         |
| 13. <b>Lepisorus</b> (J. Sm. 1846, Ching 1933) (P. excavatum).<br>§ 6 sect. f Index. — Sect. Pseudovittaria C. Chr. 1929, Ching<br>1933 (III) (P. neurodioides).                          |         |
| 14. <b>Microsorium</b> (Link 1833, Copeland 1929, Ching 1933) (III) sens.<br>lat. (P. punctatum).<br>§ 6 Pleopeltis Index excl. sect. c, d, e, f, i, o, q, r, t.                          |         |
| 15. <b>Arthromeris</b> Moore 1857, Ching 1933 (III p. 197) (P. juglandifolium). — § 6 sect. r Index.  |         |
| 16. <b>Colysis</b> (Presl 1849, Ching 1933) (III) (P. hemionitideum).<br>§ 6 sect. d et § 7. Selliginea part. (Dictyogramme Pr.). Polypodium § Leptoselliginea C. Chr. 1934 (III p. 199). |         |

- . 17. *Selliguea* (Bory) Index part; v. *Colysis*.  
 18. *Myrmecophila* Christ.  
 19. *Dendroconche* (Copeland 1911) (I) (*P. Annabellae*).
101. 145. *Enterosora Baker*. (*Eupolypodio affinis*). 1  
 102. = 161.
146. *Marginariopsis C. Chr.* 1929 (III). 1  
 (*Polypodium* § *Marginariae* aff.).
95. 147. *Eschatogramme Trevisan*; C. Chr. 1929. 4  
 (*Polypodium* § *Pleopeltidi* aff.).
88. 148. *Paltonium Presl*. 2
149. *Loxogramme (Bl.) Presl* 1836, Copeland 1916 (II). 36  
*Polypodium* § 8, Index.
150. *Lemmaphyllum Presl* 1849, C. Chr. 1929 (*L. carnosum*) —  
 (*Polypodium* § *Lepisorus prox.* aff.). 5  
*Drymoglossum* sect. a Index.
94. 151. *Drymotaenium Makino*. 2
99. 152. *Hymenolepis Kaulfuss* 1824, C. Chr. 1929 (III). (*Polypodium* §  
*Pleopeltis* sect. h aff.). 13
- (23) 153. *Leptochilus Kaulfuss*. 10  
*Leptochilus* § 1 Index. — *Campium* § *Dendroglossa* Cop. 1928. —  
*Myuropteris* C. Chr. 1929 (III) (*L. cordatus*).
154. *Pycnoloma C. Chr.* 1929 (III) (*P. rigidum*). (*Polypodium* §  
*Pleopeltis* sect. k aff.). 3  
 § *Pleuripteris* C. Chr. 1929 (*P. murudense*).
155. *Grammatopteridium v. A. v. R.* 1924, C. Chr. 1929 (III) (*G.*  
*Brooksii*). 3  
*Grammatopteris v. A. v. R.* 1922 (III).
156. *Aglaomorpha Schott* 1834, Copeland 1914 (II), 1929 (III) (*A.*  
*Meyeniana*). 11  
 a. *Drynariopsis* Copeland 1929 (III) (*A. heraclea*).  
 b. *Pseudodrynaria* C. Chr. nom. nov. (*A. coronans*).  
 c. *Psygmium* (Pr.) (*A. Meyeniana*).  
 d. *Dryostachyum* (J. Sm. 1841, Index Gen. 104) Copeland 1911  
 (*A. splendens*).  
 e. *Hemistachyum* Copeland 1911 (III) (*A. Brooksii*).  
 f. *Holostachyum* Copeland 1914 (II) (*A. Buchanani*).
103. = 160.  
 104. = 156.  
 105. = 159.
106. 157. *Drynaria (Bory) J. Sm.* 22  
*Thayeria* Copeland 1906 (I) (*T. cornucopia*) = *Drynaria* § *Sac-*  
*copteris v. A. v. R.* 1917 (I).
158. *Merinthosorus Copeland* 1911 (I, II p. 50). 1
105. 159. *Photinopteris J. Sm.* 1
103. 160. *Lecanopteris Reinwardt*. 9

	Species
102. 161. <b>Cyclophorus Desvaux.</b>	95
Neoniphopsis Nakai 1928 (III) ( <i>C. linearifolius</i> ).	
162. <b>Saxiglossum Ching 1933 (III).</b>	1
93. 163. <b>Drymoglossum Presl 1836, C. Chr. 1929, Index excl. sect. a, b.</b>	6
24. 164. <b>Dipteris Reinwardt.</b>	8
99a. 165. <b>Christiopteris Copeland.</b>	3
16. 166. <b>Neocheiropteris Christ.</b>	2
110. 167. <b>Cheiropleuria Presl.</b>	1
111. 168. <b>Platycerium Desvaux.</b>	7
107. 169. <b>Elaphoglossum Schott, Index excl. Rhipidopteris et Microstaphyla.</b>	419
170. <b>Microstaphyla Presl 1849, Maxon 1923 (III) (<i>M. furcata</i>).</b>	3
171. <b>Rhipidopteris Schott 1834 (III) (<i>R. peltata</i>).</b>	4
<i>Genus valde dubium:</i>	
<i>Costaricia</i> Christ 1909 (I).	
108. = 100.	
109. = 127.	
110. = 167.	
111. = 168.	

### CERATOPTERIDACEAE.

(Parkeriaceae Index).

<b>Ceratopteris Brongniart.</b> (Teste Bower inter Polypodiaceas prope Llaveam inserenda).	4
---	---

### MATONIACEAE.

1. <b>Matonia R. Br.</b>	2
2. <b>Phanerosorus Copeland 1909 (I).</b>	2

### GLEICHENIACEAE.

1. <b>Stromatopteris Mett.</b>	1
2. <b>Gleichenia Smith.</b>	119
§§ <i>Nephrosporopteris</i> et <i>Sphaerosporopteris</i> Hieronymus 1909 (I).	

### SCHIZAEACEAE.

1. <b>Schizaea Smith.</b>	29
2. <b>Lygodium Sw.</b>	39
3. <b>Mohria Sw. — Colina Greene 1893 (I).</b>	3
4. <b>Aneimia Sw.</b>	91

### OSMUNDACEAE.

1. <b>Todea Willd.</b>	1
2. <b>Leptopteris Presl.</b>	6
3. <b>Osmunda L.</b>	13

**SALVINIACEAE.**

- |                             |    |
|-----------------------------|----|
| 1. <b>Azolla Lamareck.</b>  | 6  |
| 2. <b>Salvinia Adanson.</b> | 10 |

**MARSILEACEAE.**

- |                                 |    |
|---------------------------------|----|
| 1. <b>Marsilea L.</b>           | 67 |
| Spheroidia Dulac 1867 (I).      |    |
| 2. <b>Regnellidium Lindman.</b> | 1  |
| 3. <b>Pilularia L.</b>          | 6  |

**MARATTIACEAE.**

- |  |     |
|--|-----|
| 1. <b>Macroglossum Copeland 1909 (I) (M. Alidae).</b>                          | 2   |
| 2. <b>Archangiopteris Christ et Giesenhagen.</b>                               | 4   |
| Protangiopteris Hayata 1928 (III) (A. Somai).                                  |     |
| 3. <b>Angiopteris Hoffmann.</b>  | 120 |
| 4. <b>Protomarattia Hayata 1919 (III).</b>                                     | 1   |
| 5. <b>Marattia Sw.</b>   | 56  |
| § Mesocarpus Rosenstock 1908 = § Mesosorus Rosenstock 1908 (I)<br>(M. Weneri). |     |
| 6. <b>Christensenia Maxon.</b>   | 2   |
| 7. <b>Danaea Smith.</b>  | 32  |

**OPHIOGLOSSACEAE.**

- |  |    |
|--|----|
| 1. <b>Ophioglossum L.</b>                      | 54 |
| 2. <b>Botrychium Sw.</b>                       | 36 |
| 3. <b>Japanobotrychum Masamune 1931 (III).</b> | 1  |
| 4. <b>Helminthostachys Kaulfuss.</b>           | 1  |



**Summa generum specierumque  
Jan. 1934.**

(Cf. Index p. LX).

Hymenophyllaceae	Gen.	4	Sp.	651
Genera incertae sedis	-	3	-	6
Cyatheaceae	-	7	-	794
Polypodiaceae	-	171	-	7227
Ceratopteridaceae	-	1	-	4
Matoniaceae	-	2	-	4
Gleicheniaceae	-	2	-	120
Schizaeaceae	-	4	-	162
Osmundaceae	-	3	-	20
Salviniaceae	-	2	-	16
Marsileaceae	-	3	-	74
Marattiaceae	-	7	-	217
Ophioglossaceae	-	4	-	92

Summa Gen. **213** Sp. **9387**

Nomina et synonyma generum	944
Combinations binominales specierum ad finem anni 1933 creatae	30304
Nomina in Corrigendis Supplementorum iterum citata	4875

Summa nominum omnium in Indice cum supplementis I—III  
enumeratorum :

**36.123.**

---

ENUMERATIO  
GENERUM SPECIERUMQUE ALPHABETICA  
1917—1933

CUM CORRECTIONIBUS AD INDICEM ET  
SUPPLEMENTA I—II.

- ACANTHEA Lindig, Contr. Colomb. Cienc. 2. 34. 1861 = **Cyathea** sens. lat.  
*Acanthotheca* Nakai, Bot. Mag. Tokyo 40. 242. 1926 (*Hymenophyllum* §)  
= **Hymenophyllum**.
- Acrolysis* Nakai, Bot. Mag. Tokyo 39. 176. 1925 (*Woodsia* §) = **Woodsia**.
- ACROPHORUS** Presl. — (Polypodiaceae Gen. 10).  
*raiateensis* J. W. Moore, Bishop Mus. Bull. 102 6. 1933 — Raiatea (Ins. Soc.).
- ACROPTERIS** Link.  
*dichotoma* Farwell, Amer. Midl. Naturalist 12. 289. 1931 = *Actiniopteris australis*.
- ACROSORUS** Copeland 1906, Univ. Calif. Publ. Bot. 16. 108. 1929 = **Polypodium**.  
*exaltatus* Cop. 1906 = *P. streptophyllum*.  
*frederici et pauli* Cop. 1906 = *P. streptophyllum*.  
*Merrillii* Cop. 1907 = *P. tortile*.  
*Reineckei* Cop. 1907 = *P. Reineckei*.  
*Schlechteri* Christ 1910 = *P. Schlechteri*.  
*triangularis* Cop. 1909 = *P. streptophyllum*.
- ACROSTICHUM** L. — (Polypodiaceae Gen. 127).  
*angustissimum* Fée 1865 = *Elaphoglossum a.*  
*asplenifolium* Bory 1833 = *Egenolfia*.  
*assurgens* Bak. 1874 = *Elaphoglossum a.*  
*aureum* L. — Dele var. *A. speciosum* Willd., *A. fraxinifolium* R. Br. et *A. chrysoconium* Desv. 1827, Index = *Pityrogramma*. [*daneaefolium* L. et F.]  
*cladorrhizans* Spr. 1821 = *Bolbitis c.*  
*costulatum* Cesati 1877 = *Grammatopteridium*.  
*daneaefolium* Langsd. et Fisch. 1810. — Amer. trop. — *A. excelsum* Maxon 1905, Index 660 c. syn.  
*distans* Sm. Rees Cycl. 39. no. 25. 1819 = *Notholaena*.  
*Dombeyanum* Fée 1845 = *Elaphoglossum D.*  
*durum* Kze. 1849 = *Elaphoglossum glabellum*.  
Index Filicum. Supplementum III.



- erinaceum* Fée 1845 = *Elaphoglossum* e.  
*excelsum* Maxon 1905, Index 660 = *A. daneaefolium*.  
*fraxinifolium* R. Br. 1810 = *A. speciosum*.  
*gracile* Fée 1873 = *Elaphoglossum* g.  
*guineense* Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *A. aureum*.  
*Hamiltonianum* Wall. 1828 = *Egenolfia vivipara*.  
*hastatum* Liebm. 1849 = *Bolbitis Liebmanni*.  
*Hayesii* Mett. Kuhn 1869 = *Elaphoglossum* H.  
*horridulum* Klf. 1824 = *Elaphoglossum* h.  
*isophyllum* Sod. 1893 = *Elaphoglossum castaneum*.  
*lanceolatum* L. 1753 = *Cyclophorus* l.  
*limbellatum* Sm. Rees Cycl. 39. no. 3. 1819 — Martinique. — (*Elaphoglossum* sp.)  
*lineatum* Kuhn, Christ 1899 = *Elaphoglossum conforme* var.  
*lonchophorum* Kze. 1840 = *Bolbitis* l.  
*ludens* Wall. 1829 = *Egenolfia sinensis*.  
*martinicense* Desv. 1811 = *Elaphoglossum* m.  
*Orbignyanum* Fée 1845 = *Elaphoglossum* O.  
*pallidum* Beyrich = *Elaphoglossum nigrescens*.  
*pellucido-marginatum* Christ 1895 = *Elaphoglossum* p.  
*piloselloides* Pr. 1825 = *Elaphoglossum* p.  
*portoricense* Spr. 1821 = *Bolbitis cladorrhizans*.  
*Raddianum* Hk. et Gr. 1827 = *Raddii* Desv. 1827 = *Elaphoglossum horri-*  
*repandum* Bl. 1828 = *Bolbitis Quoyana*. [dulum.  
*reptans* Cav. 1799 = *Polypodium ciliatum*.  
*rigidum* Fée 1878 = *Elaphoglossum glabellum*.  
*spathulinum* Raddi 1825 = *Elaphoglossum horridulum*.  
*speciosum* Willd. 1810, Troll, Flora 128. 310 f. 1933. — Asia, Austr. trop.  
— *A. fraxinifolium* R. Br. 1810. *Leptochilus Raapii* v. A. v. R. 1908, Ind. Suppl.  
*yunnanense* Bak. 1898 = *Elaphoglossum* y.
- ACTINOSTACHYS** Wallich = *Schizaea*.  
*penicillata* Maxon, Proc. Biol. Soc. Wash. 46. 139. 1933.
- ACYSTOPTERIS** Nakai, Bot. Mag. Tokyo 47. 180. 1933 = *Cystopteris*.  
*japonica* Nakai, l. c.
- ADIANTOPSIS** Fée. — (*Polypodiaceae* Gen. 108).  
*asplenioides* Maxon, Amer. Fern Journ. 22. 14. 1932. — Cuba.  
*capensis* (Thbg.) Fée 1852, Index = *Cheilanthes*.  
*dichotoma* (Cav.) Moore, 1857, Index = *Cheilanthes*.  
*Fordii* (Bak.) C. Chr. Index = *Cheilanthes chusana*.  
*linearis* Bonap. N. Pt. 10. 185. 1920; C. Chr. Dansk Bot. Ark. 7. 119 t. 46 f.  
1—6. 1932. — Madagascar.  
*Luetzelburgii* Ros. Fedde Rep. 20. 91. 1924. — Brasilia.
- ADIANTUM** L. — (*Polypodiaceae* Gen. 118).  
*acrocarpon* Christ 1904, Index = *A. Mariesii*.  
*adiantoides* (J. Sm.) C. Chr. — Dele var. *Hewardia diphylla*.  
*alatum* A. Peter, Fedde Rep. Beih. 40. 43. 1929 = *A. dolabriforme*.  
*aristatum* Christ 1911, Ind. Suppl. = *A. Davidi*.  
*Balansae* Bak. 1890, Index = *A. dolabriforme*.  
*borneense* Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *A. caudatum*.  
*capillus veneris* L. — Adde syn. *A. Michellii* Christ 1910, Ind. Suppl. —  
Dele var. *A. Levingei*.

- Chienii** Ching, *Sinensia* **1**. 50. 1930. — Kwangtung.
- cordatum** Maxon, *Amer. Fern Journ.* **21**. 136. 1931. — Panama.
- coreanum** Tagawa, *Acta Phytotax.* **1**. 159. 1932. — Korea.
- decoratum** Maxon et Weatherby, *Amer. Journ. Bot.* **19**. 165. 1932. — Amer. centr.
- diphyllum** (Fée) Maxon, *Amer. Fern Journ.* **21**. 137. 1931. — Bahia. — *Hewardia* Fée 1869.
- Doctersii** v. A. v. R. 1913, *Ind. Suppl. pré.* = *A. flabellulatum*.
- dolabriforme** Hk. *l.c. Pl. t.* 191. 1837. — Asia et Africa trop. — *A. Mettenii* Kuhn 1868, *Index. A. Balansae* Bak. 1890, *Index. A. alatum* Cop. 1905 et *A. Peter* 1929.
- Edgeworthii** Hk. — Adde loc. Luzon et syn. *A. Guilelmi* Hance 1869 (v. infra). *A. Spencerianum* Cop. 1906, *Ind. Suppl.*
- falcatum** Buchoz, *Jard. Univ. t.* 158. 1785. — ?
- flabellum** C. Chr. *Cat. Pl. Mad. Pter.* 50. 1931 (nomen), *Dansk Bot. Ark.* **7**. 123 t. 48. 1932. — Madagascar. — *A. reniforme* var. *crenatum* Bak. *JoB.* 1890. 4 (non *A. crenatum* Willd. 1810).
- flagellum** var. *schizaeoides* Rosendahl, *Ark. för Bot.* **14**. no. 18. 2. 1916 = *A. delicatulum*.
- fossarum** Roj. Acosta, *Bull. Géogr. Bot.* **28**. 156. 1918 — Paraguay.
- Fournieri** Cop. *Univ. Calif. Publ. Bot.* **14**. 367. 1929. — N. Caledonia. — *A. rigidum* Fourn. 1873 (non Link 1841).
- gingkoides** C. Chr. *Bull. Mus. Paris II.* **6**. 100. 1934. — Indochina.
- Gravesii** Hance. — Dele syn. *A. Mariesii*.
- Greenii** Ching, *Sinensia* **1**. 8. 1929, *l.c. Fil. Sin. t.* 31. — Kwangsi. *Guilelmi* Hance, *JoB.* 1869. 261 = *A. Edgeworthii*.
- Halleri** Ros. *Med. Rijks Herb. no.* 31. 1. 1917 = *A. serratifolium*.
- hispidulum** Sw. — Dele var. *A. rigidum* Fourn.
- induratum** Christ 1908, *Ind. Suppl.* = *A. Bonii*.
- Killipii** Maxon et Weatherby, *Amer. Journ. Bot.* **19**. 166. 1932. — Panama, Guiana, Trinidad.
- latedeltoideum** (Christ) C. Chr. *Acta Hort. Gothob.* **1**. 94. 1924. — China centr. — *A. monochlamys* var. *latedeltoidea* Christ, *Nu. Giorn. Bot. It. n. s.* **4**.
- Levingei** Bak. *Ann. Bot.* **5**. 207. 1891. — Himalaya. [88. 1897.]
- lindsaya** Cav. *Descr.* 271. 1802 — Ecuador.
- littorale** Jenm. 1899, *Index* = *A. tenerum*.
- lunulatum** Burm. 1768, *Index* = *A. philippense*.
- Mariesii** Bak. 1889. — China merid. — *A. acrocarpon* Christ 1904, *Index.* *Mettenii* Kuhn 1868, *Index* = *A. dolabriforme*. [*A. nanum* Ching 1929.]
- Michellii** Christ 1910, *Ind. Suppl.* = *A. capillus veneris*.
- monosorum** Bak. — Adde loc. Mindanao et syn. *A. scabripes* Cop. 1912, *Ind. Suppl.*
- multisorum** Sampaio, *Comm. Linh. telegr. Matto Grosso ao Amazonas Publ.* no. 33. 11 t. 1 f. 1. 1916. — Matto Grosso.
- nanum** Ching, *Sinensia* **1**. 9. 1929, *l.c. Fil. Sin. t.* 31 = *A. Mariesii*.
- nigrescens** Fée 1852, *Index* = *A. cristatum*.
- pedatum** A. Peter, *Fedde Rep.* **40** 45, *Descr.* 4 t. 5 f. 1. 1929 (non L.). — Afr. or. trop.
- phanerophlebium** (Bak.) C. Chr. *Dansk Bot. Ark.* **7**. 123 t. 49. 1932. — Madagascar. — *Pteris* Bak. 1891; *Doryopteris* Diels 1899, *Index.*
- philippense** L. sp. 1094. 1753. — *A. lunulatum* Burm. 1768, *Index.*

- reniforme var. crenatum Bak. 1891 = *A. flabellum*.  
 rigidum Fourn. 1873 = *A. Fournieri*.  
**Rondoni** Sampaio, Comm. Linh. telegr. Matto Grosso ao Amazonas Publ. no. 33. 13 t. 1 f. 2. 1916. — Matto Grosso.  
 scabripes Cop. 1912, Ind. Suppl. = *A. monosorum*.  
**Schmalzii** Ros. Fedde Rep. 8 277. 1910. — Brasilia.  
**semiorbiculatum** Bonap. N. Pt. 13. 105. 1921. — Annam.  
 Spencerianum Cop. 1906, Ind. Suppl. = *A. Edgeworthii*.  
 striatum Sw. 1788, Index = *A. cristatum*.  
 submarginatum Christ 1903, Index = *A. refractum* et *A. capillus veneris*.  
 Urbanianum Brause, Fedde Rep. 15. 93. 1917 = *A. melanoleucum*.  
**AETOPTERON** Ehrhart, Beitr. 148. 1789; House, Amer. Fern Journ. 10. 88. 1920 = **Polystichum**.  
 acrostichoides, aculeatum, braunii, californicum, lemmoni, lonchitis, munitum, scopulinum House, l. c. 88-89 = *P. sp. homonym*.  
**AGLAOMORPHA** Schott. — Cf. Ind. Suppl. pré.; Copeland, Univ. Calif. Publ. Bot. 16. 117. 1929. — (Polypodiaceae Gen. 156).  
 coronans (Wall.) Cop. l. c. — Asia trop. — *Polypodium* Wall. 1828, Index c. syn. *Drynaria Esquirolii* C. Chr. 1913, Ind. Suppl. pré.  
 heraclea (Kze.) Cop. l. c. — Malesia, N. Guinea. — *Polypodium* Kze. 1848, Index.  
**Ledermanni** (Brause) C. Chr. Ind. Suppl. pré. — N. Guinea. — *Polypodium* Brause, Engl. Jahrb. 56. 202. 1920; *P. Schlechteri* Brause 1912, Ind. Suppl. (non v. A. v. R. 1909); *Aglaomorpha* Cop. 1914, Ind. Suppl. pré.; *Pleopeltis* v. A. v. R. 1917.  
 Schlechteri (Brause) Cop. 1914, Ind. Suppl. pré. = *A. Ledermanni*.  
**ALLOSORUS** Farwell, Mich. Acad. Sci. Rep. 21. 345. 1919; Amer. Midl. Naturalist 12. 284. 1931 = **Cheilanthes**.  
 Alabamensis, albomarginatus (p. 284) — Cooperae (285) — farinosus (286) — fragrans (284) — gracillimus, lendiger, Lindheimeri (285) — myriophyllus (285) — pilosus (284) — Pringlei (285) — pruinatus, subvillosus (284) — vestitus, viscidus (286) — Wrightii (284) Farwell, l. c. 1931 = *C. sp. homonym*.  
 farinosus Kze. 1848 = *Pityrogramma ornithopteris*.  
 gracilis, lanosus, tomentosus Farwell, l. c. 1919 = *C. sp. homonym*.  
**ALSOPHILA** R. Brown.  
 Obs. Omnes species hujus generis a cl. K. Domin 1930 ad *Cyathea* translatae sunt. V. *Cyathea*.  
 acrostichoides v. A. v. R. Bull. Buit. II no. 28. 2. 1918. — Ceram.  
 aeneifolia v. A. v. R. Nova Guinea 14. 3. 1924. — N. Guinea.  
 albidopaleata (Cop.) C. Chr. Ind. Suppl. III. 20. 1934. — Brasilia. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 17. 25 t. 2. 1932.  
 alpina v. A. v. R. 1915, Ind. Suppl. pré. = *Cyathea alpicola*.  
 allocota v. A. v. R. Bull. Buit. III. 5. 180. 1922. — Sumatra.  
 amaiambitensis v. A. v. R. l. c. II no. 28. 1. 1918 = *A. ramispina*.  
 angiensis Gepp in Gibbs, N. W. N. Guinea 69. 1917. — N. Guinea.  
 Annae v. A. v. R. Bull. Buit. II no. 23. 3. 1916. — Amboina.  
 arfakensis Gepp in Gibbs, N. W. N. Guinea 70. 1917. — N. Guinea.  
 Baroni Bak. 1885, Index = *Cyathea segregata*.  
 Bartlettii (Cop.) C. Chr. Ind. Suppl. III. 20. 1934. — Sumatra. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 14. 371. 1929.

- benculensis* v. A. v. R. Bull. Buit. II no. 23. 2. 1916 = *Cyathea*.
- biformis* Ros. 1911, Ind. Suppl. — Adde syn. *Polybotrya arfakensis* Gepp 1917; *Thysanobotrya* v. A. v. R. 1918; *Cyathea Gibbsiae* Cop. 1929.
- Boivini* Mett. 1865; C. Chr. Dansk Bot. Ark. 7. 38 t. 8. 1932. — Ins. Comorae, Madagascar. — *Cyathea insularis* Domin 1929. — *Alsophila bullata* Bak. 1876, Index; *Cyathea* Domin 1929.
- borinquena* Maxon, Amer. Fern Journ. 15. 56. 1925. — Puerto Rico.
- brevifoliolata* v. A. v. R. 1915, Ind. Suppl. pré-l. = *Cyathea*.
- brunnea* Brause, Engl. Jahrb. 56. 73. 1920. — N. Guinea.
- bullata* Bak. 1876, Index = A. *Boivini*.
- bulligera* Ros. Fedde Rep. 25. 57. 1928. — Bolivia.
- buruensis* Ros. Med. Rijks Herb. no. 31. 1. 1917. — Buru.
- castanea* Bak. — *Cyathea badia* Domin 1929.
- chamaedendron* (Cop.) C. Chr. Ind. Suppl. III. 21. 1934. — Brasilia. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 17. 31 t. 5. 1932.
- Christii* Sodiro. — *Cyathea decora* Domin 1930.
- concinna* Bak. — *Cyathea eminens* Domin 1929.
- Confucii* Christ 1906, Index Suppl. = *Cyathea spinulosa*.
- congoensis* Bonap. N. Pt. 14. 241. 1924 (non Hort.) — Congo. — *Cyathea principis* Domin 1930.
- costularis* Bak. — *Cyathea* Domin 1929 (non Bonap. 1917); *C. yunnanensis*
- denticulata* Bak. 1885, Index = *Dryopteris Hancockii*. [Domin 1930.]
- Dielsii* Brause, Engl. Jahrb. 56. 67. 1920. — N. Guinea.
- dryopteroidea* Brause, l. c. 70. — N. Guinea. — *Cyathea atrispora* Domin 1930.
- dryopteroides* Domin, Kew Bull. 1929. 218 = A. *mesocarpa*.
- dubia* Bedd. 1888, Index = A. *vexans*.
- elegans* Mart. — *Cyathea Sternbergii* Domin 1929; *C. elegantula* Domin 1930.
- elegantissima* Linden. — *Cyathea hortulanea* Domin 1930.
- elongata* Hk. — *Cyathea tijuccensis* Domin 1929.
- excelsa* (Forst.) Spr. — *Cyathea Brownii* Domin 1929.
- fallacina* Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 89. 1929. — Brasilia. — *Cyathea* Domin 1930; *Alsophila dryopteroides* var. *fallacina* Domin, l. c.
- formosana* Bak. 1891 = A. *Metteniana*. [89 t. 9 f. 11, 12. 1929.]
- Fuiziana* Nakai, Bot. Mag. Tokyo 41. 72. 1927. — Botel-Tobago.
- fureinervia* (Domin) C. Chr. Ind. Suppl. III. 21. 1934. — Brasilia. — *Cyathea* Domin 1930; *Alsophila polyphlebia* Domin, Kew Bull. 1929. 218; Mem. R. Czech. Soc. Sci. n. s. 2. 96 t. 10 f. 9, 10. 1929 (non Bak. 1876).
- glabrescens* v. A. v. R. Bull. Buit. III. 5. 181. 1922. — Lingga Arch. (Malesia).
- Gleasoni* Maxon, Amer. Fern Journ. 15. 55. 1925. — Guiana.
- Godmani* Hk. 1866, Index = A. *mexicana*.
- gracilis* Und. et Maxon 1902, Index = A. *aquilina*.
- gregaria* Brause, Engl. Jahrb. 56. 68. 1920. — N. Guinea.
- Guinleorum* Brade et Ros. Bol. Mus. Nac. Rio Janeiro 7. 140 t. 2, 4, 6, 1931. — Brasilia.
- Haenkei* Pr. Rel. Haenk. 1. 68. 1825. — Guam. — *Cyathea Merrill* 1919. *C. marianna* Gaud. 1827.
- Hallieri* Ros. Med. Rijks Herb. no. 31. 2. 1917. — Borneo.
- Hallieri* v. A. v. R. Bull. Buit. II no. 28. 2. 1918 = A. *ramispina*.
- Hewittii* v. A. v. R. Mal. Ferns Suppl. 55. 1917 = A. *commutata*.
- Hieronymi* Brause 1912. — *Cyathea Brauseana* Domin 1929.

- hirta** Kl. Enum. 249. 1824. — Brasilia.
- Holstii** Hier. — *C. usambarensis* Domin 1929 (non Hier. 1895); *C. Opizii* Domin 1930.
- hunsteiniana** Brause, Engl. Jahrb. 56. 65. 1920. — N. Guinea. — *C. albidula ichtyolepis* Christ 1906, Ind. Suppl. = *A. stipularis*. [Domin 1930.]
- incana** v. Geert — *Cyathea incanescens* Domin 1930.
- indrapuræ** v. A. v. R. 1915, Ind. Suppl. pré. = *Cyathea*.
- Janseniana** v. A. v. R. Bull. Buit. III. 5. 179. 1922. — Sumatra.
- kemberangana** (Cop.) C. Chr. Ind. Suppl. III. 22. 1934. — Borneo. — *Cyathea* Cop. Phil. Journ. Sci. 12 C. 52. 1917.
- kenepaiana** v. A. v. R. Bull. Buit. III. 2. 129. 1920 = *A. ramispina*.
- lamprocaulis** (Christ) Ching, Sinensia 2. 36. 1931. — China occ. — *Dryopteris* (Christ) C. Chr. Ind. Suppl.
- lastreoides** v. A. v. R. Bull. Buit. II no. 23. 5. 1916. — Ins. Batu.
- Lechleri** Mett. — *Cyathea subtropica* Domin 1929.
- Ledermanni** Brause, Engl. Jahrb. 56. 76. 1920. — N. Guinea. — *Cyathea dimorphophylla* Domin 1930.
- lepidotricha** (Fourn.) Diels 1899, Index = *A. novae caledoniae*.
- leucolepis** Mart. — *Cyathea leucifolia* Domin 1929.
- madagascarica** Bonap. N. Pt. 5. 53. 1917; C. Chr. Dansk Bot. Ark. 7. 39 t. 8. 1932. — Madagascar. — *Cyathea malegassica* Domin 1930.
- mapiriensis** Ros. Fedde Rep. 25. 57. 1928. — Bolivia.
- marginata** Brause, Engl. Jahrb. 56. 63. 1920. — N. Guinea.
- melanocaulos** v. A. v. R. Nova Guinea 14. 1. 1924. — N. Guinea. — *Cyathea melanoclada* Domin 1930.
- mesocarpa** (Domin) C. Chr. Ind. Suppl. III. 22. 1934. — Brasilia. — *Cyathea* Domin, Acta Boh. 9. 136. 1930; *Alsophila dryopteroides* Domin, Kew Bull. 1929. 218, Mem. R. Czech. Soc. Sci. n. s. 2. 88 (excl. var.) t. 9 f. 9, 16 f. 2. 1929 (non Brause 1920).
- Mexiae** (Cop.) C. Chr. Ind. Suppl. III. 22. 1934. — Brasilia. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 17. 30 t. 4. 1932.
- mexicana** Mart. 1834; Maxon, Contr. U. S. Nat. Herb. 24. 41. 1922. — Mexico — Guatemala. — *Cyathea valdecrenata* Domin 1929. *Alsophila Godmani* Hk. 1866, Index; *Cyathea* Domin 1929.
- microphylla** Kl. — *Cyathea microphyllodes* Domin 1929; *C. squamata* Domin 1930.
- mindanensis** Christ 1900, Index. — Fr. ster. sp. orig. = *Dicksonia Blumei*, fr. fert. = *Alsophila* sp. (latebrosa?).
- nesiotica** Maxon, Contr. U. S. Nat. Herb. 24. 43. 1922. — Costa Rica.
- nigra** Mart. — *Cyathea primaeva* Domin 1929.
- nigricans** Corda, Beitr. Fl. Vorw. 57, 1845 — ?
- nitens** J. Sm. — *Cyathea nitidula* Domin 1929.
- notabilis** Maxon, Contr. U. S. Nat. Herb. 24. 39 t. 12. 1922. — Costa Rica.
- novogranadensis** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 97 t. 10 f. 13-15. 1929. — Colombia.
- obtusa** Kl. — *Cyathea obtusata* Domin 1929 (non Ros. 1917); *C. Klotzschiana* Domin 1930.
- ochroleuca** Christ 1909. — *Cyathea subochroleuca* Domin 1929.
- Ogurae** Hayata, Bot. Mag. Tokyo 39. 149. 1925. — Ins. Bonin.
- okiana** v. A. v. R. Bull. Buit. II no. 23. 4. 1916 = *Cyathea*.

- olivacea** Brause, Engl. Jahrb. 56. 74. 1920. — N. Guinea.
- palembanica** v. A. v. R. Bull. Buit. II no. 23. 4. 1916 = *Cyathea*.
- paleolata** Mart — *Cyathea alsophilum* Domin 1929.
- pansamalana** Maxon, Contr. U. S. Nat. Herb. 24. 40. 1922. — Guatemala.
- papuana** Ridley, Tr. Linn. Soc. II. 9. 252. 1916 = *Cyathea*.
- paraphysata** (Cop) v. A. v. R. Mal. Ferns Suppl. 58. 1917. — Borneo. — *Cyathea* Cop. 1911; Index Suppl. 21.
- parvifolia** Holttum, Journ. Mal. Br. R. As. Soc. 6. 19. 1928. — Sumatra.
- persquamulata** v. A. v. R. Bull. Buit. II no. 28. 1. 1918. — Java.
- persquamulifera** v. A. v. R. l. c. III. 2. 130. 1920. — Java, Sumatra. — *Cyathea contaminans* var. *persquamulifera* v. A. v. R. l. c. II no. 28. 13. 1918.
- philippinensis** ht. Veitch. — *Cyathea Veitchiana* Domin 1930.
- poiensis** (Cop.) v. A. v. R. Mal. Ferns Suppl. 56. 1917. — Borneo. — *Cyathea* Cop. 1911, Ind. Suppl. 21.
- polyphlebia** Bak. — *Cyathea aruensis* Domin 1929.
- polyphlebia** Domin, Kew Bull. 1929. 218 = *A. furcinervia*.
- procera** (Willd.) Desv. — *Cyathea Willdenowiana* Domin 1930.
- pubescens** Bak. — *Cyathea pubens* Domin 1929.
- pulehra** (Cop.) C. Chr. Ind. Suppl. III. 23. 1934. — Sumatra. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 14. 372. 1929
- punctulata** v. A. v. R. 1915. Ind. Suppl. pré-l. = *Cyathea*.
- ramisora** Domin, Mem. R. Szech. Soc. Sci. n. s. 2. 97 t. 10 f. 11-12. 1929. Guiana anglica.
- Ramosii** (Cop) C. Chr. Ind. Suppl. III. 23. 1933. — Leyte. — *Cyathea* Cop. Phil. Journ. Sci. 30. 325. 1926.
- recurvata** Brause, Engl. Jahrb. 56. 61. 1920. — N. Guinea.
- reducta** v. A. v. R. Bull. Buit. II no. 28. 1. 1918. — Sumatra.
- rheosora** Bak. 1890, Index — *A. podophylla*.
- robusta** C. Moore, Watts, Pr. Linn. Soc. N. S. Wales 39. 261. 1914. — Ins. Lord Howe.
- Roquettei** Brade et Ros. Bol. Mus. Nac. Rio Janeiro 7. 139 t. 2, 3, 5. 1931. — Brasilia.
- Rosenstockii** Brause, Engl. Jahrb. 56. 63. 1920. — N. Guinea. — *Cyathea ascendens* Domin 1930.
- rubiginosa** Brause, l. c. 66. — N. Guinea.
- rugosula** (Cop) C. Chr. Ind. Suppl. III. 23. 1934. — Tonga. — *Cyathea* Cop. Univ. Calif. Publ. Bot. 12. 390. 1931.
- samoensis** Brack. — *Cyathea Wilkesiana* Domin 1930.
- saparuensis** v. A. v. R. 1908, Ind. Suppl. = *Cyathea*.
- sarawakensis** C. Chr. — *Cyathea deuterobrooksii* Cop. 1929.
- seaberulipes** v. A. v. R. Nova Guinea 14. 2. 1924. — N. Guinea.
- seabriuseula** Maxon, Pr. Biol. Soc. Wash. 32. 125. 1919. — Mexico - Guatemala.
- seandens** Brause, Engl. Jahrb. 56. 77. 1920. — N. Guinea.
- Schliebenii** Reimers, Notizbl. Bot. Gart. Berlin-Dahlem 11. 918. 1933. — *simulans* Bak. 1891, Index = *Cyathea borbonica* var. [Afr. trop.
- Sodirol** Bak. — *Cyathea ecuadorensis* Domin 1929.
- Sollyana** Griff. Journ. As. Soc. Beng. 5. 808. 1836 etc. (v. Ind.).
- spinifera** v. A. v. R. Bull. Buit. III. 5. 182. 1922. — Sumatra.
- Sprucei** Hk. — *Cyathea oreites* Domin 1929.
- straminea** Gepp in Gibbs, N. W. N. Guinea 192. 1917 = *Cyathea Geppiana*.

- strigillosa** Maxon, Contr. U. S. Nat. Herb. **24**. 37 t. 11. 1922. — Cuba.  
**Stübelii** Hier. 1906. — *Cyathea Wolffii* Domin 1929.  
*subglandulosa* Hance 1866, Index = *Dryopteris Oldhami*.  
**submarginalis** Domin, Kew Bull. **1929**. 217, Mem. R. Czech. Soc. Sci. n. s. **2**. 88 t. 9, 17. 1929. — Brasilia.  
**subulata** v. A. v. R. Bull. Buit. II no. **28**. 1. 1918. — Sumatra.  
*tenggerensis* Ros. Med. Rijks Herb. no. **31**. 1. 1917. — Java.  
*tenuicaulis* de Vr. et Teyssm. ex Scott, Journ. Agr. Hort. Soc. India II. **1**. 212. 1868 (nomen). — Ceram.  
**tenuis** Brause, Engl. Jahrb. **56**. 71. 1920. — N. Guinea. — *Cyathea tenuicaulis* Domin 1930.  
**trichiata** Maxon, Contr. U. S. Nat. Herb. **24**. 44. 1922. — Costa Rica, Panama.  
**trichophora** (Cop.) v. A. v. R. Mal. Ferns Suppl. **72**. 1917. — Luzon. — *Cyathea* ?  
*tristis* Bl. Moore 1857, Index = *Stenolepia*. [Cop. 1911, Ind. Suppl.  
**vestita** Pr. — *Cyathea Presliana* Domin 1929.  
**vexans** Cesati 1876. — Borneo, Mal. Penins. — *A. dubia* Bedd. 1888, Index.  
**vitiensis** Carr. 1873. — Fiji, Samoa.  
**Williamsii** Maxon, Contr. U. S. Nat. Herb. **24**. 46. t. 17. 1922. — Panama.  
**Wrightii** Underw., Maxon, l. c. **23**. 45. 1920 (syn.) = *A. myosuroides*.  
**xanthina** (Domin) C. Chr. Ind. Suppl. III. **24**. 1934. — Sumatra. — *Cyathea*  
 Domin 1930; *Alsophila xantholepia* v. A. v. R. Bull. Buit. II no. **23**. 1. 1916  
 (non *A. xantholepis* Christ 1899, Index).  
*xantholepia* v. A. v. R. 1915 = *A. xanthina*.  
*Zenkeri* Hier. 1899, Index = *Cyathea camerooniana*.  
**AMESIUM** Newman = **Asplenium**.  
*Sasakii* Hayata Bot. Mag. Tokyo **42**. 334. 1928 = *A. septentrionale* var.  
**ANANTHOCORUS** Underwood et Maxon, Contr. U. S. Nat. Herb. **10**. 487. 1908. — (Polypodiaceae Gen. **136**).  
*angustifolius* (Sw.) Und. et Maxon, l. c. — Amer. trop. — *Vittaria* (Sw.)  
**ANAPAUSIA** Presl. [Bak. 1870, Index.  
*Bonii* Nakai, Bot. Mag. Tokyo **47**. 174. 1933 } = *Hemigramma decurrens*.  
*Harlandii* Nakai, l. c }  
**ANEIMIA** Swartz.  
**Abbottii** Maxon, Proc. Biol. Soc. Wash. **35**. 48. 1922. — Hispaniola.  
**Ianipes** C. Chr. Cat. Pl. Mad. Pter. **65**. 1931 (nomen), Dansk Bot. Ark. **7**. 177 t. 71. 1932. — Madagascar.  
**Luetzelburgii** Ros. Fedde Rep. **20**. 94. 1924. — Brasilia.  
**madagascariensis** C. Chr. Arch. Bot. (Caen) **2** Bull. mens. 216. 1928, Dansk Bot. Ark. **7**. 177 t. 72 f. 1-4. 1932 — Madagascar.  
**Makrinii** Maxon, Journ. Wash. Acad. Sci. **8**. 199. 1918. — Mexico.  
**organensis** Ros. Fedde Rep. **20**. 95. 1924. — Brasilia.  
**Perrieriana** C. Chr. Cat. Pl. Mad. Pter. **65**. 1931 (nomen), Dansk Bot. Ark. **7**. 178 t. 72 f. 5-6. 1932. — Madagascar.  
**Smithii** Brade, Bol. Mus. Nac. Rio Janeiro **5**. 95 t. 3. 1929. — Brasilia.  
**tripinnata** Cop. Univ. Calif. Publ. Bot. **17**. 24 t. 1. 1932. — Brasilia.  
**ANGIOPTERIS** Hoffmann; cf. Hieron. Hedwigia **61**: 242 et v. A. v. R. Bull. Jard. Buit. II no. **28**: 58 (clavis).  
**albido-punctulata** Ros. Med. Rijks Herb. no. **31**. 3. 1917. — Ins. Phil.  
**arborescens** (Blanco) Merrill, Sp. Blancoanae 1918 — Ins. Phil. — *Myriotheca* Blanco, Fl. Filip. **831**. 1837.

- athroocarpa* v. A. v. R. Bull. Buit. III. 5. 183. 1922. — Sumatra.  
*Boivini* Hier. Hedwigia 61. 270. 1919. — Réunion.  
*boninensis* Hier. l. c. 266. — Ins. Bonin.  
*caudatiformis* Hier. l. c. 278. — Yunnan.  
*ceracea* v. A. v. R. Bull. Buit. II no. 28. 4. 1918. — Sumatra.  
*Cumingii* Hier. Hedwigia 61. 258. 1919. — Ins. Phil.  
*Dahlia* Hier. Engl. Jahrb. 56. 215. 1920. — N. Lauenburg.  
*elliptica* v. A. v. R. Bull. Buit. II no. 28. 5. 1918. — Sumatra.  
*elongata* Hier. Hedwigia 61. 261. 1919. — Queensland.  
*evanidostriata* Hier. Engl. Jahrb. 61. 213. 1920. — N. Guinea.  
*Fauriei* Hier. Hedwigia 61. 272. 1919. — Japonia.  
*fokiensis* Hier. l. c. 275. — China austr. or.  
*Forbesii* v. A. v. R. Bull. Buit. II no. 28. 3. 1918. — Java.  
*glauca* v. A. v. R. Mal. Ferns, Suppl. I, Corr. 61. 1917; l. c. 3. — Java.  
*grisea* v. A. v. R. l. c. 5. 1918 = *A. pallida*.  
*Hellwigii* Hier. Engl. Jahrb. 56. 218. 1920. — N. Guinea.  
*Henryi* Hier. Hedwigia 61. 260. 1919. — Formosa.  
*inconstans* v. A. v. R. Bull. Buit. II. no. 28. 6. 1918. — Amboina.  
*lancifoliolata* v. A. v. R. l. c. III. 5. 183. 1922. — Lingga Arch.  
*Lauterbachii* Hier. Engl. Jahrb. 56. 214. 1920. — N. Guinea.  
*leytensis* v. A. v. R. Bull. Buit. II. no. 28. 4. 1918. — Ins. Phil.  
*Iygodiiifolia* Ros. Med. Rijks Herb. no. 31. 2. 1917. — Japonia.  
*Manniana* Ros. l. c. 2. — Assam.  
*marchionica* E. Brown, Bishop Mus. Bull. 89. 100 c. f. 1931. — Marquesas.  
*monstruosa* v. A. v. R. Bull. Buit. III. 2. 130. 1920. — Sumatra.  
*mutata* v. A. v. R. Mal. Ferns Suppl. I, Corr. 60. 1917. — Cult. Hort. Bogor.  
*Naumanni* Hier. Hedwigia 61. 251. 1919. — Fiji.  
*nodosa* Ros. Med. Rijks Herb. no. 31. 3. 1917. — Sumatra.  
*Norrisii* Ros. l. c. 2. — Malay. Penins.  
*novocaledonia* Hier. Hedwigia 61. 253. 1919. — N. Caledonia.  
*Oldhami* Hier. l. c. 265. — Formosa.  
*oligotheca* Hier. l. c. 284. — Java.  
*olivacea* v. A. v. R. Mal. Ferns Suppl. I, Corr. 60. 1917. — Java.  
*opaca* Cop. Bishop Mus. Bull. 59. 8. 1929. — Fiji.  
*oschimensis* Hier. Hedwigia 61. 282. 1919. — Japonia.  
*palauensis* Hier. Hedwigia 61. 268. 1919. — Pelew Ins.  
*pallida* Ros. Med. Rijks Herb. no. 31. 2. 1917. — Java. — *A. grisea* v. A. v. R.  
*papandayanensis* Hier. Hedwigia 61. 256. 1919. — Java. [1918.  
*rapensis* E. Brown, Bishop Mus. Bull. 89. 102. 1931. — Ins. Rapa.  
*Rutteni* v. A. v. R. Bull. Buit. II. no. 28. 6. 1918. — Ceram.  
*Sakuraii* Hier. Hedwigia 61. 280. 1919. — Japonia.  
*stellatosora* C. Chr. Engl. Jahrb. 66. 67. 1933. — Celebes.  
*subeuspidata* Ros. Med. Rijks Herb. no. 31. 3. 1917. — Ins. Phil.  
*sumatrana* v. A. v. R. Bull. Buit. II no. 23. 6. 1916. — Sumatra, Celebes.  
*undulato-striata* Hier. Engl. Jahrb. 56. 216. 1920. — N. Pommerania.  
*Versteegii* v. A. v. R. Bull. Buit. II. no. 28. 6. 1918. — N. Guinea.  
*Winkleri* Ros. Med. Rijks Herb. no. 31. 3. 1917. — Sumatra.  
*yunnanensis* Hier. Hedw. 61. 277. 1919. — China austr. Tonkin.  
**ANISOCAMPIUM** *Cumingianum* Presl 1849 = **Athyrium**.



**ANISOSORUS** Trevisan 1851. (Antiosorus Roemer, Kuhn 1882). — (Polypodiaceae Gen. 128).

**hirsutus** (L.) Und. et Maxon, Pter. Porto Rico. 429. 1926. — Amer. trop. — Lonchitis L. 1753, Index.

**occidentalis** (Bak.) C. Chr. Cat. Pl. Mad. Pter. 54. 1932, Dansk Bot. Ark. 7. 138 t. 54 f. 10-11. — Afr. trop. Madagascar. — Lonchitis Bak. 1867, Index; Pteris Köhler 1920. — L. Friesii Brause 1914?; Pteris Köhler 1920.

**ANOGRAMMA** Link. — (Polypodiaceae Gen. 93). Omnes species hujus generis ad Pityrogrammam a cl. K. Domin 1928 translatae sunt.

**Eggersii** Christ in Index = Pityrogramma.

**Fauriei** Christ in Index = Asplenium subvarians.

**guatemalensis** (Domin) C. Chr. Ind. Suppl. III. 26. 1934. — Guatemala.

Pityrogramma Domin, Publ. Fac. Sci. Univ. Charles no. 88. 9. 1928.

**Makinoi** (Maxim.) Christ in Index = Pleurosoriopsis.

**Osteniana** Dutra, Ostenia 5, fig. 1933. — Brasilia.

**schizophylla** (Bak.) Diels 1899, Index = Pityrogramma.

**ANTIOSORUS** Roemer, Kuhn = Anisosorus.

**ANTROPHYUM** Kaulfuss. — (Polypodiaceae Gen. 138).

**bivittatum** C. Chr. in Bonap. N. Pt. 16. 110 t. 1. 1925. — Madagascar.

**Brookei** Hk. 1861. — Borneo. ? Celebes.

**cuneifolium** Ros. Med. Rijks Herb. no. 31. 3. 1917 = ? A. obovatum.

**Francii** Ros. l. c. = A. novae caledoniae.

**japonicum** Mak. 1899, Index = A. obovatum.

**Ledermanni** Hier. Engl. Jahrb. 56. 175. 1920. — N. Guinea.

**malgassicum** C. Chr. Cat. Pl. Mad. Pter. 56. 1931 (nomen), Dansk Bot. Ark. 7. 146 t. 55 f. 9-10. 1932. — Madagascar.

**obovatum** Bak. Kew Bull. 1898. 233. — India bor. — China — Tonkin — Japonia. — A. japonicum Mak. 1899. — A. petiolatum Bak, Christ 1902. ? A. cuneifolium Ros. 1917. A. latifolium auctt. quoad pl. As. centr. et or.

**Perrierianum** C. Chr. in Bonap. N. Pt. 16. 112. 1925, Dansk Bot. Ark. 7. 145 t. 55 f. 5-8. 1932. — Madagascar.

**petiolatum** Bak., Christ 1902 = A. obovatum.

**subfaleatum** Brack. — Dele syn. A. Brookei Hk. et loc. Borneo, Celebes.

**trivittatum** C. Chr. in Bonap. N. Pt. 16. 111 t. 1. 1925. — Madagascar.

**ARAIOSTEGIA** Copeland, Phil. Journ. Sci. 34. 240. 1927; Univ. Calif. Publ. Bot. 16. 97. 1929, 12. 399. 1931 (clavis sp.) = Leucostegia.

**athamantica** Cop. l. c. 241. 1927 = L. pseudocystopteris.

**Clarkei**, **hymenophylloides**, **multidendata**, **parvipinnula**, **pseudocystopteris**, **pulchra**, **yunnanensis** Cop. l. c. 241. 1927 = L. sp. homonym.

**dareiformis**, **gymnocarpa** (398) — **parva** (399) — **perdurans** (400) Cop. l. c. 1931 = L. sp. homonym.

**pulcherrima** Cop. l. c. 241. 1927 = Asplenium.

**ARCHANGIOPTERIS** Christ et Giesenhagen.

**Somai** Hayata 1915, Ind. Suppl. prélim. — Protangiopteris Hayata 1928.

**subintegra** Hayata, Bot. Gaz. 67. 90. 1919. — Tonkin. — Protangiopteris Hayata 1928.

**tamdaoensis** Hayata, l. c. 91. — Tonkin. — Protangiopteris Hayata 1928. (Omnes vix ab A. Henryi distinctae).

**ARTHROPTERIS** J. Smith. — (Polypodiaceae Gen. 42).

**articulata** (Brack.) C. Chr. Ind. Suppl. III. 26. 1934. — Fiji. Ins. Phil. ? N. Guinea.

- ?Amboina. — *Lastrea* Brack. U. S. Expl. Exp. 16. 191 t. 26 f. 1. 1854. —  
 ?*Nephrodium* Webbianum Hk. 1862.
- dolichopoda** v. A. v. R. Nova Guinea 14. 5. 1924. — N. Guinea.
- integra** Cop. Bishop Mus. Bull. 59. 16 t. 5. 1929. — Fiji.
- monocarpa** (Cordemoy) C. Chr. Cat. Pl. Mad. Pter. 32. 1931, Dansk Bot. Ark. 7. 72. 1932. — Afr. trop. cum ins. or. — *Nephrodium* Cordemoy 1891; *Dryopteris* C. Chr. Index.
- orientalis** (Gmel.) C. Chr. l. c. — Afr. trop. cum ins. or. Arabia. — *Dryopteris* C. Chr. Index cum syn. excl. *Lastrea articulata*. — *Nephrodium* Humblotii Bak. 1885; *Dryopteris* C. Chr. Index.
- parallela** (Bak.) C. Chr. l. c. 33 et 71 t. 10 f. 8-9. — Madagascar. — *Nephrodium* Bak. 1876; *Dryopteris* C. Chr. Index.
- trichophlebia** (Bak.) C. Chr. l. c. 33 et 72. — Madagascar. — *Nephrodium* Bak. 1877; *Dryopteris* C. Chr. Index.
- ASPIDIUM** Swartz emend. Index = **Tectaria**.
- Obs. **Species validae Aspidii Ind. Fil. cum Suppl. ad genus Tectariam infra translatae et hic non enumeratae sunt.**
- acuminatum** Lowe 1857 = *Dryopteris acuminata*.
- adenophorum** v. A. v. R. Mal. Ferns Suppl. 196. 1917.
- adnatum** Bl. 1828 = *Dryopteris adnata*.
- ambiguum** Diels 1899, Index = *Heterogonium aspidioides*.
- ?**Amoa** Hk. in Nightingale, Oceanic Sketches 129. 1835 —?
- angustifrons** Miq. 1867 = *Dryopteris cystopteroides*.
- anomophyllum** Zenker 1835 = *Cyrtomium caryotideum*.
- argutum** Klf. 1824 = *Dryopteris arguta*.
- artinexum** (Clarke) C. Chr. Index = *T. Clarkei*.
- asperum** Mett. 1864 = *Dryopteris Presliana*.
- atratum** Wall. 1828 = *Dryopteris atrata*.
- blechnoides** Sm. in Rees Cycl. 39. no. 11. 1818; Alston, Phil. Journ. Sc. 50. 181. (descr. orig) 1933 = *Cyclopeltis semicordata*.
- Bolsteri** Cop. 1906, Ind. Suppl. = *T. Bryanti*.
- brachiatum** Zoll. et Moritz 1844, Index = *T. variolosa*?
- Braunianum** Karst. 1859 = *Tectaria*.
- Brongniartii** (Bory) Diels 1899, Index = *T. irregularis* var.
- Brooksiae** v. A. v. R. Bull. Buit. II no. 23. 9. 1916 = *Polypodium hetero-*  
*Buchholzii* Kuhn 1879 = *Tectaria*. [carpum Bl.
- Burchardii** Ros. Med. Rijks Herb. no. 31. 3. 1917.
- canariense** A. Br. 1841 = *Dryopteris oligantha*.
- caudiculatum** Sieb. = *Dryopteris prismatica*.
- Championi** Benth. 1861 = *Dryopteris Championi*.
- chattagrammicum** Diels 1899 = *Tectaria*.
- Christii** (Cop.) C. Chr. Ind. Suppl. = *T. macrodonta*.
- chrysotrichum** Christ 1896 = *Dryopteris tenuifrons*.
- chrysotrichum** C. Chr. Ind. Suppl. = *Tectaria*.
- cicutarium** (L.) Sw., Index = *T. cicutaria*, *T. dilacerata*, *T. Gaudichaudii*, *T. macrodonta*, *T. tenuifolia*; v. etiam *T. malayensis*.
- ciliatum** Wall. 1828 = *Dryopteris pseudocalcarata*.
- coadunatum** Wall. 1828 = *T. macrodonta*.
- coniifolium** Wall. 1828 = *Polystichum himalayense*.
- consobrinum** Fée 1866 = *D. meridionalis*.

- controversum* Hance 1862 = *Polystichum controversum*.  
*Copelandii* C. Chr. Index 661 = *T. decurrens*.  
*cordifolium* Pr. 1849 = *T. variolosa*.  
*cordulatum* Ros. Med. Rijks Herb. no. 31. 3. 1917.  
*costaricanum* C. Chr. Index = *T. athyrioides*.  
*crenulans* Fée 1869 = *Dryopteris crenulans*.  
*crinigerum* C. Chr. in Bonap. N. Pt. 16. 34. 1925.  
*cuspidato-pinnatum* Hayata, Nakai, Bot. Mag. Tokyo 47. 167, 1933 (syn.)  
*?Decaryanum* C. Chr. Cat. Pt. Mad. Pter. 31. 1932.  
*depariopsis* C. Chr. Index = *T. Godeffroyi*.  
*Desvauxii* Mett., Kuhn 1868 = *Dryopteris crinita* var.  
*dilaceratum* Kze. 1850 = *T. dilacerata*.  
*dissidens* Mett. 1858 = *Dryopteris sclerophylla*.  
*divergens* Ros. Med. Rijks Herb. no. 31. 3. 1917.  
*domingense* (Bak.) C. Chr. Index = *T. trifoliata*.  
*Dryopteris* var. *longulum* Christ Bull. Boiss. II. 2. 830. 1902 = *Dryopteris*  
*equestre* Kze. 1844 = *Dryopteris equestris*. [remotipinnata.  
*Esquirolii* (Christ) C. Chr. Ind. Suppl. = *T. quinquefida*.  
*evenulosum* v. A. v. R. Bull. Buit. II no. 28. 7. 1918.  
*excultum* Mett. 1858 = *Dryopteris exculta*.  
*expansum* Fée 1865 = *Dryopteris melanosticta*.  
*extensum* Fée 1852 = *Dryopteris melanosticta*.  
*falcipinnum* v. A. v. R. Bull. Buit. II no. 28. 7. 1918.  
*festinum* Hance 1883 = *Dryopteris festina*.  
*formosum* Fée 1852 = *Dryopteris formosa*.  
*frondosum* Wikstr. 1826 = *Dryopteris meridionalis*.  
*fuscipes* Wall. 1828 pt., Bedd. 1876 = *Tectaria*.  
*Gardnerianum* Mett. 1858 = *Dryopteris recedens*.  
*Gaudichaudii* Mett., Kuhn 1869 = *Tectaria*.  
*glanduligerum* Kze. 1837 = *Dryopteris glanduligera*.  
*Griffithii* (Moore) Diels 1899, Index = *Dictyocline*.  
*groenlandicum* Gandoger, Bull. Soc. Fr. 66. 305. 1919. — *Groenlandia*. —  
*gymnocarpa* (Cop.) C. Chr. Ind. Suppl. pré. = *T. ferruginea*. [*Dryopteris* sp.  
*hippocrepsis* (Jacq.) Sw. 1806, Index = *T. cicutaria*.  
*hokutense* Hayata 1911, Ind. Suppl. pré. = *T. subtriphyllosum*.  
*Hosei* (Bak) C. Chr. Index = *T. Lobbii*.  
*hymenodes* Mett., Kuhn 1869 = *T. hymenodes*.  
*intermedium* Bl. 1828 = *Dryopteris vilis*.  
*Johannis Winkleri* C. Chr. Mitt. Inst. Hamburg 7. 149. 1928.  
*jucundum* Fée 1865 = *Dryopteris denticulata* var. (descr.) et *D. formosa* (ill.)  
*juglandifolium* Christ 1896 = *Tectaria*.  
*Kuhnii* C. Chr. Index = *T. Barberi*.  
*Künstleri* Bedd. 1892, Index = *T. Barberi*.  
*kwanonense* Hayata, Ic. Pl. Formosa 8. 137. f. 61. 1918 = *T. macrodonta*.  
*kwarenkoense* Hayata, l. c. 138.  
*lamaoense* Cop. 1905, Index 661 = *T. irrigua*.  
*Ledermanni* Brause, Engl. Jahrb. 56. 114. 1920.  
*lepidotrichum* Desv. 1811 — *Dryopteris nemorosa*.  
*longicrure* Christ 1909, Ind. Suppl. = *T. Simonsii*.  
*Ludovicianum* Kze. 1848 = *Dryopteris oligantha*.

- macropus* Mett. 1859 = *Dryopteris macropoda*.  
*magnificum* Bonap. N. Pt. 16. 183. 1925.  
*Maingayi* Holttum, Gardens Bull. S. S. 5. 207. 1931.  
*mamillosum* (Moore) C. Chr. Index = *T. decurrens*.  
*Maximowiczianum* Miq. 1867 = *Dryopteris Matsumurae*.  
*membranifolium* C. Chr. Index = *T. fuscipes* et *T. chattagrammica*.  
*microchlamys* Christ 1899 = *Polystichum microchlamys*.  
*Morsei* (Bak.) C. Chr. Ind. Suppl. = *T. subpedata*.  
*mucronatum* Sw. 1801 = *Polystichum mucronatum*.  
*multicaudatum* Wall., Bedd. 1883, Index = *T. neglecta*.  
*multilineatum* Mett. 1858 = *Dryopteris m.*  
*nantoense* Hayata, Ic. Pl. Formosa 8. 139 f. 63. 1919 = *T. polymorpha*.  
*nemorosum* Jenm. Gard. Chr. 1894 Febr. 3 = *Dryopteris meridionalis*.  
*novae caledoniae* C. Chr. Index = *T. Vieillardii*.  
*novoguineense* Ros. Med. Rijks Herb. no. 31. 4. 1917.  
*nudum* (Bak.) Diels 1901, Index = *T. semibipinnata*.  
*obscurum* Christ, Journ. de Bot. 19. 62. 1905 = *T. fuscipes*.  
*oxyodon* Franch. 1883 = *Dryopteris laeta*.  
*olivaceum* (Cop.) C. Chr. Ind. Suppl. prélim. = *T. Leuzeana*.  
*pachinense* Hayata, Ic. Pl. Formosa 8. 140 f. 65-66. 1918 = *T. kwaienkoensis*.  
*pachyphyllum* Kze. 1848, Index = *T. crenata*.  
*pandurifolium* C. Chr. Mitt. Inst. Hamburg 7. 149. 1928.  
*papyraceum* v. A. v. R. Bull. Buit. III. 2. 131. 1920.  
*Pearcei* Philippi, Anal. Univ. Chil. 1881. 385 = *Polystichum multifidum*.  
*persoriferum* Cop. 1905, Index 662 = *T. crenata*.  
*pinfaense* Christ 1909, Ind. Suppl. = *T. macrodonta*.  
*pistillare* Sw. 1801 = *Oleandra p.*  
*pleiosorum* v. A. v. R. Mal. Ferns Suppl. 199. 1917.  
*pleocnemioides* v. A. v. R. Nova Guinea 14. 6. 1924.  
*Plumierii* Pr. 1849, Index = *T. trifoliata*.  
*polysorum* Ros. 1914, Ind. Suppl. prélim. = *T. quinquefida*.  
*Pringleanum* Gandoger, Bull. Soc. Fr. 66. 305. 1919. — Canada. — *Dryopteris* sp.  
*profereoides* Christ 1907 = *Heterogonium*.  
*psammiosorum* C. Chr. Index = *T. trifoliata*.  
*psilopodium* C. Chr. Index = *T. subdigitata*.  
*pteroides* Sw. 1801 = *Dryopteris interrupta*.  
*pteroides* Ballard, Kew Bull. 1932. 75 = *T. fuscipes*.  
*pteropodium* Diels 1899 = *Polypodium heterocarpum* Bl.  
*Purdiaei* Jenm. 1897, Index = *T. trifoliata*.  
*radicans* Fée 1852, Index = *Dryopteris exculta*.  
*rarum* v. A. v. R. Bull. Buit. II no. 28. 7. 1918.  
*repandum* Willd. 1810, Index = *T. crenata*.  
*Ridleyanum* v. A. v. R. Mal. Ferns Suppl. 505. 1917.  
*rotundilobatum* Bonap. N. Pt. 16. 185. 1925.  
*rufinerve* Hayata 1911, Ic. Pl. Formosa 8. 141 f. 67-68. 1919. Ind. Suppl. prélim.  
*rufo-villosum* Ros. Fedde Rep. 22. 11. 1925. [= *T. Leuzeana*.  
*sagenioides* Mett. 1858 = *Dryopteris trichotoma*.  
*setosum* Sw. 1801 = *Hypolepis punctata*.  
*sorbifolium* Willd. 1810 = *Lomagramma*.  
*subdecurrens* (Luerss.) C. Chr. Index = *T. Maingayi*.

- submembranaceum Hayata 1914, Ind. Suppl. pré. = *T. irregularis* var. Bron-  
 subsageniaceum Christ 1906 = *T. fuscipes*. [gniartii.  
 tenericaule Thwait. 1864 = *Dryopteris uliginosa*?  
 tenuifolium Mett., Kuhn 1869 = *Tectaria*.  
 teratocarpum v. A. v. R. Nova Guinea 14. 6. 1914.  
 terminale Ros. Med. Rijks Herb. no. 31. 4. 1917.  
 trichotomum Fée 1852, Index = *Dryopteris*.  
 tricuspis Bedd. 1892, Index = *T. vasta*.  
 trifolium v. A. v. R. 1812, Ind. Suppl. = *T. terminalis*.  
 uliginosum Kze. 1847 = *Dryopteris uliginosa*.  
 Veitchianum C. Chr. Index = *T. amblyotis*.  
 viridans Mett., Kuhn 1869, Index = *T. Milnei*.  
 Whitfordi Cop. 1905, Index 662 = *T. irregularis*.  
 Zippelianum C. Chr. Index = *T. ferruginea*.  
 xylodes Kze. 1851 = *Dryopteris xylodes*.

ASPIDOTIS Nuttall = *Cheilanthes*.

ASPLENIUM L.; Index (excl. sect. *Loxoscapha*) — (Polypodiaceae Gen. 74).

*Abbottii* Brause, Fedde Rep. 18. 246. 1922 = *A. rectangulare*.

*achilleifolium* (Lam.) C. Chr. — Dele loc. Asia et Polynesia et syn. *A. pro-*  
*longatum*. — Afr. austr.

\**Lonchitis bipinnata* Forsk. 1775: *Asplenium* C. Chr., Hier. 1910, Ind. Suppl.  
 (part. non alior.); *Darea disticha* Klf. 1824 etc. *D. stans* Willd. 1810 etc.  
*Asplenium loxoscaphoides* Bak. 1887, Index. *A. linearilobum* A. Peter 1929.  
 — Arabia felix - Afr. or. - Madagascar. — (An potius sp. propria: *A. stans*  
 (Willd.) Kze.?).

*aerocarpum* (Ros.) Hier. Hedwigia 61. 32. 1919. — N. Guinea. — *Displazium*  
 Ros. 1912, Ind. Suppl.

*actiniopteroides* A. Peter, Fedde Rep. Beih. 40. 79, Descr. 7 t. 3 f. 3-4.  
 1929. — Afr. or. trop.

*acutipinnata* Bonap. N. Pt. 4. 69. 1917 = *A. Gilpinae*.

*adiantoides* Index (an L?) — Nom. opt. *A. falcatum* Lam.?

*affine* Sw. — Dele syn. omnia et loc. Ceylon — Polynesia.

*affine* var. *pecten* Bak. Journ. Linn. Soc. 16. 199. 1877 = *A. Gilpinae*.

*affine* var. *tanalense* Bak. JoB. 1880. 329 = *A. Gilpinae*.

*alatum* Ridley, Tr. Linn. Soc. II. Bot. 9. 256. 1916 (Gen. falsum ex err.) =  
*Tectaria Ridleyana*.

*Alfredii* Ros. Fedde Rep. 22. 8. 1925. — Costa Rica.

*alienum* Mett. 1859 — *Diplazium a.*

*amaurolobum* Ros. Med. Rijks Herb. no. 31. 4. 1917. — Sumatra. Borneo.

*amaurophyllum* A. Peter, Fedde Rep. Beih. 40. 73, Descr. 5. t. 1 f. 11-12.  
 1929. — Afr. or. trop.

*amplum* Willd.; Kuhn 1868 = *Diplazium arborescens*.

*anisophylloides* Bonap. N. Pt. 14. 220. 1924. — Ruwenzori.

*anisophyllum* Kze. — Dele \**A. sanguinolentum*.

*anisophyllum* var. *aequilaterale* Hier. Engl. Pflanzenwelt Ostafrikas C. 82. 1895  
 = *A. Elliottii*.

*antiquum* Mak. Journ. Jap. Bot. 6. 32. 1929 = *A. nidus* \*(infra).

*apertum* C. Chr. Cat. Pl. Mad. Pter. 38. 1932 (nomen), Dansk Bot. Ark. 7.  
 99 t. 34 f. 1-2. 1932. — Madagascar.

*argentinum* Hier. Hedwigia 60. 249. 1918. — Argentina.

- auritum** Sw. 1801. — *A. sulcatum* Index (an Lam.?).
- austrochinense** Ching, Bull. Fan Mem. Inst. 2. 209. t. 27. 1931. — Kwangtung, avicula Cord. 1891 = *A. petiolulatum*. [Tonkin.]
- Baileyanum** (Domin) Watts, Pr. Linn. Soc. N. S. Wales 39. 783. 1915. — Queensland. — *A. Hookerianum* var. *Baileyanum* Domin. Bibl. Bot. 85. 102. 1913 (Bail. Lith t. 112).
- Bakeri** C. Chr. Index = *Lindsaya*.
- Bangii** Hier. Hedwigia 60. 245. 1918. — Bolivia.
- Bangii** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *praec.*?
- barbadense** Jenm. 1894 = *A. dentatum*.
- barbaense** Hier. Hedwigia 60. 214. 1918. — Costa Rica.
- Barteri** Hk. 2. Cent. t. 75. 1861. — Africa occ. trop.
- belloides** v. A. v. R. Bull. Buit. II no. 28. 10. 1918. — Sumatra. — *A. subspathulatum* v. A. v. R. l. c. II no. 20. 7. 1915, Ind. Suppl. pré. (non Ros. bellum Clarke 1880 = *Athyrium bellum*. [1913].)
- benguetense** Hier. Hedwigia 60. 264. 1918. — Ins. Phil.
- bicarinatum** v. A. v. R. Bull. Buit. III. 2. 131, fig. 1920. — Sumatra.
- Billetii** Christ 1898, Index = *A. pulcherrimum*.
- bilobulatum** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *A. lunulatum* sens. lat.
- bipinnatum** (Forsk.) C. Chr. Ind. Suppl. = *A. achilleifolium*\*.
- Bodinieri** Christ 1902, Index = *A. coenobiale*.
- Bornmülleri** Kümmerle, Bot. Közlem. 19. 81, fig. 1921. — Macedonia.
- brachycarpum** (Mett.) Kuhn 1869, Index = *Loxoscaphe*.
- brachyotus** Kze. 1836 = *A. inaequilaterale*.
- Bradei** Ros. Fedde Rep. 21. 347. 1955. — Brasilia.
- Bradeorum** Hier. Hedwigia 60. 217. 1918. — Costa Rica, Colombia.
- brasiliense** Raddi 1825 (non Sw. 1817), Hier. Hedwigia 61. 6. 1919 = *A. erectum* var. *an sp. bona?* (America trop.).
- Breynii** Retz. 1779 = *A. septentrionale* × *trichomanes*.
- brisbaneense** Hier. Hedwigia 60. 211. 1918. — Queensland.
- Brooksii** Cop. 1911, Ind. Suppl. = *A. batuense*.
- bulbiferum** Forst. — Dele loc. Ind. bor. et syn. *A. bullatum*.
- bullatum** Wall. List no. 215. 1828, Mett. Aspl. no. 51. 1859, Hier. Hedwigia 61. 4. 1919. — India bor. - China austr. - Tonkin — *A. grandifrons* Christ 1899, Index, *A. Cavalerianum* Christ 1909, Ind. Suppl. — *A. latecuneatum* Christ 1909, Ind. Suppl.
- camptorachis** Kze. Linn. 24. 262. 1851. — India austr. Ceylon. Java. Ins. Hawaii. — *A. sphenolobium* Zenker ap. Kze. l. c. 264 (syn.), Hier. Hedwigia 60. 226. 1918. — Var. *usambareense* (Hier.) — Africa trop. — *A. usambareense* Hier. l. c. 227; *A. sphenolobium* Hier. 1910; Ind. Suppl.
- cardiophyllum** (Hance) Bak. 1891. — Adde loc. Ins. Bonin et syn. *Phyllitis* Ching 1930. Ph. Ikenoi (Mak.) C. Chr. Index; *Boniniella* Hayata 1928.
- carinatum** v. A. v. R. Bull. Buit. II no. 28 9. 1918. — Celebes.
- cataractarum** Ros. 1915, Ind. Suppl. pré. = *A. unilaterale*.
- Cavalerianum** Christ 1909, Ind. Suppl. = *A. bullatum*.
- centripetale** Bak. 1874 = *Diplazium centripetale*.
- ceratophyllum** Cop. Univ. Calif. Publ. Bot. 14. 364. 1929. — N. Caledonia.
- cirrhatum** Rich., Index = *A. radicans*.
- Clarkei** Atk.; Clarke 1880 = *Athyrium Clarkei*.
- Claussenii** Hier. Hedwigia 60. 241. 1918. — Amer. trop.

- coenobiale** Hance. — China. Japonia. — *A. Toramanum* Mak. 1892, Index.
- Colaniae** Tardieu-Blot, Bull. Mus. Paris II. 5. 482, fig. 1933. — Indochina.
- contiguum** Klf. — Dele loc. Ins. Phil. et syn.
- coriaceum** Desv. 1827 = *A. falx*.
- Cruegeri** Hier. Hedwigia 60. 254. 1918. — Trinidad, Guiana.
- curtidens** (Christ) Koidzumi, Bot. Mag. Tokyo 43. 388. 1929. — Korea.  
*A. Wilfordii* var. Christ 1896.
- cryptolepis** Fernald, Rhodora 30. 41. 1928 = *A. ruta muraria* var. (U. S. A. or.)
- Csikii** Kümmerle et Andrasovszky, Mag. Bot. Lapok 17. 110. 1919 (nomen),  
20. 3, fig. 1923, Addit. ad Fl. Albaniae 209 t. 13. 1926. — Albania.
- cuspidifolium** v. A. v. R. 1915, Ind. Suppl. préf. = *A. filiceps*.
- dacicum** Borbás, Term. Közlem. 46. 71, fig., 1898 = *A. cuneifolium*.
- Daubenbergii** Ros. 1907, Ind. Suppl. = *A. Linckii*.
- Dayi** Hier. Hedwigia 60. 225. 1918. — Jamaica.
- debile** Fée 1865, Index = *A. fragile*.
- decipiens** Kuhn 1879 = *A. pseudopellucidum*.
- decompositum** A. Peter, Fedde Rep. Beih. 40. 79, Descr. 7 t. 2 f. 5-6. 1929.  
— Africa or. trop.
- dejectum** Brause, Ule, Engl. Jahrb. 52. Beibl. 51. 1915 (nomen). — Mt. Roraima.
- Delislei** Bak. 1891, Index = *A. stoloniferum*.
- depauperatum** Fée 1857, Index; cf. Hier. Hedwigia 61. 25. 1919. — Adde  
loc. Argentina, Uruguay, et syn. *A. Gibertianum* Hk. 1860, Index; *A. micropterum* Bak. 1874 Index; *A. Schiffneri* Christ 1897, Ind. Suppl.
- Desvauxii** Mett. 1859 Index = *Diplazium macrophyllum*.
- dicranurum** C. Chr. Sv. Bot. Tids. 16. 91 f. 1. 1922. — Celebes.
- diplazioides** Hk. et Arn. 1832 = *Diplazium Meyenianum*.
- diploseum** Hier. Hedwigia 60. 232. 1918. — Cuba, Hispaniola.
- Donianum** Mett. 1859 = *Diplazium Donianum*.
- duale** Jenm. 1893, Index = *A. falx*.
- Dusenii** Luerss.; Bonap. N. Pt. 14. 276. 1924 (nomen) = *A. efulense*.
- Eatoni** Dav. 1896, Index = *A. commutatum*.
- Eberhardtii** Tardieu-Blot, Bull. Mus. Paris II. 5. 484, fig. 1933. — Annam.
- elaphoglossoides** C. Chr. Engl. Jahrb. 66. 55. 1933. — Celebes.
- ensiforme** Wall. — Formae sunt (t. Ching): *A. holosorum* Christ 1898, Index.  
*A. tonkinense* C. Chr. Index *A. loxogrammoides* Christ 1909, Ind. Suppl.
- erectum** Bory, Willd. 1810. — Afr. austr. (Amer. trop? *A. brasiliense* Raddi?).
- erosum** L. 1759. — Jamaica. — (Cf. *A. falx*; an *A. dimidiatum*? an *A. auritum*?,  
cf. Hier. Hedwigia 61. 35).
- erosum** Mett. Aspl. no. 157 et auctt., Index = *A. falx*.
- exiguum** Bedd. — Adde loc. China merid. - Tonkin, Luzon et syn. *A.*  
*yunnanense* Franch. 1885, Index. *A. Loherianum* Christ 1898, Index. *A.*  
*woodsoides* Christ 1900, Index. *A. lushanense* C. Chr. 1924.
- falx** Desv. 1837; Hier. Hedwigia 61. 35. 1919. — India occ. — *A. erosum*  
Mett. et auctt., Index. *A. coriaceum* Desv. 1827. *A. duale* Jenm. 1893, Index.
- Fauriei** Christ 1899, Index = *A. oligophlebium*.
- fernandezianum** Kze. 1837, Hier. Hedwigia 61. 11. 1919 = *A. stellatum*.
- ferulaceum** Moore 1859, Index = *Athyrium*.
- fibrilliferum** v. A. v. R. Bull. Buit. III. 2. 133. 1920. — Ins. Phil.
- fluminense** (Lindm.) Hier. Hedwigia 61. 17. 1919. — Brasilia. Bolivia. —  
*A. lunulatum* var. *fluminense* Lindm. Ark. för Bot. 1. 218 t. 10 f. 3. 1903.

- formosanum Bak. 1891, Index = A. Oldhami.
- Friesiorum** C. Chr. Notizblatt Bot. Gart. Berlin 9. 181. 1924, Dansk Bot. Ark. 7. 99 t. 34 f. 6. 1932. — Africa or. trop. et austr. Madagascar. — A. serra auctt. quoad pl. afr. A. monilisorum Domin 1929 — (cf. A. pseudo-serra Domin 1929).
- fuscopubescens Hk. 1860 = Diplazium fuscopubescens.
- germanicum Weis 1770 (non Index) = A. ruta muraria.
- germanicum auctt., Index = A. septentrionale × trichomanes.
- gibberosum (Forst.) Mett. 1870 = Loxoscaphe.
- Gibertianum Hk. 1860, Index = A. depauperatum.
- Gilpinae** Bak. Journ. Linn. Soc. 16. 260. 1877, C. Chr. Dansk Bot. Ark. 7. 93 t. 34 f. 3. cum syn. — Madagascar. — A. simillimum Kuhn, Hier. 1918.
- glaberrimum Mett. 1856 = Diplazium pallidum.
- glochidiatum Racib. 1902, Index = A. scolopendrioides.
- Goadbyi** Cop. et Watts, Phil. Journ. Sci. 26. 330. 1926. — N. Britannia.
- gracile A. Peter, Fedde Rep. Beih. 40. 73, Descr. t. 5 f. 2. 1929 (non alior.) = A. Sandersoni var.?
- grandifrons Christ 1899 = A. bullatum.
- Gravesii** Maxon, Amer. Fern Journ. 8. 1. 1918. — Georgia. — (A. Bradleyi × pinnatifidum). — A. Stotleri Wherry 1925.
- Griffithianum** Hk. — India bor. - China - Tonkin - Japonia. — Adhuc t. Ching: A. holophyllum Bak. 1891 Index. A. pinfaense Christ 1909, Ind. Suppl. A. Nakanoanum Mak. 1914, Ind. Suppl. pré. A. iridiphyllum et A. scolopendrifrons Hayata 1914, Ind. Suppl. pré.
- Guildingii Jenm. 1894, Index = Diplazium.
- Hagenbeckii** Hier. Hedwigia 60. 252. 1918. — Gran Chaco.
- haplophyllum** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 170 t. 29 f. 1. 1929. — Guiana angl.
- harpeodes** Kze. Linn. 18. 329. 1844, Hier. Hedwigia 60. 234. 1918. — Amer. trop. — A. jucundum Fée 1869, Index.
- Hasslerianum Christ 1909, Ind. Suppl. = A. laetum.
- Hausknechtii** Godet et Reuter. — Adde loc. Persia, Turkestania et syn A. samarkandense Koss. 1922.
- hemionitis L. sp. 1078. 1753, Lam. 1778 = Phyllitis.
- hemionitis auctt., Index = A. palmatum.
- Hermanni Christi** Fomin, Fl. cauc. crit. 1. 229. 1913. — Caucasus.
- herpetopteris** Bak. Journ. Linn. Soc. 16. 200. 1877, C. Chr. Dansk Bot. Ark. 7. 101 t. 38 f. 1—5. 1932. — Madagascar.
- Hoffmanni** Hier. Hedwigia 60. 258. 1918. — Costa Rica.
- Hollandii (Sim) C. Chr. Ind. Suppl. = Loxoscaphe nigrescens.
- holophyllum Bak. 1891, Index = A. Griffithianum.
- holosorum Christ 1898, Index = A. ensiforme.
- Hookerianum auctt. quoad pl. Queensland. et var. Baileyanum Domin 1913 = A. Baileyanum.
- Hostmanni** Hier. Hedwigia 60. 256. 1918. — Guiana. Brasilia.
- howeanum** (Watts) Oliver, Tr. N. Zeal. Inst. 49. 122. 1917. — Ins. Lord Howe. A. bulbiferum var. howeanum Watts, Pr. Linn. Soc. N. S. Wales 37. 329. 1913.
- Humbertii** Tardieu-Blot, Aspl. du Tonkin 25 t. 2 f. 1—2. 1932. — Tonkin.



- Humboldtii** Hier. Hedwigia 60. 263. 1918. — Ins. Comorae.  
*hypomelas* Kuhn 1868, Index = *Loxoscaphe nigrescens*.  
**iezimaense** Tagawa, Acta Phytotax. 2. 200. 1933. — Ins. Riu-Kiu. — A. Fauriei Kodama in Mats. Ic. pl. Koisik. 1 t. 45. 1912 (non Christ 1899).  
**Imrayanum** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 173. 1929. — Dominica.  
*inaequalidens* Fée 1866, Index = A. laetum.  
**inaequilaterale** Willd. sp. 5. 322. 1810, Hier. Hedwigia 61. 22. 1919. — Afr. et Amer. trop. Ind. austr. Ceylon. — A. brachyotus Kze. 1836. A. laetum auctt. part.  
**integerrimum** Spr. 1821, Index Suppl. 96 — Antillae maj. Mexico. — A. juglandifolium auctt. Index (excl. syn., non Lam. 1786).  
*iridiphyllum* Hayata 1914, Ind. Suppl. pré. = A. Griffithianum.  
*Javorkae* Küm. Bot. Közlem. 20. 108. 1923 (nomen), Mag. Bot. Lapok 21. 1. 1923 = A. lepidum × ruta muraria.  
**Jensenii** C. Chr. Engl. Jahrb. 66. 55. 1933. — Malesia.  
*jucundum* Fée 1869, Index = A. harpeodes var.  
*juglandifolium* Lam. 1786 = *Polybotrya cervina*.  
*juglandifolium* auctt., Index (excl. syn.) = A. integerrimum.  
**Karasekii** Christ; Bonap. N. Pt. 14. 279. 1924 (nomen). — Afr. aequat.  
*Keysserianum* Ros. 1912, Ind. Suppl. = A. paleaceum.  
**Kjellbergii** C. Chr. Engl. Jahrb. 66. 56. 1933. — Celebes.  
**Kobayashii** Tagawa, Acta Phytotax. 1. 309. 1932. — Manchuria.  
*laceratum* Desv. 1827 = A. affine.  
**laciniatum** Don 1825, Hier. Hedwigia 61. 33. 1919, Index excl. syn. A. planicaule Wall. — Ind. bor. - China austr. - Tonkin.  
*laetum* Sw. 1806, Index (excl. loc. Africa austr. et Madagascar et syn. A. brachyotus Kze.), Hier. Hedwigia 61. 21—24. 1919. — Amer. trop.  
*laetum* auctt. quoad pl. afr. = A. inaequilaterale.  
**lamprophyllum** Carse, Tr. N. Zeal. Inst. 56. 81. 1926. — N. Zealand.  
*lanceolatum* Huds. Fl. angl. ed. 2. 2. 454. 1778 (non ed. 1. 1762) = A. obovatum.  
*lanceolatum* A. Peter, Fedde Rep. Beih. 40. 72, Descr. 5 t. 5 f. 3. 1929 = A. Peteri.  
**lancifolium** C. Chr. Engl. Jahrb. 66. 56. 1933. — Celebes.  
*latecuneatum* Christ 1909, Ind. Suppl. = A. bullatum.  
**Lavanchiei** Bonap. N. Pt. 4. 22. 1917, 10. 154. 1920. — Ins. Comorae.  
**laxifolium** v. A. v. R. Nova Guinea 14. 8. 1924. — N. Guinea.  
**Ledermanni** Hier. Engl. Jahrb. 56. 150. 1920. — N. Guinea.  
*lepidum* × *ruta muraria* Küm. Mag. Bot. Lapok 21. 1. 1923. — Albania. A. Javorkae Küm. l. c.  
*leucostegioides* Bak. 1891, Index = A. pavonicum.  
**leucothrix** Maxon, Proc. Biol. Soc. Wash. 43. 85. 1930. — Guatemala. *Athyrium verapax* Christ 1906, Ind. Suppl. (non *Asplenium* Donn. Smith 1888).  
*linearifolium* Bonap. N. Pt. 4. 113. 1917 = A. subaquatile.  
*linearilobum* A. Peter, Fedde Rep. Beih. 40. 80, Descr. 8 t. 2 f. 7—8. 1929 = A. achilleifolium.  
*linearipinnata* Bonap. N. Pt. 5. 90. 1917 = A. Poolii.  
*lineatum* subsp. *supraauritum* C. Chr. Ark. för Bot. 14 no. 19. 7 t. 2. 1916 = A. Gilpinae.  
**lobulatum** Mett. — Adde loc. N. Guinea, Samoa et syn. A. pseudofalcatum Hill. 1888, Index.

- Lofgreni Gandoger, Bull. Soc. Fr. **66**. 305. 1919 = *A. lunulatum* sens. lat.  
 Loherianum Christ 1898, Index = *A. exiguum*.  
**longicarpum** (Kodama) Ching in C. Chr. Ind. Suppl. III. 35. 1934. — Japonia.  
 — *Diplazium* Kodama in Matsum. Ic. Pl. Koisik. **3**. 51 t. 171. 1916.  
 longicaudata Bonap. N. Pt. **4**. 71. 1917 = *A. petiolulatum*.  
 longkaense Ros. 1943, Ind. Suppl. pré. = *A. interjectum*.  
**longum** v. A. v. R. Bull. Buit. II no. 28. 8. 1918. — Banka.  
**loxocarpum** Cop. Univ. Calif. Publ. Bot. **14**. 375 t. 59. 1929. — Sumatra.  
 loxogrammoides Christ 1909, Ind. Suppl. = *A. ensiforme*.  
 loxoscaphoides Bak. 1887, Index = *A. achilleifolium*\*.  
**lunulatum** Sw. 1801, Index. excl. syn. plur. cf. Hier. Hedwigia **60**. 217–256.  
 1918, **61**. 6–14. 1919.  
 lushanense C. Chr. Acta Hort. Goth. **1**. 80 t. 16. 1924 = *A. exiguum*.  
**Macraei** Hk. et Grev. Ic. Fil. t. 217. 1831, Hier. Hedwigia **60**. 230. 1918. —  
 Ins. Hawaii. — *A. strictum* Brack. 1854.  
**macrodon** Fée, 10. mém. 28. 1865, Hier. Hedwigia **61**. 10. 1919. — Ecuador.  
**macrolepis** Domin, Mem. R. Czech. Soc. Sci. n. s. **2**. 172 t. 28 f. 5–6.  
 1929. — Brasilia.  
 macrolobium A. Peter, Fedde Rep. **40**. 77. Descr. 6 t. 3 f. 1–2. 1929 = *A.*  
*gemmiferum* forma?.  
**macrourum** Cop. Univ. Calif. Publ. Bot. **14**. 363. 1929. — N. Caledonia.  
 Mactierii Bedd. 1888, Index = *A. vulcanicum* f. simplex.  
 Makinoi (Yabe) Hayata 1914, Ind. Suppl. pré. = *A. loriceum*.  
**masoulae** Bonap. N. Pt. **10**. 182. 1920, C. Chr. Dansk Bot. Ark. **7**. 102 t.  
 33 f. 1–3. 1932. — Madagascar.  
 Matsumurae Christ 1910, Ind. Suppl. = *Diplazium*.  
 Melleri Mett., Kuhn 1868 = *A. Sandersonii* var.  
 Matangense Hose, Journ. Str. Br. R. As. Soc. no. **32**. 58. 1899 = *Diplazium*  
*micropteron* Bak. 1874, Index = *A. depauperatum*. [falcinellum.  
*microsorium* Mak. Bot. Mag. Tokyo **6**. 46. 1892 = *Athyrium*.  
 Miersii Gandoger, Bull. Soc. Fr. **66**. 305. 1919 = *A. lunulatum* sens. lat.  
**miradoreense** Liebm. 1849, Hier. Hedwigia **61**. 19. 1919 — Mexico.  
 Miyoshianum Mak. Bot. Mag. Tokyo **6**. 45. 1892 = *A. oligophlebium*.  
 monilisorum Domin, Preslia **8**. —. 1929 = *A. Friesiorum*.  
 (montanum × pinnatifidum v. *A. Trudellii*).  
 Moorei Bak. 1891, Index = *A. diplotion*.  
**Mourai** Hier. Hedwigia **60**. 220. 1918. — Brasilia.  
 multisectum Brack. 1854 = *Athyrium microphyllum*.  
 muricatum Mett. 1866 = *Athyrium muricatum*.  
**myriophyllum** (Sw.) Pr. — var. *A. rhizophyllum* (Thbg.) Kze. 1834 (non L.  
 1753) est sp. bona t. Hier. Hedwigia **61**. 15. 1919.  
 Nakanoanum Mak. 1914, Ind. Suppl. pré. = *A. Griffithianum*.  
 natunae Bak. 1896, Index = *A. squamulatum*.  
 Nesii Christ 1897, Index = *A. moupinense* (vel *A. incisum* var.) (specim.  
 typ. solum).  
**nicaraguense** Domin, Mem. R. Czech. Sci. n. s. **2**. 170 t. 29 f. 3. 1929. —  
**nidus** L. — Dele var. *A. Phyllitidis* Don etc. [Nicaragua.  
 \**Neottopteris rigida* Fée 1852, Nakai, Bot. Mag. Tokyo **47**. 176. 1933. *Asplenium*  
*antiquum* Mak. 1929; *Thamnopteris* Mak. 1932; *Neottopteris Masamune*  
 1932. — Japonia—Korea—China.

- nigritianum** Hk. 1860, Hier. Hedwigia 61. 31. 1919. — Afr. occ. trop.
- nigrocoloratum** Bonap. N. Pt. 16. 188. 1925, C. Chr. Dansk Bot. Ark. 7. 101 t. 37 f. 1—2. 1932. — Madagascar.
- nigropaleaceum** Bonap. N. Pt. 4. 72. 1917 = *A. nigropilosum*.
- nigropilosum** Bonap.; C. Chr. Dansk Bot. Ark. 7. 96 t. 36 f. 11—15. 1932. Madagascar. — *A. nigropaleaceum* Bonap. 1917 (non *A. Br.* 1861).
- novoguineense** Ros. 1908, Ind. Suppl. = *Loxoscaphe*.
- oblongatum** Mett., Kuhn 1869, Index = *A. radicans* var. *cyrtopteron*.
- oblongipinnum** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *A. lunulatum* sens. lat.
- obovatum** Viv. Fl. Lib. 68. 1824. — Eur. occ. et merid. Ins. Atlant. — *A. lanceolatum* Huds. 1778 (non 1762) Index (non *Forsk.* 1775). — Cf. Becherer, Ber. Schweiz. Bot. Ges. 38. 29. 1929.
- otites** Link 1833, Hier. Hedwigia 61. 21. 1919. — Cult. (ex Brasilia?). Panama-Colombia.
- paleaceum** R. Br. — Adde loc. N. Guinea et syn. *A. Keysserianum* Ros. 1912.
- palmatum** Lam. Enc. 2. 302. 1786. — Portugal, Algeria, Marocco. Ins. Atlant. *A. hemionitis* auctt., Index (non L. 1753); *Phyllitis Sampaio* 1913.
- paraguariense** Hier. Hedwigia 60. 261. 1918. — Paraguay.
- Parksii** Cop. Univ. Calif. Publ. Bot. 12. 380 t. 49 b. 1931. — Rarotonga.
- partitum** (Kl.) C. Chr. Index = *A. radicans*.
- parvisorum** Bonap. N. Pt. 10. 184. 1920, C. Chr. Dansk Bot. Ark. 7. 102 t. 36 f. 7—10. 1932. — Madagascar.
- parvum** Watts, Pr. Linn. Soc. N. S. Wales 39. 784 t. 87 f. 7. 1915. — Queensland.
- paucifolium** Bonap. N. Pt. 4. 26. 1917. — Africa aequat.
- pedicularifolium** St. Hil. — Dele loc. Guinea et syn.
- perlongum** v. A. v. R. Bull. Buit. II no. 28. 8. 1918. — Banka.
- Peteri** Becherer, Ber. Schweiz. Bot. Ges. 38. 180. 1929. — Africa or. trop. *A. lanceolatum* A. Peter, Fedde Rep. Beih. 40. 72, Descr. 5 t. 5 f. 3. 1929.
- Petersenii** Kze. 1837 = *Diplazium japonicum*.
- petiolulatum** Mett., Kuhn 1868, C. Chr. Dansk Bot. Ark. 7. 98 t. 36 f. 1—6. 1932. — Ins. Mascarenae, Madagascar. — *A. avicula* Cord. 1891, Index. — *A. longicaudata* Bonap. 1917.
- phyllitidis** Don, Prodr. Fl. Nepal. 7. 125. — Ind. bor.—China austr.—Asia trop. — *Neottopteris* J. Sm. 1841; *Thamnopteris* Pr. 1849.
- pinfaënse** Christ 1908, Ind. Suppl. = *A. Griffithianum*.
- planicaule** Wall. 1828, Mett. Aspl. no. 158, Hier. Hedwigia 61. 33. 1919. — Ind. bor.—China—Tonkin. Japonia. (Malesia? Madagascar?). — *A. Yoshinagae* Poiretianum Gaud. 1827 = *Athyrium microphyllum*. [Mak. 1901.
- polyphleticum** Compton, Journ. Linn. Soc. 45. 447. 1922 = *A. pteridoides*?
- polyrhizon** Bak. in G. Wall, Cat. Ceylon Ferns, postscript 1873, Syn. 490. 1874 = *Diplazium japonicum*.
- polytrichum** Christ 1909, Ind. Suppl. = *A. crinicaule*.
- potosinum** Hier. Hedwigia 60. 247. 1918. — Mexico.
- Powellii** Bak. Syn. 224. 1867. — Samoa.
- praemorsum** Sw. 1788. — Nomen opt. hujus sp. sens. lat. *A. lanceolatum* *Forsk.* 1775 est.
- Pringleanum** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = *A. lunulatum* sens. lat.
- prolificans** v. A. v. R. 1913, Ind. Suppl. préel. = *A. trifoliatum*.
- prolongatum** Hk. 2. Cent. t. 42. 1860. — Ind. bor.—China—Tonkin.
- protractum** Tardieu et C. Chr. Bull. Mus. Paris II. 6. 107 f. 1—2. 1934 — Indochina.

- pseudo-caudatum** v. A. v. R. Bull. Buit. III. 5. 185. 1922. — Sumatra.
- pseudirectum** Hier. Hedwigia 60. 239. 1918. — Ind. occ.
- pseudofalcatum** Hill. 1888, Index = A. lobulatum.
- pseudofontanum** Koss. Not. Syst. Hort. Bot. Petrop. 3. 122. 1922. — Turkestan. — (A. varians var.?).
- pseudolanceolatum** Fomin, Fl. caucas. crit. 1. 137. 1912. — Caucasus.
- pseudopellucidum** Bonap. N. Pt. 4. 27. 1917. 10. 157. 1920, C. Chr. Dansk Bot. Ark. 7. 97 t. 37 f. 3—6. 1932. — Ins. Comorae, Madagascar. — A. decipiens Kuhn 1879 (non Mett. 1859).
- pseudo-serra** Domin, Preslia 8. —. 1929. — Africa or. (An A. Friesiorum?).
- pseudovulcanicum** v. A. v. R. Nova Guinea 14. 8. 1924. — N. Guinea.
- psilacrum** Maxon, Amer. Fern Journ. 19. 46. 1929. — Panama.
- pteridoides** Bak. 1873, C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 74. 57. 1929. — Adde loc. N. Caledonia et syn. A. polyphleticum Compton 1922.
- pulehellum** Raddi — Dele syn. A. otites Link.
- puleherrimum** (Bak.) Ching apud Blot, Aspl. du Tonkin 52. 1932. — China austr.—Tonkin. — Davallia Bak. Kew Bull. 1895. 53, Index; Asplenium Billetii Christ 1898, Index.
- pyramidatum** Desv. Prod. 271. 1827 = A. erectum.
- Quaylei** E. Brown, Bishop Mus. Bull. 89. 60 t. 12. 1931. — Marquesas. Ins. Rapa. Quintasii Gandoger, Bull. Soc. Fr. 66. 305. 1919 = A. lunulatum sens. lat.
- radicans** L. — Adde varr. A. cirrhatum Rich., Index et A. partitum (Kl.) C. Chr. Index.
- rahaoense** Yabe 1906, Ind. Suppl. = A. unilaterale.
- rectangulare** Bonap. N. Pt. 16. 189. 1925, C. Chr. Dansk Bot. Ark. 7. 96 t. 37 f. 7—9. 1932 (non Maxon 1908) = A. trichomanes var.? (Madagascar).
- recumbens** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = A. lunulatum sens. lat.
- repente** Desv. 1827 = A. monanthes.
- rhachidisorum** Hand. - Mzt. Symb. Sin. 6. 33 t. 2 f. 2. 1929 = Athyrium.
- Rockii** C. Chr. Contr. U. S. Nat. Herb. 26. 332. 1931. — Siam bor., Assam.
- Rosendahlia** C. Chr. 1916, Ind. Suppl. prélim. = A. Gregoriæ.
- Rusbyanum** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 171. 1929. — Bolivia.
- saigonense** Matthew et Christ 1909, Ind. Suppl. = A. crinicaule.
- Samanae** Brause, Fedde Rep. 18. 247. 1922 = A. salicifolium.
- Sampsoni** Hance 1866. — China austr. or. (sp. bona).
- samarkandense** Kossinsky, Not. syst. Herb. Hort. bot. Petrop. 3. 67. 1922 = A. Haussknechtii.
- sanguinolentum** Kze, Mett. 1859. — Amer. trop. — A. anisophyllum subsp. Index c. syn. A. sarcodes Maxon 1908, Ind. Suppl.
- sarcodes** Maxon 1908, Ind. Suppl. = A. sanguinolentum.
- saxicola** Ros. 1913, Ind. Suppl. prélim. = A. comptum.
- Schiffneri** Christ 1907, Ind. Suppl. = A. depauperatum.
- schizotrichum** Cop. Univ. Calif. Publ. Bot. 12. 379. 1931. — Rarotonga.
- Schlechtendahlia** Hier. Hedwigia 60. 218. 1918. — Mexico.
- Schultzei** Brause 1912, Ind. Suppl. = Loxoscaphe.
- scolopendrifrons** Hayata 1914, Ind. Suppl. prélim. = A. Griffithianum.
- Sellowianum** Pr. 1836, Hier. Hedwigia 60. 222. 1918 = A. Ulbrichtii.
- septentrionale** (L.) Hoffm. — Adde var. Amesium Sasaki Hayata 1928 (Japonia).
- Shawii** Cop. Phil. Journ. Sci. 30. 330. 1926. — N. Guinea.
- shikokianum** Mak. 1892, Index = A. Wrightii var.
- sikkimense** Clarke 1880 = Diplazium s.

- simillimum Kuhn; Hier. Hedwigia 60. 213. 1918 = A. Gilpinæ.  
**Sintensisii** Hier. l. c. 251. — Antillae maj.  
**spathulatum** A. Peter, Fedde Rep. 40. 81, Descr. 8. 1929. — Afr. or. trop.  
 (Nomen malum, non Bak. 1894).  
**spathulinum** J. Sm. 1841, Hk. sp. 3. 170. 1860 (pt.). — Asia trop. — Poly-  
 nesia?. — A. affine part. auctt.  
**speciosum** Mett. 1859 = Diplazium speciosum.  
**sphenobium** Zenker (1851), Ind. Suppl. = A. camptorachis.  
**Spruceanum** Hier. Hedwigia 60. 260. 1918. — Amazonas.  
**squamuliferum** v. A. v. R. Bull. Buit. II no. 23. 6. 1916. — Sumatra.  
**squamuligerum** Hier. Hedwigia 61. 5. 1919 = Diplazium geophilum var.  
**Standleyi** Maxon, Proc. Biol. Soc. Wash. 43. 85. 1930. — San Salvador.  
**stellatum** Colla 1836. — Juan Fernandez. — A. fernandezianum Kze. 1837,  
**stenobium** C. Chr. Index = Loxoscaphe foeniculaceum. [Hier. 1919.  
**stenopteron** A. Peter, Fedde Rep. Beih. 40. 75, Descr. 6 t. 2 f. 3—4. 1929.  
 Afr. or. trop.  
**stipitifforme** Gepp, JoB. 1923 Suppl. 60. — N. Guinea.  
**stoloniferum** Bory 1804, Hier. Hedwigia 61. 28. 1919. — Ins. Mascarenæ.  
 A. Delislei Bak. 1891, Index.  
**Stotleri** Wherry, Amer. Fern Journ. 15. 32 t. 4 f. 12. 1919 = A. Gravesii.  
**strigillosum** Lowe 1858 = Athyrium s.  
**subandinum** Gandoger, Bull. Soc. Fr. 66. 305. 1919 = A. lunulatum sens. lat.  
**subavenium** Hk. 1860, Index = A. pellucidum.  
**subspathulatum** Ros. 1913, Ind. Suppl. préi. = A. antrophyoides.  
**subspathulatum** v. A. v. R. 1915, Ind. Suppl. préi. = A. belloides.  
**subvarians** Ching in C. Chr. Ind. Suppl. III. 38. 1934. — Japonia.  
 Anogramma Fauriei Christ in Index; Pityrogramma Domin 1928 (non  
 Asplenium Christ 1899).  
**sulcatum** Lam. 1786; cf. Hier. Hedwigia 61. 37. 1919. — Réunion. — (An  
 sulcatum C. Chr. Index = A. auritum. [A. affine?].  
**tabinense** Hier. Hedwigia 60. 224. 1918. — Peru.  
**Tavoyanum** Wall. 1828 = A. macrophyllum.  
**tenellum** Roxb. in Beats. St. Helena 299. 1816, Hier. Hedwigia 61. 12. 1919.  
 — St. Helena. — A. reclinatum Houlst. 1851.  
**tenuifrons** Wall. 1828 = Athyrium Clarkei.  
**tenuisectifolia** Gepp, JoB. 1923 Suppl. 60. — N. Guinea.  
**theciferum** (HB) Mett. 1864 = Loxoscaphe.  
**tonkinense** C. Chr. Index = A. ensiforme.  
**Toramanum** Mak. 1892, Bot. Mag. Tokyo 13. 13. 1899, Index = A. coenobiale.  
**torrentium** Clarke 1880 = Diplazium torrentium.  
**trapeziforme** Wall. 1828, Roxb. 1844?, Bedd. Ferns S. Ind. t. 134. 1863 = A.  
 inaequilaterale.  
**trapezoideum** Ching, Bull. Fan Mem. Inst. 2. 209 t. 26. 1931. — Yunnan.  
 A. sp. Wu, Pol. Yaoshan. t. 91. 1932.  
**trilobatum** C. Chr. Ark. för Bot. 20A. 15, fig. 1926. — Bolivia.  
**tripinnatifidum** Cop. Phil. Journ. Sci. 46. 215. 1931. — Luzon.  
**tripteropus** Nakai, Bot. Mag. Tokyo 44. 9. 1930 = A. trichomanes var. anceps.  
**triste** Klf. 1824 = A. regulare.  
**Trudellii** Wherry, Amer. Fern Journ. 15. 49 t. 4 f. 4—5. 1925. — U. S. A. or.  
 (A. montanum × pinnatifidum?).

- Ulbrichtii** Ros. 1904, Index 662. — Adde loc. Uruguay, Argentina et syn.  
*A. Sellovianum* Pr. 1836 (nomen), Hier. 1918.
- unilaterale** Lam. — Adde syn. *Hymenasplenium* Hayata.
- unilobum** Poir. 1811 = *Diplazium unilobum*.
- usambarensis** Hier. *Hedwigia* 60. 227. 1918 = *A. camptorachis* var.
- vagans** Bak. 1867, Index = *A. Sandersonii* var.
- verapax** Donn. Smith 1888 = *Diplazium verapax*.
- vexans** Und. 1897, Index = *Athyrium microphyllum*.
- Vidalii** Franch. et Sav. 1879 = *Athyrium*.
- villosum** Bonap. N. Pt. 4. 72. 1917, C. Chr. *Dansk Bot. Ark.* 7. 95 t. 33 f. 4—5. 1932 (non Pr. 1825) — Madagascar — (Sp. dub.).
- viridissimum** Bomm. *Bull. Soc. Bot. Belg.* 35. 195. 1896 (syn.), Hier. *Hedwigia* 61. 27. 1919 (non Hayata 1914) — Guatemala—Costa Rica. — *A. trichomanes* var. *viridissimum* Christ ap. Bomm. l. c. — (t. Maxon = *A. trichomanes* var. *polyphyllum* (Bert.), t. Hier. sp. vel *A. castaneum* var.).
- viviparoides** Kuhn in *Herb.*, Index; Hier. *Hedwigia* 60. 216. 1918, C. Chr. *Dansk Bot. Ark.* 7. 103 t. 32 f. 6—7. 1932. — Madagascar.
- Wallisii** Bak. 1901, Index = *Diplazium*.
- Warburgianum** Christ 1900, Index = *Diplazium*.
- Warmingii** Gandoger, *Bull. Soc. Fr.* 66. 305. 1919 = *A. lunulatum* sens. lat.
- Weberbaueri** Hier. *Hedwigia* 60. 210. 1918. — Peru.
- Wilfordii** var. *curtidens* Christ, *Bull. Boiss.* 4. 667. 1896 = *A. curtidens*.
- woodsiioides** Christ 1900, Index = *A. exiguum*.
- wrightioides** Christ 1902, Index = *A. Wrightii*.
- Yoshinagae** Mak. *Phan. Pter. Jap. Ic* t. 64. 1901 = *A. planicaule*.
- yunnanense** Franch. 1885, Index = *A. exiguum*.
- Asterochlaena** C. Chr. *Biol. Arb. tilegn. Eng. Warming* 84, 1911 (*Dryopteris* §) = *Dryopteris*.
- ATALOPTERIS** Maxon et C. Chr. *Contr. U. S. Nat. Herb.* 24. 55. 1922. — (Polypodiaceae Gen. 18).
- aspidioides** (Gris.) Maxon et C. Chr. l. c. 57. — Cuba.  
*Polybotrya* Gris. 1866, Index; *Psomiocarpa* Christ 1910.
- Ekmani** Maxon, *Proc. Biol. Soc. Wash.* 37. 63. 1924. — Hispaniola.
- Maxoni** (Christ) C. Chr. *Contr. U. S. Nat. Herb.* 24. 57. 1922. — Jamaica.  
*Psomiocarpa* Christ, *Geogr. Farne* 224. 1910 (nomen), *Smiths. Misc. Coll.* 56 no. 23. 2 t. 1. 1911.
- ATHYRIUM** Roth. — (Polypodiaceae Gen. 68).
- acrostichoides** (Sw.) Diels. — Formae sunt: *A. Giralddii* Christ 1897, Index.  
*A. subsimile* Christ 1898, Index. *A. pycnosorum* Christ 1902 (part.); *Lunathyrium* Koidzumi 1932?. *Ath. Sargentii* C. Chr. 1913 *Ind. Suppl. pré.* — *A. Wilsoni* Christ 1903, Index.
- acrotis** Cop. *Phil. Journ. Sci.* 38. 140. 1929 = *Diplazium*.
- acutissimum** Kodama in *Matsum. Ic. Pl. Koisik.* 3. 127 t. 209. 1917. —
- aequibasale** Cop. *Sarawak Mus. Journ.* 2. 379. 1917 = *Diplazium*. [Japonia.
- allanticarpum** Ros. 1915, *Ind. Suppl. pré.* = *A. Kawakamii*.
- alpestre** (Hoppe) Ryl. — Adde loc. Japonia (?). — Cf. *A. americanum*.
- altum** Cop. *Phil. Journ. Sci.* 38. 138. 1929 = *Diplazium*.
- americanum** (Butters) Maxon, *Amer. Fern Journ.* 8. 120. 1918. — Amer. bor. pacif. Quebec. — *A. alpestre americanum* Butters, *Rhodora* 19. 204. 1917.
- angustum** (Willd.) Pr. 1825; Butters, *Rhodora* 19. 190. 1917; Hier. *Hedwigia* 59. 320. 1917. — Amer. bor. — *A. filix femina* var. Index cum syn.

- anisopterum** Christ 1898, Index = *A. macrocarpum*.
- arisanense** (Hayata) Tagawa, Acta Phytotax. 2. 195. 1933. — Formosa.  
Diplazium Hayata 1914, Ind. Suppl. prél.
- asplenioides** (Michx.) Desv. 1827; Butters, Rhodora 19. 190. 1917. — Amer. bor. — *A. filix femina* var. Index cum syn.
- assimile** (Endl.) Pr. 1836, Index (excl. loc. et syn. Diplazium Bedd.), Hier. Hedwigia 59. 321. 1917. — Ins. Norfolk.
- Atkinsoni** Bedd. — Adde loc. China—Japonia et syn. *A. lastreoides* (Bak.) Diels 1899, Index. *A. microsorum* Mak. 1899, Index. *A. monticola* Ros. 1913, Index Suppl. prél. *Dryopteris senanensis* (Fr. et Sav.) C. Chr. Index. *D. gracilifrons* C. Chr. Index. *Davallia athyriifolia* Bak. 1891. *Cystopteris grandis* C. Chr. 1916, Ind. Suppl. prél.
- atropurpureum** Cop. Phil. Journ. Sci. 12 C. 59. 1917. — Borneo.
- atrosquamosum** Cop. 1. c. 59 = Diplazium.
- australe** (R. Br.) Pr. 1836. — Australia, N. Zealand, N. Caledonia. — *A. umbrosum* Index excl. syn. *Asplenium muricatum* Mett. et *A. bellum* Clarke.
- austro-ussuriense** Kom., Fomin, Fl. Sib. et Or. extr. 5. 122, fig. 1930 = *A. crenulato-serrulatum* (Hill.) C. Chr. Index = *A. microphyllum*. [lato-serrulatum.
- banahaoense** Cop. Phil. Journ. Sci. 38. 139. 1929 = Diplazium.
- bellum** (Clarke) Ching in C. Chr. Ind. Suppl. III. 40. 1934. — India. — *Asplenium Biondii* Christ 1897, Index = *A. niponicum*. [Clarke 1880.
- biseriale** Cop. Sarawak Mus. Journ. 2. 376. 1917 = Diplazium *grammitoides*.
- bulbiferum** Cop. Bishop Mus. Bull. 59. 53. 1929 = Diplazium.
- Cavalerianum** Cop. Phil. Journ. Sci. 38. 143. 1929 (non Christ 1909) = Diplazium.
- Christensenii** Tardieu-Blot, Aspl. du Tonkin 80 t. 12. 1932. — Tonkin. [opsis.
- Clarkei** Bedd. 1876. — India bor. — *Asplenium* Atk., Clarke 1880. *A. tenuifrons* Wall. 1828 (nomen); *Athyrium* Moore 1857 (nomen).
- Clemensiae** Cop. Phil. Journ. Sci. 12 C. 58. 1917. — Borneo.
- cognatum** (Mett.) Hier. Hedwigia 59. 321. 1917. — Ceylon. — *Asplenium* Mett. hb. Diplazium *assimile* Bedd. Ferns br. Ind. t. 294. 1868.
- commixtum** Koidzumi, Bot. Mag. Tokyo 39. 13. 1925. — Japonia.
- concinnum** Nakai, Bot. Mag. Tokyo 45. 92. 1931. — Korea.
- congruum** Cop. Univ. Calif. Publ. Bot. 14. 359. 1929 = Diplazium.
- cordatum** Opiz 1820 = *A. alpestre*.
- costale** (Desv.) C. Chr. Index = Diplazium *pectinatum*.
- crenulato-serrulatum** Mak. 1899. — Japonia. Korea. Reg. Amur.  
*Phegopteris* Mak. 1903; *Dryopteris* C. Chr. Index; *Cornopteris* Nakai 1931.  
*Dryopteris austro-ussuriensis* Komarov 1923; *Athyrium* Kom., Fomin 1930.
- crinitum** Cop. Brittonia 1. 73. 1931 = Diplazium.
- cryptogrammoides** Hayata, Ic. Pl. Formosa 6. 156. 1916. — Formosa.
- Cumingianum** (Pr.), Milde 1870?; Ching in C. Chr. Ind. Suppl. III. 1934. — Ins. Phil.? Ceylon, Ind. austr. — *Anisocampium* Pr. 1849. *Dryopteris otaria* (Kze.) O. Ktze. 1891, Index cum syn.
- cyclolepis** C. Chr. et Tardieu, Bull. Mus. Paris II. 6. 109 f. 3—4. 1934. — Annam.
- cystopteroides** Eat. 1858, Index = *Dryopteris*.
- decurrenti-alatum** (Hk.) Cop. 1909. — Japonia. China.  
*Dryopteris* (Hk.) C. Chr. Index cum syn.; Diplazium C. Chr. 1911, Ind. Suppl.; *Cornopteris* Nakai 1930; Diplazium *Hookerianum* Koidzumi 1924.
- decursivum** Yabe 1903, Index = *A. coreanum*.

- deltoidofrons* Mak. Bot. Mag. Tokyo 28. 178. 1914 = *A. multifidum*.  
*demissum* Christ 1908, Ind. Suppl. = *A. yokoscense*.  
*denticulatum* J. Sm. 1875 = *A. strigillosum*.  
**Dielsii** C. Chr. Ind. Suppl. III. 41. 1934. — China. — *Dryopteris* C. Chr. Index.  
**dissitifolium** (Bak.) C. Chr. Contr. U. S. Nat. Herb. 26. 296 t. 18. 1931. —  
 China merid. — *Dryopteris* (Bak.) C. Chr. Index. *D. apicidens* (Bak.) et  
*D. incrassata* (Christ) C. Chr. Index. *Athyrium fasciculatum* Hand. - Mzt. 1929.  
**Dombei** Desv. Prodr. 266. 1827 (rectius *Dombeyi*). — Mexico—Peru. *Hispaniola*.  
*Asplenium* Mett. 1864.  
**ebenirachis** Cop. Elmer's Leaflets 9. 3110. 1920. — Luzon.  
*ellipticum* Cop. Bishop Mus. Bull. 93. 10 t. 8. 1932 = *Diplazium*.  
*Elmeri* Cop. 1908, Ind. Suppl. = *Diplazium*.  
*enorme* Cop. Univ. Calif. Publ. Bot. 12. 372. 1931 = *Diplazium*.  
**epirachis** (Christ) Ching in C. Chr. Ind. Suppl. III. 41. 1934. — China merid.  
*Diplazium* Christ 1905, Index. *Athyrium muticum* Christ 1907, Ind. Suppl.  
*expansum* (Willd.) Moore 1860, Index = *A. umbrosum*. (t. Hier. *Hedwigia*  
 59. 322. 1917).  
**fallaciosum** Milde. — Adde loc. Mongolia Reg. Amur. Japonia et syn. *A.*  
*mongolicum* (Franch.) Diels 1899, Index; *Dryopteris* (Franch.) C. Chr. Index.  
 — *Athyrium Fauriei* (Christ) Mak. 1903, Index cum syn.  
*fasciculatum* Hand. - Mzt. Symb. Sin. 6. 31 t. 2 f. 5. 1929 = *A. dissitifolium*.  
**fasciculatum** Nakai, Bot. Mag. Tokyo 45. 94. 1931. — Korea. — (Nomen malum).  
*Fauriei* (Christ) Mak. 1903, Index = *A. fallaciosum*.  
**ferulaceum** (Moore) Christ 1904. — Costa Rica - Ecuador.  
*Asplenium* Moore 1859, Index.  
**flix femina** (L.) Roth. — Plurimae formae sub hoc nomine in Indice enu-  
 meratae validae species sunt t. auctt. rec. Dubiae mihi sunt: *Asplenium*  
*Martensii* Kze. et *Polypodium axillare* Ait.  
 — — *Asplenium pectinatum* Wall. = *A. pectinatum*.  
 — — *Asplenium melanolepis* Fr. et Sav. = *A. melanolepis*.  
 — — *Asplenium angustum* Willd. = *A. angustum*.  
 — — *Nephrodium asplenioides* Michx. = *A. asplenioides*.  
 — — *Athyrium Dombei* Desv. = *A. Dombei* (supra).  
 — — var. *deltoidum* Mak. Bot. Mag. Tokyo 13. 30. 1899 = *A. multifidum*.  
 — — var. *flabellulatum* (Clarke) = *A. flabellulatum*.  
*fimbristegium* Cop. 1914, Ind. Suppl. pré. = *Diplazium polypodioides* var.  
*fissum* Christ 1909, Ind. Suppl. = *A. yunnanense*.  
**flabellulatum** (Clarke) Tardieu-Blot, Aspl. du Tonkin 81 t. 12. 1932. —  
 Ind. bor. - China merid. - Tonkin. — *Asplenium filix femina* var. *flabellulatum*  
 Clarke, Tr. Linn. Soc. II. Bot. 1 t. 60. 1880.  
*flaccidum* Christ 1908, Ind. Suppl. = *A. yokoscense*.  
**fluviale** (Hayata) C. Chr. Ind. Suppl. III. 41. 1934. — Formosa. — *Dryopteris*  
 Hayata 1914, Ind. Suppl. pré.; *Cornopteris* Tagawa 1932; *Dryopteris*  
*athyriiformis* Ros. 1915, Ind. Suppl. pré.  
*formosanum* Cop. Phil. Journ. Sci. 38. 141. 1929 = *Diplazium heterophlebium*.  
**fragile** Tardieu-Blot, Aspl. du Tonkin 85 t. 13. 1932. — Tonkin.  
**geophilum** Cop. 1908. — Ins. Phil. N. Guinea. — *Diplazium* v. A. v. R. 1912,  
 Ind. Suppl. — *Asplenium squamuligerum* Hier. 1919; *Athyrium* Cop. 1929.  
 — *A. Ramosii* Cop. 1929.  
**Gillespiei** Cop. Bishop Mus. Bull. 59. 12. 1929. — Fiji. — (*Diplazium*?).



- Giraldii Christ 1897, Index = *A. acrostichoides*.
- Goeringianum (Kze.) Moore — Adde loc. China or. et syn. *A. iseanum* Ros. 1913, Ind. Suppl. pré. — (Cf. *A. yokoscense*).
- Goeringianum Hort. plur. = *A. niponicum*.
- Grantii Cop. Bishop Mus. Bull. 59. 12. 1932. — Tahiti.
- hahasimense Nakai, Bot. Mag. Tokyo 48. 4. 1933. — Ins. Bonin.
- hakonense (Nakai) C. Chr. Ind. Suppl. III. 42. 1934. — Japonia.  
Cornopteris Nakai, Bot. Mag. Tokyo 45. 94. 1931.
- heterocarpum Nakai, Bot. Mag. Tokyo 35. 131. 1921. — Korea.
- heterophlebium Cop. Phil. Journ. Sci. 38. 142. 1929 = *Diplazium*.
- heterophyllum Nakai, Bot. Mag. Tokyo 45. 92. 1931. — Korea.
- humile Watts, Proc. Linn. Soc. N. S. Wales 41. 380 t. 20 f. 2. 1916. — N. S. Wales. — (*Dryopteris* sp.?).
- hyalostegium Cop. 1906, Ind. Supl. = *Dryopteris cystopteroides*.
- idonum Komarov, Bull. Jard. Pierre le Grand 16. 148. 1916. — Asia or.:
- imbricatum Christ 1906, Ind. Suppl. = *A. strigillosum*. [Reg. Ussur.]
- iseanum Ros. 1913, Ind. Suppl. pré. = *A. Goeringianum*.
- javanicum Cop. Univ. Calif. Publ. Bot. 16. 70. 1929. = *Diplaziopsis*.
- Kawakamii (Hayata) C. Chr. Ind. Suppl. III. 42. 1934. — Formosa.  
*Diplazium* Hayata 1911, Ind. Suppl. pré. *Athyrium allanticarpum* Ros. 1915, Ind. Suppl. pré.
- kirishimaense Tagawa, Acta Phytotax. 2. 22. 1933. — Japonia.
- koryoense C. Chr. Ind. Suppl. III. 42. 1934. — Korea. — *Cornopteris* Nakai Bot. Mag. Tokyo 45. 96. 1931 (non *Athyrium* Christ 1902).
- lastreoides (Bak.) Diels 1899, Index = *A. Atkinsoni*.
- Ledermanni Hier. Engl. Jahrb. 56. 133. 1920. — N. Guinea.
- leopodium (Hayata) Tagawa, Acta Phytotax. 2. 195. 1933. — Formosa.  
*Diplazium* Hayata 1914, Ind. Suppl. pré.
- longissimum Cop. Phil. Journ. Sci. 38. 139. 1929 = *Diplazium*.
- macrosorum Cop. 1910, Ind. Suppl. = *Diplazium viridissimum*.
- Mairei Ros. 1913, Ind. Suppl. pré. = *A. Delavayi*.
- matangense Cop. Sarawak Mus. Journ. 2. 377. 1917 = *Diplazium falcinellum*.
- Mearnsianum (Cop.) v. A. v. R. Mal. Ferns Suppl. 279. 1917. — Luzon.  
*A. nigripes* var. *Mearnsianum* Cop. Phil. Journ. Sci. 3 C. 291. 1908.
- melanolepis (Franch. et Sav.) Christ 1896. — Japonia. — *Asplenium* Franch. et Sav. 1879. ? *Athyrium filix femina* var. *nigropaleaceum* Mak. Bot. Mag. Tokyo 13. 29. 1899.
- mengtzeense Hier. Hedwigia 59. 319. 1918. — China merid. — *Asplenium sinense* Bak. 1906; *Athyrium* C. Chr. Ind. Suppl. (non Rupr. 1845).
- microphyllum (Sm.) Alston, Phil. Journ. Sci. 50. 178 (descr. orig.). 1933. — Ins. Hawaii. — *Darea* Sm. in Rees Cycl. 11. no. 9. 1808. *Asplenium Poiretianum* Gaud. 1827; *Athyrium* Pr 1836, C. Chr. Bishop Mus. Bull. 25. 26. 1925. — *Asplenium multisectum* Brack. 1854. — *A. vexans* Und. 1827, Index. — *A. Baldwinii* (Hill.) C. Chr. Index (t. Alston).
- microsorium Mak. 1899, Index = *A. Atkinsoni*.
- mite Christ 1909, Ind. Suppl. = *A. crenatum*.
- mollifrons C. Chr. Elmer's Leaflets 9. 3153. 1933. — Luzon.
- mongolicum (Franch.) Diels 1899, Index = *A. fallaciosum*.
- monticola Ros. 1913, Ind. Suppl. pré. = *A. Atkinsoni*.
- Moultoni Cop. Journ. Straits Br. R. As. Soc. no. 63. 71. 1912. — Borneo.

- multifidum** Ros. 1913, Ind. Suppl. préel. — Adde syn. *A. filix femina* var. *deltoides* Mak. 1899; *A. deltoidofrons* Mak. 1914
- multijugum** Nakai, Bot. Mag. Tokyo 45. 93. 1931. — Korea.
- muricatum** (Mett.) C. Chr. Ind. Suppl. III. 43. 1934. — Java.  
Asplenium Mett. 1866; Diplazium v. A. v. R. 1909.
- musashiense** (Nakai) C. Chr. Ind. Suppl. III. 43. 1934. — *Cornopteris* Nakai, Bot. Mag. Tokyo 44. 7. 1930. *Diplazium Christensenianum* Koidzumi 1924; *Cornopteris* Tagawa 1933 (non *Athyrium Christensenii* Blot 1932).
- muticum** Christ 1907, Ind. Suppl. = *A. epirachis*.
- Nakaii** Tagawa, Acta Phytotax. 2. 195. 1933. — Korea. — *A. triangulare* Nakai, Bot. Mag. Tokyo 45. 91. 1931 (non v. A. v. R. 1915).
- Nakanoi** Mak. 1909. — Adde syn. *Nephrolepis tenuissima* Hayata 1914, Ind. Suppl. préel.; *Athyrium* Merrill 1918. *A. obtusifolium* Ros. 1915, Ind.
- Newtoni** (Bak.) Diels. — Adde loc. Mt. Ruwenzori. [Suppl. préel.]
- nigripes** (Bl.) Moore. — Dele loc. China et Madagascar. Sp. genuina ex Java solum cognita; specim. Asiae centr. et or. sic nominata ad diversas species pertinent: *A. Mackinoni*, *A. mengtzeense*, *A. rigescens*, *A. strigillosum*, *A. Vidalii* aliasque.
- niponicum** (Mett.) Hance. — Adde syn. *A. uropteron* (Miq.) C. Chr. Index. *A. Biondii* Christ 1897, Index. *A. Silvestrii* Christ 1910, Ind. Suppl. — Cf. *A. yunnanense*.
- obtusifolium** Ros. 1915, Ind. Suppl. préel. = *A. Nakanoi*.
- Okuboanum** Mak. 1899, Index = *A. viridifrons*.
- opacum** (Don) Cop. 1908. — India bor. - China - Tonkin. — *Dryopteris* (Don) C. Chr. Index cum syn.; *Diplazium* Christ 1906, Ind. Suppl.
- ophiodontum** Cop. Phil. Journ. Sci. 46. 214. 1931 = *Diplazium*.
- otophorum** (Miq.) Koidzumi, Fl. Symb. Orient. As. 40. 1930. — Japonia.  
*Diplazium* (Miq.) C. Chr. Index.
- pectinatum** (Wall.) Pr. 1836. — India. — *A. filix femina* var. Index.
- Perrotii** Tardieu-Blot, Aspl. du Tonkin 86 t. 15 f. 4—6. 1932. — Tonkin.
- petiolosum** Christ 1907, Ind. Suppl. = *A. setiferum*.
- pinetorum** Tagawa, Acta Phytotax. 2. 16. 1933. — Japonia.
- pinnatum** Cop. 1908 = *Diplazium silvaticum*.
- platyphyllum** Cop. 1908, Ind. Suppl. = *Diplazium Mearnsii*.
- Poiretianum** Pr. 1836 = *A. microphyllum*.
- polyanthes** Cop. Bishop Mus. Bull. 93. 44. 1932 = *Diplazium*.
- polypodiforme** Tagawa, Acta Phytotax. 1. 158. 1932 = *A. Sheareri*.
- propinquum** Cop. 1914, Ind. Suppl. préel. = *Diplazium*.
- pseudoarboreum** Cop. 1916 = *Diplazium molokaiense*.
- pseudo-setigerum** Christ 1907. — Adde syn. *Diplazium prolixum* Ros. 1913 et *D. orientale* Ros. 1914, Ind. Suppl. préel. *Athyrium umbrosum* auctt., Blot 1932.
- pycnosorum** Christ 1902, Index = part. *A. acrostichoides* part. *Diplazium Conilii*.
- quelpartense** (Christ) Ching in C. Chr. Ind. Suppl. III. 43. 1934. — Ins. Quelpart. — *Dryopteris* Christ 1910, Ind. Suppl.
- Ramosii** Cop. Phil. Journ. Sci. 38. 140. 1929 = *A. geophilum* var.
- regulare** Koidzumi, Bot. Mag. Tokyo 38. 111. 1924. — Japonia.
- rhachidisorum** (Hand. - Mzt.) Ching in C. Chr. Ind. Suppl. III. 43. 1934. — China merid. — *Asplenium* Hand. - Mzt. Symb. Sin. 6. 33 t. 2 f. 2. 1929.

- Rosenstockii** Cop. Univ. Calif. Publ. Bot. 14. 360. 1929. — Ins. Loyalty.  
**rubripes** Komarov, Bull. Jard. Bot. Kieff no. 13. 145. 1931 = *A. felix femina* var.  
**rupestre** Kodama in Matsum. Ic. Pl. Koisik. 4. 63 t. 244. 1919. — Japonia.  
**Sargentii** C. Chr. 1913, Ind. Suppl. préel. = *A. acrostichoides*.  
**scandicinum** (Willd.) Pr. — Dele loc. Ins. Hawaii et syn. *Asplenium Poiretianum*  
 Gaud. etc. *A. multisectum* Brack. — Cf. *A. microphyllum*.  
**sciatriphais** (Donn. Smith) Maxon, Proc. Biol. Soc. Wash. 43. 85. 1930. —  
 Costa Rica. — *Gymnogramme* Donn. Smith 1894, Index.  
**setiferum** C. Chr. — Adde loc. China merid. et syn. *A. petiolosum* Christ  
 1907, Ind. Suppl.  
**Sheareri** (Bak.) Ching in C. Chr. Ind. Suppl. III. 44. 1934. — China. Japonia.  
*Dryopteris* (Bak.) C. Chr. Index. *D. polypodiformis* (Mak.) C. Chr. Index;  
*Athyrium* Tagawa 1932. *Dryopteris otarioides* (Christ) C. Chr. Index. *D.*  
*subsagenioides* Christ 1910, Ind. Suppl.  
**sibuyanense** Cop. 1911, Ind. Suppl. = *Diplazium*.  
**Silvestrii** Christ 1910, Ind. Suppl. = *A. niponicum*.  
**silvicola** Tagawa, Acta Phytotax. 2. 17. 1933. — Formosa.  
**sinense** (Bak.) C. Chr. Ind. Suppl. = *A. mengtzeense*.  
**Soland(e)ri** Cop. Bishop Mus. Bull. 93. 43. 1932 = *Diplazium*.  
**sororium** Cop. Univ. Calif. Publ. Bot. 14. 359. 1929 = *Diplazium*.  
 ?**sphaeropteroides** (Bak.) C. Chr. Acta Hort. Gothob. 1. 77. 1924. — China  
 merid. — *Dryopteris* (Bak.) C. Chr. Index. — (*Cornopteris*?)  
**squamuligerum** Cop. Journ. Arnold Arb. 10. 178. 1929 = *A. geophilum* var.  
**stramineum** Cop. 1908. — Adde loc. Sumatra et syn. *Diplazium chrysocarpum*  
 v. *A. v. R.* 1914, Ind. Suppl. préel. — t. Ching ab *A. mesosorum* Mak. vix  
 diversa sp.  
**strigillosum** Moore in Lowe, Ferns Brit. Exot. 5. t. 36 (syn.) 1858, C. Chr.  
 Contr. U. S. Nat. Herb. 26. 299. 1931. — Ind. bor. - China merid. —  
*Asplenium* Lowe, l. c. *Athyrium imbricatum* Christ 1906, Ind. Suppl. —  
 (An adhuc *A. Clarkei* Bedd.?).  
**subimbricatum** Nakai, Bot. Mag. Tokyo 35. 131. 1921. — Korea.  
**subsimile** Christ 1898, Index = *A. acrostichoides*.  
**supraspinescens** C. Chr. Contr. U. S. Nat. Herb. 26. 297 t. 19. 1931. — Yunnan.  
**Tagawai** C. Chr. Ind. Suppl. III. 44. 1934. — Japonia. — *Cornopteris* Tashiroi  
 Tagawa, Acta Phytotax. 1. 159. 1932 (non *Athyrium* Tagawa l. c).  
**taiwanense** Tagawa, Acta Phytotax. 2. 18. 1932. — Formosa.  
**Takeoi** (Hayata) Tagawa, l. c. 2. 195. 1933. — Formosa.  
*Dryopteris* Hayata 1915, Ind. Suppl. préel.  
**Tashiroi** Tagawa, l. c. 2. 21. 1932. — Japonia.  
**tenuicaule** (Hayata) Tagawa, l. c. 2. 195. 1933. — Formosa. — *Diplazium* Hayata  
**tenuifrons** Moore 1857 = *A. Clarkei*. [1914, Ind. Suppl. préel.  
**tenuissimum** Merrill, Phil. Journ. Sci. 13C. 126. 1918 = *A. Nakanoi*.  
**thelypteroides** var. *Henryi* Christ, Bull. Boiss. 6. 961. 1898 = *A. mengtzeense*.  
**timetense** E. Brown, Bishop Mus. Bull. 89. 53 f. 12. 1931. — Marquesas. —  
 (*Diplazium*?).  
**triangulare** Nakai, Bot. Mag. Tokyo 45. 91. 1931 = *A. Nakaii*.  
**tripinnatifidum** Cop. Bishop Mus. Bull. 59. 13. 1929. — Fiji.  
**tsusimense** Koidzumi, Fl. Symb. Orient. As. 41. 1930 = *A. Wardii*.  
**umbrosum** (Ait.) Pr. — Dele loc. omn. (Ins. Atlant. exc.) et subsp. *A. australe*  
 (R. Br.) Pr.

- umbrosum auctt. quoad pl. asiat. centr. part., Tardieu-Blot, Aspl. du Tonkin 87. 1932 = *A. pseudo-setigerum*.
- uncidens Cop. Univ. Calif. Publ. Bot. 12. 394. 1931 = *Diplazium*.
- unifurcatum (Bak.) C. Chr. Acta Hort. Gothob. 1. 75. 1924. — China merid. — Tonkin. Japonia. — *Nephrodium* Bak. JoB. 1888. 228; *Dryopteris* C. Chr. Ind. Suppl. D. pandiformis (Christ) C. Chr. Index. D. toensis Kodama 1918 (t. Ching). — Cf. *A. viridifrons*.
- uropteron (Miq.) C. Chr. Index = *A. niponicum*.
- verapax Christ 1906, Ind. Suppl. = *Asplenium leucothrix*.
- Vidalii (Fr. et Sav.) Nakai, Bot. Mag. Tokyo 39. 110. 1925. — Japonia, Korea-China or. — *Asplenium* Fr. et Sav. 1879, Index.
- viridifrons Mak. 1899. — Adde loc. China et var. *A. Okuboanum* Mak. 1899, Index. — (Forte *A. unifurcatum* var.).
- Wattsii Cop. Univ. Calif. Publ. Bot. 14. 360. 1929 = *Diplazium*.
- Wichurae Merrill, Phil. Journ. Sci. 13C. 126. 1918 = *Diplazium*.
- Wilsoni Christ 1903, Index = *A. acrostichoides*.
- xiphophyllum Cop. Sarawak Mus. Journ. 2. 379. 1917 = *Diplazium*.
- Yamadae Miyabe et Kudo, Tr. Sapporo Nat. Hist. Soc. 8. 61. 1921. — Japonia.
- yokoscense (Franch. et Sav.) Christ. — Adde loc. Korea — China or. et syn. *A. demissum* et *A. flaccidum* Christ 1908, Ind. Suppl.
- yunnanense Christ. — Adde syn. *A. fissum* Christ 1907, Ind. Suppl. — (Veris. = *A. niponicum* f. major).
- zanzibaricum (Bak.) C. Chr. Ind. Suppl. III. 45. 1934. — Afr. or. trop. *Diplazium* (Bak.) C. Chr. Index. D. Mildbraedii Hier. 1910, Ind. Suppl.
- AZOLLA** Lamarck.
- imbricata (Roxb.) Nakai, Bot. Mag. Tokyo 39. 185. 1925. — Ceylon — China. Japonia — *Salvinia* Roxb. Calc. Journ. 4. 470. 1844. *A. pinnata* auctt. p. p. japonica Fr. et Sav. est t. Nakai, l. c. sp. bona.
- BALANTIUM** Kaulfuss 1824 part. Index = *Culecita*. Omnes sp. validae ad *Culecitam* infra translatae sunt.
- culcita Klf. 1824, Index = *C. macrocarpa*.
- pilosum Cop. Journ. Straits Br. R. As. Soc. no. 63. 71. 1912.
- Bathia* C. Chr. in Bonaparte, N. Pt. 16. 110. 1925 (*Antrophyum* §) = *Antro-*  
[phyum.]
- BATHMIUM** Link = *Tectaria*.
- martinicense Nakai, Bot. Mag. Tokyo 40. 68. 1926.
- Seemanni Fourn. 1873 = *T. Seemanni*.
- BIROPTERIS** Kümmerle, Mag. Bot. Lapok. 19. 2. 1922.
- antri-Jovis Kumm. l. c. 3, fig. — Creta. — (Sp. valde dubia, veris. *Phyllitis*
- BLECHNIDIUM** Moore = *Blechnum*. [sp. f. speluncae].
- plagiogyriifrons Hayata, Bot. Mag. Tokyo 41. 704. 1927.
- BLECHNOPSIS** Presl = *Blechnum*.
- orientale Nakai, Bot. Mag. Tokyo 47. 181. 1933.
- BLECHNUM** L. — (Polypodiaceae Gen. 81).
- (L) *acutiusculum* (v. A. v. R.) C. Chr. Ind. Suppl. III. 45. 1934. — N. Guinea. *Lomaria* v. A. v. R. Nova Guinea 14. 31. 1924.
- (L) *amabile* Mak. — Adde syn. *Spicanta* Nakai 1928; *Spicantopsis* Nakai 1933.
- (L) *binerve* (Hk.) C. Chr. Cat. Pl. Mad. Pter. 44. 1932, Dansk Bot. Ark. 7. 106 t. 39. 1932. — Madagascar. — *Polypodium*? Hk. sp. 4. 175 t. 275 B. 1862. *Blechnum Humblotii* C. Chr. Index.

- (L) **Brooksii** (v. A. v. R.) C. Chr. Ind. Suppl. III. 46. 1934. — Ceram.  
Lomaria v. A. v. R. Bull. Buit. II no. 28. 32. 1918.
- (L) **castaneum** Mak. et Nemoto, Cat. Jap. Pl. Herb. Tokyo Imp. Mus. 421. 1914  
(nomen), Fl. Jap. 1591. 1925, Ogata, Ic. Fil. Jap. 3 t. 109. 1930. — Japonia.  
— Lomaria Mak. 1892 (nomen); Struthiopteris Nakai 1933; Blechnum  
spicant Mak. Bot. Mag. Tokyo 11. 82 1897 (descr.).  
castaneum Cop. Univ. Calif. Publ. Bot. 14. 361. 1929 = B. pseudovulcanicum.
- (L) **chauiodontum** Cop. l. c. — N. Caledonia.
- (L) **corralense** Espinosa, Revista Chil. Nat. Hist. 36. 93 f. 14-16. 1932. — Chile.
- (L) **decorum** Brause, Engl. Jahrb. 56. 156. 1920. — N. Guinea.
- (L) **deorso-lobatum** Brause l. c., 154. — N. Guinea.
- (L) **difforme** Cop. Bishop Mus. Bull. 59. 13 t. 3. 1929. — Fiji.  
egenolfioides (Bak.) C. Chr. Index = Plagiogyria.  
Ekmanii Brause, Ark. för Bot. 17 no. 7. 69. 1921 = B. Underwoodianum.  
Faberi C. Chr. Index = Plagiogyria assurgens.
- (L) **flocculosum** Ros.; C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 70. 223. 1925.  
— N. Caledonia.
- (L) **Fraseri** (Cunn.) Luer. — Adde loc. Borneo, Celebes, N. Guinea.  
Hancockii Hance 1883, Index = B. nipponicum var.
- (L) **Hieronymi** Brause, Engl. Jahrb. 56. 155. 1920. — N. Guinea.  
Humblotii C. Chr. Index = B. binerve.
- (B) **indicum** Burm. Fl. Ind. 231. 1768. — B. serrulatum Rich. 1792, Index c. syn.
- (L) **integripinnulum** Hayata 1914, Ind. Suppl. pré. — Adde syn. Diploblechnum  
Hayata 1928.
- (L) **ivohibense** C. Chr. Arch. Bot. (Caen) 2 Bull. mens. 211. 1928, Dansk Bot.  
Ark. 7. 105. 1932. — Madagascar. Afr. trop. (Uluguru Mts.).  
japanense Moore 1860 = B. nipponicum.
- (L) **Ledermanni** Brause, Engl. Jahrb. 56. 153. 1920. — N. Guinea.
- (L) **loxense** (HBK.) Hier. 1902, Ind. Suppl. — Adde syn. Pteris pectinata Cav.  
Descr. 266. 1802, (patria: Ins. Mariannae, falsa, non Blechnum Pr. 1825).
- (L) **Mexiae** Cop. Univ. Calif. Publ. Bot. 17. 32 t. 7. 1932 — Brasilia.  
nigro-squamatum Gilbert 1897, Index = B. brasiliense.
- (L) **nipponicum** (Kze.) Mak. 1897, Ind. Suppl. — Adde loc. Formosa et syn.  
Spicanta Hayata 1928; Struthiopteris Nakai 1930; Spicantopsis Nakai  
1933. — Blechnum Hancockii Hance 1883, Index cum syn.
- (L) **nukuhivense** E. Brown, Bishop Mus. Bull. 89. 69 f. 13. 1931. — Marquesas.
- (L) **papuanum** Brause, Engl. Jahrb. 56. 158. 1920. — N. Guinea.
- (L) **pendulum** Brause, l. c. 157. — N. Guinea.
- (B) **plagiogyriifrons** Hayata, Ic. Pl. Formosa 6. 157 t. 20. 1916. — Formosa.  
Blechnidium Hayata 1927.
- (L) **pseudovulcanicum** C. Chr. Ind. Suppl. III. 46. 1934. — N. Caledonia. — B.  
castaneum Cop. Univ. Calif. Publ. Bot. 14. 361. 1929 (non Mak. 1914, 1925).
- (L) **raiateense** J. W. Moore, Bishop Mus. Bull. 102. 9. 1933. — Raiatea (Ins. Soc.)
- (L) **Regnellianum** (Kze.) C. Chr. Ind. Suppl. — Lomaria marginata Schrad. 1824?
- (L) **revolutum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 46. 1934. — N. Guinea.  
Lomaria v. A. v. R. Nova Guinea 14. 31. 1924.
- (L) **Rosenstockii** Cop. Univ. Calif. Publ. Bot. 12. 394. 1931. — N. Guinea.
- (L) **saxatile** Brause, Engl. Jahrb. 56. 152. 1920. — N. Guinea.  
serpentinum Noronha, Verh. Bat. Genootsch 5. 70 (nomen). 1827? — Java.  
serrulatum Rich. 1792, Index = B. indicum.

- Tengwallii Kjellberg, Engl. Jahrb. 66. 57. 1933 = *B. Fraseri* var.
- (L) *tenuifolium* Ros. Fedde Rep. 22. 7. 1925. — Costa Rica.
- (L) *umbrosum* A. Peter, Fedde Rep. Beih. 40. 82, Descr. 9 t. 3 f. 5—8. 1929.  
— Afr. or. trop.
- Urbani Brause 1911, Ind. Suppl. = *Plagiogyria*.
- BOLBITIS** Schott Gen. Fil. t. 14. 1934. — (Polypodiaceae Gen. 39).
- Leptochilus* § 2—3. *Anapausia et Bolbitis* Index p. XXVI. — *Campium* Pr., Copeland, Phil. Journ. Sci. 37. 341—402. 1928 (excl. § *Dendroglossa*). Cl. R. C. Ching revisionem hujus generis in litt. mcccum communicavit.
- acrostichoides* (Afz.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Afr. trop.  
*Leptochilus* (Afz.) C. Chr. Index; *Campium* Cop. 1. c. 394 f. 44, t. 30.
- aliena* (Sw.) Alston, Kew Bull. 1932. 310. — Amer. trop. — *Leptochilus* (Sw.) C. Chr. 1904, Index excl. syn. *Acr. cladorrhizans* et *A. portoricense* Spr., *A. hastatum* Liebm., *Gymnopteris semipinnatifida* Fée etc.
- arguta* (Fée) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Luzon. — *Heteroneuron* Fée, *Acrost.* 96 t. 25 f. 2. 1945; *Campium* Cop. 1. c. 376 f. 29, t. 22.
- auriculata* (Lam.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Afr. trop.  
*Leptochilus* (Lam.) C. Chr. Index; *Campium* Cop. 1. c. 398 f. 49.
- Bernoullii* (Kuhn) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Mexico — Costa Rica. — *Leptochilus* (Kuhn) C. Chr. 1904, Index. — *L. Türekheimii* (Christ) C. Chr. Ind. Suppl.
- bipiunatifida* (Mett.) Ching in Ind. Suppl. III. 47. 1934. — Ins. Sechellae.  
*Leptochilus* (Mett.) C. Chr. Ind. Suppl.; *Campium* Cop. 1. c. 377 f. 30.
- Boivini* (Mett.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Afr. trop. Ins. Comorae. — *Leptochilus* (Mett.) C. Chr. Index; *Campium* Cop. 1. c. 378.  
*Leptochilus Laurentii* (Christ) C. Chr. Index.
- Bradeorum* (Ros.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Costa Rica — Panama. — *Leptochilus* Ros. 1910, Ind. Suppl. *L. Killipii* Maxon 1931.
- Bradfordi* (Cop.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Ceylon.  
*Campium* Cop. 1. c. 390 f. 40, t. 28.
- Cadieri* (Christ) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Annam.  
*Leptochilus* (Christ) C. Chr. Index.
- Christensenii* Ching in C. Chr. Ind. Suppl. III. 47. 1934. — China.  
*Campium* Ching, Bull. Fan Mem. Inst. 2. 214 t. 31. 1931.
- cladorrhizans* (Spr.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Ind. occ. Mexico—Colombia. — *Acrostichum* Spr. 1821; *Leptochilus* Maxon 1926. *Acrostichum portoricense* Spr. 1821; *Gymnopteris* Fée 1845; *Anapausia* Pr. 1849.
- contaminans* (Wall.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Ind. bor. — China—Formosa — *Acrostichum* Wall. 1828 (nomen); *Gymnopteris* Bedd. 1876. *Leptochilus virens* part. Index. *L. angustipinnus* Hayata 1915, Ind. Suppl. préł.; *Campium* Cop. 1. c. 381 f. 33.
- costata* (Wall.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Ind. bor. — *Leptochilus* (Wall.) C. Chr. 1916, Ind. Suppl. préł.; *Campium* Cop. 1. c. 386 f. 37.
- crenata* (Pr.) C. Chr. Ind. Suppl. III. 47. 1934. — Brasilia, Paraguay, Bolivia.  
*Leptochilus* (Pr.) C. Chr. Ind. Suppl. cum syn.
- crispata* (Wall.) Ching in C. Chr. Ind. Suppl. III. 47. 1934. — Ind. bor. *Acrostichum* Wall. 1828 etc. (v. Index sub *L. virente*); *Campium* Pr. 1849, Cop. 1. c. 382 f. 34 t. 26.

- enrupirae** (Lindm.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Brasilia austr.  
Leptochilus (Lindm.) C. Chr. Index.
- cuspidata** (Pr.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Ins. Phil.  
Leptochilus C. Chr. Index excl. syn. omn. Preslii excl.; Campium Cop. I. c. 365 f. 19 t. 14.
- deltigera** (Wall.) C. Chr. Ind. Suppl. III. 48. 1934. — Ind. bor.  
Meniscium Wall. 1828, Clarke, Tr. Linn. Soc. II. Bot. 1. 572. 1880; Campium Cop. I. c. 387 f. 38.
- dentata** (Fée) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Guiana.  
Gymnopteris Fée, Acrost. 85. 1845.
- diversibasis** (Bonap.) C. Chr. Ind. Suppl. III. 48. 1934. — Gabon.  
Leptochilus Bonap. N. Pt. 14. 216. 1924.
- diversifolia** (Bl.) Schott, Gen. ad t. 14. 1934. — Malesia.  
Leptochilus (Bl.) C. Chr. Index; Campium Cop. I. c. 362 f. 15.
- Donnell-Smithii** (Christ) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Guatemala.  
Leptochilus C. Chr. Ind. Suppl.
- flagellifera** Schott, Gen. ad t. 14. 1934 = *B. heteroclita*.
- fluviatilis** (Hk.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Afr. occ. trop.  
Leptochilus (Hk.) C. Chr. Index; Campium Cop. I. c. 399 f. 50 t. 32.
- Foxworthyi** (Cop.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Luzon.  
Campium Cop. I. c. 364 f. 17 t. 12. 1928.
- gaboonensis** (Hk.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Afr. occ. trop.  
Leptochilus (Hk.) C. Chr. Index; Campium Cop. I. c. 401 f. 51.
- gemmifer** (Hier.) C. Chr. Ind. Suppl. III. 48. 1934. — Afr. trop.  
Leptochilus Hier. 1911, Ind. Suppl.; Campium Cop. I. c. 397 f. 48.
- grossedentata** (Bonap.) C. Chr. Ind. Suppl. III. 48. 1934. — Gabon.  
Leptochilus Bonap. N. Pt. 14. 217. 1924.
- hemiotis** (Maxon) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Trinidad.  
Leptochilus Maxon, Amer. Fern Journ. 14. 101. (1924). 1925.
- heteroclita** (Pr.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Asia trop.  
Leptochilus (Pr.) C. Chr. Index; Campium Cop. I. c. 359 f. 13.
- Hendelotii** (Bory) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Afr. trop.  
Leptochilus (Bory) C. Chr. Index; Campium Cop. I. c. 396. — *C. angustifolium* Cop. 396 f. 47 t. 31.
- Humblotii** (Bak.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Madagascar.  
Leptochilus (Bak.) C. Chr. Index; Campium Cop. I. c. 395 f. 45?
- hydrophylla** (Cop.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Mindanao.  
Leptochilus Cop. 1906, Ind. Suppl.; Campium Cop. I. c. 358 f. 12 t. 9.
- inconstans** (Cop.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Ins. Phil.  
Leptochilus (Cop.) C. Chr. Index (t. Cop. veris. = *B. cuspidata*). —  
Campium tenuissimum Cop. I. c. 364 f. 18 t. 13.
- interlineata** (Cop.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Borneo.  
Campium Cop. I. c. 370 f. 24, t. 17. 1928.
- labrusca** (Christ) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Congo.  
Leptochilus (Christ) C. Chr. Index.
- lancea** (Cop.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — India austr.  
Campium Cop. I. c. 380 f. 32 t. 25.
- Lindigii** (Mett.) Ching in C. Chr. Ind. Suppl. III. 48. 1934. — Costa Rica—  
Ecuador. — Leptochilus (Mett.) C. Chr. 1904, Index.

- Liebmanni** (Maxon) C. Chr. Ind. Suppl. III. 49. 1934. — Mexico. — *Leptochilus* Maxon 1930; *Acrostichum hastatum* Liebm. 1849 (non Thbg. 1784).
- lonchophora** (Kze.) C. Chr. Ind. Suppl. III. 49. 1934. — Polynesia.  
*Acrostichum* Kze. Farnkr. 5 t. 2. 1840; *Campium* Cop. 1932. *Cyrtogonium palustre* Brack. 1854; *Campium* Cop. l. c. 371 f. 25 t. 18.
- longiflagellata** (Bonap.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Madagascar.  
*Leptochilus* Bonap. N. Pt. 4. 68. 1917; *Campium* C. Chr. 1932.
- malaccensis** (C. Chr.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Malacca.  
*Leptochilus* C. Chr. Gardens Bull. S. S. 4. 394. 1929.
- mexicana** (Christ) C. Chr. Ind. Suppl. III. 49. 1934. — Mexico.  
*Leptochilus* Christ 1907, Ind. Suppl.
- modesta** (Bak.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Borneo.  
*Leptochilus* (Bak.) C. Chr. Index; *Campium* Cop. 1931.
- mollis** (Cop.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ceylon.  
*Campium* Cop. l. c. 390 f. 41 t. 29. 1928.
- Naumannii** (Kuhn) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — N. Hannover.  
*Leptochilus* (Kuhn) C. Chr. Index.
- nicotianifolia** (Sw.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ind. occ. Guatemala. — *Leptochilus* (Sw.) C. Chr. Index excl. syn. *Heteronevron meniscioides* Fée. — Cf. Maxon, Journ. Wash. Acad. Sci. 14. 145. 1924.
- nigra** (Cop.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ins. Carolinae.  
*Campium* Cop. l. c. 361 f. 14, t. 10.
- opaca** (Mett.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Colombia.  
*Leptochilus* (Mett.) C. Chr. Index.
- ovata** (Cop.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Sumatra. — *Leptochilus* Cop. 1914, Ind. Suppl. préI.; *Campium* Cop. l. c. 354 f. 9, t. 6 1928.
- pandurifolia** (Hk.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Peru, Ecuador.  
*Leptochilus* (Hk.) C. Chr. Index. *L. oligogarchicus* (Bak.) C. Chr. 1904, Index.
- parva** (Cop.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — N. Guinea.  
*Campium* Cop. l. c. 375 f. 28, t. 21. 1928.
- pellucens** (Mett.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Colombia.  
*Chrysodium* Mett. Ann. sc. nat. V. 2. 205. 1864.
- pergamentacea** (Maxon) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ind. occ. Guatemala—Venezuela. — *Leptochilus* Maxon, Journ. Wash. Acad. Sci. 14. 144. 1924.
- phanerodictya** (Bak.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Afr. occ. trop. — *Leptochilus* (Bak.) C. Chr. Index.
- Presliana** (Fée) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ins. Phil. Ind. austr. — *Leptochilus* (Fée) C. Chr. Index. *Campium Feeianum* Cop. l. c. 392 f. 43.
- pseudoscalpturata** (Cop.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Ins. Phil.  
*Campium* Cop. l. c. 363 f. 16, t. 11. 1928.
- Quoyana** (Gaud.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Malesia —?.  
*Acrostichum* Gaud. 1827; *Campium* Cop. l. c. 366 f. 20. *Acrostichum repandum* Bl. 1828; *Leptochilus cuspidatus* C. Chr. Index cum syn., *Nephrodium cuspidatum* Pr. et *Chrysodium bipinnatifidum* Mett etc. exceptis.
- Rawsoni** (Bak.) Ching in C. Chr. Ind. Suppl. III. 49. 1934. — Mauritius.  
*Leptochilus* (Bak.) C. Chr. Index; *Campium* Cop. l. c. 400.



- repanda** Schott, Gen. ad t. 14. 1834 = *B. Quoyana*.
- rivularis** (Brack.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Fiji.  
*Leptochilus* (Brack.) C. Chr. Index; *Campium* Cop. I. c. 373 f. 27 t. 20.
- sagenioides** (Kuhn) Ching in C. Chr. Ind. Suppl. III. 50. 1934 — N. Hebridae.  
*Leptochilus* (Kuhn) C. Chr. Index.
- salicina** (Hk.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Afr. occ. trop.  
*Leptochilus* (Hk.) C. Chr. Index; *Campium* Cop. I. c. 395 f. 46.
- samoensis** (Cop.) C. Chr. Ind. Suppl. III. 50. 1934. — Samoa.  
*Campium* Cop. I. c. 372 f. 26 t. 19. 1928.
- scalpturata** (Fée) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Malesia, Siam.  
*Leptochilus* (Fée) C. Chr. Index emend. Ind. Suppl. 49; *Campium* Cop. I. c. 383 f. 35.
- semicordata** (Moore) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Ind. austr. Ceylon. — *Acrostichum* (Moore) Bak. Syn. 422. 1868; *Leptochilus virens* var. cum syn. Index; *Campium* Cop. I. c. 378 f. 31, t. 23, 24.
- semipinnatifida** (Fée) Alston, Kew Bull. 1932. 310. — Guiana.  
*Gymnopteris* Fée 1845; *Leptochilus alienus* var. Index cum syn.
- serrata** (Kuhn) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Peru.  
*Leptochilus* (Kuhn) C. Chr. 1904, Index.
- serratifolia** (Mertens) Schott, Gen. ad t. 14. 1934. — Brasilia. Guiana.  
*Leptochilus* (Mert.) C. Chr. 1904, Index.
- simplicifolia** (Holttum) Ching in C. Chr. Ind. Suppl. 50. III. — Malacca.  
*Leptochilus* Holttum, Gard. Bull. S. S. 4. 409, fig. 1929.
- stenophylla** (Kurz) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Java.  
*Poecilopteris* Kurz, Tijdschr. Ned. Ind. 27. 15. 1864, Cop. I. c. 393. 1928.
- Stuebelii** (Hier.) C. Chr. Ind. Suppl. III. 50. 1934. — Ecuador.  
*Hypoderris* Hier. 1907, Ind. Suppl.; *Leptochilus Malon* 1933.
- subcordata** (Cop.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Hainan, China merid. or. — *Campium* Cop. I. c. 369 f. 23 t. 16. 1928.
- suberenata** (Hk. et Grev.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Ind. austr., Ceylon. — *Leptochilus* (Hk. et Gr.) C. Chr. Index; *Campium* Cop. I. c. 391 f. 42. — *Leptochilus prolifer* (Bory) C. Chr. Index cum. syn.
- subsimplex** (Fée) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Malesia.  
*Gymnopteris* Fée, Acrost. 83 t. 40 f. 3. 1845; *Campium* Cop. I. c. 356 f. 11 t. 8 1928. *Leptochilus Zollingeri* (Kze.) Fée 1852, Index cum. syn. *L. stolonifer* Christ 1906, Ind. Suppl.
- Taylori** (Bailey) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Queensland.  
*Leptochilus* (Bailey) C. Chr. Index; *Campium* Cop. I. c. 374.
- turrialbae** (Ros.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Costa Rica.  
*Leptochilus* Ros. Fedde Rep. 22. 22. 1925.
- umbrosa** (Liebm.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Mexico.  
*Leptochilus* (Liebm.) C. Chr. Index.
- undulata** (Wall.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — India. Cambodia.  
*Notholaena* Wall. 1828; *Jenkinsia* Hk. 1842; *Campium* Pr. 1849, Cop. I. c. 384 f. 36, t. 27; *Lomariopsis* Mett. 1856.
- valida** (Cop.) Ching in C. Chr. Ind. Suppl. III. 50. 1934. — Luzon.  
*Campium* Cop. I. c. 369 f. 22, t. 15.
- virens** (Wall.) Schott, Gen. ad t. 14. 1934. — Ind. bor. — *Leptochilus* (Wall.) C. Chr. Index part.; *Campium* Pr. 1849, Cop. I. c. 388.

*vivipara* (Kjellberg) C. Chr. Ind. Suppl. III. 51. 1934. — Celebes.

*Campium* Kjellberg, Engl. Jahrb. 66. 50. 1933.

**BOMMERIA** Fournier 1876, Ind. Suppl. — (Polypodiaceae Gen. 102).

**BONINIELLA** Hayata, Bot. Mag. Tokyo 41. 709. 1927, 42. 337. 1928, Flora 124.

*Ikenoi* Hayata, l. c. = *Asplenium cardiophyllum*. [50. 1929.

**BOTRYCHIUM** Swartz.

*boreale* × *lunaria*? Holmberg, Skandinaviens Flora 33. 1922. — Scandinavia.

— *B. intermedium* (Ångström) Holmberg, l. c.; *B. boreale* var. Ångstr. Bot. brachystachys Kze. 1844 = *B. cicutarium*. [Notiser 1866. 35 part.

*cicutarium* (Sav.) Sw. 1806, Tidestrom, Contr. U. S. Nat. Herb. 16. 303 t. 102.

— Jamaica, Hispaniola. Mexico — Ecuador. — *Osmunda* Sav. 1797. *Botrychium brachystachys* Kze. 1844. *B. dichrosum* Und. 1903, Index.

*dichrosum* Und. 1903, Index = *B. cicutarium*.

*fumarianum* Sm. Rees Cycl. 34. no. 4. 1819 = *B. biternatum*.

*intermedium* Holmberg 1922 (syn.) = *B. boreale* × *lunaria*.

*leptostachyum* Hayata 1914, Ind. Suppl. prélim. = *B. lanuginosum*.

*matricariae* (Schrank) Spr. 1822, Index = *B. multifidum*.

*mingaense* Victorin, Tr. R. Soc. Canada III. 21. 338 t. 1-3. 1927. — Amer. bor.

*multifidum* (Gmel.) Rupr. Beitr. XI. 40. 1859. — Europa, Asia, (Amer.) bor.

*Osmunda* Gmel. 1768. *Botrychium matricariae* (Schrank) Spr. 1827, Index cum syn. — *B. robustum* Und. 1903 (part.?), Index. — Cf. C. Chr. Sv. Vet. Acad. Handl. III. 5. 49. 1927.

*neglectum* Wood 1860, Index = *B. ramosum*.

*pinnatum* St. John, Amer. Fern Journ. 19. 11. 1929. — Amer. bor. pacif. (Washington).

*robustum* (Rupr.) Und. 1903, Index = *B. multifidum*.

**BRAINEA** J. Smith. — (Polypodiaceae Gen. 83).

*formosana* Hayata, Bot. Mag. Tokyo 42. 237. 1928 = *B. insignis*.

*Buesia* Morton, Bot. Gaz. 93. 336. 1932 (*Hymenophyllum* §) = **Hymenophyllum** (*H. mirificum*).

*Calochlaena* Maxon, Journ. Wash. Acad. Sci. 12. 459. 1922 (*Culcita* §) = **Culcita**.

**CALYMMODON** Presl; Copeland, Phil. Journ. Sci. 34. 259-269 t. 1-6. 1927 = **Polypodium**.

*asiaticus* Cop. l. c. 38. 154. 1929.

*conduplicatus* (pag. 268) — *glabrescens* (263 t. 2) — *hyalinus* (264 t. 3) — *hygroscopicus* (265 t. 5) — *latealatus* (265 t. 4) — *mnioides* (267 t. 6) — *muscoides* (264) — *ordinatus* (267) — *pergracillimus* (261 t. 1) Cop. l. c. 34. 1927 = *P. sp. homonym*.

*gracilis* Cop. l. c. 266 = *P. consociatum*.

*Grantii* Cop. Bishop Mus. Bull. 93. 14 t. 14 B, 15 B, 1932 = *P. cucullatum* var.

*hirtum* Brack. 1854 = *P. consociatum*.

*orientalis* Cop. Bishop Mus. Bull. 93. 14 t. 14 A, 15 A. 1932 = *P. cucullatum* var.

**CAMPIUM** Presl emend. Copeland, Phil. Journ. Sci. 37. 341-402, t. 3-32. 1928, sect. *Dendroglossa* = **Leptochilus**, sect. *Heteroneuron* = **Bolbitis**.

*acrostichoides* (p. 394 t. 30) — *argutum* (376 t. 22) — *auriculatum* (398) — *bipinnatifidum* (377) — *Boivini* (378) — *Bradfordi* (390 t. 28) — *costatum* (386) — *cuspidatum* (365 t. 14) — *deltigerum* (387) — *diversifolium* (362) — *fluviale* (399 t. 32) — *Foxworthyi* (364 t. 12) — *gaboonense* (401) — *gemmiferum* (397) — *heteroclitum* (359) — *Heudelotii* (396) — *Humblotii*

- (395) — hydrophyllum (358 t. 9) — interlineatum (370 t. 17) — lanceum (380 t. 25) — molle (390 t. 29) — nigrum (361 t. 10) — ovatum (354 t. 6) — parvum (375 t. 21) — pseudoscalpturatum (363 t. 11) — Quoyanum (366) — Rawsoni (400) — rivulare (373 t. 20) — salicinum (395) — samoense (372 t. 19) — scalpturatum (383) — semicordatum (378 t. 23, 24) — subcordatum (369 t. 16) — subcrenatum (391) — subsimplex (356 t. 8) — Taylori (374) — validum (369 t. 15) — Cop. l. c. 1928 = *Bolbitis* sp. angustifolium Cop. l. c. 396 t. 31 = *Bolbitis* Heudelotii. [homonym. cantoniense Ching, Sinensia 1. 53. 1930 = *Leptochilus*. Christensenii Ching, Bull. Fan Mem. Inst. 2. 214 t. 31. 1931 = *Bolbitis*. decurrens (351) — laciniatum (354 t. 7) — lanceolatum (348 t. 5) — Linnaeanum (343 t. 3) — minus (345 t. 4) — minutulum (346) — Wallii (348) — zeylanicum (352) Cop. Phil. Journ. Sci. 37. 1928 = *Leptochilus* sp. homonym. dilatatum Cop. l. c. 347 t. 4 = *Leptochilus* cordatus. Feeianum Cop. l. c. 392 = *Bolbitis* Presliana. lonchophorum Cop. Bishop Mus. Bull. 93. 14. 1932 = *Bolbitis*. longiflagellatum C. Chr. Cat. Pl. Mad. Pter. 32. 1932 = *Bolbitis*. Matthewii Ching, Bull. Fan Mem. Inst. 1. 158 f. 3. 1930 = *Lomagamma* sorbifolia. metallicum Cop. Phil. Journ. Sci. 37. 347. 1928 = *Leptochilus* zeylanicus. modestum Cop. Brittonia 1. 76. 1931 — *Bolbitis*. palustre Cop. Phil. Journ. Sci. 37. 371 t. 18. 1928 = *Bolbitis* lonchophora. sinense C. Chr. Contr. U. S. Nat. Herb. 26. 292. 1931 — *Egenolfia*. tenuissimum Cop. Phil. Journ. Sci. 37. 364 t. 13. 1928 = *Bolbitis* inconstans. viviparum Kjellberg, Engl. Jahrb. 66. 50. 1933 = *Bolbitis*.
- CAMPTODIUM** Fée, Gen. Fil. 298. 1852. — (*Polypodiaceae* Gen. 32).  
pedatum (Desv.) Fée, l. c. — Ind. occ. — *Dryopteris* O. Ktze. Index.
- CAMPYLOGRAMMA** v. A. v. R. Bull. Buit. II no. 23. 7. 1916. (Cf. Copeland, Phil. Journ. Sci. 38. 149. 1929).  
lancifolia v. A. v. R. l. c. 7 t. 1, no. 28. 11 = *Polypodium* heterocarpum Bl.  
pteridiformis v. A. v. R. l. c. no. 24. 1. 1917, Mal. Ferns Suppl. 334, Nova Guinea 14 t. 1 f. A. — *N. Guinea*. (*Tectaria* sp.?).  
Trollii Goebel, Flora N. F. 25. 281 f. 1—4. 1931 = *Tectaria* Maingayi.
- CARDIOMANES** Presl, Hymenoph. 12. 1843. — (*Hymenophyllaceae* Gen. 2).  
reniforme (Forst.) Pr. l. c. 13. — *N. Zealand*.  
*Trichomanes* Forst 1786, Index.
- CASSEBEERA** Klf., Farwell, Amer. Midl. Naturalist 12. 280. 1931 = *Pellaea*.  
*Andromedaefolia* (p. 280) — *Arseni*, *aspera*, *atropurpurea*, *cordata*, *intermedia*, *marginata*, *pulchella*, *Seemanni*, *ternifolia* (281) — *viridis* (282) = *Pellaea* sp. homonym.
- CEPHALOMANES** Presl = *Trichomanes*.  
alatum Pr. 1848 = *T. Boryanum*.  
atrovirens Pr. 1843 = *T. atrovirens*.  
Australicum v. d. B. 1861 = *T. Boryanum*.  
Boryanum v. d. B. 1859 = *T. Boryanum*.  
Singaporianum v. d. B. 1859 = *T. singaporianum*.  
Wilkesii v. d. B. 1861 = *T. Boryanum*.
- Cerogramme* Diels 1899, Index = *Pityrogramma*.
- CEROPTERIS** Link; Index = *Pityrogramma*.  
*Obs.* Omnes (duabus exceptis) species *Ceropteridis* Indicis c. Suppl. ad *Pityrogrammam* infra translatae sunt.

- calomelanos (L.) Und. 1902, Index (excl. var. omn.)
- chrysophylla Link 1861 = *P. chrysophylla*.
- chryosora v. A. v. R. 1909, Ind. Suppl. = *Cerosora*.
- decomposita Und. et Benedict in Bailey, Stand. Cyclop. Hort. 2. 725. 1917.
- distans Link 1841 = *P. calomelanos* × *tartarea*.
- guianensis (Kl.) Hier. 1909, Ind. Suppl. = *P. ornithopteris*.
- Herminieri Link 1841 = *P. chrysophylla* var.
- intermedia Fée 1866 = *P. calomelanos* × *chrysophylla*.
- L'Herminieri Fée, 11. mém. 30. 1866 = *P. Herminieri*.
- longipes (Bak.) Christ 1907, Ind. Suppl. = *Trismeria*.
- Martensii Link 1841 }  
 Massonii Link 1841 } = *P. calomelanos* × *chrysophylla*.
- monosticha Fée 1857 = *Cheilanthes farinosa* an *Notholaena rigida*?
- pulchella Und. et Benedict in Bailey, Stand. Cyclop. Hort. 2. 726. 1917.
- sulfurea Fée 1852 = *P. sulphurea*.
- viscosa (Eat.) Und. 1902, Index = *P. triangularis* var.
- CEROSORA** (Baker) Domin Acta Bot. Bohemica 8. 3. 1929. — *Gymnogramma*  
 § *Cerosora* Baker, Journ. Linn. Soc. 24. 260. 1887. — (Polypodiaceae Gen. 96).
- chryosora* (Bak.) Domin, l. c. c. t. — Borneo. — *Gymnogramme* Bak. l. c.  
 1887, Index; *Ceropteris* v. A. v. R. 1909, Ind. Suppl.
- CETERACH** Garsault, Explic. abrégée 2. 140 t. 212. 1765, Lam. et DC. 1805.  
 — (Cf. Oest. Bot. Zeit. 1918. 59). — (Polypodiaceae Gen. 78).
- paucivenosum* Ching, Bull. Fan Mem. Inst. 2. 216. t. 28. 1931. — Himalaya,  
 Yunnan.
- CHAMAEFILIX** Hill, British Herbal 526. 1756; Farwell, Amer. Midl. Naturalist  
 12. 268. 1931 = *Asplenium*.
- Adiantum-nigrum* (p. 273), *alata* (270), *blepharodes* (269), *Bradleyi* (273), *bul-*  
*bifera* (275), *cirrhata* (270), *cristata* (275), *delicatula* (275), *enata* (271), *ex-*  
*tensa* (270), *flabellifolia* (269), *fontana* (274), *formosa* (271), *fragilis* (269),  
*fragrans* (274), *Gibertiana* (275), *gracilis* (274), *horrida* (272), *Kaulfussii* (271),  
*lobulata* (272), *lunulata* (270), *monanthes* (269), *montana* (273), *myriophylla*  
 (275), *obtusifolia* (271), *oligophylla* (270), *pinnatifida* (268), *platyneuros* (269),  
*pseudofalcata* (272), *resiliens* (269), *rhizophora* (275), *rhizophylla* (275),  
*Ruta-muraria* (273), *Salicifolia* (271), *Scandicina* (275), *Seelosii* (268), *sep-*  
*tentrionalis* (268), *Serra* (272), *serrata* (268), *Trichomanes* (270), *unilateralis*  
 (271), *uniserialis* (275). Farwell l. c. = *Asplenium* sp. homonym.
- erosa* Farwell, l. c. 272 = *A. auritum*.
- filaris* (Forsk.) Farwell, l. c. 274 = *A. praemorsum*.
- parvula* Farwell, l. c. 269 = *A. varians*.
- Trichomanes-dentata* Farwell, l. c. 269 = *A. dentatum*.
- Trichomanes-ramosa* Farwell, l. c. 269 = *A. viride*.
- CHEILANTHES** Swartz. — Incl. *Aspidotis* Nuttall — (Polypodiaceae Gen. 110).
- albida* Bak. 1891, Index = *C. Lindheimeri*.
- allosuroides* Mett. 1859, Index = *Pellaea*.
- Arnottiana* J. W. Moore, Bishop Mus. Bull. 102. 9. 1933. — Ins. Societatis.  
*Nothochlaena pilosa* Hk. et Arn. 1832 (non *Cheilanthes* Goldm. 1843).
- Bergiana* Schlecht., Kze. 1836, Hier. Hedwigia 62. 27. 1920. — Afr. austr.  
 Madagascar. — *Hypolepis* Hk. 1852, Index. *Cheilanthes Streetiae* Bak.  
 1880, Index. (§ *Hypolepidopsis*).

- Belangeri** (Bory) C. Chr. — Adde syn. *Pellaea cambodioides* Bak. 1891, Index.  
(Cf. G. B[allard], Kew Bull. 1932. 47.)
- Bockii** Diels 1900, Index = *C. chusana*.
- boliviana** C. Chr. Ark. för Bot. 20 A no. 7. 19. 1926. — Bolivia.
- Boltoni** Cop. 1905, Index 663 = *C. chusana*.
- Bonatiana** Brause 1914, Ind. Suppl. pré. = *C. Hancockii*.
- Brandtii** Fr. et Sav. 1879 = *C. Kuhnii*.
- Cadieri** Christ 1905, Index = *C. mysurensis*.
- caesia** Christ 1906, Ind. Suppl. = *C. Kuhnii*.
- californica** (Nutt.) Mett. 1859, Hier. Hedwigia 62. 25. 1920. — California.  
*Hypolepis* (Nutt.) Hk. 1852, Index.
- candida** Mart. et Gal. 1842 = *Notholaena candida*.
- capensis** (Thbg.) Sw. 1806, Hier. l. c. 28. — Afr. austr.  
*Adiantopsis* (Sw.) Fée 1852, Index.
- castanea** Maxon, Proc. Biol. Soc. Wash. 32. 111. 1919. — Mexico.
- chusana** Hk. sp. 2. 95 t. 106 B. 1852. — China, Luzon. — *C. Fordii* Bak. 1879; *Adiantopsis* C. Chr. Index. *C. Bockii* Diels 1900, Index. *C. Boltoni* Cop. 1905, Index 663.
- contigua** Wall. 1828 = *Onychium lucidum*.
- contracta** Kze. 1850 = *C. involuta*.
- Covillei** Maxon, Proc. Biol. Soc. Wash. 31. 147. 1918. — California—Arizona.
- Daenikeri** C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 74. 61. 1929. — N. Caledonia.
- Dalhousiae** Hk. 1852. — Ind. bor. - China merid.
- densa** St. John, Amer. Fern Journ. 19. 14. 1929 = *Pellaea*.
- dichotoma** (Cav.) Sw. 1806, Hier. Hedwigia 62. 24. 1920. — Amer. austr. trop.—*Adiantopsis* (Cav.) Moore 1857, Index cum. syn. *Cheilanthes flexuosissima* Bak. 1891, Index.
- Dicksonii** Corda, Beitr. Fl. Vorwelt 74 t. 58. 1845. — ?
- Duclouxii** (Christ) Ching in C. Chr. Ind. Suppl. III. 54. 1934. — China merid.  
*Doryopteris* Christ 1902, Index. *D. Mairei* Brause 1914.
- farinosa** (Forsk.) Klf. — Dele var. *C. Dalhousiae* Hk. et *C. Brandtii* Fr. et Sav.
- flexuosa** Kze. 1849; cf. Hier. Hedwigia 62. 22. 1920. — Adde syn. *C. recurvata flexuosissima* Bak. 1891, Index = *C. dichotoma*. [Bak. 1878, Index.
- Fordii** Bak. 1879, Ind. Suppl. 99 = *C. chusana*.
- Fraseri** Mett., Kuhn, Linn. 36. 83. 1869. — Colombia—Peru.  
*Notholaena* Bak. 1874, Index.
- globuligera** Christ 1899, Index = *C. Regnelliana*.
- grevilleoides** Christ 1909, Ind. Suppl. = *Sinopteris*.
- Hancockii** Bak. 1895. — Adde syn. *C. taliensis* Christ 1905, Index. *C. Henryi* et *C. Wilsoni* Christ 1906, Index Suppl., *C. Bonatiana* Brause 1914, Index Suppl. pré.
- Harrisii** Maxon, Contr. U. S. Nat. Herb. 24. 51. 1922. — Jamaica.
- Henryi** Christ 1906, Index Suppl. = *C. Hancockii*.
- Hieronymi** Herter, Anal. Mus. Nac. Montevideo II. 1. 360 t. 27. 1925. — Brasilia, Uruguay, Argentina.
- horizontalipinnata** Bonap. N. Pt. 16. 87. 1925 = *Adiantopsis madagascariensis*.
- horridula** Maxon, Amer. Fern Journ. 8. 94. 1918. — U. S. merid. occ. — Mexico. — *C. aspera* Hk. 1852 (non Klf. 1831); *Pellaea* Bak. 1867; *P. scabra* C. Chr. Index (non *Cheilanthes* Karst. 1854).

- incisa** Kze., Mett. Cheil. 44 no. 65 t. 3 f. 28—31. 1859, Hier. Hedwigia 62. 25. 1920. — Brasilia. — Hypolepis C. Chr. Index c. syn.
- jamaicensis** Maxon, Contr. U. S. Nat. Herb. 24. 51. 1922. — Jamaica.
- Jürgensii** Ros. 1906, Index Suppl. = *C. pilosa*.
- Kuhnii** Milde. — China bor. et occ. Japonia. — Adde syn. *C. Brandtii* Fr. et Sav. 1879. — *C. caesia* Christ 1906; *C. lanceolata* C. Chr. 1913.
- lanceolata** C. Chr. 1913, Index Suppl. préel. = *C. Kuhnii*.
- leonardi** Maxon, Journ. Wash. Acad. Sci. 14. 87. 1924 = *Pellaea intra-Leveillei* Christ 1907, Index Suppl. = *C. subrufa*. [marginalis var.]
- Mairei** Brause 1914, Index Suppl. préel. = *C. albofusca*.
- meifolia** Eat. Proc. Amer. Ac. 18. 185. 1883. — Mexico.  
Hypolepis Bak. 1891, Index.
- membranacea** (Dav.) Maxon, Amer. Fern Journ. 8. 119. 1918. — Mexico.  
Pellaea Dav. 1896, Index.
- micromera** Link, Hort. Berol. 2. 36, 1833. — Mexico, Hispaniola, Jamaica.
- niphobola** C. Chr. Acta Hort. Gothob. 1. 88 t. 19. 1924. — China occ. et bor.
- recurvata** Bak. 1878, Index = *C. flexuosa*.
- rosulata** C. Chr. Acta Hort. Gothob. 1. 89 t. 20. 1924. — China occ.
- rotunda** Bonap. N. Pt. 4. 101. 1917. — North Australia.
- Schimperi** Kze. Farnkr. 52 t. 26. 1840. — Africa or. — Hypolepis Hk. 1852, Index.
- siliquosa** Maxon, Amer. Fern Journ. 8. 116. 1918 = *Pellaea densa*.
- straminea** Brause 1914, Ind. Suppl. préel. = *Cheilanthopsis indusiosa*.
- Streetiae** Bak. 1880, Index = *C. Bergiana*.
- taliensis** Christ 1905, Index = *C. Hancockii*.
- Thellungii** Herter, Anal. Mus. Nac. Montevideo II. 1. 360 t. 26 1925. — Uruguay, Brasilia austr.
- undulata** Hope et Wright 1903, Index 663 = *C. trichophylla*.
- Veitchii** (Christ) Ching in C. Chr. Ind. Suppl. III. 55. 1934. — China.  
Doryopteris Christ 1906, Ind. Suppl.
- villosa** Dav. Cat. Davenp. Herb. Suppl. 45. 1883; Maxon, Proc. Biol. Soc. Wash. 31. 142. 1918 (descr.). — U. S. A. merid. occ. — Mexico.
- Wilsoni** Christ 1906, Ind. Suppl. = *C. Hancockii*.
- Wootoni** Maxon, Proc. Biol. Soc. Wash. 31. 146. 1918. — New Mexico, Arizona.
- yunnanensis** Brause 1914, Ind. Suppl. préel. = *C. subvillosa*.
- CHEILANTHOPSIS** Hieronymus, Notizblatt Bot. Gart. Berlin—Dahlem 7. 406—409. 1920. — (Polypodiaceae Gen. 112).
- elongata** Cop. Univ. Calif. Publ. Bot. 12. 395. 1931 = *C. indusiosa*.
- indusiosa** (Christ) Ching, Sinensia 3. 154. 1932 (indusiora). — Yunnan.  
Woodsia Christ 1909, Ind. Suppl. *Cheilanthos straminea* Brause 1914, Ind. Suppl.; *Cheilanthopsis* Hier l. c., Cop. 1929; *C. elongata* Cop. 1931.
- CHONTA** Molina, Saggio Storia nat. chil. 182. 1782 (nom. vernac.) = *Juania* (Palmae).
- CHRISTIOPTERIS** Copeland. — Cf. Copeland, Phil. Journ. Sci 12 C. 331. 1917. — (Polypodiaceae Gen. 165).
- cantoniensis** Christ 1908 = *Leptochilus*.
- Eberhardtii** Christ 1908, Ind. Suppl. = *C. tricuspis*.
- tricuspis** (Hk.) Christ, Journ. de Bot. 21. 239, 272. 1908. — Sikkim - Annam.  
Acrostichum Hk. 1864; *Leptochilus* C. Chr. Index.
- varians** (Mett.) Cop. Phil. Journ. Sci. 12 C. 333. 1917. — N. Caledonia.  
Acrostichum Mett. 1861; *Leptochilus* Fourn. 1868, Index.

**CIBOTIUM** Kaulfuss, Berl. Jahrb. Pharm. 21. 53. 1820.

*crassinerve* Ros. Med. Rijks Herb. no. 31. 4. 1917 = *C. Cumingii*? (Ins. Phil.).

*Cumingii* Kze. Farnkr. 64. 1841. — Ins. Phil. Borneo.

*hawaiense* Nakai et Ogura, Bot. Mag. Tokyo 44. 468. 1930. — Ins. Hawaii.

**CINCINALIS** Desvaux.

*tarapacana* Philippi, Anal. Mus. Nac. Chil. 1891. 91 = *Pellaea nivea*.

**COCHLIDIUM** Kaulfuss, Berlin Jahrb. Pharm. 21. 36. 1820; Enum. 86. 1824.

C. Chr. Dansk Bot. Ark. 6<sup>3</sup>. 17—25. 1929. — (Polypodiaceae Gen. 140).

*attenuatum* A. C. Smith, Bull. Torr. Cl. 58. 309. 1931. — Guiana.

*Connellii* (Bak.) A. C. Smith, Bull. Torr. Cl. 57. 179. 1930. — Mt. Roraima. *Polypodium* Bak. 1901, Index 518. *Pleurogramme Luetzelburgiana* Goebel 1929.

*furcatum* (Hk. et Grev.) C. Chr. Dansk Bot. Ark. 6<sup>3</sup>. 20. 1929. — Trinidad, Guiana, Brasilia. — *Grammitis* Hk. et Grev. 1828; *Polypodium dicranophyllum* C. Chr. Index 522.

*graminoides* (Sw.) Klf. Enum. 86. 1824; C. Chr. l. c. 18 t. 1, 3. 1929. — Jamaica. — *Acrostichum* Sw. 1788; *Monogramma* Bak., Index 430.

*linearifolium* (Desv.) Maxon, C. Chr. l. c. 23 t. 1. 1929. — Guiana—Columbia, Honduras, Ind. occ. — *Monogramma* Desv. 1811, Index 430.

*minus* (Jenm.) Maxon, Pter. Porto Rico 407. 1926; C. Chr. l. c. 20 t. 1, 3. 1929. — Ind. occ. — *Monogramma* Jenm. 1897, Index 430.

*paucinervatum* (Fée) C. Chr. l. c. 22. 1929. — Brasilia. — *Grammitis* Fée 1873; *Polypodium* C. Chr. Index 551. *Monogramma Rudolfi* Ros. 1905, Index 431.

*pumilum* (Masse) C. Chr. l. c. 19 t. 3. 1929 — Ecuador.

*Monogramme* Masse ms.

*pusillum* Cop. Univ. Calif. Publ. Bot. 16. 108. 1929 = *Scleroglossum*.

*rostratum* (Hk.) Maxon, C. Chr. l. c. 23 t. 1. 1929. — America centr. Ind. occ. (var. *areolatum* C. Chr. l. c. 25). — *Monogramma* Hk. 1864, Index 431; *Pleurogramme* Goebel 1924. — *M. gyroflexa* (Christ) C. Chr. Index 430.

*seminudum* (Willd.) Maxon, Pter. Porto Rico 407. 1926, C. Chr. l. c. 21 t. 1. 1929. — Ind. occ. Guiana, Venezuela. — *Blechnum* Willd. 1794; *Monogramma* Bak., Index 431 (excl. loc. Guinea). *Pleurogramme nuda* Goebel 1924.

**COLYSIS** Presl 1849, Ching, Bull. Fan Mem. Inst. 4. 313. 1933 = **Polypodium**.

*Boisii* (p. 329) — *Bonii* (322) — *digitata* (328) — *dissimilialata* (330) — *elliptica* (333) — *flexiloba* (330) — *fluviatilis* (319) — *hemionitidea* (320) — *hemitoma* (326) — *Henryi* (325) — *latiloba* (330) — *Leveillei* (323) — *longisora* (331) — *Morsei* (330) — *pedunculata* (321) — *pentaphylla* (322) — *Wrightii* (324) — *Wui* (322) Ching, l. c. = *P. sp. homonym*.

*longipes* Ching, 332 l. c. = *P. Chunii*.

**CONIOGRAMME** Fée — (Polypodiaceae Gen. 104).

*caudata* (Wall.) Ching in C. Chr. Ind. Suppl. III. 56. 1934. — India-China merid. — *Grammitis* Wall. 1828 (nomen); *Gymnopteris* Pr. 1836 (nomen), Ettingsh. Farnkr. 57 t. 37 f. 7, t. 38 f. 13. 1865, *C. pubescens* Hier. et *C. spinulosa* (Christ) Hier. 1916, Ind. Suppl. pré.

*madagascariensis* C. Chr. Cat. Pl. Mad. Pter. 45. 1932 (nomen), Dansk Bot. Ark. 7. 109. 1932. — Madagascar.

*Merrilli* Ching, Sinensia 1. 49. 1930 = *C. macrophylla* var. *Copelandi*.

*parvipinnula* Hayata 1914, Ind. Suppl. pré. = *C. procera*.

- Petelotii** Tardieu-Blot, Bull. Mus. Paris II. 5. 334. 1933. — Tonkin. Yunnan.  
*C. subcordata* Ching 1931 (non Cop. 1910).  
*pubescens* Hier. 1916, Ind. Suppl. pré-l. = *C. caudata*.  
*spinulosa* (Christ) Hier. 1916, Ind. Suppl. pré-l. = *C. caudata*.  
*subcordata* Ching, Bull. Fan Mem. Inst. 2. 213. 1931 = *C. Petelotii*.
- CORNOPTERIS** Nakai, Bot. Mag. Tokyo 44. 7. 1930 = **Athyrium**.  
*Christenseniana* Tagawa, Acta Phytotax. 2. 195. 1933 = *A. musashiense*.  
*coreana* Nakai, Bot. Mag. Tokyo 45. 96. 1931 = *A. koryoense*.  
*crenulato-serrulata* Nakai, l. c. 95.  
*decurrenti-alata* Nakai, l. c. 44. 8. 1930.  
*fluvialis* Tagawa, Acta Phytotax. 1. 158. 1932.  
*hakonensis* Nakai, Bot. Mag. Tokyo 45. 94. 1931.  
*musashiensis* Nakai, l. c. 44. 8. 1930.  
*Tashiroi* Tagawa, Acta Phytotax 1. 159. 1932 = *A. Tagawai*.
- CRASPEDODICTYUM** Copeland, Phil. Journ. Sci. 6 C. 84. 1911, 38. 147. 1929 (clavis sp.). — (Polypodiaceae Gen. 92).  
*coriaceum* Cop. Phil. Journ. Sci. 38. 146. 1929. — Sumatra.  
*grande* Cop. l. c. 6C. 84. 1911. — N. Guinea. — Syngramma C. Chr. Ind. Suppl.  
*magnificum* Cop. l. c. 38. 147. 1929. — N. Caledonia.  
*quinatum* (Hk.) Cop. l. c. 6C. 85. 1911. — Malesia-Melanesia.  
*Syngramma* (Hk.) Carr., Index c. syn.  
*Schlechteri* (Brause) Cop. l. c. 38. 147. 1929. — N. Guinea.  
*Syngramma* Brause 1912, Index Suppl.
- CRYPTOGRAMMA** R. Brown. — (Polypodiaceae Gen. 116).  
*Raddeana* Fomin, Bull. Jard. Bot. Kieff no. 10. 3. 1929, Fl. Sib. et Or. extr. 5. 169, fig. 1930. — Sibiria centr., China centr.  
*robusta* (Kze.) Pappe et Rawson, Syn. Fil. Afr. austr. 32. 1858. — Africa austr.  
*Doryopteris* (Kze.) Diels 1899, Index c. syn.
- Cryptogrammopsis* Kümmerle, Amer. Fern Journ. 20. 133. 1930 (*Onychium* §)
- CRYPTOSORUS** Seemanni J. Sm. 1861 = *Polypodium*. [= **Onychium**.]
- CULCITA** Presl, Tent. Pterid. 135. 1836, Maxon, Journ. Wash. Acad. Sci. 12. 454. 1922. — *Balantium auctt. non Kaulfuss* 1824.  
*blepharodes* Maxon, l. c. 459. — Fiji.  
*coniifolia* (Hk.) Maxon, Rep. Smiths. Inst. 1911. 488 t. 13. 1912. — Amer. trop.  
*Balantium* (Hk.) J. Sm. 1875, Index.  
*Copelandii* (Christ) Maxon, Journ. Wash. Acad. Sci. 12. 457. 1922. — Luzon, Borneo.  
*Balantium* Christ, Cop. 1908, Index Suppl.  
*dubia* (R. Br.) Maxon, l. c. 458. — Australia.  
*Davallia* R. Br. 1810, Index c. syn. — (§ *Calochlaena*).  
*formosae* (Christ) Maxon, l. c. 456. — Formosa.  
*Balantium* Christ 1910, Index Suppl.  
*javanica* (Bl.) Maxon, l. c. 456. — Java.  
*Balantium* (Bl.) Cop. 1909, Index Suppl.  
*macrocarpa* Pr. Tent. 135 t. t. f. t. 1836, Maxon, l. c. 455. — Ins. atlant.  
*Balantium culcita* (L'Hérit.) Klf. 1824, Index.  
*pilosa* (Cop.) C. Chr. Ind. Suppl. III 57. 1933. — Borneo.  
*Balantium* Cop. Journ. Str. Br. As. Soc. no. 63. 71. 1912.  
*straminea* (Labill.) Maxon, l. c. 457 — Polynesia. — *Balantium* (Labill.)
- CURRANIA** Copeland 1911 = **Dryopteris**. [Diels 1899, Index c. syn.]  
*gracilipes* Cop. 1911, Ind. Suppl.



**CYATHEA** Smith.

**Obs. Plurimae species asiaticae et polynesiaceae Alsophilae et Hemiteliae a cl. Copeland et omnes species in Indice cum Suppl. enumeratae et plurimae postea descriptae a cl. K. Domin 1929 et 1930 ad Cyatheam translatae sunt. Combinationes novae Domini sunt:**

acaulis, acutidens, aethiopica, amboinensis, aperta, apiculata, aquilina, arbuscula, aterrима, atrovirens, australis, Baileyana, baroumba, Batesii, bilineata, bipinnatifida, blechnoides, Bongardiana, camerunensis, canelensis, caracasana, chnoodes, Christii, Colensoi, conjugata, contracta, Cooperi, corcovadensis, coriacea, costalis, crassifolia, decomposita, dichromatolepis, dissitifolia, dorsalis, falcata, falciloba, farinosa, Feeana, flexuosa, floribunda, Francii, frigida, furcata, gazellae, gibbosa, Glaziovii, guimaraensis, heteromorpha, heterophylla, hirsutissima, hispida, hypolampra, Iheringii, impressa, jivariensis, Kalbreyeri, khasyana, kohchangensis, Kuhnii, lasiosora, latevagans, latisecta, leptocladia, Loddigesii, Loubetiana (**omnes p. 62**) — Macgillivrayi, macrosora, marginalis, Matthewii, microdonta, Miersii, Mildbraedii, monosticha, mucronata, myosuroides, Naumannii, nigripes, oblonga, obtusiloba, pallescens, pallida, pastazensis, paucifolia, paulistana, peladensis, phalaenolepis, phegopteroides, piligera, pilosissima, pinnula, plagiopteris, Poeppigii, polystichoides, Poolii, praecincta, procera, proceroides, pterorachis, pungens, pycnocarpa, quadripinnata, quitensis, radens, Rebeckae, revoluta, Robertsiana, Rumphiana, sagittifolia, Salvini, samoensis, sarawakensis, scaberula, Schaffneriana, Schiedeana, Schlechteri, Schlimii, senilis, stipularis, subaspera, subcomosa, subdubia, subobscura, tenerifrons, trichophlebia, Veitchii, vernicosa, verruculosa, Wendlandii, wengiensis, xantholepis (**omnes p. 263**) Domin, Pteridophyta 263—263. 1929 et alphabetice cum synonymia in Acta Bohemica 9. 88—174. 1930 = **Alsophila sp. homonym.**

acrostichoides (p. 88) — aeneifolia (174) — allocota (89) — alutacea, amazonica, angiensis, Annae (90) — armata (93) — Blanchetiana (98) — borinquena (99) — brunnea, bulligera (101) — buruensis (102) — congoensis (106) — Dielsii (111) — Eatonii (112) — fallacina (115) — Fujiiana, furcinervia (117) — glabrescens, Gleasonii (119) — gregaria, guianensis, Hallieri (120) — hirta (122) — infesta (125) — Janseniana (126) — lastreoides (128) — lepidoclada, Leschenaultiana (130) — mapirieuensis, marginata, Marshalliana (134) — mesocarpa (136) — Miquelii (137) — nesiotica (140) — notabilis, novogranadensis (141) — Ogurae, Oldhamii, olivacea (143) — pansamalana (145) — persquamulata, persquamuligera (146) — ramisora (152) — recurvata, reducta (153) — rubiginosa (154) — scaberulipes (174) — scabriuscula, scandens (156) — spinifera (160) — strigillosa (161) — submarginalis (163) — subulata (164) — tenggerensis (165) — trichiata (166) — Ulei, Van-Gaerdtii (168) — vitiensis (170) — Williamsii (171) — xanthina (172) Domin, Acta Bohemica 9. 1930 = **Alsophila sp. homonym.**

alsophiliformis, ameristoneura, australiensis, barisanica (barisamica ex err.), bella, Boryana, calolepis, caudipinnula, chiricana, choricarpa, confluens, contigua (**omnes p. 263**) — escuquensis, firma, glaucophylla, Godeffroyi, grandis, guatemalensis, Hartii, horridipes, integrifolia, Joadii, Karsteniana, Kohautiana, Leprieurii, Lindigii, lucida, macrocarpa, manilensis, merapiensis, mutica, obtusa, parvula, Pittieri, platylepis, rudis, rufescens, salticola, sessilifolia, setosa, Sherringii, singalanensis, spectabilis, subcaesia, subglabra, subincisa, surinamensis, tahitensis, tonglonensis, Traillii, trinitensis, velaminosa, venosa,

- Wilsonii (omnes p. 264) Domin, Pteridophyta 263–264. 1929 et alphabetice cum synonymia in Acta Bohemica 9. 88–174. 1930 = *Hemitelia* sp. **homonym.**
- abitaguensis (p. 88) — andina (90) — Bakeriana (91) — caudiculata (104) — costaricensis (107) — Elliottii (113) — fallax (115) — leptolepia (130) — paraphysophora (145) — perpunctulata (146) — roraimensis, rudimentaris (154) — squarrosa (161) — subconfluens (162) — superba (164) Domin, Acta Bohemica 9. 1930 = *Hemitelia* sp. **homonym.**
- Abbottii** Maxon, Proc. Biol. Soc. Wash. 37. 98. 1924. — Hispaniola.
- acanthopoda** v. A. v. R. Bull. Buit. III. 5. 190. 1922 — Sumatra.
- alata** Cop. Univ. Calif. Publ. Bot. 12. 377. 1931 = *Alsophila*.
- albidopaleata** Cop. Univ. Calif. Publ. Bot. 17. 25 t. 2. 1932 = *Alsophila*.
- albidula** Domin, Acta Boh. 9. 89. 1930 = *Alsophila hunsteiniana*.
- alpicola** Domin, Acta Boh. 9. 89. 1930. — Sumatra. — *Alsophila alpina* v. A. v. R. 1915, Ind. Suppl. prélim. *Cyathea* v. A. v. R. 1918 (non Roth 1800).
- alpina** v. A. v. R. Bull. Buit. II no. 18. 13. 1918 = *C. alpicola*.
- alsophilum** Domin, Pterid. 262. 1929 = *Alsophila paleolata*.
- amaiambitensis** Domin, Acta Boh. 9. 90. 1930 = *Alsophila ramispina*.
- amphicosmioides** v. A. v. R. Bull. Buit. III. 2. 138. 1920. — Sumatra.
- andicola** Domin, Acta Boh. 9. 91. 1930 = *Hemitelia quitensis*.
- antillana** Domin, l. c. 90 = *Hemitelia grandifolia*.
- approximata** Bonap. N. Pt. 5. 41. 1917; C. Chr. Dansk Bot. Ark. 7. 23 t. 4. 1932. — Madagascar. — *C. sorisquamata* Bonap. 1925.
- arfakensis** Gepp in Gibbs, Dutch N. W. N. Guinea 69. 1917. — N. Guinea.
- arguta** Cop. Phil. Journ. Sci. 38. 133. 1929 — Luzon.
- aristata** Domin, Acta Boh. 9. 93. 1930 = *Hemitelia apiculata*.
- arthropterygia** v. A. v. R. Bull. Buit. III. 5. 188. 1922. — Sumatra.
- aruensis** Domin, Pterid. 262. 1929 = *Alsophila polyphlebia*.
- ascendens** Domin, Acta Boh. 9. 94. 1930 = *Alsophila Rosenstockii*.
- aspidiiformis** Domin, l. c. 94 = *C. aspidioides* Sod.
- atrispora** Domin, l. c. 95 = *Alsophila dryopteroides*.
- austroamericana** Domin, Pterid. 263. 1929 = *Hemitelia multiflora*.
- austrosinica** Christ 1910, Ind. Suppl. = *C. spinulosa*.
- badia** Domin, Pterid. 262. 1929 = *Alsophila castanea*.
- bahiensis** Ros. Fedde Rep. 20. 90. 1924. — Brasilia.
- Baronii** Domin, Pterid. 262. 1929 = *C. segregata*.
- Bartlettii** Cop. Univ. Calif. Publ. Bot. 14. 371. 1929 = *Alsophila*.
- bellisquamata** Bonap. N. Pt. 16. 18. 1925; C. Chr. Dansk Bot. Ark. 7. 25 t. 4. 1932. — Madagascar.
- benculensis** v. A. v. R. Bull. Buit. II no. 28. 14. 1918. — Sumatra.  
*Alsophila* v. A. v. R. l. l. no. 23. 2. 1916.
- bicolana** Cop. Elmer's Leaflets 9. 3108 1920. — Luzon.
- binuangensis** v. A. v. R. Bull. Buit. III. 2. 136. 1920. — Luzon.
- bontocensis** Cop. Phil. Journ. Sci. 46. 209. 1931. — Luzon.
- Brassii** Cop. Journ. Arnold Arb. 10. 175. 1929. — N. Guinea. — (*Alsophila*?).
- Brauseana** Domin, Pterid. 262. 1929 = *Alsophila Hieronymi*.
- brevifoliolata** v. A. v. R. Bull. Buit. II no. 28. 13. 1918. — Sumatra.  
*Alsophila* v. A. v. R. l. c. no. 20. 3. 1915, Ind. Suppl. prélim.
- Brittoniana** Maxon, Journ. Wash. Acad. Sci. 14. 139. 1924. — Ind. occ.
- Brownii** Domin, Pterid. 262. 1929 = *Alsophila excelsa*.

- Brunoniana** (Wall.) Clarke et Bak. — Adde loc. China merid. et syn. *Alsophila costularis* Bak. 1906, Ind. Suppl.; *Cyathea* Domin 1929 (non Bonap. 1917); *C. yunnanensis* Domin 1930. *C. chinensis* Cop. 1909, Ind. Suppl. *bullata* Domin, Pterid. 262. 1929 = *Alsophila Boivini*.
- bulusanensis** Cop. Elmer's Leaflets 9. 3109. 1920. — Luzon.
- Bünnemeijeri** v. A. v. R. Bull. Buit. III. 5. 187. 1922. — Riouw Arch. (Malesia).
- Campbellii** Cop. Phil. Journ. Sci. 38. 132. 1929. — Luzon. — (*Alsophila*?)
- capensis** (L. fil.) Sm. 1793. — *Hemitelia* Index.
- capitata** Cop. l. c. 12C. 49. 1917. — Borneo.
- chamaedendron** Cop. Univ. Calif. Publ. Bot. 17. 31 t. 5. 1932 = *Alsophila chinensis* Cop. 1909, Ind. Suppl. = *C. Brunoniana*.
- cinnata** Brause, Engl. Jahrb. 56. 52. 1920. — N. Guinea.
- columbiana** Domin, Pterid. 263. 1929 = *Hemitelia obscura*.
- concava** Bonap. N. Pt. 5. 43. 1917 = *C. Humblotii*.
- costularis** Bonap. N. Pt. 5. 44. 1917; *C. Chr. Dansk Bot. Ark. 7. 25 t. 3. 1932. — Madagascar.*
- costularis** Domin, Pterid. 262. 1929 = *C. Brunoniana*.
- costulifera** Domin, Acta Boh. 9. 108. 1930 = *Hemitelia montana*.
- decora** Domin, l. c. 109 = *Alsophila Christii*.
- decrescens** Mett. — Adde syn. *C. hirsutifrons* *C. Chr. Index. — C. hirsutifolia* Bonap. 1920.
- decurrens** Cop. Univ. Calif. Publ. Bot. 14. 356. 1929 = *Alsophila*.
- decurrentiloba** Domin, Acta Boh. 9. 110. 1930 = *Hemitelia decurrens*.
- densisora** v. A. v. R. Bull. Buit. III. 2. 138. 1920. — Luzon.
- deuterobrooksii** Cop. Phil. Journ. Sci. 38. 131. 1929 = *Alsophila sarawakensis*.
- dimorphophylla** Domin, Acta Boh. 9. 111. 1930 = *Alsophila Ledermanni*.
- distans** Ros. Med. Rijks Herb. no. 31. 2. 1917. — Java.
- Doctersii** v. A. v. R. Bull. Buit. III. 2. 136. 1920. — Sumatra.
- domingensis** Brause 1911, Ind. Suppl. = *C. crassa*.
- dryopteroides** Maxon, Amer. Fern Journ. 14. 99. 1925. — Puerto Rico.
- dubia** Domin, Pterid. 262. 1929 = *Alsophila vexans*.
- dupaxensis** Cop. Phil. Journ. Sci. 46. 211. 1931. — Luzon.
- ecuadorensis** Domin, Pterid. 262. 1929 = *Alsophila Sodiroi*.
- Edañoi** Cop. Phil. Journ. Sci. 46. 211. 1931. — Luzon.
- elegans** Hew. — Dele syn. *C. minor* Eat.
- elegantissima** Domin, Acta Boh. 9. 113. 1930 = *Hemistegia Fée*.
- elegantula** Domin, l. c. 113 = *Alsophila elegans*.
- elliptica** Cop. Phil. Journ. Sci. 12C. 51. 1917 = *Alsophila squamulata*.
- eminens** Domin, Pterid. 262. 1929 = *Alsophila concinna*.
- Engleri** Hier. 1910, Ind. Suppl. = *C. Sellae*.
- Faberiana** Domin, Acta Boh. 9. 114. 1930 = *C. oligocarpa* Jungh.
- Feani** E. Brown, Bishop Mus. Bull. 89. 14. f. 4. 1931. — Ins. Marquesas.
- firmula** Domin, Acta Boh. 9. 115. 1930 = *Hemitelia firma*.
- flavovirens** Kuhn; Index = *C. Dregei*.
- frondosa** Ros. 1913, Ind. Suppl. prélim. = *C. grata*.
- fuscopaleata** Cop. Phil. Journ. Sci. 12C. 50. 1917 = *C. pseudobrunonis*.
- Geppiana** Domin, Acta Boh. 9. 118. 1930. — N. Guinea. — *Alsophila straminea* Gepp in Gibbs, Dutch N. W. N. Guinea 192. 1917; *Cyathea* v. A. v. R. 1918 (non Karst. 1856).

- Gibbsiae** Cop. Phil. Journ. Sci. 38. 129. 1929 = *Alsophila biformis*.  
**glandulosa** Domin, Pterid. 264. 1929 = *C. Melleri*.  
**Godmanii** Domin, l. c. 262 = *Alsophila mexicana*.  
**Goudotii** Kze. 1844 = *C. Humblotii*?  
**gracilescens** Domin, Pterid. 262. 1929 = *Alsophila aquilina*.  
**Grantii** Cop. Bishop Mus. Bull. 93. 7 t. 5. 1932. — Tahiti.  
**grata** Domin, Acta Boh. 9. 120. 1930. N. Guinea.  
*C. frondosa* Ros. 1913, Ind. Suppl. pré. (non Karst. 1860).  
**Haenkei** Merrill, Phil. Journ. Sci. 15. 540. 1919 = *Alsophila*.  
**Hancockii** Cop. 1909 = *Dryopteris*.  
**heteroloba** Cop. Phil. Journ. Sci. 38. 134. 1929. — Luzon.  
**Hewittii** Cop. 1911, Ind. Suppl. = *Alsophila commutata*.  
**hirsutifolia** Bonap. N. Pt. 5. 46. 1917 = *C. decrescens*.  
**hirsutifrons** C. Chr. Index = *C. decrescens*.  
**Hornei** Cop. Bishop Mus. Bull. 59. 38. 1929 = *Alsophila*.  
**hortulanea** Domin, Acta Boh. 9. 123. 1930 = *Alsophila elegantissima*.  
**Howeana** Domin, Pterid. 264. 1929 = *Hemitelia Moorei*.  
**Humbertiana** (C. Chr.) Domin, Acta Boh. 123. 1930; C. Chr. Dansk Bot. Ark. 7. 30 t. 6. 1932. — Madagascar. — *Hemitelia* C. Chr. Arch. Bot. (Caen) 2 Bull. mens. 210. 1928.  
**Humblotii** Bak. — Adde syn. *C. concava* Bonap. 1920. — (An *C. Boivini* var.?, cf. C. Chr. Dansk Bot. Ark. 7. 34).  
**hunsteiniana** Brause, Engl. Jahrb. 56. 58. 1920. — N. Guinea.  
**ichtyolepis** Domin, Pterid. 262. 1929 = *Alsophila stipularis*.  
**imbricata** v. A. v. R. Nova Guinea 14. 11. 1924. — N. Guinea.  
**Imrayana** Hk. 1844 (excl. var.) — Antillae min.  
**incanescens** Domin, Acta Boh. 9. 124. 1930 = *Alsophila incana*.  
**indrapuræ** v. A. v. R. Bull. Buit. II no. 28. 13. 1918. — Sumatra.  
*Alsophila* v. A. v. R. 1915, Ind. Suppl. pré.  
**insignis** Domin, Pterid. 264. 1929 = *Hemitelia grandifolia*.  
**insularis** Domin, l. c. 262 = *Alsophila Boivini*.  
**intermedia** Cop. Univ. Calif. Publ. Bot. 14. 357. 1929 = *Alsophila*.  
**isaloensis** C. Chr. Cat. Pl. Mad. Pter. 21. 1932 (nomen), Dansk Bot. Ark. 7. 35 t. 6. 1932. — Madagascar.  
**kemberangana** Cop. Phil. Journ. Sci. 12 C. 52. 1917 = *Alsophila*.  
**kenepaiana** Domin, Acta Boh. 9. 127. 1930 = *Alsophila ramispina*.  
**kinabaluensis** Cop. Phil. Journ. Sci. 12 C. 51. 1917. — Borneo.  
**Klossii** Ridley, Tr. Linn. Soc. II. 9. 251. 1916. — N. Guinea.  
**Klotzschiana** Domin, Acta Boh. 9. 128. 1930 = *Alsophila obtusa*.  
**lacinifata** Cop. Univ. Calif. Publ. Bot. 12. 389. 1931. — N. Hebridae.  
**Ledermanni** Brause, Engl. Jahrb. 56. 56. 1920. — N. Guinea.  
**lepidotricha** Domin, Pterid. 262. 1929 = *Alsophila novae caledoniae*.  
**leucofolis** Domin, l. c. 262 = *Alsophila leucolepis*.  
**leucostegia** Cop. Phil. Journ. Sci. 38. 130. 1929. — Mindanao.  
**leytensis** Cop. l. c. 131. — Ins. Leyte.  
**Liebmanni** Domin, Pterid. 264. 1929 = *Hemitelia mexicana*.  
**longipes** Cop. Phil. Journ. Sci. 12 C. 54. 1917. — Borneo.  
**longipes** v. A. v. R. Bull. Buit. III. 5. 189. 1922 = *C. macropoda*.  
**longipinnata** Bonap. N. Pt. 5. 48. 1917; C. Chr. Dansk Bot. Ark. 7. 24 t. 5. 1932. — Madagascar.

- lunulata* Cop. Bishop Mus. Bull. 59. 37. 1929 = *Alsophila lunulata* (Forst.) R. Br.  
*macrophylla* Domin, Acta Boh. 9. 133. 1930 = *Hemitelia Ledermanni*.  
*macropoda* Domin, l. c. 133. — Sumatra. — *C. longipes* v. A. v. R. Bull. Buit. III. 5. 189. 1922 (non Cop. 1917).  
*madagascariica* Bonap. N. Pt. 5. 49. 1917; C. Chr. Dansk Bot. Ark. 7. 23 t. 4. 1932. — Madagascar.  
*magnifolia* v. A. v. R. Bull. Buit. III. 2. 135. 1920. — Sumatra.  
*malegassica* Domin, Acta Boh. 9. 133. 1930 = *Alsophila madagascariica*.  
*marianna* Gaud. 1827 = *Alsophila Haenkei*.  
*megalosora* Cop. Phil. Journ. Sci. 12 C. 54. 1917. — Borneo.  
*melanocaula* Desv. Prodr. 322. 1827; C. Chr. Dansk Bot. Ark. 7. 23 t. 4. 1932. — Madagascar.  
*melanoclada* Domin, Acta Boh. 9. 174. 1930 = *Alsophila melanocaulos*.  
*melanophlebia* Cop. Phil. Journ. Sci. 38. 131. 1929. — Luzon.  
**Melleri** (Bak.) Domin, Pterid. 264. 1929; C. Chr. Dansk Bot. Ark. 7. 36 t. 6, 7. 1932 — Madagascar. — *Hemitelia* Bak. 1874, Index. *H. glandulosa* Kuhn, Bak. 1891, Index; *Cyathea* Domin 1929. — *C. virescens* C. Chr. 1932.  
**Merrillii** Cop. Phil. Journ. Sci. 46. 212. 1931. — Luzon.  
*Mexiae* Cop. Univ. Calif. Publ. Bot. 17. 30 t. 4. 1932 = *Alsophila*.  
*micromera* Ros. Fedde Rep. 20. 90. 1924. — Brasilia.  
*microphyllodes* Domin, Pterid. 263. 1929 = *Alsophila microphylla*.  
*minor* Eat. 1860; Maxon, N. Am. Flora 16. 69. 1909. — Cuba.  
*mollis* Cop. Phil. Journ. Sci. 12 C. 52. 1917 = *Alsophila Burbidgei*.  
*mollis* Ros. Fedde Rep. 22. 2. 1925 = *C. molliuscula*.  
*molliuscula* Domin, Acta Boh. 9. 138. 1930. — Costa Rica.  
*C. mollis* Ros. Fedde Rep. 22. 2. 1925 (non Cop. 1917).  
*neocaledonica* Compton, Journ. Linn. Soc. 45. 440. 1923. — N. Caledonia.  
*nigrospinulosa* v. A. v. R. Bull. Buit. II. no. 28. 15. 1918. — Amboina.  
*nitidula* Domin, Pterid. 263. 1929 = *Alsophila nitens*.  
*Novae-Caledoniae* Cop. Univ. Calif. Publ. Bot. 14. 356. 1929 = *Alsophila*.  
*Novae-Zelandiae* Domin, Pterid. 264. 1929 = *Hemitelia microphylla*.  
*obtusata* Ros. Med. Rijks Herb. no. 31. 1. 1917. — Perak.  
*obtusata* Domin, Pterid. 263. 1929 = *Alsophila obtusa*.  
*oinops* Hassk. — Dele syn. *C. sinops*.  
*okiana* v. A. v. R. Bull. Buit. II no. 28, 14. 1918. — Ins. Buru.  
*Alsophila* v. A. v. R. l. c. no. 23. 4. 1916.  
*Opizii* Domin, Pterid. 263. 1929 = *Alsophila Holstii*.  
*oreites* Domin, l. c. 263 = *Alsophila Sprucei*.  
*orthogonalis* Bonap. N. Pt. 5. 29, 32. 1917; C. Chr. Dansk Bot. Ark. 7. 24 t. 5. 1932. — Madagascar.  
*pacifica* Domin, Pterid. 264. 1929 = *Hemitelia denticulata*.  
*paleacea* Cop. Phil. Journ. Sci. 12 C. 53. 1917. — Borneo.  
*paleata* Cop. Univ. Calif. Publ. Bot. 14. 372 t. 56. 1929. — Sumatra.  
*palembanica* v. A. v. R. Bull. Buit. II no. 28. 13. 1918. — Sumatra.  
*Alsophila* v. A. v. R. l. c. no. 23. 4. 1916.  
*paleolata* Cop. Univ. Calif. Publ. Bot. 17. 30. 1932 = *Alsophila*.  
*panamensis* Domin, Pterid. 264. 1929 = *Hemitelia petiolata*.  
*papuana* (Ridley) v. A. v. R. Mal. Ferns Suppl. 487. 1917. — N. Guinea.  
*Alsophila* Ridley, Tr. Linn. Soc. II. 9. 252. 1916.  
*paraphysata* Cop. 1911, Ind. Suppl. = *Alsophila*.

- Parksiae** Cop. Univ. Calif. Publ. Bot. 12. 377. 1931. — Rarotonga.  
*patens* hort.; Houlst. et Moore, Gard. Mag. Bot. 3. 330. 1851. — Jamaica.  
*perpeltigera* v. A. v. R. Nova Guinea 14. 11. 1924. — N. Guinea.  
**Perrieriana** C. Chr. Cat. Pl. Mad. Pter. 22. 1932 (nomen), Dansk Bot. Ark. 7. 19 t. 3. 1932. — Madagascar.  
*phanerophlebia* Bak. 1894, Index = *C. marattioides*.  
*pilosa* Fée; Sampaio, Bol. Mus. Nac. Rio 1. 13. 1923 (nomen). — Brasilia.  
**plagiostegia** Cop. Bishop Mus. Bull. 59. 9. 1929. — Fiji.  
*poiensis* Cop. 1911, Ind. Suppl. = *Alsophila*.  
*polyodonta* Domin, Pterid. 263. 1929 = *Dryopteris Hancockii*.  
*polyphlebia* Bak. 1883, Index = *C. Dregei* var.  
*Presliana* Domin, Pterid. 263. 1929 = *Alsophila vestita*.  
*primaeva* Domin, l. c. 263. = *Alsophila nigra*.  
*principis* Domin, Acta Boh. 9. 150. 1930 = *Alsophila congoensis*.  
*procera* Brause, Engl. Jahrb. 56. 50. 1920. — N. Guinea.  
*producta* Maxon, Journ. Wash. Acad. Sci. 12. 438. 1922. — Cuba.  
*pseudalbizzia* Cop. Phil. Journ. Sci. 38. 135. 1929. — Luzon.  
*pseudobrunonis* Cop. l. c. 12 C. 50. 1917. — Borneo. — *C. fuscopaleata* Cop. 1917.  
*pubens* Domin, Pterid. 263. 1929 = *Alsophila pubescens*.  
*pulchra* Cop. Univ. Calif. Publ. Bot. 14. 372 t. 55. 1929 = *Alsophila*.  
*pumilio* v. A. v. R. Bull. Buit. II. no. 28. 14. 1918. — Ceram.  
*punctulata* v. A. v. R. l. c. 13. — Sumatra. — *Alsophila* v. A. v. R. 1915.  
*Purdiaei* Jenm 1898, Index = *C. caribaea*. [Ind. Suppl. préf.]  
**Ramosiana** v. A. v. R. Bull. Buit. III. 2. 137. 1920. — Luzon.  
*Ramosii* Cop. Phil. Journ. Sci. 30. 325. 1926 = *Alsophila*.  
*regularis* Bak. 1889, Index = *C. serratifolia*.  
*remotifolia* Bonap. N. Pt. 5. 51. 1917 = *C. borbonica* var. *simulans* (Bak.)  
*C. Chr. Dansk Bot. Ark. 7. 22. 1932.*  
*rigida* Cop. Phil. Journ. Sci. 12 C. 53. 1917 = *C. Havilandii*.  
*rigidula* Bak. 1887, Index = *C. Boivini*.  
**Rosenstockii** Brause, Engl. Jahrb. 56. 49. 1920. — N. Guinea.  
*rugosula* Cop. Univ. Calif. Publ. Bot. 12. 390. 1931 = *Alsophila*.  
**Sampaioana** Brade et Ros. Bol. Mus. Nac. Rio 7. 137 t. 1, 4. 1931. — Brasilia.  
*saparuensis* v. A. v. R. Bull. Buit. II no. 28. 13. 1918. — Saparua (Malesia).  
*Alsophila* v. A. v. R. 1908, Ind. Suppl.  
*schizolepis* Cop. Univ. Calif. Publ. Bot. 17. 27 t. 3. 1932. — Brasilia.  
**Schliebenii** Reimers, Notizbl. Bot. Gart. Berlin-Dahlem 11. 916. 1933. —  
*Afr. or. trop.*  
**segregata** Bak. — Adde syn. *Alsophila Baroni* Bak. 1885, Index; *Cyathea*  
*Domin 1929.* — (An potius *C. Dregei* var.? cf. *C. Chr. Dansk Bot. Ark. 7.*  
**sepikensis** Brause, Engl. Jahrb. 56. 54. 1920. — N. Guinea. [31. 1932).  
*sessilipiunula* Cop. Phil. Journ. Sci. 38. 134. 1929. — Basilan.  
**Setchellii** Cop. Univ. Calif. Publ. Bot. 12. 389 t. 50. 1931. — Samoa.  
*simulans* Domin, Pterid. 263. 1929 = *C. borbonica* var.  
**sinops** Racib. 1898; v. A. v. R. Mal. Ferns Suppl. Corr. 44. 1917. — Java.  
*sorisquamata* Bonap. N. Pt. 16. 21. 1925 = *C. approximata*.  
*squamata* Domin, Acta Boh. 9. 160. 1930 = *Alsophila microphylla*.  
**squamicosta** Cop. Phil. Journ. Sci. 46. 212. 1931. — Luzon.  
*Sternbergii* Domin, Pterid. 263. 1929 = *Alsophila elegans*.  
*straminea* v. A. v. R. Bull. Buit. II no. 28. 14. 1918 = *C. Geppiana*.

- subarachnoidea* Domin, Pterid. 264. 1929 = *Hemitelia arachnoidea*  
*subarborescens* Domin, Acta Boh. 9. 162. 1930 = *Hemitelia Maxonii*.  
*subincisa* C. Chr. Cat. Pl. Mad. Pter. 22. 1932 = *C. tsaratananensis*.  
*subindusiata* Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 67 t. 8. 1929. — Colombia.  
*subochroleuca* Domin, Pterid. 263. 1929 = *Alsophila ochroleuca*.  
*subspathulata* Brause, Engl. Jahrb. 56. 53. 1920. — N. Guinea.  
*subtropica* Domin, Pterid. 263. 1929 = *Alsophila Lechleri*.  
*taiwaniana* Nakai, Bot. Mag. Tokyo 41. 68. 1927. — Formosa, Liu Kiu.  
*tenuicaulis* Domin, Acta Boh. 9. 185. 1930 = *Alsophila tenuis*.  
*ternatea* v. A. v. R. Bull. Buit. III. 5. 191. 1932. — Ternate.  
*tijuccensis* Domin, Pterid. 263. 1929 = *Alsophila elongata*.  
*Toppingii* Cop. Phil. Journ. Sci. 12C. 51. 1917 = *Alsophila commutata*.  
*trachypoda* v. A. v. R. Bull. Buit. III. 5. 191. 1929. — Sumatra.  
*trichophora* Cop. 1911, Ind. Suppl. = *Alsophila*.  
*tristis* Domin, Pterid. 263. 1929 = *Stenolepia*.  
*tsaratananensis* C. Chr. Ind. Suppl. III. 64. 1934. — Madagascar. — *C. subincisa* C. Chr. Cat. Pl. Mad. Pter. 22. 1931 (nomen), Dansk Bot. Ark. 7. 27 t. 5. 1932 (non Domin 1929).  
*tuberculata* v. A. v. R. Bull. Buit. II no. 28. 11. 1918. — Sumatra.  
*ulugurensis* Hier. Engl. Jahrb. 28. 340. 1899. — Afr. trop. or.  
*urdanetensis* Cop. Phil. Journ. Sci. 38. 132. 1929. — Mindanao.  
*usambarensis* Domin, Pterid. 263. 1929 = *Alsophila Holstii*.  
*valdecrenata* Domin, l. c. 263 = *Alsophila mexicana*.  
*Veitchiana* Domin, Acta Boh. 9. 168. 1930 = *Alsophila philippinensis*.  
*Veitchii* Domin, Pterid. 263. 1929; Cop. Journ. Arnold Arb. 12. 47. 1931 = *Alsophila*.  
*Vilhelmii* Domin, l. c. 264 = *Hemitelia Lechleri*.  
*virescens* C. Chr. Cat. Pl. Mad. Pter. 22. 1931 = *C. Melleri* var.  
*Wilkesiana* Domin, Acta Boh. 9. 171. 1930 = *Alsophila samoensis*.  
*Willdenowiana* Domin, l. c. 171 = *Alsophila procera*.  
*Wolffii* Domin, Pterid. 263. 1929 = *Alsophila Stübelii*.  
*Woolsiana* Domin, l. c. 263 = *Alsophila Leichhardtiana* var.  
*yungensis* C. Chr. Ark. för Bot. 20A no. 7. 10. 1926. — Bolivia.  
*yunnanensis* Domin, Acta Boh. 9. 172. 1930 = *C. Brunoniana*.  
*zamboangana* Cop. Phil. Journ. Sci. 30. 325. 1926. — Mindanao.  
*Zenkeri* Domin, Pterid. 263. 1929 = *C. camerooniana*.
- CYCLOPELTIS** J. Smith. — (Polypodiaceae Gen. 24.)  
*crenata* (Fée) C. Chr. Ind. Suppl. III. 64. 1934. — Indochina. Hainan.  
*Hemicardion* Fée, Gen. 283 t. 22A f. 1. 1852.  
*Feyrellii* Kjellberg, Engl. Jahrb. 66. 48. 1933. — Celebes.  
*Presliana* (J. Sm.) Berk. — Dele syn. *Hemicardion crenatum*.
- CYCLOPHORUS** Desvaux. — (Polypodiaceae Gen. 161).  
*acrocarpus* (Christ es Gies.) C. Chr. Index = *C. porosus*.  
*adnascens* (Sw.) Desv. 1811, Index = *C. lanceolatus*.  
*aglaophyllus* Cop. Journ. Arnold Arb. 10. 179. 1929. — N. Guinea.  
*annamensis* (Christ) C. Chr. Index = *C. flocculosus*.  
*Bamlerii* Ros. 1912, Ind. Suppl. pré. = *Drymoglossum novo-guineae*.  
*Bodinieri* Lév. 1915, Ind. Suppl. pré. = *C. lingua*.  
*borneensis* Cop. Phil. Journ. Sci. 12C. 64. 1917. — Borneo.  
*brevipes* v. A. v. R. Bul. Buit. III. 2. 139. 1920. — Sumatra.

- cinnamomeus** v. A. v. R. l. c. III. 5. 192. 1922. — Java.  
**cornutus** Cop. Brittonia 1. 77. 1931. — Borneo.  
**Davidii** Hand. - Mzt. Symb. Sin. 6. 46. 1929 = *C. pekinensis*.  
**dimorphus** Cop. Journ. Arnold Arb. 10. 180. 1929. — N. Guinea.  
**elaphoglossoides** v. A. v. R. Bull. Buit. III. 2. 139. 1920. — Sumatra.  
**Esquirolii** Lév. 1915, Ind. Suppl. pré-l. = *C. calvatus*.  
**Giesenhagenii** (Christ) C. Chr. Index = *C. spissus*.  
**grandis** Ridley, Journ. Mal. Br. R. As. Soc. 1. 112. 1923 = *C. Winkleri*.  
**lanceolatus** (L.) Alston, JoB. 1931. 102. — Asia, Polynesia trop. — *Acrostichum* L. sp. 1067. 1753; *Niphobolus* Trimen 1886. *Cyclophorus adnascens* (Sw.) Desv. 1911, Index cum syn. — *C. pustulosus* Christ 1910, Ind. Suppl.  
**lanceifolius** v. A. v. R. Bull. Buit. II no. 23. 8. 1916. — Sumatra.  
**Ledermanni** Brause, Engl. Jahrb. 56. 206. 1920 = *Drymoglossum novo-guineae*.  
**linearifolius** (Hk.) C. Chr. — *Neoniphopsis* Hayata 1928.  
**macrocarpus** Cop. Univ. Calif. Publ. Bot. 12. 381. 1931 = *C. angustatus* var.  
**macropodus** (Bak.) C. Chr. Index = *C. acrostichoides*.  
**madagascariensis** C. Chr. Dansk Bot. Ark. 7. 161 t. 61 f. 7-10. 1932. —  
**malacophyllus** (Christ) C. Chr. Index = *C. porosus*. [Madagascar.  
**Martini** (Christ) C. Chr. Index = *C. lingua*.  
**Matsudai** Hayata, Ic. Fl. Formosa 10. 73 f. 48. 1921. — Formosa.  
**micraster** Cop. Univ. Calif. Publ. Bot. 12. 405. 1931. — N. Guinea.  
**nigropunctatus** Ros. Med. Rijks Herb. no. 31. 4. 1917. — Sumatra.  
**novo-guinese** Nakai, Bot. Mag. Tokyo 40. 386. 1926 = *Drymoglossum novo-guineae*.  
**nummularifolius** (Sw.) C. Chr. — *Dele* var. *Acrostichum obovatum* Bl. 1828 etc.  
**oblanceolatus** C. Chr. Dansk Bot. Ark. 7. 160 t. 61 f. 4-6. 1932. — Madagascar.  
**obovatus** (Bl.) v. A. v. R. Mal. Ferns 685. 1909. — Java—?Assam.  
*Acrostichum* Bl. 1828 etc. (v. Ind. sub *C. nummularifolio*).  
**porosus** (Wall.) Pr. 1849 (descr.) — Ceylon, India—China. — *Adde* syn. et  
var. *C. sticticus* (Kze.) C. Chr. Index. *C. acrocarpus* (Christ) C. Chr. Index.  
*C. malacophyllus* (Christ) C. Chr. Index.  
**pustulosus** Christ 1910, Ind. Suppl. = *C. lanceolatus*.  
**rhodesianus** C. Chr. Dansk Bot. Ark. 7. 161. 1932. — Rhodesia.  
**rhomboidalis** Bonap. N. Pt. 7. 126, 191. 1918. — Annam.  
**Sasakii** Hayata, Ic. Fl. Formosa 6. 158. f. 61. 1916 = *Saxoglossum taeniodes*.  
**stellatus** Cop. Journ. Arnold Arb. 10. 179. 1929. — N. Guinea.  
**taeniodes** C. Chr. Index = *Saxoglossum*.  
**taiwanensis** (Christ) C. Chr. Index = *C. lingua*.  
**vittarioides** Christ 1909, Ind. Suppl. = *C. tonkinensis*.  
**xiphioides** (Christ) C. Chr. Index = *C. assimilis*.
- CYCLOSORUS** Link; Farwell, Amer. Midl. Naturalist 12. 258. 1931 = **Dryopteris**.  
*brachyodus*, *cyatheoides* (p. 258), *parasiticus*, *serra*, *truncatus* (259) Farwell,  
l. c. = *D. sp. homonym*.
- CYRTOGONIUM** J. Smith = **Bolbitis**.  
*palustre* Brack. 1854 = *B. lonchophora*.
- CYRTOMIUM** Preal; cf. C. Chr. Amer. Fern Journ. 20. 41-52. 1930. —  
(Polypodiaceae Gen. 27). — Omnes species hic enumeratae sunt.  
*acutidens* Christ 1910, Ind. Suppl. = *C. falcatum*.  
*abbreviatum* J. Sm. 1877 = *Stigmatopteris guianensis*.  
Index Filicum. Supplementum III.



- Balansae** C. Chr. Index Suppl. = *C. vittatum*.
- Boydiae** (Eat.) Robinson 1913, Ind. Suppl. pré. = *Dryopteris* sp. dub.
- caryotideum** (Wall.) Pr. 1836, C. Chr. Amer. Fern Journ. 20. 50. 1930 (excl. var. *intermedium*). — India—Japonia—Tonkin. Ins. Hawaii. — *Aspidium* Wall. 1828; *A. anomophyllum* Zenker 1834; *Polystichum falcatum* subsp. *caryotideum* C. Chr. Index.
- var. *micropteron* (Kze.) C. Chr. l. c. 52. 1930. — India austr., Afr. or. et austr. Madagascar. — *Aspidium anomophyllum* var. *micropteron* Kze. Linn. 24. 278. 1851.
- falcatum** (L. fil.) Pr., C. Chr. l. c. 47. 1930. — Japonia; Korea, China or. — *Polystichum* Diels 1899, Index 581 cum syn. excl. subsp. — *Cyrtomium acutidens* Christ 1910, Ind. Suppl.—? *Polystichum devexiscapulae* Koidzumi 1932. — *P. macrophyllum* Tagawa 1933.
- Fortunei** J. Sm. 1866, C. Chr. l. c. 49. 1930. — China—Japonia. Tonkin. *Polystichum* Nakai 1925.
- fraxinellum** Christ 1902, Ind. Suppl. 101 = *Polystichum*.
- grossum** Christ 1906, Ind. Suppl. — China. — *Polystichum pachyphyllum* Ros. 1914; *Cyrtomium* C. Chr. 1917. — *C. hemionitis* Christ 1910, C. Chr. l. c. 46. 1930 (f. *simplex*).
- hemionitis** Christ 1910, Ind. Suppl. = *C. grossum*.
- Hookerianum** (Pr.) C. Chr. Ind. Suppl. 101, Amer. Fern Journ. 20. 44. 1930. — Himalaya—China—Tonkin. — *Polystichum* C. Chr. Index 582 cum syn. — Cf. *C. Tachiroanum*.
- integripinnum** Cop. Phil. Journ. Sci. 38. 136. 1929 = *C. Tachiroanum*.
- kwantungense** Ching, Sinensia 1. 44. 1930. — China or. austr.
- lonchitoides** Christ 1902, C. Chr. l. c. 50. 1930. — China. *Polystichum* Diels 1899, Index 584.
- muticum** (Christ) Ching in C. Chr. Ind. Suppl. III. 66. 1933 — Himalaya—China. *C. falcatum* var. *muticum* Christ, Not. Syst. 1. 37. 1909; *C. caryotideum* var. *intermedium* C. Chr. l. c. 51. 1930.
- nephrolepioides** (Christ) Cop. Phil. Journ. Sci. 38. 136. 1928; C. Chr. l. c. 47 (excl. syn. *C. grossum*?) — China. — *Polystichum* Christ 1902, Index.
- pachyphyllum** (Ros.) C. Chr. Ind. Suppl. pré. = *C. grossum*.
- Tachiroanum** (Luer.) C. Chr. Amer. Fern Journ. 20. 45. 1930. — Japonia, Formosa. — *Polypodium*? Luer. 1883, Index 569; *Polystichum* Tagawa 1931. *P. integripinnum* Hayata 1914, Ind. Suppl. pré.; *Cyrtomium* Cop. 1929. — ?*Polystichum miyasimense* Kodama 1914. — (Vix a *C. Hookeriano* diversa).
- vittatum** Christ 1905; C. Chr. l. c. 46. — China—Tonkin—Japonia. *Polystichum* C. Chr. Index. *P. Balansae* Christ 1908; *Cyrtomium* C. Chr.
- CYSTEA** Smith = *Cystopteris*. [Ind. Suppl.]
- bulbifera** Watt, Canad. Naturalist II. 13. 160. 1867.
- montana** Watt, l. c.
- CYSTODIUM** J. Smith in Hook. Gen. Fil. t. 96. 1841. — (Polypodiaceae Gen. 45).
- sorbifolium** (Sm.) J. Sm. l. c. — Malesia. N. Guinea. *Saccoloma* (Sm.) Christ 1897, Index cum syn.
- CYSTOPTERIS** Bernh. — (Polypodiaceae Gen. 8).
- brevinervis** Fée 1852 = *Dryopteris crystallina*.
- formosana** Hayata 1914, Ind. Suppl. pré. = *C. tenuisecta*.
- grandis** C. Chr. 1916, Ind. Suppl. pré. = *Athyrium Atkinsoni*.

- japonica** Luerrs. — *Acystopteris* Nakai 1933.
- kansuana** C. Chr. Journ. Wash. Acad. Sci. **17**. 499. 1927. — Kansu.
- pellucida** (Franch.) Ching in C. Chr. Ind. Suppl. III. 67. 1934. — *Dryopteris* (Franch.) C. Chr. Index.
- setosa** Bedd. 1869, Index = *C. tenuisecta*.
- tenuifolia** v. A. v. R. Bull. Buit. II no. 28. 16. 1918. — Sumatra.
- tenuisecta** (Bl.) Mett. — Java, N. Guinea. Ind. bor.—China—Tonkin—Formosa.  
C. **setosa** Bedd. 1869, Index. C. **formosana** Hayata 1914, Ind. Suppl. pré-l.
- DANAEA** Smith.
- Münchii** Christ; Ros. Fedde Rep. **22**. 23. 1925. — Costa Rica.  
D. **cuspidata** Christ, Bull. Boiss. II. **5**. 734. 1905 (descr., non Liebm.).
- Urbani** Maxon, Journ. Wash. Acad. Sci. **14**. 195. 1924. — Hispaniola.
- DAREA** Jussieu = *Asplenium*.
- heterophylla** Sm., Rees Cycl. **11** no. 12. 1809, Alston, Phil. Journ. Sci. **50**. 178 (descr. orig.) 1933 = *A. dimorphum*.
- microphylla** Sm. l. c. **11** no. 9. 1908, Alston, l. c. (descr. orig.) = *Athyrium m. obtusa* Desv. 1811 = *A. affine*.
- pectinata** Sm. l. c. **11** no. 6. 1808, Alston, l. c. 178 (descr. orig.) = *A. sp. f. dareoidea*. (Hawaii).
- DAVALLIA** Smith, Ind. Fil. excl. subgenera *Leucostegia* et *Prosaptia*; v. genera *Davallodes*, *Leucostegia*, *Orthiopteris*, *Polypodium* §§ *Acrosorus* et *Prosaptia*, *Trogostolon*. — Cf. Copeland, Phil. Journ. Sci. **34**. 240. 1927 et Univ. Calif. Publ. Bot. **16**. 97—98. 1929. — (*Polypodiaceae* Gen. **52**).
- alata** Bl. 1828, Index = *Polypodium Emersoni*.
- Alexandri** Hill., Lidgate, Syn. Hawaiian Ferns **14**. 1873 = *Diellia*.
- alpina** Bl. 1828 = *Humata alpina*.
- ancestralis** (Cop.) C. Chr. Ind. Suppl. = *Polypodium*.
- angustata** Wall. 1828 = *Humata angustata*.
- arborescens** Willd. 1810 = *Dennstaedtia arborescens*.
- asperrima** Ces 1877 = *Ithycaulon minus*.
- assamica** (Bedd.) Bak. 1868, Index = *Humata*.
- athamantica** Christ 1905, Index = *Leucostegia pseudocystopteris*.
- athyriifolia** Bak. 1891 = *Athyrium Atkinsoni*.
- Beddomei** Hope 1899, Index = *Leucostegia Delavayi*.
- biserrata** Bl. 1828 = *Tapeinidium biserratum*.
- borneensis** J. Sm., Kuhn 1869, Index Suppl. 102 = *Davallodes*.
- bullata** Wall. — Dele loc. Japonia, China, (cf. *D. Mariesii*).
- cicutarioides** Bak. 1890, Index = ?*Leucostegia*.
- Clarkei** Bak. 1874, Index = *Leucostegia*.
- Clarkei** var. **Faberiana** C. Chr. Acta Hort. Gothob. **1**. 73. 1924 = *Leucostegia Faberiana*.
- contigua** (Forst.) Spr. 1799, Index = *Polypodium*.
- cratatella** Gandoger, Bull. Soc. Fr. **66**. 306. 1919 = *Culcita dubia*.
- dareiformis** Levinge, Clarke 1880 = *Leucostegia*.
- Delavayi** Bedd. = *Leucostegia*.
- dissecta** J. Sm. 1851, Index = *D. trichomanoides*.
- dryopteridifrons** Hayata, Ic. Pl. Formosa **6**. 159. 1916 (syn.) = *Humata*.
- ?**dubia** R. Br. 1810, Index = *Culcita*.
- Elmeri** Cop. Elmer's Leaflets **9**. 3107. 1920. — Luzon.
- Engleriana** Brause 1912, Index Suppl. = *Polypodium Brausei*.

- exaltata* Cop. 1905, Index 663 = *Polypodium streptophyllum*.  
*falcinella* Pr. 1825, Index = *Trogostolon*.  
*ferulacea* Moore 1861, Index = *Orthiopteris*.  
 ? *Forbesii* Gepp, JoB. 1923 Suppl. 59. — N. Guinea.  
 Genus dubium, forte = *Leucostegia loxoscaphoides*.  
*Friderici et Pauli* Christ 1895, Index = *Polypodium streptophyllum*.  
*fructuosa* Christ 1900, Index = *D. trichomanoides*.  
*glauca* Cav. 1802 = *Dennstaedtia*.  
*gracilis* Bl. 1828 = *Tapeinidium biserratum*.  
*Griffithiana* Hk. 1846, Index = *Humata*.  
*Hallbergii* d'Almeida, Journ. Ind. Bot. Soc. 5. 19 c. t. 1926 = *Microlepia*.  
*Henryana* Bak. 1906, Ind. Suppl. = *Humata Griffithiana*.  
*Hosei* Bak. 1888, Index = *Tapeinidium biserratum*.  
*hymenophylla* (Parish) Bak. 1868, Index = *Leucostegia*.  
*hymenophylloides* (Bl.) Kuhn 1869, Index = *Leucostegia*.  
*intramarginalis* Ces. 1877 = *Tapeinidium longipinnulum*.  
*immersa* Wall. 1828, Index = *Leucostegia*.  
*impressa* Cop. Univ. Calif. Publ. Bot. 14. 377. 1929. — Sumatra.  
*Kingii* Bak. 1886, Index = *Davallodes*.  
*Lapeyrousii* Hk. 1861 = *Lindsaya* L.  
*Ledermanni* Brause, Engl. Jahrb. 56. 123. 1920 = *Polypodium subhamato-longipinnula* Ces. 1877 = *Tapeinidium longipinnulum*. [pilosum.  
*luzonica* Hk. 1846 = *Tapeinidium biserratum*.  
 ? *Mannii* (Eat.) Bak. 1874, Index = *Loxoscaphe*.  
*membranulosa* Wall. 1828, Index = *Davallodes*.  
*Merrillii* (Cop.) C. Chr. Ind. Suppl. = *Polypodium tortile*.  
*microcarpa* Sm. Rees Cycl. 10 no. 24. 1808, Alston, Phil. Journ. Sci. 50. 177  
 (descr. orig.). 1933 = *Stenoloma chinense*.  
*moluccanum* Bl. 1828 = *Tapeinidium*.  
*Moorei* Hk. 1861, Index = *Tapeinidium*.  
*Muelleri* Gandoger, Bull. Soc. Fr. 66. 306. 1919 = *Culcita dubia*.  
*multidentata* (Wall.) Hk. 1867, Index = *Leucostegia*.  
*nephrodioides* Bak. 1887, Index = *Davallodes borneense*.  
*oligophlebia* Bak. 1888, Index = *Tapeinidium*.  
*orientalis* C. Chr., Wu, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 3.  
 104 t. 43. 1932, no. 6. 9. 1933. — China or. merid.—Tonkin.  
*pallida* Mett., Kuhn 1869, Index = *Leucostegia*.  
*parvipinnula* Hayata 1911, Ind. Suppl. pré-l. = *Leucostegia*.  
*parvula* Wall. 1828, Index = *Humata*.  
*pentaphylla* Bl. 1828, Index = *Scyphularia*.  
*perdurans* Christ 1898, Index = *Leucostegia*.  
*pilosiuscula* Sm. Rees Cycl. 11. no. 10. 1808, Alston, Phil. Journ. Sci. 50. 176  
 (descr. orig.) t. 1 f. 2. 1933 = *Microlepia speluncae* s. lat. (t. Alston).  
*platylepis* Bak. 1898, Index = *Humata Griffithiana*.  
*polymorpha* (Cop.) C. Chr. Index Suppl. = *Polypodium mindoreense*.  
*pseudo-cystopteris* Kze. 1850, Index = *Leucostegia*.  
*pulcherrima* Bak. 1895, Index = *Asplenium*.  
*pulchra* Don 1825, Index = *Leucostegia*.  
*pyncocarpa* Brack. 1854 = *Scyphularia*.

- pyramidata* Wall. 1828 = *Microlepia pyramidata*.  
*Reineckei* Christ 1896, Index = *Polypodium*.  
*rigidula* Bak. 1906, Index Suppl. = *Leucostegia yunnanensis*.  
**Robinsonii** Cop. Phil. Journ. Sci. 30. 326 1926. — Mindanao.  
*Schlechteri* (Christ) C. Chr. Index 663 = *Polypodium*.  
*setosa* Sm. Rees Cycl. 10. no. 18. 1808 = *Microlepia*.  
*simplicifolia* (Cop.) C. Chr. Ind. Suppl. = *Scyphularia*.  
*sinensis* (Christ) Ching, Bull. Fan Mem. Inst. 2. 202 t. 16. 1931. — China merid., Tonkin. — *D. solida* var. *sinensis* Christ, Bull. Boiss. 7. 18. 1899.  
*stenoloba* Bak. 1886, Index = *Tapeinidium moluccanum*.  
*subalpina* Hayata 1911, Index Suppl. pré. = *Leucostegia parvipinnula*.  
*subdissecta* v. A. v. R. Bull. Buit. II no. 23. 11. 1916, no. 28. 17. 1918. — Java.  
*tasmanica* Gandoger, Bull. Soc. Fr. 66. 306. 1919 = *Culcita dubia*.  
*Toppingii* (Cop.) C. Chr. Ind. Suppl. = *Polypodium*.  
**trichomanoides** Bl. — Adde syn. *D. dissecta* J. Sm. 1851, Index. *D. fructuosa* Christ 1900, Index.  
*triphylia* Hk. 1846, Index = *Scyphularia*.  
*Veitchii* Bak. 1879, Index = *Stenoloma*.  
*villosa* Don 1825 = *Microlepia pyramidata*.  
*viscidula* Mett., Kuhn 1869, Index = *Davallodes*.  
*yaklaensis* (Bedd.) C. Chr. Index = *Leucostegia*.  
*yunnanensis* Christ 1898, Index = *Leucostegia*.
- DAVALLODES** Copeland, Phil. Journ. Sci. 3C. 33. 1908, 34. 242 f. 1927 (monographia) — *Polypodiaceae* Gen. 55).  
*borneense* (Hk.) Cop. l. c. 34. 250. 1927. — Borneo. — *Lastrea* Hk. Ic. Pl. t. 993. 1854; *Dryopteris*? O. Ktze. 1891, Index c. syn. *Davallia nephrodioides* Bak. 1887, Index; *Leucostegia* Cop. 1917; *Davallodes* Cop. l. c. 248.  
*congestum* Cop. l. c. 247 t. 3 f. 2. — Mindanao.  
**dolichosorum** Cop. l. c. 248. — N. Guinea.  
**grammatosorum** Cop. l. c. 3. 34 t. 6. 1908, 34. 248. — Ins. Phil. *Microlepia* C. Chr. Ind. Suppl.  
**gymnocarpum** Cop. l. c. 3. 34 t. 5, 34. 246. — Negros. *Microlepia* C. Chr. Ind. Suppl.  
**hirsutum** (J. Sm.) Cop. l. c. 3. 33, 34. 247. — Luzon, Sumatra. *Microlepia* (J. Sm.) Pr. 1849, Index c. syn.  
*Kingii* Cop. l. c. 6C. 147. 1911, 34. 250 = *D. viscidulum*.  
**laxum** Cop. l. c. 34. 246 t. 3 f. 1. — Luzon.  
**membranulosum** (Wall.) Cop. l. c. 34. 245. — Himalaya, Yunnan, Tonkin. *Davallia* Wall., Hk. 1846, Index c. syn.  
*nephrodioides* Cop. l. c. 34. 249 = *D. borneense*.  
**novoguineense** (Ros.) Cop. Univ. Calif. Publ. Bot. 12. 400. 1931. — N. Guinea. *Davallia viscidula* var. *novoguineensis* Ros. Fedde Rep. 12. 526. 1913.  
**urceolatum** Cop. Phil. Journ. Sci. 34. 248. 1927. — Sumatra.  
**viscidulum** (Mett.) v. A. v. R. Bull. Buit. II no. 1. 6. 1911, Cop. l. c. 249. — Java, Celebes. — *Davallia* Mett., Kuhn 1869, Index. — *D. Kingii* Bak. 1866, Index; *Davallodes* Cop. 1911.
- DENDROCONCHE** Copeland 1911 = **Polypodium**.  
*Kingii* Cop. Univ. Calif. Publ. Bot. 12. 407. 1931 = *P. Annabellae* var.?
- DENNSTAEDTIA** Bernhardt. — (*Polypodiaceae* Gen. 57).  
*acuminata* Ros. 1915, Index Suppl. pré. = *Ithycaulon*.

- arborescens** (Willd.) Maxon, Proc. Biol. Soc. Wash. 43. 88. 1930. — Hispaniola, Jamaica. — *Davallia* Willd. sp. 5. 470. 1810. (Plum. t. 6).
- articulata** Cop. 1908, Ind. Suppl., atque Ros. 1912 = *D. glabrata*.
- Bradeorum** Ros. Fedde Rep. 22. 3. 1925. — Costa Rica.
- Elmeri** Cop. Elmer's Leaflets 1. 233. 1907. — Ins. Phil.
- erythrorachis** (Christ) Diels, Index = *D. glabrata*.
- exaltata** (Kze.) Hier. 1904, Index = *D. globulifera*.
- glabrata** (Ces.) C. Chr. Index. — Celebes—Fiji. — Adde syn. *D. incurvata* (Bak.) C. Chr. Index (Fiji) — *D. rhombifolia* (Bak.) C. Chr. Index (N. Guinea). — *D. erythrorachis* (Christ) Diels, Index (Celebes). — *D. articulata* Cop. 1908 (Negros). — *D. articulata* Ros. 1912; *D. Rosenstockii* C. Chr. Index Suppl. pré-l. (N. Guinea = typ.).
- glabrescens** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6, 24 1933. = *D. scabra* var.
- glauca** (Cav.) C. Chr. apud Looser, Revista Hist. Geogr. Chile 60. 184. 1932. — Chile. Bolivia. — *Davallia* Cav. Descr. 278. 1802! *Dennstaedtia Lambertiana* (Remy) Christ 1897, Index
- globulifera** (Poir.) Hier. Engl. Jahrb. 34. 455. 1904. — Hispaniola, Cuba. Jamaica. Mexico—Venezuela. — *Polypodium* Poir. Encycl. 5. 554. 1804 (Plum. t. 30). *Dicksonia altissima* Sm. 1808. — *D. exaltata* Kze. 1850; *Dennstaedtia* Hier. 1904, Index.
- gomphophylla** (Bak.) C. Chr. Index = *D. cuneata*.
- Henriettae** (Bak.) Diels, Index = *Ithycaulon*.
- incurvata** (Bak.) C. Chr. Index = *D. glabrata*.
- Kingii** Bedd. 1893, Index = *Ithycaulon minus*.
- Lambertiana** (Remy) Christ 1897, Index = *D. glauca*.
- Pearcei** (Bak.) C. Chr. Index = *Loxsomopsis*.
- penicillifera** v. A. v. R. Bull. Buit. II no. 28. 17 t. 1. 1918. — N. Guinea. *Hypolepis grandifrons* Gepp in Gibbs, Dutch N. W. N. Guinea 195. 1917 (non *Dennstaedtia* Christ 1901).
- philippinensis** Cop. Elmer's Leaflets 9. 3107. 1920. — Luzon.
- rhombifolia** (Bak.) C. Chr. Index = *D. glabrata*.
- Shawii** Cop. Phil. Journ. Sci. 30. 326. 1926. — N. Guinea.
- villosa** Cop. Elmer's Leaflets 3. 824. 1910 = *Microlepidia pyramidata*.
- DICKSONIA** L' Héritier.
- altissima** Sm. 1808 = *Dennstaedtia globulifera*.
- andina** Phil. 1896, Index = *Polystichum multifidum* (t. *Espinosa*).
- Hieronymi** Brause, Engl. Jahrb. 56. 48. 1920. — N. Guinea.
- javanica** Bl. 1828, Index = *Culcita*.
- Ledermanni** Brause, Engl. Jahrb. 56. 46. 1929. — N. Guinea.
- DICLIDOPTERIS** Brackenridge 1854 = *Vaginularia*.
- angustissima** Brack. 1854 = *V. angustissima*.
- paradoxa** Carr. 1873 = *V. paradoxa?* vel potius = *V. angustissima*.
- DICRANOPTERIS** Bernhardt = *Gleichenia*
- affinis** (p. 47), **brittonii** (47, t. 18), **gracilis** (48), **longipes** (48), **longipinnata** (48), **maritima** (49), **nervosa** (49), **nuda** (49), **pennigera** (49), **pruinosa** (49), **remota** (50), **rubiginosa** (50), **simplex** (50), **velata** (50), **yungensis** (50), Maxon, Contr. U. S. Nat. Herb. 24. 47—50. 1922 = *G. sp. homonym*.
- glauca** (p. 693), **laevissima** (692), **longissima** (692), **volubilis** (691), Nakai, Bot. Mag. Tokyo 41. 691—693. 1927 = *G. sp. homonym*.
- lehmannii** Maxon, Proc. Biol. Soc. Wash. 43. 83. 1930.

leonis Maxon, Journ. Wash. Acad. 12. 439. 1922.

pallescens Maxon, Proc. Biol. Soc. Wash. 46. 105. 1933.

seminuda Maxon, l. c. 46. 140. 1933.

Williamsii Maxon 1909 = *G. remota*.

**DICTYMIA** J. Smith, Copeland, Univ. Calif. Publ. Bot. 16. 114. 1929 = **Poly-**  
Brownii—Mettenii Cop. l. c. = *P. sp. homonym*. [podium.

**DICTYOCLINE** Moore 1855. — (Polypodiaceae Gen. 17).

**Griffithii** Moore 1857. — Ind. bor. - Tonkin - Japonia.

*Aspidium* (Moore) Diels 1899, Index cum syn.

**DICTYOPTERIS** Presl = **Tectaria**.

**Brongniartii** Nakai, Bot. Mag. Tokyo 47. 159. 1933 = *T. irregularis* var.

**Brooksiae** v. A. v. R. Bull. Buit. II no. 23. 9. 1916 = *Polopodium hetero-*  
*carpum* Bl.

**Brooksii**, elliptica, gymnocarpa, subaequalis v. A. v. R. Mal. Ferns Suppl.  
322-324. 1917 = *T. sp. homonym*.

**carinata** v. A. v. R. Bull. Buit. II no. 28. 18. 1918.

**compitalis** v. A. v. R. l. c. III. 5. 194. 1922.

**distincta** v. A. v. R. l. c. III. 5. 193. 1922.

**nusakembangana** v. A. v. R. Mal. Ferns Suppl. 517. 1917 = *T. labrusca*.

**olivacea** v. A. v. R. l. c. 322 = *T. Leuzeana*.

**DIDYMOCHLAENA** Desvaux. — (Polypodiaceae Gen. 23).

**microphylla** (Bonap.) C. Chr. Cat. Pl. Mad. Pter. 30. 1932, Dansk Bot. Ark. 7.

64 t. 19 f. 6-8. 1932. — Madagascar. — *D. truncatula* varr. *bipinnatisecta*  
et *microphylla* Bonap. N. Pt. 16. 32-33. 1925.

**DIDYMOGLOSSUM** Desvaux = **Trichomanes**.

**anomalum** v. d. B. 1863 = *T. brevipes*.

**brevipes** Pr. 1843 = *T. brevipes*.

**capillatum** Pr. 1843 = *T. bilabiatum* (t. Cop.).

**cordifolium** Fée 1866 = *T. cordifolium*.

**insigne** v. d. B. 1863 = *T. insigne*.

**laceratum** Fée 1866 = *T. punctatum*.

**latealatum** v. d. B. 1863 = *T. latealatum*.

**longisetum** Pr. 1843 = *T. obscurum*.

**Neesii** Pr. 1843 = *Hymenophyllum Neesii*.

**plicatum** v. d. B. 1863 = *T. plicatum*.

**racemulosum** v. d. B. 1863 = *T. acutilobum*.

**undulatum** Pr. 1843 = *T. brevipes*.

**DIELLIA** Brackenridge. — (Polypodiaceae Gen. 76).

**Alexandri** (Hill.) Diels. — Adde. syn. *Davallia* Hill., Lidgate 1873.

**Brownii** E. Brown, Bishop Mus. Bull. 89. 46 t. 7. 1931 = *Nephrolepis acutifolia*.

**Mannii** (Eat.) Robinson, Index Suppl. = *Loxoscaphe*.

**DIGRAMMARIA** Presl = **Diplazium**.

**ambigua** Pr. 1836 = *D. esculentum*?

**DIPLAZIUM** Swartz. — (Polypodiaceae Gen. 69).

**acanthopus** C. Chr. Svensk Bot. Tids. 16. 94. 1922. — Celebes.

**accedens** Bl. Enum. 192. 1928. — Malesia—Polynesia. — *Callipteris* J. Sm.

1841; *Athyrium* Milde 1870. *Diplazium* Ridley (Cop.) C. Chr. Ind. Suppl. préf.

**acrocarpum** Ros. 1912, Ind. Suppl. = *Asplenium*.

**acrostichoides** Butters, Rhodora 19. 178. 1917 = *Athyrium*.

**aculeatum** v. A. v. R. Bull. Buit. II no. 28. 20. 1918. — Ceram.

- aemulum* Und. et Maxon 1902, Index = *D. unilobum*.  
*affine* J. Sm. 1841, Index = *D. fructuosum*.  
*albido-squamatum* v. A. v. R. Bull. Buit. II no. 23. 9. 1916. — Sumatra.  
*alienum* (Mett.) Hier. Hedwigia 59. 336. 1917. — Peru.  
     *Asplenium* Mett. Fil. Lechl. II. 18. 1859.  
*allantodioides* Ching, Bull. Fan Mem. Inst. 2. 203. t. 18—19. 1931 = *D. virescens*.  
*alsophilum* Maxon, Amer. Fern Journ. 14. 75. 1924. — Hispaniola.  
*altum* Cop. C. Chr. Ind. Suppl. III. 72. 1934. — Mindanao.  
     *Athyrium* Cop. Phil. Journ. Sci. 38. 138. 1929.  
*amplum* Liebm. 1849. — Mexico.  
     *Asplenium* Fourn. 1872; *Athyrium* Milde 1870.  
*angustifolium* Butters, Rhodora 19. 178. 1917 = *Athyrium*.  
*Annetii* Jeanpert, Bull. Soc. Fr. 68. 326. 1921. — Camerun.  
*apatelium* v. A. v. R. Bull. Buit. III. 5. 195. 1922. — Ternate.  
*arboreum* (Willd.) Pr. — Adde syn. *D. Shepherdii* (Spr.) Link 1833, Index.  
*arisanense* Hayata 1914, Ind. Suppl. pré-l. = *Athyrium*.  
*aridum* Christ 1908, Ind. Suppl. = *D. nudicaule*.  
*Arnottii* Brack. 1854, Index = *D. Meyenianum*.  
*asperum* Bl. — Dele syn. *Asplenium sikkimense* Clarke.  
*assimile* Bedd. 1868 = *Athyrium cognatum*.  
*atrosquamosum* (Cop.) C. Chr. Ind. Suppl. III. 72. 1934. — Borneo.  
     *Athyrium* Cop. Phil. Journ. Sci. 12C. 59. 1917.  
*Bakerianum* Domin, Kew Bull. 1929. 219, Mem. R. Czech. Soc. Sci. n. s. 2. 158, t. 27 f. 2. 1929. — Costa Rica.  
*Bamlerianum* Ros. 1912, Ind. Suppl. = *D. Weinlandii*.  
*banahaoense* (Cop.) C. Chr. Ind. Suppl. III. 72. 1934. — Luzon.  
     *Athyrium* Cop. Phil. Journ. Sci. 38. 139. 1929.  
*bantamense* Bl. — Dele syn. *Asplenium Donianum* Mett.  
*basipinnatifidum* Ching, Sinensia 1. 49. 1930. — Kwangtung.  
*betimusense* v. A. v. R. Bull. Buit. III. 2. 142. 1920. — Sumatra.  
*biseriale* (Bak.) C. Chr. Index = *D. grammitoides*.  
*bittyuense* Tagawa, Acta Phytotax. 2. 196. 1933. — Japonia.  
*Bommeri* Christ in Index = *D. Sammatii*.  
*bonincola* Nakai, Rigakkwai 26. April. 10 (nomen) Bot. Mag. Tokyo 43. 1. 1929. — Ins. Bonin.  
*boninense* Koidzumi, Bot. Mag. Tokyo 38. 104. 1924. — Ins. Bonin.  
*brachypodium* (Bak.) C. Chr. Index = *D. grammitoides*.  
*Burchardi* Ros. 1907, Ind. Suppl. = *D. tomentosum*.  
*cardiomorphum* v. A. v. R. Bull. Buit. III. 5. 195. 1922. — Java.  
*caryifolium* (Bak.) C. Chr. Index = *D. nervosum*.  
*caudatum* J. Sm. 1841 (nomen). — Ins. Phil. — *Athyrium Meyenianum*  
     Cop. Phil. Journ. Sci. 3C. 295. 1908 (non *Diplazium* Pr. 1836. — *D. me-*  
*Cavalerii* Christ 1904, Index = *D. Mettenianum*. [lanopodium Fée 1857?  
*celtidifolium* Kze. — Dele syn. *Aspl. centripetale*.  
*centripetale* (Bak.) Maxon, Pter. Porto Rico 441. 1926. — Ind. occ.  
     *Asplenium* Bak. Syn. 490. 1874. *Diplazium domingense* Brause 1911, Ind. Suppl.  
*centrochinense* Blot, Aspl. du Tonkin 64 t. 7. 1932 = *Asplenium*.  
*chinense* (Bak.) C. Chr. — Adde loc. Tonkin-China or. Korea et syn. *D.*  
     *Taquetii* C. Chr. 1911, Ind. Suppl.  
*Christensenianum* Koidzumi, Bot. Mag. Tokyo 38. 105. 1924 = *Athyrium*  
     *musashiense*.

- Christii* C. Chr. Index = *D. malaccense*.
- chrysocarpon* v. A. v. R. 1914, Ind. Suppl. prélim. = *Athyrium stramineum*.
- confertum* (Bak.) C. Chr. Index = *D. crenato-serratum* var. *larutense*.
- Conilii* Nakai, Bot. Mag. Tokyo 39. 111. 1925 = *D. japonicum* var. *cordovense* (Bak.) C. Chr. Index = *D. vera-pax*.
- costale* (Sw.) Pr. — Dele loc. Peru et syn. *D. macrophyllum* Desv., Aspl. Desvauxii.
- crenato-serratum* (Bl.) Moore. — Adde syn. *D. Hosei* Christ 1894 et var. *D. larutense* Bedd. 1892, Index. *D. confertum* (Bak.) C. Chr. Index.
- crinipes* Ching, Bull. Fan Mem. Inst. 2. 207 t 23-24. 1931. — Kwangtung.
- cyatheifolium* (Rich.) Pr. Epim. 88 (non 84), Index (excl. syn. *D. caudatum* J. Sm.), Hier. Hedwigia 59. 338. 1917. — N. Guinea. — (Cf. *D. caudatum*).
- dilatatum* Bl. Enum. 194. 1928, C. Chr. Contr. U. S. Nat. Herb. 26. 302. 1931. — Asia-Polynesia trop. (Sp. coll.) — *D. maximum* C. Chr. Index (vix *Asplenium* Don 1825) excl. varr. *Asplenium sororium* Mett. et Gymn. gigantea Bak.
- dimorphophyllum* Koidzumi in Mayebaru, Fl. Austro-Higoensis 3. 1931, Acta Phytotax. 1. 27. 1932. — Japonia.
- divaricatum* Ching, Bull. Fan Mem. Inst. 2. 208 t. 25. 1931. — Kwangsi.
- dolichosorum* Cop. 1908, Ind. Suppl. = *D. dilatatum* (non = *D. Smithianum*).
- domingense* Brause 1911, Ind. Suppl. = *D. centripetale*.
- Donianum* (Mett.) Tardieu-Blot, Aspl. du Tonkin 58 t. 5. 1932. — Ind. bor.-China merid.-Tonkin. — *Asplenium* Mett. Aspl. 177 no. 198b. 1858. *Diplazium splendens* Ching 1931.
- ebenum* J. Sm. 1841 = *D. deltoideum* (t. Hier.).
- elatum* Fée, Gen. 214. 1852. — Ceylon. — *D. Katzeri* Regel 1860.
- ellipticum* (Cop.) C. Chr. Ind. Suppl. III. 73. 1934. — Tahiti.  
*Athyrium* Cop. Bishop Mus. Bull. 93. 10 t. 8. 1932.
- Elmeri* (Cop.) C. Chr. Ind. Suppl. III. 73. 1934. — Ins. Phil.  
*Athyrium* Cop. 1908, Ind. Suppl.; *Phegopteris* v. A. v. R. 1917.
- epirachis* Christ 1905, Index = *Athyrium*.
- falcinellum* C. Chr. Ind. Suppl. III. 73. 1934. — Borneo.  
*Asplenium Matangense* Hose, Journ. Str. Br. R. As. Soc. no. 32. 58. 1899;  
*Athyrium* Cop. 1917 (non *Diplazium* C. Chr. Ind. Suppl. 1917).
- Fauriei* Christ 1901, Index = *D. Mettenianum*.
- fimbristegium* v. A. v. R. Mal. Ferns Suppl. 272. 1917 = *D. polypodioides*.
- flaccidum* Christ 1906, Ind. Suppl. = *D. giganteum*.
- formosanum* Ros. 1915, Ind. Suppl. prélim. = *D. heterophlebium*.
- frondosum* J. Sm. 1841 = *D. giganteum*?
- furculicolum* v. A. v. R. Bull. Buit. II. no. 28. 19. 1918. — Ceram.
- fuscopubescens* (Hk.) Moore, Ind. 1861. — Peru.  
*Asplenium* Hk. sp. 3. 264. 1860. — (An *D. alienum*?).
- geophilum* v. A. v. R. 1912, Ind. Suppl. = *Athyrium*.
- giganteum* (Bak.) Ching in C. Chr. Ind. Suppl. III. 73. 1934. — Himalaya-China austr.-Tonkin. — *Gymnogramme* Bak. JoB. 1889. 177. — *Diplazium flaccidum* Christ 1906, Ind. Suppl. — *Asplenium frondosum* Wall. 1828 (nomen); *Diplazium* J. Sm. 1841 (nomen); *D. polymorphum* Pr. 1836 (nomen); *Asplenium* Wall. 1828 (nomen); Mett. Aspl. 236 no. 229. 1859 (non Mart. et Gal. 1842). — (Sp. confusa).
- glaberrimum* Moore 1859 = *D. pallidum*.
- grammatoides* Fée 1866 = *D. L'Herminieri*.



- grammitoides** Pr. — Adde syn. *D. biseriale* (Bak.) C. Chr. Index; *Athyrium* Cop. 1917.
- grande** (Bak.) C. Chr. Index Suppl. III. 74. 1934. — Venezuela-Ecuador.  
*Gymnogramme* Bak. Syn. 377. 1868.
- groselobatum** C. Chr.; Wu, Polyp. Yaoshan. t. 69. 1932 = *D. stenochlamys*.
- Guildingii** (Jenm.) Hier. Hedwigia 59. 332. 1917. — Ins. St. Vincent.  
*Asplenium* Jenm. 1894, Index. *Diplazium vincentis* (Christ) C. Chr. Index.
- hachijoense** Nakai, Bot. Mag. Tokyo 35. 148. 1921. — Japonia.
- hainanense** Ching, Bull. Fan Mem. Inst. 2. 206. 1931. — Hainan.
- Hancockii** (Maxim.) Hayata 1915, Ind. Suppl. pré. = *D. Pullingeri*.
- heterophlebium** (Mett.) Diels. — Adde loc. China merid-Tonkin-Formosa et syn. *D. rude* Christ in Index. *D. odoratissimum* Hayata 1915 et *D. formosanum* Ros. 1915, Ind. Suppl. pré.; *Athyrium formosanum* Cop. 1929.
- Hookerianum** Koidzumi, Bot. Mag. Tokyo 38. 105. 1924 — *Athyrium decur-Hosei* Christ 1894, Index = *D. crenato-serratum*. [renti-alatum.
- intercalatum** Christ 1901, Index = *D. arboreum*.
- isobasis** Christ 1904, Index = *D. Mettenianum*.
- japonicum** (Thbg.) Bedd. — Adde syn. *Asplenium Petersenii* Kze. 1837; *Diplazium* Christ 1902, Index cum syn.
- javanicum** Ros. Med. Rijks Herb. no. 31. 4. 1917 (non Mak. 1906). — Java.
- kappanense** Hayata, Ic. Pl. Formosa 8. 143 f. 69-70. 1919. — Formosa.
- Katzeri** Regel 1850 = *D. elatum*.
- Kaulfussii** Hier. Hedwigia 59. 335. 1917. — Brasilia.  
*D. obtusum* Klf., Link 1833 (non Desv. 1827).
- Kawakamii** Hayata 1911, Ind. Suppl. pré. = *Athyrium*.
- kiusianum** Koidzumi in Mayebar, Fl. Austro-Higoensis 3. 1931, Acta Phytotax. 1. 27. 1932. — Japonia.
- larutense** Bedd. 1892, Index = *D. crenato-serratum* var.
- Lastii** C. Chr. Cat. Pl. Mad. Pter. 36. 1:32 (nomen), Dansk Bot. Ark. 7. 84 t. 30 f. 1-2. 1932. — Madagascar.
- latifrons** v. A. v. R. Mal. Ferns Suppl. 271. 1917 = *D. Mearnsii*.
- leiopodium** Hayata 1914, Ind. Suppl. pré. = *Athyrium*.
- Leonardi** Brause, Fedde Rep. 18. 245. 1922 = *D. pectinatum*.
- lepidorachis** (Bak.) C. Chr. Index = *D. Pullingeri*.
- leptogramma** v. A. v. R. 1915, Ind. Suppl. pré. = *D. polypodioides*.
- L'Herminieri** Fée, Hier. Hedwigia 59. 331. 1917. — Ind. occ.  
*D. grammatoides* Fée 1866 (non *D. grammitoides* Pr. 1849).
- lohfaeuense** C. Chr., Wu, Polyp. Yaoshan. t. 68. 1932 = *D. Mettenianum*.
- longicarpum** Kodama in Matsum. Ic. Pl. Koisik. 3. 51 t. 171. 1916 = *Asplenium*.
- longissimum** Cop. C. Chr. Ind. Suppl. III. 74. 1934. — Leyte.  
*Athyrium* Cop. Phil. Journ. Sci. 38. 132. 1929.
- lutchuense** Koidzumi Bot. Mag. Tokyo 38. 106. 1924. — Japonia.
- macrophyllum** Desv. Prod. 280. 1827, Hier. Hedwigia 59. 330. 1917. — Colombia—Peru. — *Asplenium Desvauxii* Mett. no. 205. 1859. *Diplazium costale* auctt., Index quoad pl. andin.
- macrophyllum** Ching, Sinensia 1. 6. 1929, Ic. Fil. Sin. t. 25. 1930 = *D. megamacropterum* (Sod.) C. Chr. Index = *D. venulosum*. [phyllum.
- Makinoi** Yabe 1906, Ind. Suppl. = *Asplenium loriceum*.
- malaccense** Pr. Epim. 86. 1849. — Malesia. — *D. Christii* C. Chr. Index.
- mamberamense** v. A. v. R. Mal. Ferns Suppl. Corr. 55. 1917. — N. Guinea.

- Matsumurae** Kodama in Matsum Ic. Pl. Koisik. 1. 37 t. 44. 1912 = *Asplenium*.  
**Matthewi** Cop. C. Chr. Ind. Suppl. = *D. stenochlamys*.  
**mattogrossense** Sampaio, Comm. Linh. teleg. de Matto Grosso ao Amazonas  
 Publ. no. 33, 18 t. 2. 1916. — Brasilia.  
**maximum** C. Chr. Index = *D. dilatatum*, *D. giganteum*, *D. sororium*.  
**Mearnsii** Hier. Hedwigia 59. 338. 1917. — Ins. Phil. — *Athyrium platy-*  
*phyllum* Cop. 1908, Ind. Suppl.; *Diplazium latifrons* v. A. v. R. 1917 (non  
*D. platyphyllum* Christ 1906).  
**melanopodium** Fée 1857 = *D. caudatum*.  
**mesocarpum** v. A. v. R. Bull. Buit. III. 2. 142. 1920. — Sumatra.  
**mesosorum** Koidzumi, Bot. Mag. Tokyo 38. 112. 1924 = *Athyrium*.  
**Mettenianum** (Miq.) C. Chr. — Adde loc. Tonkin et syn. *D. Fauriei* Christ  
 1901, Index. *D. Cavalerii* Christ 1904, Index. *D. isobasis* Christ 1904, Index  
*D. lohfaeuense* C. Chr. 1932.  
**Meyenianum** Pr. 1836, Hier. Hedwigia 59. 337. 1917. — Ins. Hawaii (non  
 Ins. Phil.) — *Asplenium aspidioides* Goldm. 1843, non aliorum). *Diplazium*  
*Arnottii* Brack. 1854, Index c. syn.  
**Mildbraedii** Hier. 1910, Ind. Suppl. = *Athyrium zanzibaricum*.  
**moluccanum** Ros. Med. Rijks Herb. no. 31. 4. 1917. — Ceram.  
**montanum** v. A. v. R. Bull. Buit. II no. 28. 19. 1918. — Sumatra.  
**muricatum** v. A. v. R. 1909 = *Athyrium muricatum*.  
**muricatum** (Cop.) C. Chr. Ind. Suppl. = *D. spiniferum*.  
**Naumannii** Hier. Engl. Jahrb. 56. 137. 1920. — N. Guinea.  
**nipponicum** Tagawa, Acta Phytotax. 2. 197. 1933. — Japonia.  
**nitidum** Cav. Anal. Cienc. 7. 66 t. 48. 1904 = *Asplenium tenerum*.  
**novoguineense** (Ros.) Hier. Hedwigia 59. 327. 1917. — N. Guinea.  
*D. silvaticum* var. *novoguineensis* Ros. Hedwigia 56. 351. 1915.  
**nudicaule** (Cop.) C. Chr. Ind. Suppl. — Adde loc. Tonkin et syn. *D. aridum*  
 Christ 1908, Ind. Suppl., Blot, Aspl. du Tonkin. 72. 1932.  
**Nymanii** Hier. Engl. Jahrb. 56. 136. 1920. — N. Guinea.  
**obtusum** Klf., Link 1833 = *D. Kaulfussii*.  
**odoratissimum** Hayata 1915, Ind. Suppl. pré. = *D. heterophlebium*.  
**okinawaense** Tagawa, Acta Phytotax. 2. 199. 1933. — Japonia.  
**omeiense** Ching, Bull. Fan Mem. Inst. 2. 204 t. 30. 1931. — China occ.  
**opacifolium** v. A. v. R. Nova Guinea 14. 14. 1924. — N. Guinea.  
**opacum** Christ 1906, Ind. Suppl. = *Athyrium*.  
**ophiodontum** (Cop.) C. Chr. Ind. Suppl. III. 75. 1934. — Luzon.  
*Athyrium* Cop. Phil. Journ. Sci. 46. 214. 1931.  
**orientale** Ros. 1914, Ind. Suppl. pré. = *Athyrium pseudosetigerum*.  
**otophorum** (Miq.) C. Chr. Index = *Athyrium*.  
**palauanense** Cop. 1905, Index 663 = *D. xiphophyllum*.  
**pallidum** (Bl.) Moore. — Adde syn. *D. vacillans* (Kze.) C. Chr. Index.  
*Asplenium glaberrimum* Mett. 1856.  
**parallelosorum** (Bak.) C. Chr. Ind. Suppl. = *D. hirtipes*.  
**pariens** Cop. 1905, Index 663 = *D. cordifolium* var.  
**paripinnatum** (Cop.) C. Chr. Ind. Suppl. pré. = *D. Hewitti*.  
**pastazense** Hier. 1908, Ind. Suppl. = *D. Sprucei*.  
**pectinatum** (Fée) C. Chr. in Urban, Symb. Ant. 9. 324. 1925. — Hispaniola.  
 Jamaica. — *Hypochlamys* Fée 1852. *Athyrium costale* C. Chr. Index c. syn.  
 (an *Allantodia costalis* Desv. 1827?, non *Diplazium* Pr. 1836). *Dryopteris*

- Ekmani Brause 1921. *Diplazium Leonardi* Brause 1922. D. Urbani Brause 1922 (non C. Chr. Index).
- pellucidum* Ching, *Sinensia* 1. 7. 1929, Ic. Fil. Sin. t. 24 = *D. hirtipes*.
- permirabile* v. A. v. R. Bull. Buit. III. 5. 196, fig. 1922. — Sumatra.
- Petelotii* Tardieu-Blot, *Aspl. du Tonkin* 66. t. 8 f. 3—6. 1932. — Tonkin.
- Petri* Tardieu-Blot, l. c. 67 t. 9 f. 1—2. 1932. — Tonkin, China austr.
- platychlamys* C. Chr. Bull. Mus. Paris II. 6. 1934. — Annam.
- polymorphum* Pr. 1836 = *D. giganteum*.
- polypodioides* Bl. — Adde syn. *Athyrium fimbristegium* Cop. 1914, Ind. Suppl. préel.; *Diplazium* v. A. v. R. 1917. — *D. ?leptogramma* v. A. v. R. 1915, Ind. Suppl. préel.
- porphyrophyllum* v. A. v. R. Bull. Buit. II no. 28. 18. 1918. — Sumatra.
- proliferum* (Lam.) Thouars. — Dele syn. *D. accedens* Bl. etc.
- prolixum* Ros. 1913, Ind. Suppl. préel. = *Athyrium pseudosetigerum*.
- prolongatum* Ros. Med. Rijks Herb. no. 31. 5. 1917. — N. Guinea.
- propinquum* (Cop.) v. A. v. R. Mal. Ferns Suppl. 259. 1917. — Ins. Phil. — *Athyrium* Cop. Elmer's Leaflets 5. 1683. 1914, Ind. Suppl. préel.
- pseudoarboreum* (Cop.) C. Chr. Ind. Suppl. préel. = *D. molokaiense*.
- pseudocyatheifolium* Ros. Med. Rijks Herb. no. 31. 4. 1917. — Ins. Phil.
- pseudo-Döderleinii* Hayata, Ic. Pl. Formosa. 8. 145 f. 71—72. 1919. — Formosa.
- pseudoshepherdiioides* Hier. Engl. Jahrb. 56. 134. 1920. — N. Guinea.
- Pullingeri* (Bak.) J. Sm. — Adde loc. Formosa—China—austr.—Tonkin et syn. *D. chlorophyllum* (Bak.) Bedd. 1892?, Index. *D. lepidorachis* (Bak.) C. Chr. Index. *Asplenium bireme* Wright 1908. *Diplazium Hancockii* (Maxim.) Hayata 1915, Ind. Suppl. préel. *Monomelangium* Hayata 1928.
- rapense* E. Brown, Bishop Mus. Bull. 89. 57 t. 11. 1931. — Ins. Rapa (Polynesia).
- rhoifolium* Kze., Index = *D. Schlimense*.
- Ridleyi* (Cop.) C. Chr. Ind. Suppl. préel. = *D. accedens*.
- rubicanle* C. Chr. Engl. Jahrb. 66. 54. 1933. — Celebes.
- rude* Christ in Index = *D. heterophlebium*.
- sandwichianum* (Pr.) Diels. — Dele loc. Peru et syn. *A. alienum* Mett. et *A. fuscopubescens* Hk.
- sarawakense* (Cop.) C. Chr. Ind. Suppl. = *D. Hewitti*.
- Schkuhrii* J. Sm. 1841 = *D. malaccense*.
- Schlechteri* Hier. Engl. Jahrb. 56. 138. 1920. — N. Guinea.
- Schlimense* Fée 1857. — Colombia—Ecuador. — *D. rhoifolium* Kze., Index.
- Schraderi* Hier. Engl. Jahrb. 56. 141. 1920. — N. Guinea.
- Schultzei* Hier. l. c. 140. — N. Guinea.
- semihastatum* (Kze.) C. Chr. Index = *D. unilobum*.
- Shepherdii* (Spr.) Link 1833, Index = *D. arboreum*.
- siamense* C. Chr. Contr. U. S. Nat. Herb. 26. 332 t. 26. 1931. — Siam bor.
- sibuyanense* (Cop.) v. A. v. R. Bull. Buit. II no. 11. 9. 1913. — Ins. Phil. — *Athyrium* Cop. 1911, Ind. Suppl.
- sikkimense* (Clarke) C. Chr. Contr. U. S. Nat. Herb. 26. 304. 1931. — Himalaya—China austr.—Tonkin. — *Asplenium* Clarke 1880.
- silvaticum* var. *novoguineensis* Ros. *Hedwigia* 56. 351. 1915 = *D. novoguineense*.
- silvestre* v. A. v. R. Bull. Buit. II no. 28. 19. 1918. — Ceram.
- simplicifolium* Kodama in Matsum. Ic. Pl. Koisik. 1. 135 t. 68. 1913. — Japonia.
- siroyamense* Tagawa, *Acta Phytotax.* 2. 197. 1933. — Japonia.
- sorbifolium* (Willd.) Pr. 1836, Index = *D. silvaticum*.

- sororium** (Mett.) Carr. 1873. — Polynesia. — *Asplenium* Mett. 1861; *Athyrium* Cop. 1929.
- sorzogonense** Pr. — Dele syn. *D. speciosum* Bl. etc.
- speciosum** Bl. 1828. — Malesia. — *Asplenium* Mett. 1859. *Athyrium* Milde 1870.
- spiniferum** v. A. v. R. Mal. Ferns Suppl. 265. 1917. — Borneo.  
*D. muricatum* (Cop.) C. Chr. Ind. Suppl. (non v. A. v. R. 1909).
- splendens** Ching, Bull. Fan Mem. Inst. 2. 205 t. 21. 1931 = *D. Donianum*.
- striatum** (L.) Pr. — Ind. occ. Mexico—?. — Dele syn. *D. amplum* . . . .  
*Gymn. attenuata*.
- subalatum** Houlst. et Moore, Gard. Mag. Bot. 3. 231. 1851. — Venezuela.  
 Brasilia.
- subobliquatum** Ros. Fedde Rep. 22. 9. 1925. — Costa Rica.
- subtripinnatum** Nakai, Bot. Mag. Tokyo 43. 1. 1929. — Bonin.
- sulcinervium** (Hier.) C. Chr. Cat. Pl. Mad. Pter. 37. 1932, Dansk Bot. Ark. 7.  
 84 t. 30 f. 5—10. 1932. — Africa or. trop. Madagascar.  
*Taquetii* C. Chr. 1911, Ind. Suppl. = *D. chinense*.
- Tasiroi** Tagawa, Acta Phytotax. 2. 198. 1933. — Japonia.
- tenuicaule** Hayata 1914, Ind. Suppl. prélim. = *Athyrium*.
- Tomitaroanum** Masamune, Journ. Soc. Trop. Agric. 2. 33. 1930 = *D. lanceum*  
 var. *crenatum* Mak.
- torrentium** (Clarke) Tardieu-Blot, Aspl. du Tonkin 69. 1932. — Ind. bor.—  
 Tonkin. — *Asplenium* Clarke 1880.
- trinitense** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 155. t. 25 f. 1—3. 1929.  
 — Trinidad, Guadeloupe.
- truncatum** Pr. 1836 = *D. striatum*.
- Tussacii** Fée 1852, an Hier. Hedwigia 59. 329. 1917? — Hispaniola.
- uncidens** (Ros.) C. Chr. Ind. Suppl. III. 1934. — N. Guinea.  
*Dryopteris* Ros. 1912, Ind. Suppl.; *Phegopteris* v. A. v. R. 1917; *Athyrium*  
 Cop. 1931.
- unilobum** (Poir.) Hier. Hedwigia 59. 332. 1917. — Antillae maj.—*Asplenium*  
 Poir. 1811. *Diplazium semihastatum* (Kze.) C. Chr. Index c. syn.; *D. aemulum*  
 Und. et Maxon 1902, Index.
- Urbani** (Christ) C. Chr. Index = *D. hastile*.
- Urbani** Brause Fedde Rep. 18. 246. 1922 = *D. pectinatum*.
- vacillans** (Kze.) C. Chr. Index = *D. pallidum*.
- vera-pax** (Donn. Smith) Hier. Hedwigia 59. 322. 1917. — Guatemala—Mexico.  
*Asplenium* Donn. Smith 1888. *Diplazium cordovense* (Bak.) C. Chr. Index.
- vincentis** (Christ) C. Chr. Index = *D. Guildingii*.
- Virchowii** (Kuhn) Diels 1899 (nomen), C. Chr. Dansk Bot. Ark. 7. 85 t. 31.  
 1932. — Madagascar. — *Asplenium* Kuhn (nomen); *Phyllitis* Christ 1910  
 (nomen), Ind. Suppl.
- viridissimum** Christ 1909, Ind. Suppl. — Adde loc. Tonkin. Ins. Phil.  
*Athyrium macrosorum* Cop. 1910, Ind. Suppl.
- Wallisii** (Bak.) C. Chr. Ind. Suppl. III. 77. 1934. — Colombia.  
*Asplenium* Bak. 1901, Index.
- Wattsii** (Cop.) C. Chr. Ind. Suppl. III. 77. 1934. — N. Britannia.  
*Athyrium* Cop. Univ. Calif. Publ. Bot. 14. 360. 1929.
- Wheeleri** (Bak.) C. Chr. Index = *D. virescens*.
- zanzibaricum** (Bak.) C. Chr. Index = *Athyrium*.

- DIPLOBLECHNUM** Hayata, Bot. Mag. Tokyo 41. 702. 192. 1928 = **Blechnum**.  
*integripinnulum* Hayata, l. c.
- DIPLORA** Baker 1873, incl. *Triphlebia* Baker 1886. *Phyllitis* auctt. — Cf. Copeland, Phil. Journ. Sci. 8C. 147 f. 1913. — (Polypodiaceae Gen. 71).  
*Cadieri* Christ 1905, Index = *Stenochlaena* sp.  
*d'Urvillaei* (Bory) C. Chr. Ind. Suppl. III. 78. 1934. — Melanesia.  
*Phyllitis* (Bory) O. Ktze 1891, Ind. Suppl. pré. 52 cum syn.  
 ?*Grashoffii* (Ros.) C. Chr. Ind. Suppl. III. 78. 1934. — Sumatra.  
*Phyllitis* Ros. Fedde Rep. 13. 216. 1914; Ind. Suppl. pré.  
*integrifolia* Bak. 1873, Index = *D. d'Urvillaei*.  
*longifolia* (Pr.) C. Chr. Ind. Suppl. III. 78. 1934. — Ins. Phil.  
*Phyllitis* (Pr.) O. Ktze. 1891, Ind. Suppl. pré. 52 cum syn.  
*schizocarpa* (Cop.) C. Chr. Ind. Suppl. III. 78. 1934. — Ins. Phil. N. Guinea.  
*Phyllitis* (Cop.) v. A. v. R. 1908, Ind. Suppl.
- DIPTERIS** Reinwardt — (Polypodiaceae Gen. 164).  
*novoguineensis* Posthumus, Rec. Trav. bot. néerl. 25 a. 248 f. 1. 1928. — N. Guinea.  
*papilioniformis* Kjellberg, Engl. Jahrb. 66 50. 1933. — Celebes.
- DOODIA** R. Brown. — (Polypodiaceae Gen. 85).  
*gracilis* Cop. Univ. Calif. Publ. Bot. 14. 362. 1929. — N. Caledonia.  
*marquesensis* E. Brown, Bishop Mus. Bull. 89. 73 t. 16. 1931. — Marquesas.  
*paschalis* C. Chr. in Skottsberg, Nat. Hist. Juan Fernandez 2. 48 f. 1. 190. — Isla de Pascua.
- DORYOPTERIS** J. Smith — (Polypodiaceae Gen. 106).  
*australiae* Bonap. N. Pt. 4. 100. 1916. — N. Australia.  
*Branneri* Cop. Phil. Journ. Sci. 38. 148 t. 4. 1929. — Brasilia.  
*cuspidata* Cop. l. c. — Mindanao.  
*deltoidea* (Kze.) Diels 1899, Index. — Potius *Cheilanthes* vel *Pellaea*.  
*Duclouxii* Christ 1902, Index = *Cheilanthes*.  
 ?*Fournieri* (Bak.) C. Chr. Index = *Pellaea*.  
*hybrida* Brade et Ros. Fedde Rep. 21. 346. 1925. — Brasilia.  
*D. hastata* × *patula* l. c.  
*Kitchingii* (Bak.) Bonap. in Ind. Suppl. pré. = *Pellaea*.  
*latiloba* C. Chr. Arch. Bot. (Caen) 2. Bull. mens. 213. 1928, Dansk Bot. Ark. 7. 118 t. 43 f. 5. 1932. — Madagascar.  
*Michelii* Christ 1910, Ind. Suppl. = *Cheilanthes argentea* var.  
*muralis* Christ 1904, Index = *Cheilanthes argentea* var.  
*phanerophlebia* (Bak.) Diels 1899, Index = *Adiantum*.  
 ?*rigida* (Sw.) Diels 1899, Index = *Pellaea*.  
 ?*robusta* (Kze.) Diels 1899, Index = *Cryptogramma*.  
*Rosenstockii* Brade, Bol. Mus. Nac. Rio Janeiro 7. 143 t. 8. 1931. — Brasilia.  
*rufa* Brade, l. c. 5. 94 t. 2. 1929. — Brasilia.  
 ?*Skinneri* (Hk.) C. Chr. Index = *Pellaea*.  
*tijucana* Brade et Ros. Bol. Mus. Nac. Rio Janeiro 7. 144 t. 9. 1931. — Brasilia.  
*Veitchii* Christ 1906, Ind. Suppl. = *Cheilanthes*.
- DRYMOGLOSSUM** Presl; cf. C. Chr. Dansk Bot. Ark. 6 no. 3. 1929. —  
*abbreviatum* Fée 1857 = *Hymenolepis*. [(Polypodiaceae Gen. 163).  
*assamense* Gandoger, Bull. Soc. Fr. 66. 306. 1919. — Assam.  
*Brooksii* v. A. v. R. Bull. Buit. II no. 28. 318. 1918 = *Grammatopteridium*  
*carnosum* (Wall.) J. Sm. 1841, Index = *Lemmaphyllum*. [costulatum var.]

- cordatum* Christ 1911, Ind. Suppl. = *Leptochilus*.
- ?*crassifolium* Brause 1911; C. Chr. l. c. 88 t. 12. 1929. — N. Guinea. (An ellipticum Moore 1857 = *D. heterophyllum*. [Cyclophorus?].
- fallax* v. A. v. R. Phil. Journ. Sci. 11 C. 111 t. 6. 1918; C. Chr. l. c. 85 t. 12, 13. 1929 — Moluccæ, N. Guinea. — *D. Schlechteri* Hier. et Brause 1920.
- heterophyllum* (L.) Trimen, Journ. Linn. Soc. 24. 152. 1887; C. Chr. Index 246 (excl. syn. *Pt. piloselloides* L. etc.), l. c. 84 t. 12, 13. 1929. — Ceylon. India austr. — *Pteris* L. 1753.
- martinicense* Christ 1897, Index = *Cyclophorus lanceolatus*.
- metacoelum* v. A. v. R. Bull. Buit. II no. 28. 21 t. 2. 1918 = *Pycnoloma*.
- microphyllum* (Pr.) C. Chr. Index = *Lemmaphyllum*.
- niphoboloides* (Luer.) Bak. 1887, C. Chr. l. c. 88 t. 12, 13, 1929. — Madagascar.
- ?*novo-guineae* Christ, C. Chr. l. c. 89 t. 11. 1929. — N. Guinea. — *Cyclophorus novo-guinense* Nakai 1926. *C. Bamlerii* Ros. 1912. *C. Ledermanni* Brause 1920. (An *Cyclophorus*?).
- obovatum* (Harr.) Christ 1905, Index = *Lemmaphyllum microphyllum* var. *piloselloides* (L.) Pr. 1836; C. Chr. l. c. 86 t. 12, 13. 1929. — Asia trop. *Pteris* L. 1763; *Dr. heterophyllum* auctt., Index 246 p. p. max.
- rigidum* Hk. 1854, Index = *Pycnoloma*.
- rotundifolium* Pr. 1848 = *D. piloselloides*.
- Schlechteri* Hier. et Brause, Engl. Jahrb. 56. 177. 1920 = *D. fallax*.
- subcordatum* Fée 1852 = *D. fallax* et *Lemmaphyllum microphyllum*.
- tetragocum* v. A. v. R. Bull. Buit. II no. 28. 21 t. 3. 1918 = *Pycnoloma rigidum*.
- Underwoodianum* (Maxon) C. Chr. Ind. Suppl. = *Marginariopsis Wiesbaurii*. *Wiesbaurii* Sodiro 1893, Index = *Marginariopsis*.
- DRYMOTAENIUM** Makino. — Cf. C. Chr. Dansk Bot. Arkiv 6. no. 3. 52-54. 1929. — (Polypodiaceae Gen. 151).
- Miyoshianum* Mak. — Adde loc. China et syn. *Monogramme robusta* (Christ)
- DRYNARIA** (Bory) J. Smith. — (Polypodiaceae Gen. 157). [C. Chr. Index.
- acuminata* Brack. 1854 (p. 47) = *Polypodium vitiense*.
- acuminata* Fée 1873 = *Polypodium Thurnii*.
- alternifolia* Brack. 1854 = *Polypodium Parksii*.
- amphilogos* v. A. v. R. Nova Guinea 14. 16. 1924. — N. Guinea.
- crassinervata* Fée 1857 = *Polypodium lanceolatum*.
- Esquirolii* C. Chr. 1913, Ind. Suppl. prélim. = *Aglaomorpha coronans*.
- leporella* Goebel, Ann. Jard. Buit 39. 145 t. 15, 18. 1928 = *Aglaomorpha*.
- melanococca* hort.; Houlst. et Moore, Gard. Mag. Bot. 3 91. 1851. — India
- reducta* Christ in Index = *D. sinica*.
- sylvatica* Brack. 1854 = *Polypodium vitiense*.
- Drynariopsis* Copeland (Phil. Journ. Sci. 6C. 140. 1911), Univ. Calif. Publ. Bot. 16. 117. 1929 (*Aglaomorpha* §) = **Aglaomorpha**.
- DRYOPTERIS** Adanson, Index (excl. *Stigmatopteris*) — (Polypodiaceae Gen. 12). *Obs.* Species plures ab auctt. americanis ad *Thelypteridem*, aliae ab auctt. (Ridley, v. A. v. R., Handel-Mazzetti aliisque) ad *Lastream*, *Nephrodium*, *Phegopteridem* translatae sunt.
- Litterae ante nomina specierum positae subgenera indicant, quae aut in opere meo: *Monogr. Dryopteris* circumscripta sunt aut Asiatica nondum a me delimitata:

C = Cyclosorus.	L = Lastrea (nom. opt. Thelypteris?).
Ct = Ctenitis.	Lp = Leptogramma.
Eu = Eudryopteris.	M = Meniscium.
G = Goniopteris.	Pa = Parapolystichum.
Gl = Glaphyropteris.	Po = Polystichopsis.
Gy = Gymnocarpium.	S = Stegnogramma.
H = Hypodematiium.	Sr = Steiropteris.

- (L) **Abbottiana** Maxon, Journ. Wash. Acad. Sci. 14. 89. 1924. — Hispaniola.
- (L) **abbreviatipinna** Mak. et Ogata, Journ. Jap. Bot. 6. 10. 1929. — Japonia.  
*D. gracilesens* var. *abbreviata* Kodama in Matsum. Ic. Pl. Koisik. 2. 43 t. 106. 1914.  
*acrostichoides* v. A. v. R. Mal. Ferns Suppl. Corr. 49. 1917 = *D. canescens* var. (an sp.?)
- acuminata** (Lowe) Watts, Proc. Linn. Soc. N. S. Wales 41. 380, 392. 1916. — Australia. — *Aspidium* Lowe 1857 (non Willd. 1810); *Lastrea* Moore 1858. — (*D. decomposita* sens. lat.).
- (C) **acuminata** Ros. Med. Rijks Herb. no. 31. 7. 1917. — Java.  
*acuminata* Nakai, Bot. Mag. Tokyo 42. 217. 1928 = *D. sophoroides*.
- (Ct) **adenopteris** C. Chr. Vid. Selsk. Skr. VIII. 6. 85 f. 18. 1920. — Brasilia austr. Argentina.  
*adenorachis* C. Chr. Ind. Suppl. pré. = *D. fructuosa*.
- (Ct) **adnata** (Bl.) v. A. v. R. Mal. Ferns 191. 1909 et Suppl. 501. 1917 (excl. syn.)  
 — Java, Borneo. — *Aspidium* Bl. 1828. *Polystichum truncatum* v. A. v. R. 1914, Ind. Suppl. pré.
- aequibasis* C. Chr. in Bonap. N. Pt. 16. 162. 1925 = *D. prolixa*.
- (C) **afra** Christ 1908, Ind. Suppl. — Afr. trop.  
*D. elata* (Mett.) C. Chr. Index (non Ktze. 1891).
- (Lp) **africana** (Desv.) C. Chr. — Adde syn. (vel varr.) *D. Scallanii* (Christ) C. Chr. Index. — *D. izuensis* Kodama 1914; *D. pseudo-africana* Mak. et Ogata 1927. *Leptogramma Loveii* Nakai, Bot. Mag. Tokyo 45. 103. 1931 (= *Loweii* J. Sm.).
- (G) **alata** (L.) Maxon, Journ. Wash. Acad. Sci. 14. 92. 1924. — Hispaniola.  
*Polypodium alatum* L. sp. 1086. 1753 (Plum. t. 84).
- (C) **albidipilosa** Bonap. N. Pt. 15. 9. 1924. — Afr. or. trop.
- (C) **albociliata** Cop. Journ. Arnold Arb. 10. 177. 1929. — N. Guinea.  
**albovillosa** Watts, Proc. Linn. Soc. N. S. Wales 39. 771 t. 88 f. 8. 1915.  
 — Queensland.
- (L) **Alfredii** Ros. Fedde Rep. 22. 10. 1925. — Costa Rica.  
*alloëoptera* (Kze.) C. Chr. Index et Suppl. 104 = *Stigmatopteris*.
- (L) **alta** Brause, Engl. Jahrb. 56. 86. 1920. — N. Guinea.  
*amaiensis* Ros. Med. Rijks Herb. no. 31. 6. 1917 = *D. rubida* var.
- (Eu) **ambigens** (Nakai) Koidzumi, Fl. Symb. Orient. As. 39. 1930. — Japonia.  
*D. erythrosora* var. *ambigens* Nakai, Bot. Mag. Tokyo 39. 119. 1925.  
*ameristoneura* C. Chr. Index = *D. Grisebachii*.
- (Ct) **ampla** (H. B. Willd.) O. Ktze. — Cf. C. Chr. Vid. Selsk. Skr. VIII. 6. 49.  
*anateinophlebia* (Bak.) C. Chr. Index = *D. Bergiana*. [1920 ubi syn.]
- (M) **anceps** Maxon, Contr. U. S. Nat. Herb. 24. 62. 1922. — Trinidad, Tobago.  
 Bahia? — *Leptochilus Fendleri* (Bak.) C. Chr. Index (non *Dryopteris* O. Ktze.). — ?*Heteroneuron meniscioides* Fée 1845 (non *Dryopteris* C. Chr. Index).

- (Ct) **andicola** C. Chr. Vid. Selsk. Skr. VIII. 6. 88. 1920. — Colombia—Ecuador.
- (Eu) **antarctica** (Bak.) C. Chr. Ind. Suppl. III. 81. 1934. — Ins. Amsterdam.  
Nephrodium Bak. Journ. Linn. Soc. 14. 479. 1875; Aspidium Fourn. 1875.  
*apicidens* (Bak.) C. Chr. Index = *Athyrium dissitifolium*.  
*arborea* v. A. v. R. Bull. Buit. II no. 28. 24. 1918 = *D. Rosenburghii*.
- (Eu) **arguta** (Klf.) Watt, Canadian Naturalist II. 13. 159. 1867. — Alaska—California. — *Aspidium argutum* Klf. Enum. 212. 1824; *Thelypteris* Moxley 1920; *Dryopteris rigida* subsp. Index cum syn.
- (Ct) **aripensis** C. Chr. et Maxon, Journ. Wash. Acad. Sci. 14. 143. 1924. —  
*arisanensis* Ros. 1915, Ind. Suppl. préel. = *D. sublaxa*. [Trinidad.  
*armata* Ros. 1915, Ind. Suppl. préel. = *D. imponens*.
- (Eu) **assamensis** (Hope) C. Chr. et Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 4. 1933. — Assam - China - merid. - Tonkin. — *Nephrodium* Hope, JoB. 1890. 326.  
*assamica* Ros. Med. Rijks Herb. no. 31. 6. 1917 = *Polystichum*.  
*asterothrix* (Fée) C. Chr. Ind. Suppl. = *D. malacothrix*.
- (C) **Atasripitii** Ros. Med. Rijks Herb. no. 31. 6. 1917. — N. Guinea.  
*athyriiformis* Ros. 1915, Ind. Suppl. préel. = *Athyrium fluviale*.  
*athyriocarpa* Cop. 1909, Ind. Suppl. = *D. viscosa*.
- (Eu) **atrata** (Wall) Ching, Sinensia 3. 326. 1933. — Ind. bor. - China. — *Aspidium* Wall. 1828, Kze. Linn. 24. 279. 1851, Mett. Asp. no. 126. *Dryopteris* *Gamblei* (Hope) C. Chr. Index.
- (Ct) **atrogrisea** C. Chr. Vid. Selsk. Skr. VIII. 6. 71 f. 15. 1920. — Costa Rica.
- (C) **atrosinosa** C. Chr. Engl. Jahrb. 66. 43. 1933. — Celebes.  
*aureo-viridis* Ros. 1914, Ind. Suppl. préel. = *D. singalanensis*.  
*auriculata* Ching, Bull. Fan Mem. Inst. 2. 196. 1931 = *D. himalayensis*.
- (L) **auriculifera** v. A. v. R. Bull. Buit. III. 5. 197. 1922. — Lingga Ins. (Malesia).
- (C) **austera** Brause, Engl. Jahrb. 56. 108. 1920. — N. Guinea.  
*austriaca* × *spinulosa* Holmberg, Skandinaviens Flora 11. 1922 = *D. dilatata* × *spinulosa*.  
*austrosinensis* Christ 1907, Ind. Suppl. = *Tectaria*.  
*austro-ussuriensis* Komarov, Bull. Jard. Pierre le Grand 16. 147. 1916. — *Athyrium crenulato-serrulatum*.
- (L) **badia** v. A. v. R. 1914, Ind. Suppl. préel. — Adde loc. Borneo et syn *D. linearis* Cop. 1917.  
**bankinsinensis** Hayata, Ic. Pl. Formosa 8. 146 f. 73—74. 1919. — Formosa. — (*Diplazium*?).
- (Eu) **barbellata** Fomin, Fl. Sib. et Or. Extr. 5. 59, fig. 1930. — Reg. Amur. Sachalin, China bor.  
*Baroni* (Bak.) C. Chr. Index = *D. magna*.
- (C) **Bartlettii** Cop. Univ. Calif. Publ. Bot. 14. 374 t. 58. 1929. — Sumatra.  
*basisora* Christ 1909, Ind. Suppl. = *D. fructuosa*.
- (C) **batjanensis** Ros. Med. Rijks Herb. no. 31. 5. 1917. — Ins. Batjan.
- (Po) **bella** C. Chr. in Bonap. N. Pt. 16. 164 t. 8. 1925. — Madagascar.
- (L) **Bergiana** (Schlecht.) O. Ktze. Cf. C. Chr. Dansk Bot. Ark. 7. 44. 1932. — Africa trop. et austr. Madagascar. — Adde syn. *D. anateinophlebia* (Bak.) C. Chr. Index. *D. maranguensis* (Hier.) C. Chr. Index. *D. obtusiloba* C. Chr. Index (excl. *Polypodium* Desv. 1811; *Aspidium* Desvauxii Mett.). *D. Palmii* C. Chr. 1916, Ind. Suppl. préel. *D. Sewellii* (Bak.) C. Chr.
- (Lp) **bicolor** Bonap. N. Pt. 14. 204. 1924. — Gabon. [Index.  
Index Filicum. Supplementum III.



- (Po) **Bissetiana** (Bak.) C. Chr. — Adde syn. *D. sacrosancta* Koidzumi 1924; *Polystichum* Koidzumi 1929. *P. pacificum* Nakai 1925.  
*Blanfordii* Christ, Not. Syst. 1. 42. 1909 = *D. Championi*.
- (Ct) **blepharochlamys** C. Chr. Cat. Pl. Mad. Pter. 28. 1932 (nomen), Dansk Bot. Ark. 7. 60 t. 15 f. 1—5. 1932. — Madagascar.  
*blepharolepis* C. Chr. 1916, Ind. Suppl. pré-l. = *D. sublacera*.  
*blepharorachis* C. Chr. 1916, Ind. Suppl. pré-l. = *D. Poolii*.  
*Bojeri* O. Ktze. 1891 = *D. aquilinoides*.
- (C) **boninensis** Kodama; Koidzumi, Bot. Mag. Tokyo 38. 109. 1924. — Bonin.  
*borneensis* (Hk.) O. Ktze., Index = *Davallodes*.  
*Bourgaei* (Fourn.) C. Chr. Index = *D. equestris*.  
*Brauniana* (Karst.) O. Ktze., Index = *Tectaria*.  
*Braunii* × *lobata* G. Beck, Oest. Bot. Zeit. 67. 114. 1918 = *Polystichum*.  
*brevipinna* C. Chr. Index = *D. exsculpta*.
- (G) **Brittonae** Slosson; Maxon, Pter. Porto Rico 475. 1926. — Puerto Rico.  
*brunneo-villosa* C. Chr. Index = *D. leucolepis*. [Hispaniola.
- (C) **brunnescens** C. Chr. Engl. Jahrb. 66. 44. 1933. — Celebes.  
*Buchanani* (Bak.) O. Ktze., Index = *D. squamiseta*.  
*Buchholzii* (Kuhn) C. Chr. Index = *Tectaria*.
- (Lp) **bukoensis** Tagawa, Acta Phytotax. 1. 89. 1932. — Japonia.  
*bullata* (Christ) C. Chr. Ind. Suppl. = *D. melanosticta*.
- (Eu) **Buschiana** Fomin, Fl. Sib. et Or. extr. 5. 52, fig. 1930. — Reg. Amur. — (= *D. polylepis*?).
- (L) **calcarata** (Bl.) O. Ktze. — Malesia. — Dele loc. cet. et syn. *Lastrea fal-ciloba* Hk. et *Aspidium ciliatum* Wall. etc.
- (C) **calcicola** C. Chr. Engl. Jahrb. 66. 44. 1933. — Celebes.
- (Po) **callipteris** C. Chr. Bull. Mus. Paris II. 6. 101. 1934. — Annam.
- (Eu) **callolepis** C. Chr. Notizblatt Bot. Gart. Berlin 9. 177. 1924. — Africa or. trop.  
*callopsis* (Franch. et Sav.) C. Chr. Index = *D. Maximowiczii* et *D. Mi-queliana* (t. Koidzumi 1930).
- (C) **callosa** (Bl.) C. Chr. — Adde loc. Borneo et syn. *Pneumatopteris* Nakai 1933.  
*calva* Cop. 1910, Ind. Suppl. = *D. gracilescens* var.  
*camptocaulis* (Fée) C. Chr. Index = *D. flexuosa*.  
*campyloptera* (Kze.) Clarkson, Amer. Fern Journ. 20. 118. 1930 = *D. spi-nulosa* var.  
*Carrii* (Bak.) C. Chr. Index = *Stigmatopteris*.
- (Po) **carvifolia** C. Chr. Acta Hort. Goth. 1. 64. 1924 = *Polystichum himalayense*.  
*catocarpa* (Kze.) O. Ktze., Index = *D. nemophila*.  
*caudata* (Raddi) C. Chr. Index = *Stigmatopteris*.  
*caudiculata* C. Chr. Cat. Pl. Mad. Pter. 25. 1932 = *D. prismatica*.  
*caudipinna* Nakai, Bot. Mag. Tokyo 45. 96. 1931. — Japonia.
- (C) **celebica** (Bak.) Cop. Phil. Journ. Sci. 37. 410. 1928. — Celebes.  
*Leptochilus* (Bak.) C. Chr. Index.
- (M) **Cesatiana** C. Chr. Index. — Adde loc. Ceram(?). Fiji et syn. *D. oblan-ceolata* Cop., Ind. Suppl. pré-l., *Phegopteris* v. A. v. R. 1917. — Ph. *Rutteniana* v. A. v. R. 1918?.
- (Po) **chaerophylloides** (Poir.) C. Chr. Vid. Selsk. Skr. VIII. 6. 105 f. 22. 1920. — Antillae maj. — *Polypodium* Poir. Enc. 8. 542. 1804. *P. portoricense* Spr. 1821; *Phegopteris* Fée 1852. — Ph. *sericea* Mett. 1860.

- (Eu) **Championi** (Benth.) C. Chr. apud Ching Sinensia 3. 327. 1933. — China austr. — *Aspidium* Benth. Fl. Hongkong 436. 1851. *Dryopteris lepidorachis* C. Chr. Index; *Nephrodium rheosorum* (Bak.) Hand.-Mzt. 1929 c. syn. *chinensis* Koidzumi, Fl. Symb. Or. Asiat. 39. 1930 = *D. subtripinnata*.
- (Ct) **chiriquiana** C. Chr. Vid. Selsk. Skr. VIII. 6. 36. 1920. — Panama.
- (L) **chlamydophora** Ros. Med. Rijks Herb. no. 31. 5. 1917 (nomen), C. Chr. Gardens Bull. S. S. 4. 384. 1929. — Sumatra, Borneo, Celebes, Malacca. Burma. — *Lastrea nephrodioides* Bedd. 1866 (non Moore 1858).  
Christiana Kodama; Koidzumi, Bot. Mag. Tokyo 38. 107. 1924 = *D. oreopteris* var. *Fauriei*.  
Christii C. Chr. Index = *Stigmatopteris opaca*.  
*chrysotricha* (Bak.) C. Chr. Index = *Tectaria*.  
*chrysotrichoides* Ros. Med. Rijks Herb. no. 31. 5. 1917 = *D. tenuifrons*.
- (Po?) **chupengensis** (Ridley) C. Chr. Ind. Suppl. III. 83. 1934. — Malacca. — *Lastrea* Hook., Ridley Journ. Straits Br. R. As. Soc. no. 59. 232. 1911.  
*ciliata* C. Chr. ap. Wu, Polyp. Yaoshan. t. 30. 1932 = *D. pseudocalcarata*.
- (Ct) **cirrrosa** (Schum.) O. Ktze. — Dele syn. *N. crinibulbon* Hk.
- (C) **Clemensiae** Cop. Phil. Journ. Sci. 46. 213. 1931. — Luzon.  
**commixta** Tagawa, Acta Phytotax. 2. 190. 1933. — Japonia.  
**confinis** Maxon in C. Chr. Vid. Selsk. Skr. VIII. 6. 101. 1920 (syn.) = *D. effusa* var.
- (Ct) **connexa** (Klf.) C. Chr. Index. — Cf. Vid. Selsk. Skr. VIII. 6. 79. 1920, ubi syn. — Adde loc. Uruguay, Paraguay.
- (L) **consanguinea** × **sancta** Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 194. 1929. — Dominica.  
*consimilis* (Fée) C. Chr. 1907, Ind. Suppl. = *D. gracilis*.
- (C) **contigua** Ros. Med. Rijks Herb. no. 31. 8. 1917. — Borneo.
- (Gy) **continentalis** Petrov. Fl. Jakutiae 15. c. ic. 1930 — Sibiria. (Cf. *D. conterminoides* C. Chr. Index = *D. Macgregori*. [remoti-pinnata.  
*contracta* (Christ) C. Chr. Ind. Suppl. = *Stigmatopteris cordifolia* v. A. v. R. 1913, Ind. Suppl. pré. = *D. holophylla*.)
- (Fu) **cordipinnula** C. Chr. Cat. Pl. Mad. Pter. 27. 1932 (nomen), Dansk Bot. Ark. 7. 55 t. 11 f. 10-12. 1932. — Madagascar.
- (Eu) **coreano-montana** Nakai, Bot. Mag. Tokyo 35. 132. 1921. — Korea.
- (L) **coriacea** Brause, Engl. Jahrb. 56. 83. 1920. — N. Guinea.
- (L) **cornuta** Maxon, Journ. Wash. Acad. Sci. 19. 245, fig. 1929. — Colombia.
- (C) **costata** (Brack.) Maxon, Univ. Calif. Publ. Bot. 12. 26. 1924. — Tahiti. (Samoa, Fiji). — *Goniopteris* Brack. 1854, *Polypodium* Hk. 1863, *Nephrocostularis* (Bak.) C. Chr. Index = *D. silvatica*. [dium Diels 1899.
- (L) **crassifolia** (Bl.) O. Ktze. — Dele loc. Birma et syn. *Lastrea nephrodioides* Bedd.
- (Eu) **crassirhizoma** Nakai, Cat. Sem. Hort. Bot. Univ. Imp. Tokyo 32. 1920. — Japonia. — (*D. filix mas*?).
- (Sr) **crassiuscula** Maxon, Amer. Fern Journ. 23. 75. 1933. — Costa Rica.  
*Creaghii* (Bak.) C. Chr. Index = *D. singalanensis*.
- (Ct) **crenulans** (Fée) C. Chr. Vid. Selsk. Skr. VIII. 6. 90. 1920. — Brasilia. Paraguay. — *Aspidium* Fée 1869.
- (M) **crenulata** Bonap. N. Pt. 7. 147. 1918. — Annam.  
*crenulato-serrulata* (Mak.) C. Chr. Index = *Athyrium*.

- (Ct) **crinibulbon** (Hk.) C. Chr. Ind. Suppl. III. 84. 1934. — Africa occ. trop. Nephrodium Hk. sp. 4. 92 t. 244. 1862; Lastrea J. Sm. 1875; Nephrodium cirrhosum Bak. 1874 (part.?, non Aspidium Schum.).
- (Ct) **crinita** (Poir.) O.Ktze. — Adde var Polypodium obtusilobum Desv. 1811 (non HB. Syn.); Dryopteris C. Chr. Index part.; Aspidium Desvauxii Mett., Kuhn 1868.
- (G) **crypta** (Und. et Maxon) C. Chr. Amer. Fern Journ. 11. 44. 1921. — Cuba. — Polypodium Und. et Maxon 1902, Index cubensis (Kuhn) O.Ktze., Index = D. formosa.  
culcita (Christ) C. Chr. Ind. Suppl. = D. ampla.  
cyclocolpa (Christ) C. Chr. Index = Stigmatopteris.
- (?) **cyclosorus** v. A. v. R. Nova Guinea 14. 21. 1924. — N. Guinea. — (D. syrmaticeae aff.).
- (C) **cyrtocaulos** v. A. v. R. Bull. Buit. III 5. 201. 1922. — Sumatra.
- (L) **cystopteroides** (Eat.) C. Chr. Ind. Suppl. III. 84. 1934. — Japonia-China or. — Luzon. — Athyrium Eat. 1858, Index c. syn. Dryopteris thysanocarpa Hayata 1914, Ind. Suppl. pré-l. — Aspidium angustifrons Miq. 1867. — Dryopteris grammitoides (Christ) C. Chr. Index. — Athyrium hyalostegium Cop. 1906, Ind. Suppl.  
Davenportii C. Chr. Index = D. equestris.  
Dayi (Bedd.) C. Chr. Index = D. singalanensis.
- (Eu) **decepiens** (Hk.) O.Ktze. — Adde syn. Polystichum diplazioides Christ 1902, Index.
- (Ct) **decurrenti-pinnata** Ching, Bull. Fan Mem. Inst. 2. 195 t. 9. 1931. — Hainan.
- (C) **dentata** (Forsk.) C. Chr. Vid. Selsk. Skr. VIII. 6. 24. 1920. — Arabia felix — Africa trop. et austr. cum ins. Ins. Atlant. America trop. (Asia trop.?, v. D. subpubescens). — Polypodium Forsk. 1775, Nephrodium Kumm. 1933, Dryopteris mollis (Jacq.) Hier. 1907, Ind. Suppl.
- (Po) **denticulata** (Sw.) O.Ktze. 1891, C. Chr. Vid. Selsk. Skr. VIII. 6. 112 f. 25. 1920. — Jamaica, Hispaniola. Mexico-Bolivia (varr.) — Polystichum (Sw.) J. Sm. 1841, Index c. syn.  
— \*Aspidium laetum Sw. 1817; Dryopteris C. Chr. l. c. 1920 (non Index) — Brasilia. — Polystichum tenerum Fée 1852. Aspidium Klotzschii Hk. 1854. — A. gracilipes Fée 1869.  
denticulata Hayata, Gen. Ind. Fl. Formosa 101. 1917. = D. Hancockii.
- (Eu) **dentipalea** Nakai, Bot. Mag. Tokyo 34. 36. 1920. — Korea.
- (Eu) **deparioides** (Moore) O.Ktze \***concinna** Index. — Adde syn. Dryopteris emigrans Cop. 1931.  
de Vriesei Ros. Med. Rijks Herb. no. 31. 1. 1917. — Java.  
Dewevrei Christ; Bonap. N. Pt. 14. 207. 1924 = D. afra.
- (L) **diaphana** Brause, Engl. Jahrb. 56. 80. 1920. — N. Guinea.  
dichrotricha Cop. Phil. Journ. Sci. 7C. 54. 1912 (non l. c. 6C. 74. 1911) = D. dichrotrichoides.
- (C) **dichrotrichoides** v. A. v. R. Mal. Ferns Suppl. Corr. 48. 1917. — N. Guinea.  
D. dichrotricha Cop. 1912 (non 1911); D. Weberi Cop. 1929.
- (L) **dicksonioides** (Mett.) Cop. Bishop Mus. Bull. 93. 35. 1932. — Phegopteris Mett., Kuhn, Linn. 36. 118. 1869. ?Dryopteris Vescoi (Drake) C. Chr. Index.
- (C) **dieranogramma** v. A. v. R. Bull. Buit. III. 5. 202. 1922 — Sumatra.  
Dielsii C. Chr. Index = Athyrium.
- (C) **dimorpha** Brause, Engl. Jahrb. 56. 100. 1920. — N. Guinea.

- (C) **dissecta** (Forst.) O.Ktze. — Dele loc. Ind. bor. et var. *N. ingens* Atk. et *Aspidium Gardnerianum* Mett.  
*dissitifolia* (Bak.) C. Chr. Index = *Athyrium*.
- (L) **diversivenosa** v. A. v. R. Bull. Buit. II no. 28. 23. 1918. — Sumatra.
- (G) **domingensis** (Spr.) Maxon, Pter. Porto Rico 474. 1926. — Ind. occ. — *D. guadalupensis* (Wikstr.) C. Chr. 1911, Ind. Suppl. (non Index 269).  
*Eberhardtii* Christ 1908, Ind. Suppl. = *D. ochthodes*.
- (C) **echinospora** v. A. v. R. Bull. Buit. III. 2. 149. 1920. — Sumatra.  
*ecuadorensis* C. Chr. Vid. Selsk. Skr. VIII. 6. 29. 1920 (syn.) = *Stigma-*
- (Pa) **effusa** (Sw.) Urban. — Dele \**exculpta*. [topteris.  
*Ekmanii* Brause, Ark. för Bot. 17. no. 7. 67. 1922 = *Diplazium pectinatum*.  
*elata* (Mett.) C. Chr. Index = *D. afra*.  
*elegans* Koidzumi, Bot. Mag. Tokyo 38 108. 1924. — Japonia.
- (C) **elliptica** Ros. Med. Rijks Herb. no. 31. 6. 1917. — Ins. Phil. — (*D. canescens* forma?).  
*Elmeri* v. A. v. R. Mal. Ferns Suppl. 314. 1917 (syn.) = *Diplazium*.  
*emigrans* Cop. Univ. Calif. Publ. Bot. 12. 392. 1931 = *D. deparioides* \**con-*  
*enneaphylla* (Bak.) C. Chr. Index = *D. Sieboldii*. [cinna.
- (L) **ensipinna** Brause, Engl. Jahrb. 56. 84. 1920. — N. Guinea.
- (C) **epaleata** C. Chr. Ind. Suppl. III. 85. 1934. — N. Caledonia. — *D. Francii*  
 Cop. Univ. Calif. Publ. Bot. 14. 357. 1929 (non C. Chr. 1925).
- (Ct) **equestris** (Kze.) C. Chr. Vid. Selsk. Skr. VIII. 6. 54. 1920. — Mexico—  
 Costa Rica. — *Polypodium* Kze. 1844. *Dryopteris Bourgaei* (Fourn.)  
 C. Chr. et *D. Davenportii* C. Chr. Index.  
*erythrosora* var. *ambigens* Nakai, Bot. Mag. Tokyo 39. 119. 1925 = *D. ambigens*.  
*erythrosora* subsp. *chiliolepis* Hand.-Mzt. Akad. Anz. Akad. Wiss. Wien 1922 no. 7 = *D. Championi*.  
*erythrostemma* (Christ) C. Chr. Index = *D. pulverulenta*.  
*Escritorii* v. A. v. R. Bull. Buit. II no. 23. 10. 1916. — Luzon.
- (C) **enaensis** Cop. Univ. Calif. Publ. Bot. 12. 391. 1931. — Tonga.  
*eurostotricha* (Bak.) C. Chr. Index = *D. distans*.  
*euryphylla* Ros. Med. Rijks Herb. no. 31. 7. 1917. — Sumatra.
- (Ct) **exaggerata** (Bak.) C. Chr. Dansk Bot. Ark. 7. 60 t. 16 f. 4—7. 1932. —  
 Madagascar. — *Nephrodium crinitum* var. *exaggeratum* Bak. Ann. Bot. 5. 319. 1892.
- (Ct) **excelsa** (Desv.) C. Chr. Index excl. syn., Vid. Selsk. Skr. VIII. 6. 54. 1920. — Martinique—Guadeloupe.  
*excrescens* Cop. Univ. Calif. Publ. Bot. 14. 374. 1929 = *D. iridescens*.
- (Pa) **exculpta** (Mett.) C. Chr. Vid. Selsk. Skr. VIII. 6. 95 f. 20. 1920. — Mexico—  
 Ecuador. — *Aspidium* Mett. 1858; *Dryopteris effusa* subsp. Index. —  
*D. guatemalensis* (Bak.) O.Ktze., Index.
- (C) **exculpta** (Bak.) C. Chr. apud Cop. Phil. Journ. Sci. 37. 410. 1928. —  
 Borneo. — *Leptochilus exculptus* (err. typ.) (Bak.) C. Chr. Index. *Dryop-*  
*teris brevipinna* C. Chr. Index.
- (C) **extensa** (Bl.) O. Ktze. — Adde loc. Africa or. et syn. *D. Wakefieldii* (Bak.)  
 C. Chr. Index.  
*Faberi* (Bak.) C. Chr. Index = *Polypostichum lepidocaulon*.
- (L) **falciloba** (Hk.) C. Chr. Contr. U. S. Nat. Herb. 26 274. 1931. — Ind.  
 bor. - China austr. - Tonkin. — *Lastrea* Hk. JoB. 9. 337. 1857; *Aspidium*  
*Benth.* 1861; *Nephrodium* Hk. 1862.

- Fargesii* (Christ) C. Chr. Index = *D. Miqueliana*.
- (C) *farinosa* Brause, Engl. Jahrb. 56. 111. 1920. — N. Guinea.
- (L) *fatuhivensis* E. Brown, Bishop Mus. Bull. 89. 27 f. 8. 1931. — Marquesas.
- Fauriei* Kodama in Matsum. Ic. Pl. Koisik. 2. 11 t. 90. 1914. — Japonia.
- (Po) *festina* (Hance) C. Chr. Ind. Suppl. III. 86. 1934. — China merid.  
*Aspidium* Hance, JoB. 1883. 269.
- fibrillosa* Hand.-Mzt, Akad. Anz. Akad. Wien 1922 no. 7. 2 = *D. Rosthornii*.
- (Eu) *fliix mas* (L.) Schott. — Reg temp. bor. et subtrop.  
 — — \**elongata* (Ait.). — dele loc. Ins. Mascar. et syn. *Nephrodium* Bojeri.  
 — Subspecies ceterae Indicis mihi nunc sp. validae sunt:  
 — *A. oligodonton* Desv. = *D. oligantha*.  
 — *A. paleaceum* Sw. = *D. paleacea*.  
 — *A. Ludovicianum* Kze. (loc. falsa) = *D. oligantha*.  
 — *A. Hawaiiense* Hill. = *D. hawaiiensis*.  
 — *N. antarcticum* Bak. = *D. antarctica*.  
 — *A. patentissimum* Wall. (excl. var. *fibrillosa* Clarke) = *D. paleacea*.  
 — — var. *fibrillosa* (Clarke) = *D. Rosthornii*.  
 — var. *hasiana* (Clarke) = *D. paleacea* var.  
 — *N. Kingii* Hope = *D. serrato-dentata*?  
 — *N. nidus* Clarke = *D. apiciflora* vel *D. Clarkei*.  
 — *N. pandum* (Clarke) Hope = *D. panda*.  
 — *N. serrato-dentatum* (Bedd.) Hope = *D. serrato-dentata*.  
 — *L. odontoloma* Moore = *D. odontoloma*.  
 — *N. Schimperianum* (Clarke) Hope = *D. cochleata* var.  
 — *A. marginatum* Wall. = *D. marginata*.  
 — *N. assamense* Hope = *D. assamensis*.  
 — *A. oxyodon* Franch. = *D. laeta*.  
 — *A. adnatum* Bl. = *D. adnata*.  
 (Cf. *D. Buschiana* Fomin, *D. crassirhizoma* Nakai, *D. monticola* (Mak.)  
 C. Chr., *D. polylepis* (Fr. et Sav) C. Chr.).
- firmifolia* (Bak.) O. Ktze., Index = *D. Trianae*.
- Fischeri* (Mett.) O. Ktze., Index = *D. ptarmica*!
- Fordii* Ching, Sinensia 3. 330. 1933 = *D. crenata* var.
- fluvialis* Hayata 1914, Ind. Suppl. préel. = *Athyrium*.
- (Po) *formosa* (Fée) Maxon, C. Chr. Vid. Selsk. Skr. VIII. 6. 119. 1920. — Cuba.  
*Aspidium* Fée 1852; *Dryopteris cubensis* (Kuhn) O. Ktze., Index.  
*formosa* Maxon 1909 = *D. denticulata* var. *jucunda*.  
*formosa* Nakai, Bot. Mag. Tokyo 45. 97. 1931 = *D. japonica* var.
- (Eu) *formosana* (Christ) C. Chr. Index — Adde syn. *Polystichum constantissimum* Hayata 1914, Ind. Suppl. préel.
- (?) *Forsythii Majoris* C. Chr. Cat. Pl. Mad. Pter. 29. 1932 (nomen), Dansk Bot. Ark. 7. 63 t. 16 f. 1—3. 1932. — Madagascar.
- (Pa) *Francii* (Ros.) C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 70. 222. 1925. — N. Caledonia. — *Microlepia* Ros. herb.  
*Francii* Cop. Univ. Calif. Publ. Bot. 14. 357. 1929 = *D. epaleata*.
- (Eu) *fructuosa* (Christ) C. Chr. Index. — Adde syn. *Nephrodium* Hand.-Mzt. 1929. *Dryopteris pseudovaria* (Christ) C. Chr. Index. *D. basisora* Christ 1909, Ind. Suppl. *D. adenorachis* C. Chr. Ind. Suppl. préel.
- (L) *fulgens* Brause, Engl. Jahrb. 56. 89. 1920. — N. Guinea.  
*fuliginosa* C. Chr. Vid. Selsk. Skr. VIII. 6. 120 f. 29. 1920. (loc. falsa, specim. typ. certe e St. Helena) = *D. cognata*.

- furcata* (Kl.) O. Ktze., Index, err. typ. = *fuscata*.  
*fuscata* Hier. Hedwigia 46. 347. 1907 = *D. nemophila*.  
*fusco-atra* Robinson 1912 = *D. paleacea*.  
*Galeottii* (Mart.) C. Chr. Index = *D. subincisa*.  
*Gamblei* (Hope) C. Chr. Index = *D. atrata*.  
*genuflexa* Ros. 1913, Ind. Suppl. pré. = *D. gracilipes*.  
*Gilberti* Clute 1900, Index = *D. subincisa*.  
*Gillespiei* Cop. Bishop Mus. Bull. 59. 10. 1929. — Fiji.  
*Giraldii* C. Chr. Journ. Wash. Acad. Sci. 17. 500. 1927 = *D. laeta*.  
(L) *glabra* (Brack.) O. Ktze. — Dele loc. Tahiti et var. *Phegopteris dicksonioides* Mett.  
(L) *glanduligera* (Kze.) Christ, Journ. de Bot. 21. 231. 1908. — Japonia. Korea—China or.—Tonkin. — *Aspidium* Kze. 1837: *Dryopteris gracilescens* Index (excl. syn. *A. angustifrons*).  
(L) *glaucescens* Brause, Engl. Jahrb. 56. 85. 1920. — N. Guinea.  
*glaucostipes* (Bedd.) C. Chr. Index = *D. heterocarpa*.  
*Goeringianum* Koidzumi, Bot. Mag. Tokyo 43. 382. 1929 = *Athyrium*.  
(L) *gracileseens* (Bl.) O. Ktze. — Dele subsp.  
*gracilifrons* C. Chr. Index = *Athyrium Atkinsoni*.  
(Cu) *gracilipes* (Cop.) C. Chr. Ind. Suppl. III. 87. 1934. — Luzon. N. Guinea. *Currania* Cop. 1909, Ind. Suppl.; *Gymnocarpium* Ching 1933. — *Dryopteris genuflexa* Ros. 1913, Ind. Suppl. pré. — (An *D. oyamensis* forma?).  
(L) *gracilis* (Hew.) Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 210. 1929. — Jamaica, Cuba, Guadeloupe. — *Gymnogramme* Hew. 1838. *Dryopteris consimilis* (Fée) C. Chr. 1907, Ind. Suppl.  
*grammitoides* (Christ) C. Chr. Index = *D. cystopteroides*.  
*grenadensis* (Jenm.) C. Chr. Index = *D. dentata*.  
(L) *Grantii* Cop. Bishop Mus. Bull. 93. 8. pl. 7C. 1932. — Tahiti.  
(Ct) *Grisebachii* (Bak.) O. Ktze. 1891, C. Chr. Vid. Selsk. Skr. VIII. 6. 44 f. 7. 1930. — Cuba, Jamaica, Hispaniola. — *D. ameristoneura* C. Chr. Index.  
*grossa* (Christ) C. Chr. Index = *D. Scottii*.  
*guadalupensis* (Wikstr.) C. Chr. Ind. Suppl. = *D. domingensis*.  
*guatemalensis* (Bak.) O. Ktze., Index = *D. exulta* var.  
*Gueintziana* (Mett.) C. Chr. Index = *D. proluxa*.  
(L) *Guentheri* Ros. Fedde Rep. 25. 59. 1928. — Bolivia.  
*guianensis* Posthumus, Ferns Surinam 51. 1928 = *Stigmatopteris*.  
(?) *gurupahensis* C. Chr. Engl. Jahrb. 66. 45. 1932. — Celebes. — *D. sagneioides* var. *gurupahensis* C. Chr. Svensk Bot. Tids. 16. 95 f. 2. 1922.  
*gymnogrammoides* (Bak.) C. Chr. Index = *D. oyamensis* var.  
*gymnopoda* (Bak.) C. Chr. Index = *D. viscosa*.  
(C) *gymnopteridifrons* Hayata, Ic. Pl. Formosa 8. 148 f. 75—76. 1919. — Formosa.  
(C) *Haenkeana* (Pr.) O. Ktze., Index. — Dele HB 290 et syn. *N. multilineatum* Pr., adde syn. *Tectaria serrata* Cav. 1802. — (An *D. unita*?).  
*haitiensis* Maxon, Journ. Wash. Acad. Sci. 14. 91. 1924 = *D. macrotheca*.  
*Hancockii* (Cop.) Nakai, Bot. Mag. Tokyo 41. 74. 1927. — Formosa. — Also *phila denticulata* Bak. 1885, Index; *Dryopteris* Hayata 1917 (non supra); *Cyathea Hancockii* Cop. 1909; *C. polyodonta* Domin 1929.  
(L) *Harcourtii* Domin, Kew Bull. 1929. 219. Mem. R. Czech. Soc. Sci. n. s. 2. 198 t. 34 f. 1. 1929. — Dominica. — (Cf. *D. concinna*).

- (Po) **Hasseltii** (Bl.) C. Chr. Index. — Adde loc. Malacca, Borneo et syn. D. *laserpitiifolia* (Scott.) C. Chr. Index.
- (G) **hastata** (Fée) Urban 1903, Ind. Suppl. 107. — Dele syn. *Goniopteris leptocladia*.
- (C) **hastato-pinnata** Brause, Engl. Jahrb. 56. 112. 1920. — N. Guinea.
- (Eu) **Hayatai** Tagawa, Acta Phytotax. 1. 156. 1932. — Japonia.  
*hemiptera* Maxon, Contr. U. S. Nat. Herb. 24. 59. 1932 = *Stigmatopteris Henryi* C. Chr. Contr. U. S. Nat. Herb. 26. 282. 1931 = *Polystichum*.
- (L) **heteroclita** (Desv.) C. Chr. — Dele syn. *Gymn. gracilis* Hew.
- (Eu) **heterolaena** C. Chr. Acta Hort. Gothob. 1. 62 t. 17. 1924. — China occ.
- (A) **heterophylla** (Pr.) O. Ktze. 1891. — Ins. Phil. — *Haplodictyum* Pr. 1849;  
*Dryopteris canescens*\* Index c. syn. — *Haplodictyum majus* Cop. 1920.
- (L) **himalayensis** C. Chr. Ind. Suppl. III. 88. 1934. — Ind. bor. - China merid.  
*Polypodium auriculatum* Wall. 1828, Hk. 1862 (non alior.); *Dryopteris* Ching 1931; *D. squamaestipes* C. Chr. Index (excl. var. *squamaestipes* Clarke).
- (L) **hirsutipes** (Clarke) C. Chr. Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 14. 1933. — Khasia - China merid. — *Nephrodium gracilescens* var. *hirsutipes* Clarke, Tr. Linn. Soc. II. Bot. 1. 514 t. 67 f. 1. 1880;  
*Dryopteris* sp. Wu, Polyp. Yaoshan. t. 7. 1932.
- (C) **hirticarpa** Ching, Bull. Fan Mem. Inst 2. 197 t. 11. 1931. — Yunnan.
- (Eu) **hirtipes** (Bl.) O. Ktze. — Dele syn. *Asp. atratum* Wall., loc. China-India et var. *Polypodium Scottii* Bedd.
- (C) **hirtisora** C. Chr. Contr. U. S. Nat. Herb. 26. 277. 1926. — Yunnan, Siam bor.
- (C) **hirto-pilosa** Ros. Med. Rijks Herb. no. 31. 7. 1917. — Ins. Phil. — (*D. subpubescens*?).
- (Eu) **hirtosparsa** Christ 1909, Ind. Suppl. — Cf. *D. squamiseta*.
- (Po) **hispidula** (Sw.) O. Ktze. 1891. — N. Zealand. Australia. — *Polystichum* (Sw.) J. Sm. 1841, Index cum syn.  
*hispidula* Brause Engl. Jahrb. 56. 102. 1920 = *D. hispiduliformis*.
- (C) **hispiduliformis** C. Chr. Ind. Suppl. III. 88. 1934. — N. Guinea.  
*D. hispidula* Brause 1920 (non O. Ktze.)  
(Cf. *Nephrodium hispidulum* A. Peter).
- (C) **holophylla** (Bak.) C. Chr. — Adde loc. Malacca et syn. *D. cordifolia* v. A. v. R. 1913, Ind. Suppl. pré-l. — *D. mirabilis* Cop. 1911, Ind. Suppl.
- (Eu) **hondoensis** Koidzumi, Acta Phytotax. 1. 31. 1932. — Japonia.
- (C) **horridipes** v. A. v. R. Bull. Buit. II no. 28. 23. 1918.
- (C) **Hudsoniana** (Brack.) Ros. Fedde Rep. 12. 525. 1913. — Ins. Hawaii. — (Polynesia?). — *Nephrodium* Brack. 1854; *Aspidium* Mann 1868.  
*Humblotii* (Bak.) C. Chr. Index = *Arthropteris orientalis*.
- (?) **hunsteiniana** Brause, Engl. Jahrb. 56. 79. 1920. — N. Guinea.  
*ichtiosma* (Sod.) C. Chr. Index et Suppl. 107 = *Stigmatopteris*.  
*illyrica* G. Beck, Oest. Bot. Zeit. 67. 113. 1918 = *Polystichum lobatum* × *lonchitis*.
- (L) **immersa** (Bl.) O. Ktze. — Cf. *D. verrucosa*.  
*Imrayana* Domin, Mem. R. Czech. Soc. Sci. n. s. 2. 191 t. 38 f. 1-2. 1929 = *Stigmatopteris rotundata* var.
- (Ct) **inaequalifolia** (Colla) C. Chr. Vid. Selsk. Skr. VIII. 6. 73. 1920. — Juan Fernandez. — *Polypodium* Colla 1836; *P. Berteroanum* Hk. 1862; *Dryopteris subincisa*\* *Berteriana* C. Chr. Index.

- (Eu) **inaequalis** (Schl.) O. Ktze. — Cf. *D. oligantha*. — An *Polypodium umbilicatum* Poir. 1804?. — V. et *D. marginata*.
- (C) **inclusa** Cop. Univ. Calif. Publ. Bot. 14. 373 t. 57. 1929. — Sumatra.
- (L) **inconspicua** Cop. Phil. Journ. Sci. 12C. 55. 1917. — Borneo.  
*incrassata* (Christ) C. Chr. Index = *Athyrium dissitifolium*.  
*indusiata* Mak. et Yamamoto, Suppl. Ic. Pl. Formos. V. 2. 1932 = *D. gymnosora* var.
- (Ct) **ingens** (Atk.) Ching, Sinensia 2. 15. 1931. — Ind. bor. — *Nephrodium* Atk., Clarke, Tr. Linn. Soc. II. Bot. I. 526 t. 73. 1880.  
*insularis* Kodama in Matsum. Ic. Pl. Koisik. 2. 49 t. 109. 1913. — Ins. Bonin.
- (Eu) **integriloba** C. Chr. Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 5. 1933. — China merid. Tonkin.
- (Ct) **interjecta** C. Chr. Vid. Selsk. Skr. VIII. 6. 43. 1920. — Amer. centr.  
*intermedia* O. Ktze. 1891; v. A. v. R. Bull. Buit. III. 2. 144. 1920 = *D. vilis*.
- (C) **interrupta** (Willd.) Ching, Lingnan Sci. Journ. 12. 566. 1933. — Asia, Austr., Polynesia trop. — *Pteris* Willd. Phytogr. 1. 13 t. 10 f. 1. 1794.  
*Aspidium pteroides* Sw. 1801; *Dryopteris* O. Ktze. 1891, Index c. syn. (excl. *Polypodium pteroides* Retz.)  
*izuensis* Kodama in Matsum. Ic. Pl. Koisik. 2. 7 t. 88. 1913 = *D. africana* var.  
*jessoensis* Koidzumi, Bot. Mag. Tokyo 38. 104. 1924 = *D. Linnaeana* var. (an *D. remoti-pinnata*?).  
*juxtaposita* Christ 1907, Ind. Suppl. = *D. odontoloma*.  
*kamtschatica* Komarov 1914, Ind. Suppl. pré. = *D. oreopteris*.  
*Karsteniana* (Kl.) Hier. 1907, Ind. Suppl. = *D. pulverulenta*.
- (Pa) **Killipii** C. Chr. et Maxon, Amer. Fern Journ. 18. 4. 1928. — Panama, Costa Rica.  
*kinabaluensis* Cop. Phil. Journ. Sci. 12C. 55. 1917 = *D. viscosa*.  
*Kingii* (Bedd.) C. Chr. Index = *D. Boryana*.  
*kinkiensis* Koidzumi; Tagawa, Acta Phytotax. 2. 200. 1933. — Japonia.
- (Ct) **Kjellbergii** C. Chr. Engl. Jahrb. 66. 44. 1933. — Celebes.
- (L) **Klossii** (Ridley) v. A. v. R. Mal. Ferns Suppl. 501. 1917. — N. Guinea.  
*Lastrea* Ridley, Tr. Linn. Soc. II Bot. 9. 257. 1916.  
*Koidzumiana* Tagawa, Acta Phytotax. 2. 190. 1933. — Japonia.  
*Klotzschii* C. Chr. Ind. Suppl. = *Stigmatopteris nephrodioides*.
- (Eu) **Komarovii** Kossinsky, Not. syst. Hort. Petr. 2. 1. 1921. — Turkestan, Afghanistan.  
*Korthalsii* Ros. Med. Rijks Herb. no. 31. 5. 1917 = *D. peltata*.
- (C) **labuanensis** C. Chr. Index. — Adde loc. Java et var. *Gymnogramme macrotis* Kze. 1848 (non *Dryopteris* (Hk.) O. Ktze); *D. oxyotis* Ros. 1917.
- (Eu) **laeta** (Komarov) C. Chr. Ind. — Adde loc. Asia ross. extr. orient. — China bor. et occ. et syn. *Aspidium oxyodon* Franch. 1883 (non *Dryopteris* (Bak.) C. Chr. Index). *Dryopteris wladivostokensis* B. Fedtschenko 1912, Ind. Suppl. pré. *D. Giraldii* C. Chr. 1927. *D. subramosa* Christ 1909, Ind. Suppl.  
*laeta* C. Chr. Vid. Selsk. Skr. VIII. 6. 117. 1920 = *D. denticulata*\*.
- (M) **lakhimpurensis** Ros. Med. Rijks Herb. no. 31. 7. 1917. — Assam.  
*lamprocaulis* (Christ) C. Chr. Ind. Suppl. = *Alsophila*.  
*larutensis* (Bedd.) C. Chr. Index = *Sphaerostephanos*.  
*laserpitiifolia* (Scort.) C. Chr. Index = *D. Hasseltii*.  
*lasiocarpa* Hayata 1911, Ind. Suppl. pré. = *D. uliginosa* var. *oligophlebia*.



- Lastii (Bak.) C. Chr. Index = *D. kilemensis*.  
(Cf. *Phegopteris lastreoides* v. A. v. R. 1920).
- latealata (Christ) C. Chr. (err. typ. recte lateadnata) = *D. connexa*.
- Ledermanni Brause, Engl. Jahrb. 56. 90. 1920 = *D. phaeostigma*.
- lepidorachis C. Chr. Index = *D. Championi*.
- (G) **leptocladia** (Fée) Maxon, Pter. Porto Rico 476. 1926. — Ind. occ.  
*Goniopteris* Fée 1866.
- (L) **leucolepis** (Pr.) Maxon, Proc. Biol. Soc. Wash 36. 172. 1923. — Malesia—  
Polynesia. — *Lastrea* Pr. 1849. *Polypodium pallidum* Brack. 1854. *Dry-*  
*opteris brunneo-villosa* C. Chr. Index cum syn.  
*leuconeura* Nakai, Bot. Mag. Tokyo 47. 180. 1933 = *D. unita*?
- (Po) **leucostegioides** C. Chr. Vid. Selsk. Skr. VIII. 6. 118. f. 28. 1920. —  
Colombia—Panama.  
*Leveillei* Christ 1909, Ind. Suppl. = *D. omeiensis*.
- (L) **Levingii** (Clarke) C. Chr. Index. — Adde loc. China occ. et centr. et  
syn. *D. Purdomii* C. Chr. 1913 Ind. Suppl. pré-l.  
*lichiangensis* (Wright) C. Chr. Ind. Suppl. = *Polystichum moupinense*.  
*linearis* Cop. Phil. Journ. Sci. 12C. 56. 1917 = *D. badia*.
- (Eu) **Liliana** Golicin, Fedde Rep. 31. 388. 1933. — Turkestan.  
*linkiana* Maxon, Journ. Wash. Acad. Sci. 14. 199. 1924 = *D. diplazioides*.
- (C) **lithophylla** Cop. Phil. Journ. Sci. 12C. 57. 1917. — Borneo.  
*lobata* G. Beck, Oest. Bot. Zeitschr. 67. 113. 1918 = *Polystichum*.  
*lobata* × *lonchitis* C. Beck, l. c. = *Polystichum*.  
*lomatopelta* (Kze.) C. Chr. Index = *D. melanochlamys*.  
*longicaudata* (Liebm.) C. Chr. Ind. Suppl. = *Stigmatopteris*.  
*longifolia* Bonap. N. Pt. 5. 55. 1917 = *D. sambiranensis*.  
*Lorentzii* (Hier.) C. Chr. Index = *D. argentina*.  
*loxoscaphoides* (Bak.) C. Chr. Index = *Leucostegia*.  
*Macarthyi* (Bak.) C. Chr. Index = *D. laxa*.
- (L) **Macgregori** (Bak.) C. Chr. Ind. Suppl. III. 90. 1934. — N. Guinea.  
*Nephrodium* Bak. Ann. Bot. 5. 320. 1891. *Lastrea* Ridley 1916; *Dry-*  
*opteris conterminoides* C. Chr. Index.
- (?) **macrolepidota** Cop. Bishop Mus. Bull. 93. 8 t. 7 B. 1932. — Tahiti.
- (G) **macropoda** (Mett.) C. Chr. apud Cop. Univ. Calif. Publ. Bot. 17. 31. 1932.  
— Brasilia. — *Aspidium macropus* Mett. Fil. Lechl. II. 20. 1859.
- (C) **macroptera** Cop. Univ. Calif. Publ. Bot. 12. 392. 1931. — Tonga.
- (Ct) **macrosora** (Fée) C. Chr. Vid. Selsk. Skr. VIII. 6. 82. 1920. — *Phegop-*  
*teris* Fée 1852 (nomen); *Polypodium subincisum* Mart. Ic. Cr. Bras.  
89 t. 64. 1834 (non Willd. 1810). *P. inaequale* Klf., Link 1833 (non *Dry-*  
*opteris* Index).
- (Ct) **macrotheca** (Fée) C. Chr. Ind. Suppl. — Adde loc. Hispaniola et syn. *D.*  
*haitiensis* Maxon 1924.
- (C) **magnifica** Cop. Bishop Mus. Bull. 59. 11. 1929. — Fiji.  
*Makinoi* Koidzumi, Acta Phytotax. 1. 26. 1932 = *D. obtusissima*.
- (G) **malacothrix** Maxon, Proc. Biol. Soc. Wash. 43. 87. 1930. — Ind. occ.  
Amer., centr. Venezuela. — *D. asterothrix* (Fée) C. Chr. 1914, Ind. Suppl.  
(non Ros. 1909).
- (?) **mamberamensis** v. A. v. R. Bull. Buit. II no. 24. 3. 1917 (syn.) — N. Guinea.  
*Phegopteris* v. A. v. R. l. c.

- (Ct) **Mannii** (Hope) v. A. v. R. Bull. Buit. III. 2. 145. 1920. — Assam.  
Nephrodium Hope, JoB. 1890. 145. (Nomen malum, non D. Manniana C. Chr. Index).  
maranguensis (Hier.) C. Chr. Index = D. Bergiana.
- (L) **Margaretæ** E. Brown, Bishop Mus. Bull. 89. 29 t. 3. 1931. — Ins. Rapa (Polynesia).
- (Eu) **marginata** (Wall.) Christ 1901. — Ind. bor.-China austr. — D. filix mas  
\*Aspidium marginatum Wall., Index c. syn. — Cf. D. inaequalis et D. Marthæ v. A. v. R. 1911, Ind. Suppl. = D. calcarata. [oligantha. Martiana Ros. 1906 = D. abundans.  
Mataanae Brause, Notizblatt Bot. Gart. Berlin 8. 139. 1922 = D. pubirachis.
- (Ct) **Matsumuræ** (Mak.) C. Chr. — Adde loc. China et syn. Aspidium Maximowiczianum Miq. 1867 (t. Rosenstock in litt.); Dryopteris Koidzumi 1930 (non D. Maximowiczii Index). — (Aspidium subtripinnatum est t. Koidzumi eadem sp.?).
- (Eu) **Matsuzoana** Koidzumi, Bot. Mag. Tokyo 39. 15. 1925. — Japonia.  
Maximowicziana Koidzumi, Fl. Symb. Orient. As. 21. 1931 = D. Matsumuræ.  
Mazei (Fourn. C. Chr. Index = D. macrotheca.
- (Eu) **medioxima** Koidzumi, Acta Phytotax. 1. 32. 1932. — Korea.
- (L) **megalocarpa** v. A. v. R. Bull. Buit. III. 5. 199. 1922. — Sumatra.  
megaphylloides v. A. v. R. 1915, Ind. Suppl. préel. = D. pseudomegaphylla.
- (Eu) **melanocarpa** Hayata 1914. — An D. sparsa var.?
- (Ct) **melanochlamys** (Fée) O. Ktze., Ind. Suppl. 108. — Cuba. — Adde syn. D. lomtopelta (Kze.) C. Chr. Index. — An D. nemorosa var.? (v. Vid. Selsk. Skr. III. 6. 41. 1920).
- (Ct) **melanosticta** (Kze.) O. Ktze. 1891, Ind. Suppl. 108. C. Chr. Vid. Selsk. Skr. VIII. 6. 42. 1920. — Mexico—Costa Rica. — Adde var. D. bullata (Christ) C. Chr. Ind. Suppl.
- (C) **membranifera** C. Chr. in Bonap. N. Pt. 16. 170 t. 2. 1925. — Madagascar.
- (Ct) **meridionalis** (Poir.) C. Chr. Vid. Selsk. Skr. VIII. 6. 46 f. 8. 1920. — Guadeloupe—Grenada. Bermuda (var. speluncae C. Chr. l. c.) — Polypodium Poir. Enc. 5. 553. 1804. Aspidium frondosum Wikstr. 1826. A. nemorosum Jenm. 1894; Nephrodium Jenm. 1908, non Desv. 1827).
- (C) **mesocarpa** Cop. Bishop Mus. Bull. 93. 9 t. 7 A. 1932. — Ins. Societatis.
- (L) **Mexiæ** C. Chr. apud Cop. Univ. Calif. Publ. Bot. 17. 32 t. 6. 1932. —
- (?) **micans** Brause, Engl. Jahrb 56. 98. 1920. — N. Guinea. [Brasilia Michaelis (Bak.) C. Chr. Ind. et Suppl. 108 = Stigmatopteris.
- (L) **microcarpa** v. A. v. R. Bull. Buit. III. 2. 146. 1920. — Sumatra.
- (Ct) **microlepigera** Nakai, Bot. Mag. Tokyo 43. 5. 1929. — Ins. Bonin.
- (L) **microlepioides** C. Chr. Bull. Mus. Paris II. 6. 102. 1934. — Tonkin.  
microlepis (Bak.) C. Chr. Ind. Suppl. = D. thibetica.
- (C) **microsora** Cop. Bishop Mus. Bull. 59. 12. 1929. — Fiji.  
microstegia Ros. Fedde Rep. 10. 334. 1912 = D. brunnea.
- (Pa) **microtricha** Cop. Bishop Mus. Bull. 59. 10. 1929. — Fiji. — (An D. davaliioides var.?).  
Milletii C. Chr. Index = D. vilis.
- (M) **minuscule** Maxon, Kew Bull. 1932. 135. — Colombia.
- (?) **Miqueliana** (Maxim.) C. Chr. — Adde loc. China et syn. D. Fargesii (Christ) C. Chr. Index.  
mirabilis Cop. 1911, Ind. Suppl. = D. holophylla f. pinnata.

- (Ct) **modesta** C. Chr. in Bonap. N. Pt. 16. 171 t. 5. 1925. — Madagascar.
- (L) **mollicella** Maxon, Proc. Biol. Soc. Wash. 36. 49. 1923. — Dominica.
- (Ct) **mollicoma** C. Chr. Vid. Selsk. Skr. VIII. 6. 75. 1920. — Ecuador.  
*mollis* (Jacq.) Hier. 1907, Ind. Suppl. = *D. dentata*.  
*mollissima* (Christ) C. Chr. Index = *D. flaccida*.  
*mongolica* (Franch.) C. Chr. Index = *Athyrium fallaciosum*.  
*monocarpa* (Cordem.) C. Chr. Index = *Arthropteris*.  
*Morlae* (Sod.) C. Chr. Index = *Tectaria*.  
*Moussetii* Ros. Fedde Rep. 8. 278. 1910 = *D. brunnea*.
- (L) **multifrons** C. Chr. in Bonap. N. Pt. 16. 172 t. 2 b. 1925. — Madagascar.
- (C) **multijuga** (Bak.) O. Ktze. 1891. — Ind. bor. Siam.  
*Nephrodium* Bak. Syn. 291. 1867.
- (C) **multilineata** (Pr.) C. Chr. Svensk Bot. Tids. 16. 95. 1922 (non O. Ktze. 1891). — Malesia. — *Nephrodium* Pr. 1836 (non Bak. 1867); *Aspidium* Mett. Pheg. et Asp. 108 no. 258. 1858. *Nephrodium Haenkeanum* Bak. 1867 (non Pr. 1849).
- (L) **munda** Ros. Med. Rijks Herb. no. 31. 5. 1917. — N. Guinea.
- (C) **muricata** Brause, Engl. Jahrb. 56. 106. 1920. — N. Guinea.
- (C) **mutabilis** Brause, l. c. 97. — N. Guinea.  
*myriolepis* (Bak.) C. Chr. Index = *D. nemorosa*.
- (L) **neglecta** Brade et Ros. Bol. Mus. Nac. Rio Janeiro 7. 142 t. 7. 1931. — Brasilia.
- (Ct) **nemophila** (Kze.) C. Chr. Vid. Selsk. Skr. VIII. 6. 57 f. 11. 1920. — Venezuela—Peru. Argentina. — *Aspidium* Kze. Linn. 9. 95. 1834. — *A. catocarpum* Kze. 1834; *Dryopteris* O. Ktze. 1891, Index. *D. furcata* (Kl.) O. Ktze. 1891, Index.  
*nemoralis* (Sod.) C. Chr. Index = *D. nephrodioides* var. C. Chr. Vid. Selsk. Skr. VIII. 6. 25. 1920.
- (Ct) **nemorosa** (Willd.) Urban 1903, C. Chr. l. c. 40. — Adde syn. *D. myriolepis* (Bak.) C. Chr. Index. — Cf. *D. melanochlamys* supra.
- (L) **neo-auriculata** Ching, Bull. Fan Mem. Inst. 2. 196 t. 10. 1931. — Yunnan.
- (Eu) **nigrosquamosa** Ching, l. c. 194. — Kansu.
- (Eu) **nipponensis** Koidzumi in Mayebar, Fl. Austro-Higoensis 5. 1931, Acta Phytotax. 1. 28. 1932. — Japonia.
- (C?) **Norrisii** Ros Med. Rijks Herb. no. 31. 8. 1917. — Malacca.  
*Lastraea* Ridley 1926.
- (L) **notabilis** Brause, Engl. Jahrb. 56. 91. 1920. — N. Guinea.  
*nothochlaena* Maxon, Contr. U. S. Nat. Herb. 24. 58. 1922 = *Stigmatonuda* Und. 1897, Index = *D. glabra*. [pteris.]
- (L) **nuna** J. W. Moore, Bishop Mus. Bull. 102. 7. 1933. — Raiatea (Ins. Soc.)
- (C) **nymphalis** (Forst.) Cop. Bishop Mus. Bull. 59. 46. 1929. — N. Zealand.  
 Polynesia. — *Polypodium* Forst. 1786; *Dryopteris parasitica* var. Index  
*oblanceolata* Cop. 1914, Ind. Suppl. pré. = *D. Cesatiana*. [c. syn.]
- (L) **obliquata** (Mett.) O. Ktze. — Adde syn. *D. Richardsi* (Bak.) C. Chr. Index.  
*D. Sangnelli* (Bak.) C. Chr. Index.
- (C) **oblonga** Brause, Engl. Jahrb. 56. 109. 1920. — N. Guinea.
- (?) **obscura** (Fée) Christ, Phil. Journ. Sci. 2C. 214. 1907. — Asia trop. —  
*D. sagenioides* \**obscura* C. Chr. Index c. syn. *D. schizoloma* v. A. v. R. 1914, Ind. Suppl. pré. — *Nephrodium melanopus* Hk. 1862; *N. sagenioides* Bak. 1867, HB. 271; *Dryopteris* O. Ktze, Index part., auctt. rec

- (non *Aspidium* Mett., v. *D. trichotoma*). —? *Aspidium ferrugineum* et *A. nigricaulis* Fée 1852 (vix *A. zeylanicum* Fée 1852).
- (C) **obstructa** Cop. Univ. Calif. Publ. Bot. 12. 378. 1931. — Rarotonga.
- (L) **obtusata** v. A. v. R. Bull. Buit. II no. 28. 22. 1918. — Sumatra.  
*obtusata* Ballard, Kew Bull. 1932. 75 = *D. interrupta*.  
*obtusiloba* (Desv.) C. Chr. Index c. syn. *Polypodium* Desv. (non HB); *Aspidium Desvauxii* Mett. = *D. crinita* var.? an *D. bivestita*? (Cf. Dansk Bot. Ark. 7. 203).  
*obtusiloba* C. Chr. pro max. parte c. syn. *Polypodium* HB. Syn. 305 (non Desv.); *Phegopteris* Christ 1897 = *D. Bergiana*.
- (Eu) **obtusissima** Mak. Journ. Jap. Bot. 2. 47. 1918. — Japonia. — *Nephrodium erythrosorum* var. *obtusum* Mak. Bot. Mag. Tokyo 13. 79 1899. *Dryopteris Makinoi* Koidzumi 1932.
- (Po) **ochropteroides** (Bak.) C. Chr. Index; Vid. Selsk. Skr. VIII. 6. 108 f. 24. 1920. — Jamaica. Panama—Colombia. — Adde syn. *D. popayanensis* (Hier.) C. Chr. Index.
- (L) **ochthodes** (Kze.) C. Chr. Index. — Dele syn. *Aspidium xylodes* Kze. etc. et *Nephrodium multijugum* Bak. — (An *D. proluxa*?).
- (Eu) **odontoloma** (Moore) C. Chr. Acta Hort. Gothob. 1. 59. 1924. — India—China austr.—Tonkin. — *D. filix mas* Index 265 c. syn. *D. juxtaposita* Christ
- (L) **odontosora** Bonap. N. Pt. 4. 17. 1917. — Guiana. [1907, Ind. Suppl.
- (L) **ogasawariensis** Nakai, Rigakkwai 26. Apr. 10. 1928 (nomen), Bot. Mag. Tokyo 43. 2. 1929. — Ins. Bonin.  
*Ogatana* Koidzumi, Bot. Mag. Tokyo 39. 10. 1925 = *D. sophoroides* var.  
*Okuboana* Koidzumi, Bot. Mag. Tokyo 38. 112. 1924 = *Athyrium viridifrons*.  
*okushirensis* Miyabe et Kudo, Tr. Sapporo Nat. Hist. Soc. 7. 23. 1918 = *D. Dickinsii*.
- (Ct) **Oldhami** (Bak.) C. Chr. Ind. — Adde syn. *Alsophila subglandulosa* Hance 1866, Index; *Dryopteris* Hayata 1917 (non *O. Ktze.* 1891).
- (Eu) **oligantha** (Desv.) C. Chr. Ind. Suppl. III. 93. 1934. — Ins. Atlant. - Afr. trop. et austr.? — *Aspidium* Desv. 1811; *Dryopteris filix mas* subsp. *oligodonton* et *Ludovicianum* Index c. syn. (t. Kuhn *D. inaequalis* et *D. marginata* formae hujus sp. sunt).
- (C) **oligodictya** (Bak.) C. Chr. Mitt. Inst. Hamburg 7. 148. 1928. — Borneo.  
*Leptochilus* (Bak.) C. Chr. Index. *Syngramma angusta* Cop. 1909, Ind. Suppl.
- (L) **oligolepia** v. A. v. R. Nova Guinea 14. 17. 1924. — N. Guinea.  
*oligophlebia* (Bak.) C. Chr. Index = *D. uliginosa*.
- (Ct) **oophylla** C. Chr. Vid. Selsk. Skr. VIII. 6. 39. 1920. — Jamaica. Hispaniola.  
*opaca* (Don) C. Chr. Index = *Athyrium*.
- (L) **oppositiformis** C. Chr. in Bonap. N. Pt. 16. 173 t. 2. 1925. — Madagascar.  
*oppositipinna* v. A. v. R. 1914, Ind. Suppl. pré. = *D. brunnea*.
- (L) **oreopteris** (Ehrh.) Maxon. — Adde loc. Kamtschatka et var. *D. kamtschatica* Komarov 1914, Ind. Suppl. pré.
- (L) **organensis** Ros. Fedde Rep. 20. 91. 1924. — Brasilia.  
*orientalis* (Gmel.) C. Chr. Index = *Arthropteris*.  
*ornata* (Wall.) C. Chr. Index (excl. syn. *Polypodium pallidum* Brack.) =  
*oshimensis* (Christ) C. Chr. Index = *D. sophoroides*. [D. *setigera*.  
*otaria* (Kze.) O. Ktze. 1891, Index = *Athyrium Cumingianum*.  
*otarioides* (Christ) C. Chr. Index = *Athyrium Sheareri*.  
*oxyodus* (Bak.) C. Chr. Index = *D. syrmatica*.

- oxyotis Ros. Med. Rijks Herb. no. 31. 5. 1917 = *D. labuanensis*.
- (Cu) **oyamensis** (Bak.) C. Chr. Index. — Adde syn. *Phegopteris* v. A. v. R. 1917. — *Dryopteris gymnogrammoides* (Bak.) C. Chr. Index. — Adhuc forte *D. gracilipes* (Cop.) C. Chr. supra (Luzon, N. Guinea).
- padangensis* (Bedd.) C. Chr. Index = *D. vilis*.
- (Ct) **palatangana** (Hk.) C. Chr. Vid. Selsk. Skr. VIII. 6. 56. 1920. — Ecuador. *Nephrodium* Hk. sp. 4. 260. 1862.
- (Eu) **paleacea** (Sw.) C. Chr. Amer. Fern Journ. 1. 94. 1911. — Jamaica, Hispaniola, Mexico—Peru—Argentina—Brasil. Ind. bor. - China austr. Borneo. Ins. Hawaii. Madagascar. — *D. filix mas* \**Aspidium paleaceum* Sw. 1805 c. syn. et \**A. patentissimum* Wall. 1828 c. syn. (excl. var. *fibrillosa* Clarke). — *Dryopteris fusco-atra* Robinson 1912, Ind. Suppl. (Hawaii). — var. *madagascariensis* C. Chr. Dansk Bot. Ark. 7. 53 t. 11 f. 5—9. 1932.
- (L) **pallescens** Brause, Engl. Jahrb. 56. 88. 1920. — N. Guinea. *Palmii* C. Chr. 1916, Ind. Suppl. pré. = *D. Bergiana*.
- (Eu) **panda** (Clarke) C. Chr. Ind. Suppl. III. 94. 1934. — Ind. bor. - China austr. et occ. — *Nephrodium filix mas* var. *panda* Clarke 1880; *Nephrodium Hope* 1899; *Dryopteris filix mas* Index. *Polystichum Bonatianum* Brause 1914, Ind. Suppl. pré.
- pandiformis* (Christ) C. Chr. Index = *Athyrium unifurcatum*.
- (Ct) **pansamalensis** C. Chr. Vid. Selsk. Skr. VIII. 6. 72. 1920. — Guatemala. *paraguayensis* (Christ) C. Chr. Index = *Alsophila* sp.
- parallela* (Bak.) C. Chr. Index = *Arthropteris*.
- paraphysophora** v. A. v. R. Bull. Buit. III. 2. 143. 1920. — Sumatra.
- (C) **parasitica** (L) O. Ktze., Index reduct. — China—Asia trop. — *D. didymosora* (Parish) C. Chr. Index c. syn. — Dele syn. *Polypodium nymphale* Forst. et syn. et subsp. seq. Ind. 282. Cf. *D. dentata*, *nymphalis*, *subpubescens* et *D. amboinensis*, *Jamesonii*, *latipinna*.
- (C) **pauciflora** (Hk.) C. Chr. — Africa trop. — Adde syn. *Polypodium prionodes* C. H. Wright 1906, Ind. Suppl.
- paucivenia* C. Chr. Index = *Psammiosorus*.
- (L) **pectiniformis** C. Chr. Gardens Bull. S. S. 4. 379. 1919. — Perak.
- pedata* (Desv.) O. Ktze., Index = *Camptodium*.
- pellucida* (Franch.) C. Chr. Index = *Cystopteris*.
- pellucido-punctata* C. Chr. Index = *Stigmatopteris*.
- (C) **penangiana** (Hk.) C. Chr. Index. — Malacca. Borneo. — Dele loc. China, Ind. bor. et syn. *Pol. lineatum* Colebr. et *P. costatum* Wall. etc. — v. *D. rampans*.
- (C) **pennigera** (Forst.) C. Chr. Index. — Dele loc. Polynesia. Ins. Philipp. et \**Goniopteris costata* Brack.
- (Ct) **pentagona** Bonap. N. Pt. 4. 64. 1917, C. Chr. Dansk Bot. Ark. 7. 62 t. 15 f. 9—10. 1032. — Madagascar.
- peregrina* C. Chr. Index = *Matteuccia orientalis*.
- (C) **perglandulifera** v. A. v. R. Bull. Buit. III. 2. 150. 1920. — Sumatra.
- (Eu) **Perrieriana** C. Chr. in Bonap. N. Pt. 16. 176 t. 4. 1925. — Madagascar.
- (L) **perstrigosa** Maxon, Kew Bull. 1932. 135. — Colombia.
- (G) **petiolata** Maxon, Journ. Wash. Acad. Sci. 14. 142. 1924. — Hispaniola.
- (?) **phaeostigma** (Ces.) C. Chr. Index. — Adde syn. *Polystichum lastreoides* Ros. 1911, Ind. Suppl. *Dryopteris tamatana* C. Chr. Ind. Suppl. *D. Ledermanni* Brause 1920.

- (L) **pinnata** Cop. Univ. Calif. Publ. Bot. 14. 373. 1929. — Sumatra.
- (C) **plurifolia** v. A. v. R. Bull. Buit. III. 5. 201. 1922. — Sumatra.
- (Eu) **polita** Ros. 1914, Ind. Suppl. pré-l. — Adde loc. Borneo. Tonkin et syn. *Phegopteris* v. A. v. R. 1917.
- (C) **polyotis** C. Chr. Engl. Jahrb. 66. 46. 1933. — Celebes.  
*polypodiformis* (Mak.) C. Chr. Index = *Athyrium Sheareri*.  
*popayanensis* (Hier.) C. Chr. Index = *D. ochropteroides*.  
*porphyrophlebia* (Christ) C. Chr. Index = *D. rampans*.  
*prasina* (Bak.) C. Chr. Index = *Stigmatopteris Lechleri*.  
*prionites* (Kze.) C. Chr. Index = *Stigmatopteris*.
- (C) **Presliana** Ching in C. Chr. Ind. Suppl. III. 95. 1934. — Asia trop.  
*Polypodium asperum* Pr. Rel. Haenk. 1. 24 t. 3 f. 4. 1825 (non L. 1753);  
*D. urophylla* part. Index.
- (C) **prismatica** (Desv.) C. Chr. Dansk Bot. Ark. 7. 202. 1932. — Ins. Mascarenæ, Madagascar. — *Nephrodium* Desv. Prod. 256. 1827. *Aspidium caudiculatum* Sieb., Kze. 1850 Mett. no. 250. *Nephrodium* Pr. 1836; *Dryopteris* C. Chr. 1932.
- (L) **prolixa** (Willd.) O. Ktze. — Dele loc. India? et syn. *Aspidium appendiculatum* Wall. etc. (cf. *D. Wallichii*). — Adde syn. *D. Gueintziana* (Mett.) C. Chr. Index.  
*pseudo-africana* Mak. et Ogata, Journ. Jap. Bot. 4. 140. 1927 = *D. africana* var.  
*pseudoamboinensis* Ros. Med. Rijks Herb. no. 31. 7. 1917 = *D. subpubescens*?
- (L) **pseudocalcarata** C. Chr. Ind. Suppl. III. 95. 1934. — Ind. bor. - China austr. - Tonkin. — *Lastrea sericea* Scott, Bedd. Ferns br. Ind. t. 308. 1869 (non *Dryopteris* C. Chr. 1913). *Aspidium ciliatum* Wall. 1828 (nomen); *Nephrodium* Clarke 1880 (non Desv. 1827); *Dryopteris* C. Chr. 1932.  
*pseudocuspidata* Christ 1911, Ind. Suppl. = *D. rampans*.
- (Eu) **pseudo-erythrosora** Kodama in Matsumura, Ic. Pl. Koisik. 1. 165 t. 83. 1913, Fedde Rep. 15. 174. 1913. — Japonia.
- (C) **pseudohirsuta** Ros. Med. Rijks Herb. no. 31. 7. 1917. — Ins. Phil.
- (C) **pseudomegaphylla** v. A. v. R. Mal. Ferns Suppl. 180. 1917. — Sumatra.  
*D. megaphylloides* v. A. v. R. 1915, Ind. Suppl. pré-l. (non Ros. 1913).  
**pseudoparasitica** v. A. v. R. Nova Guinea 14. 19. 1924. — N. Guinea.  
*pseudoreptans* C. Chr. Index = *D. pilosiuscula*.
- (C) **pseudostenobasis** Cop. Journ. Arnold Arb. 10. 176. 1929. — N. Guinea.  
*pseudovaria* (Christ) C. Chr. Index = *D. fructuosa*.  
**psilosora** Tagawa, Acta Phytotax. 2. 191. 1932. — Riu-Kiu Ins.
- (C) **pterospora** v. A. v. R. Bull. Buit. III. 2. 148. 1920. — Sumatra.  
*pteroides* O. Ktze., Index (excl. syn. *Retzii*) = *D. interrupta*.
- (Po) **pubescens** (L.) O. Ktze. — Dele syn. *P. chaerophylloides* et *P. portoricense*.
- (Ct) **pulverulenta** (Poir.) C. Chr. in Urban, Symb. Ant. 9. 305. 1925. — Hispaniola, Jamaica, Guatemala—Ecuador. — *Polypodium* Poir. Enc. 5. 555. 180 (Plum. t. 34); *Aspidium* Desv. 1827; *A. lutescens* Willd. 1810; *Lastrea* Moore 1858. *Dryopteris Karstomiana* (Kl.) Hier. 1907, Ind. Suppl. c. syn., C. Chr. Vid. Selsk. Skr. VIII. 6. 76. 1920. *D. erythrostemma* (Christ) C. Chr. Index.
- (Ct) **pulvinata** C. Chr. in Bonap. N. Pt. 16. 177 t. 6. 1925. — Madagascar.  
*punctata* (Thbg.) C. Chr. Index = *Hypolepis punctata* et *H. rugosula*.  
*Purdomii* C. Chr. 1913, Ind. Suppl. pré-l. = *D. Levingii*.

- (Eu) **purpurella** Tagawa, Acta Phytotax. 1. 307. 1932. — Japonia.
- (L) **quadriquetra** v. A. v. R. Nova Guinea 14. 16. 1924.
- (L) **Quaylei** E. Brown, Bishop Mus. Bull. 89. 28 f. 9 — Marquesas.  
quelpartensis Christ 1910, Ind. Suppl. = Athyrium.
- (C) **rampans** (Bak.) C. Chr. Index. — Ind. bor. - China. — Adde syn. Polypodium lineatum Colebr. Wall. 1828, Hk. 1863; Goniopteris Pr. 1836; Phegopteris Mett. (non Dryopteris C. Chr. Index). Dryopteris porphyrophlebia (Christ) C. Chr. Index. D. pseudocuspidata Christ 1911, Ind. Suppl.
- (L) **reflexa** Ching, Bull. Fan Mem. Inst. 2. 193. t. 8. 1931. — Yunnan.  
remota Hayata 1911, Ind. Suppl. préel. = D. remoti-pinnata.
- (C) **remotipinna** Bonap. N. Pt. 5. 57. 1917, C. Chr. Dansk Bot. Ark. 7. 50 t. 12 f. 10. 1932. — Madagascar.
- (Gy) **remoti-pinnata** Hayata, Gen. Ind. Fl. Formosa 108. 1917. — Sachalin—Manchuria—Mongolia—China bor. et occ. — Turkestan chin.—Kaschmir. Formosa. — D. remota Hayata 1911; Ind. Suppl. préel. (non Hayek 1908); Gymnocarpium Ching 1933. Aspidium Dryopteris var. longulum Christ, Bull. Boiss. II. 2. 830. 1902. — (An potius D. Robertiana var.? Cf. D. continentalis).
- (Eu) **remotipinnulata** Bonap. N. Pt. 16. 178. 1925. — Madagascar.  
(An D. inaequalis var.?).
- (Eu) **remotissima** (Christ) Koidzumi, Bot. Mag. Tokyo 43. 386. 1929. — Japonia.  
Aspidium spinulosum var. remotissimum Christ, Bot. Mag. Tokyo 24.
- (C) **repandula** v. A. v. R. Nova Guinea 14. 20. 1924. — N. Guinea. [240. 1910.  
repentula (Clarke) Christ 1909, Ind. Suppl. = D. glanduligera.
- (Ct) **rhodolepis** (Clarke) C. Chr. Index. — Ind. bor.-China austr.-Tonkin-Japonia? — Dele syn. Aspidium intermedium et seq.  
Richardsi (Bak.) O.Ktze., Index = D. obliquata.  
Ridleyana Brause, Engl. Jahrb. 56. 112. 1920 = D. Wollastonii.  
Ridleyi (Bedd.) C. Chr. Ind. Suppl. = D. viscosa.  
rigida (Hoffm.) Und., Index = D. Villarsii.  
rigida \*arguta (Klf.) Index = D. arguta.
- (L) **rigidifolia** v. A. v. R. Nova Guinea 14. 18. 1924. — N. Guinea.
- (Po) **rigidissima** (Hk.) C. Chr. Vid. Selsk. Skr. VIII. 6. 118 f. 27. 1920. — Jamaica, Hispaniola. — Nephrodium denticulatum var. rigidissimum Hk. sp. 4. 148. 1860.
- (L) **Robinsonii** (Ridley) C. Chr. Gardens Bull. S. S. 4. 381. 1929. — Malacca.  
Lastraea Ridley, Journ. Fed. Mal. Stat. Mus. 10. (128—156) 1920, Journ. Mal. Br. R. As. Soc. 4. 65. 1926.
- (C?) **Rosenburghii** C. Chr. Ind. Suppl. III. 96. 1934. — Ceram. — D. arborea v. A. v. R. Bull. Buit. II no. 28. 24. 1918 (non Brause 1914).
- (Eu) **Rosthornii** (Diels) C. Chr. Index — Ind. bor.-China. — Adde syn. Nephrodium filix mas var. fibrillosa et var. khasiana Clarke, Tr. Linn. Soc. II Bot. 1. 520 et 519, t. 70 et 69 f. 1. 1880. Dryopteris fibrillosa Hand.-Mzt. 1922. D. xanthomelas (Christ) C. Chr. Ind. Suppl. — (Cf. rotundata (Willd.) C. Chr. Index = Stigmatopteris. [D. polylepis].
- rubicunda** (v. A. v. R.) C. Chr. Ind. Suppl. III. 96. 1934. — Sumatra.  
Phegopteris v. A. v. R. Bull. Buit. III. 2. 162. 1920.
- rubra** Ching, Bull. Fan Mem. Inst. 2. 198 t. 12. 1931. — Ind. bor.-China austr.
- rufo-pilosa** Brause, Engl. Jahrb. 56. 106. 1920. — N. Guinea. — Goniopteris rudis Ridley, Tr. Linn. Soc. II. Bot. 9. 259. 1916 (non Dry-

- opteris C. Chr. Ind.); *Phegopteris Ridleyana* v. A. v. R. 1917 (non *Dryopteris Brause* 1920).
- (L) **rupicola** C. Chr. Fedde Rep. 15. 24. 1917. — Hispaniola.  
*sacrosancta* Koidzumi, Bot. Mag. Tokyo 38. 108 = *D. Bissetiana*.  
*sagenioides* (Mett.) O.Ktze., Index part. = *D. trichotoma*.  
*sagenioides* auctt. rec., Index part. cum subsp. *obscura* = *D. obscura*.  
*sagenioides* var. *gurupahensis* C. Chr. Svensk Bot. Tids. 16. 95. 1922 =  
*D. gurupahensis*.
- (C) **sambiranensis** C. Chr. Cat. Pl. Mad. Pter. 26. 1932 (nomen), Dansk Bot. Ark. 7. 50 t. 12 f. 11. 1932. — Madagascar. — *D. longifolia* Bonap. N. Pt. 5. 55. 1917 (non Hier. 1907).  
*sancti gabrieli* (Hk.) O. Ktze., Index = *Stigmatopteris*.  
*Sangnellii* (Bak.) C. Chr. Index = *D. obliquata*.
- (Ct) **santae clarae** C. Chr. Journ. Wash. Acad. Sci. 22. 166. 1932. — Cuba.  
*sarawakensis* (Bak.) v. A. v. R. 1909, Ind. Suppl. pré. 48 = *D. vilis*.
- (Ct) **Sasakii** Hayata, Ic. Pl. Formosa 6. 158. 1917. — Formosa. — *D. tenuifrons* Hayata, l. c. 4. 184 f. 122. 1914 (non C. Chr. Index).  
*Scallanii* (Christ) C. Chr. Index = *D. africana*.  
*schizoloma* v. A. v. R. 1914, Ind. Suppl. pré. = *D. obscura*.  
*schizophylla* v. A. v. R. Nova Guinea 14. 19. 1924 = *D. tuberculata*.  
*Schlechteri* Brause 1912, Ind. Suppl. = *D. tuberculata*.  
*Schneideriana* Hand.-Mzt. Akad. Anz. Akad. Wiss. Wien 1922 no. 7. 1 =  
*D. sublacera*.
- (Ct) **sciaphila** Maxon, Univ. Calif. Publ. Bot. 12. 24. 1924. — Tahiti, Ins. Rapa.
- (Eu) **Scottii** (Bedd.) Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 3. 1933. — Ind. bor.—China austr.—Tonkin—Formosa. — *Polypodium* Bedd. Ferns br. Ind. t. 345. 1870; *Phegopteris* Bedd. 1876. *Dryopteris grossa* (Christ) C. Chr. Index. *D. subdecipiens* Hayata 1914, Ind. Suppl. pré.  
*Seemanni* (Bak.) C. Chr. Index = *D. globulifera*.  
*senanensis* (Fr. et Sav.) C. Chr. Index = *Athyrium Atkinsoni*.  
*sepikensis* Brause, Engl. Jahrb. 56. 101. 1920 = *D. arfakiana*.
- (Eu) **serrato-dentata** (Bedd.) Hayata, Ic. Pl. Formosa 4. 179 f. 116 1914. — Ind. bor.—China austr.—Formosa. — *D. filix mas* \**Lastrea filix mas* var. *serrato-dentata* Bedd. 1892, Index c. syn. — *Woodsia Veitchii* Christ 1906, Ind. Suppl.
- (L) **setigera** (Bl.) O. Ktze., Index reduct. — Asia trop. — *Cheilanthes* Bl. 1828; *Hypolepis* Hk. 1858. (*Aspidium* Kuhn 1869 etc. pt.). *Dryopteris ornata* (Wall.) C. Chr. Index c. syn. (excl. *Polypodium pallidum* Brack.) (t. Ros. Med. Rijks Herb. no. 31. 6. 1917). *Cheilanthes rudis* Kze. 1848. — ?*Ch. stenophylla* Kze. 1848.  
*setigera* C. Chr. Index et auctt. part. = *D. leucolepis* et *D. uliginosa*.  
*setosa* Kudo, Medical Fl. Hokkaido no. 1. ? = *D. crassirhizoma*.  
*setulosa* (Bak.) C. Chr. Index = *D. trichotoma*.  
*Sewellii* (Bak.) C. Chr. Index = *D. Bergiana*.  
*Sharpiana* (Bak.) C. Chr. Index = *D. uliginosa*.  
*Sheareri* (Bak.) C. Chr. Index = *Athyrium*.
- (Eu) **shikokiana** (Mak.) C. Chr. Index. — Cf. *D. squamiseta*.
- (Eu) **sichotensis** Komarov, Bull. Jard. bot. Pierre le Grand Petrop. 16. 146. 1916. — Reg. Austro-Ussur.



- (C) **silvatica** (Pappe et Raws.) C. Chr. Index. — Africa trop.—Natal, Madagascar. — Adde syn. *D. costularis* (Bak.) C. Chr. Index.
- (L) **singalanensis** (Bak.) C. Chr. Index. — Adde loc. Malacca—Borneo et syn. *D. Creaghii* (Bak.) C. Chr. Index. *D. Dayi* (Bedd.) C. Chr. Index. *D. aureo-viridis* Ros. 1914, Ind. Suppl. pré-l.  
*simplex* (Hk.) C. Chr. Index = *D. triphylla*.  
*Skottsbergii* C. Chr. Vid. Selsk. VIII. 6. 15. 1920 = *D. inaequalifolia*.  
*Smithii* v. A. v. R. 1908, Ind. Suppl. = *D. Beddomei*.
- (C) **sogerensis** Gepp, JoB. 1923 Suppl. 61. — N. Guinea.
- (C) **sophoroides** (Thbg.) O. Ktze. — Adde syn. *Polypodium acuminatum* Houtt. 1783 (v. infra); *Dryopteris Nakai* 1928 (non Watts 1916).  
*sordida* Maxon, Contr. U. S. Nat. Herb. 24. 60. 1922 = *Stigmatopteris*.
- (Eu) **sparsa** (Ham.) O. Ktze. — Adde syn. *D. viridescens* (Bak.) O. Ktze. 1891, Index. — *D. subexaltata* (Christ) C. Chr. Index et infra, *D. melanocarpa* Hayata 1914, Ind. Suppl. pré-l. veris. formae hujus sp. sunt.  
*speciosa* C. Chr. Acta Hort. Gothob. 1. 63. 1924 = *Polystichum*.
- (Ct) **spectabilis** (Klf.) C. Chr. Vid. Selsk. Skr. VIII. 6. 69 f. 14. 1920. — Chile. *Polypodium* Klf. Enum. 121. 1824; *Phegopteris* Fée 1852. — var. *Philippiana* C. Chr. l. c. 70. — *Phegopteris vestita* Phil. 1857, *Polypodium sphaeropteroides* (Bak.) C. Chr. Index = *Athyrium*. [Hk. 1862.]
- (Eu) **spinulosa** (Müll.) Watt, Canadian Naturalist II 13. 159. 1867, O. Ktze. 1891. — Nomen opt. subspeciei *Polypodium dilatatum* Hoffm. est *D. austriaca* (Jacq.) Woyнар 1915; *Polypodium* Jacq. 1764.
- (L) **squamaestipes** (Clarke) C. Chr. Index excl. syn. — Ind. bor.  
*squamaestipes* C. Chr. Index pro max. parte = *D. himalayensis*.
- (Eu) **squamiseta** (Hk.) O. Ktze., Index. — Adde loc. Madagascar. India. — Adde syn. *D. Buchanani* (Bak.) O. Ktze., Index. — Adhuc veris. pertinent *D. hirtosparsa* Christ 1909, Ind. Suppl. (China) et *D. shikokiana* (Mak.) C. Chr. Index (Japonia)?
- (Po) **Standishii** (Moore) C. Chr. Ind. Suppl. III. 98. 1934. — Japonia—China or.—Tonkin. — *Polystichum* (Moore) C. Chr. Index excl. syn. *A. festinum* Hance.  
*stellato-pilosa* Brause, Engl. Jahrb. 56. 96. 1920. — N. Guinea.  
*stenosemioides* Cop. Brittonia 1. 71. 1931 = *Psomiocarpa*.
- (L) **stereophylla** v. A. v. R. Nova Guinea 14. 17. 1924. — N. Guinea.
- (C) **Stokesii** E. Brown, Bishop Mus. Bull. 89. 20 f. 6. 1931. — Ins. Rapa (Polynesia).  
*Sturmii* (Phil.) C. Chr. Index = *Hypolepis rugosula* var. *Poepigii*.
- (C) **subalpina** v. A. v. R. Bull. Buit III. 5. 200. 1922. — Ternate.
- (L) **subaurita** Tagawa, Acta Phytotax. 1. 157. 1932. — Japonia.
- (C) **subconformis** C. Chr. Engl. Jahrb. 66. 47. 1933. — Celebes.
- (C) **subcuspidata** Ros. Med. Rijks Herb. no. 31. 7. 1917. — N. Guinea.  
*subdecipiens* Hayata 1914, Ind. Suppl. pré-l. = *D. Scottii*.  
*subdigitata* Brause, Engl. Jahrb. 56. 94. 1920 = *Leucostegia*.  
*subdryopteris* (Christ) C. Chr. Index = *D. ampla*.
- (Eu) **subexaltata** (Christ) C. Chr. Index. — Adde loc. China austr. or. et syn. *D. tenuicula* Matthew et Christ 1909, Ind. Suppl. — (An *D. sparsa* var.?)
- (C) **subfalcinella** v. A. v. R. Bull. Buit III. 2. 151. 1920. — Sumatra.  
*subglandulosa* Hayata, Gen. Ind. 101. 1917. Ic. Pl. Formosa 6. 101. 1917 = *D. Oldhami*.

- subgranulosa C. Chr. Index = D. Boivini.  
 subhispidula Ros. 1915, Ind. Suppl. préel. = D. taiwanensis.
- (Ct) **subincisa** (Willd.) Urban 1903, Index excl. syn. Polypodium spectabile Klf. et subsp. omn. Alsophila martinicensis excepta. — Cf. C. Chr. Vid. Selsk. Skr. VIII. 6. 65 f. 13. 1929. — Amer. trop.  
 — \*Polypodium vastum Kze. 1834, Index = D. vasta.  
 — \*Polypodium Karstenianum Kl. 1847, Index = D. pulverulenta.  
 — \*Phegopteris Lechleri Mett. 1859, Index = Stigmatopteris Lechleri.  
 — \*Phegopteris canescens Mett. 1858, Index = D. Blanchetiana.  
 — \*Phegopteris vestita Phil. 1857, Index = D. spectabilis var. Philippiana.  
 — \*Polypodium Berteroanum Hk. 1862, Index = D. inaequalifolia.
- submarginata Ros. 1914, Ind. Suppl. préel. = D. Labordii.
- (C) **submollis** v. A. v. R. Bull. Buit. III. 2. 152. 1920. — Sumatra — (= D. subpubescens?)
- (Eu) **submonticola** Nakai, Bot. Mag. Tokyo 45. 98. 1931. — Korea.
- (L) **subnigra** Brause, Engl. Jahrb. 56. 82. 1920. — N. Guinea. — (= D. viscosa var.?).
- subobliquata (Bak.) O. Ktze., Index = Stigmatopteris guianensis.
- (C) **subpectinata** Cop. Bishop Mus. Bull. 93 t. 7 D. 1932. — Tahiti.
- (C) **subpennigera** C. Chr. Cat. Pl. Mad. Pter. 26. 1932, (nomen), Dansk Bot. Ark. 7. 52 t. 12 f. 1—2. 1932. — Madagascar.
- (C) **subpubescens** (Bl.) C. Chr. Gardens Bull. S. S. 4. 390. 1929. — China—Asia trop. — Aspidium Bl. Enum. 149. 1828. Dryopteris parasitica et D. amboinensis auctt. part. — D. sumatrana v. A. v. R. 1909.
- subramosa Christ 1909, Ind. Suppl. = D. laeta.
- subsageniacea (Christ) C. Chr. Ind. Suppl. = Tectaria fuscipes.
- subsagenioides Christ 1910, Ind. Suppl. = Athyrium Sheareri.
- subsagenioides v. A. v. R. 1913, Ind. Suppl. préel. = D. microthecia.
- subtetragona Maxon, Pter. Porto Rico 473. 1926 = D. tetragona.
- subthelypteris (Christ) C. Chr. Index = D. flexilis.
- (Eu) **subtripinnata** (Miq.) O. Ktze.? — Cf. D. Matsumurae supra.
- (L) **subulifolia** v. A. v. R. Bull. Buit. II no. 28. 22. 1918. — Sumatra.
- succulentipes** Hayata, Ic. Pl. Formosa 8. 149 f. 77—78. 1919. — Formosa.  
 — (Diplazium?)
- sulcinervia (Hier.) C. Chr. Index = Diplazium.
- (C) **sulfurea** E. Brown, Bishop Mus. Bull. 89. 23 t. 2. 1931. — Marquesas.
- sumatrana v. A. v. R. 1909, Ind. Suppl. = D. subpubescens.
- (C) **superba** Brause, Engl. Jahrb. 56. 105. 1920. — N. Guinea.
- sylvicola (Bak.) C. Chr. Index = Stigmatopteris Michaelis.
- tabacicoma v. A. v. R. 1914, Ind. Suppl. préel. = D. subarborea.
- (Ct) **tabacifera** v. A. v. R. Bull. Buit. III. 2. 147. 1920. — Ceram.
- taitunensis** Koidzumi, Bot. Mag. Tokyo 38. 197. 1924. — Formosa.  
 Takeoi Hayata 1915, Ind. Suppl. préel. = Athyrium.
- Takeuchiana** Koidzumi, Acta Phytotax. 1. 30. 1932. — Japonia.
- tamatana C. Chr. Ind. Suppl. = D. phaeostigma.
- tenericaulis Ching, Sinensia 3 325. 1933 = D. uliginosa.
- (L) **tenerifrons** (Christ) C. Chr. Ind. Suppl. III. 99. 1934. — Ins. Philip.  
 Hypolepis Christ 1908, Ind. Suppl.
- tenuicula Matthew et Christ 1909, Ind. Suppl. = D. subexaltata.

- (Ct) **tenuifrons** C. Chr. Index. — Adde loc. Samoa, Rarotonga et syn. *D. chrysotrichoides* Ros. 1917.  
**tenuissima** Tagawa, Acta Phytotax. 1. 308. 1932. — Manchuria.  
**Thomassetii** (Wright) C. Chr. Ind. Suppl. = *Polystichum adiantiforme*.  
**thysanocarpa** Hayata 1914, Ind. Suppl. prël. = *D. cystopteroides*.  
**tijuccana** (Raddi) C. Chr. Index = *Stigmatopteris*.
- (L) **tonkinensis** C. Chr. Bull. Mus. Paris II. 6. 102. 1934. — Tonkin. Kwangsi.
- (C) **Toppingii** Cop. Phil. Journ. Sci. 12C. 56. 1917. — Borneo. Malacca.  
*Nephrodium indicum* Ridley 1926.
- tosensis** Kodama in Matsum. Ic. Pl. Koisik. 4. 5 t. 220. 1918 = *Athyrium unifurcatum*.
- (C) **transversaria** (Brack.) Brause, Engl. Jahrb. 56. 104. 1920, Maxon, Proc. Biol. Soc. Wash. 36. 170. 1923. — Samoa. N. Guinea?. — *Nephrodium* Brack. Expl. Exp. 16. 187. 1854.
- (Po) **Trianae** (Mett.) O. Ktze. Cf. C. Chr. Vid. Selsk. Skr. VIII. 6. 109. 1920. — Venezuela—Peru. — Dele in Ind. loc. Mexico et syn. *Aspidium extensum* Fée, adde syn. *D. firmifolia* (Bak.) O. Ktze., Index.  
*trichodes* Ros. Med. Rijks Herb. no. 31. 6. 1917 = *D. uliginosa*.  
*trichophlebia* (Bak.) C. Chr. Index = *Arthropteris*.
- (?) **trichotoma** (Fée) C. Chr. Ind. Suppl. III. 100. 1934. — China austr. or. — Annam. — *Aspidium* Fée, Gen. 193. 1852; *Lastrea* Moore 1858. *Aspidium sagenioides* Mett. 1858, no. 269; *Dryopteris* C. Chr. Index excl. syn. omn. *D. setulosa* (Bak.) C. Chr. Index.  
*trinidadensis* (Jenm.) C. Chr. Index = *D. straminea*.
- (M) **triphylla** (Sw.) C. Chr. Index. — Adde syn. *D. simplex* (Hk.) C. Chr. Index cum syn. — Cf. Ching, Sinensia 1. 45 t. 1—7. 1930.
- (C) **truncata** (Poir.?) O. Ktze. — Dele loc. Madagascar. Ins. Mascarenæ et syn. *Aspidium caudiculatum* Sieb. — (v. *D. prismatica*).
- (Ct) **truncicola** C. Chr. in Bonap. N. Pt. 16. 181 t. 5. 1925. — Madagascar.
- (L) **tsaratananensis** C. Chr. Cat. Pl. Mad. Pter. 45. 1932 (nomen), Dansk Bot. Ark. 7. 45 t. 9 f. 1—5. 1932. — Madagascar.
- (L) **tuberculata** (Ces.) C. Chr. Index. — Adde syn. *D. Schlechteri* Brause 1912, Ind. Suppl., *Phegopteris* v. A. v. R. 1917. *Dryopteris schizophylla* v. A. v. R. 1924.
- (L) **tuberculifera** C. Chr. Contr. U. S. Nat. Herb. 26. 275. 1931. — Ind. bor.
- (M) **turrialbae** Ros. Fedde Rep. 22. 10. 1925. — Costa Rica. [—Tonkin.
- (L) **uliginosa** (Kze.) C. Chr. Ind. Suppl. III. 100. 1934. — Japonia—China—Asia—Polynesia trop. Madagascar—Brasilia—Argentina (introduc-ta). — *Aspidium* Kze. Linn. 20. 6. 1847; *Dryopteris setigera* auctt. Index pro maxima parte c. syn. *Polypodium tenericaule* Wall. etc.; *D. tenericaulis* Ching 1933. — *D. oligophlebia* (Bak.) C. Chr. Index (China or.) — *D. lasiocarpa* Hayata 1911. — *Polypodium trichodes* Reiw., J. Sm. 1841 (nomen), *Dryopteris* Ros. 1917 (Malesia). — *D. Sharpiana* (Bak.) C. Chr. Index (Madagascar).  
*ulvensis* Hier. 1907, Ind. Suppl. = *D. effusa* var.
- (Ct) **umbrina** C. Chr. Vid. Selsk. Skr. VIII. 6. 81. 1920. — Brasilia austr. *Parau-cidens* Ros. 1912, Ind. Suppl. = *Diplazium*. [guay.
- (L) **Underwoodiana** Maxon, Amer. Fern Journ. 18 49. 1928. — Jamaica.  
*unifurcata* (Bak.) C. Chr. Ind. Suppl. = *Athyrium*.  
*urens* Ros. 1907, Ind. Suppl. = *D. dentata* var.
- (C) **urophylla** (Wall.) C. Chr. — Dele syn. *Polypodium asperum* Pr. etc

- Vangenderenstortii v. A. v. R. Bull. Buit. II no. 23. 11. 1916 = *D. microthecia*.
- (Po) **varia** (L.) O. Ktze. — *Polystichum* (L.) Pr. 1849 Index c loc. et syn. excl. *Polypodium setosum* Thbg. etc.
- (L) **verrucosa** (J. Sm.) Cop. *Brittonia* 1. 68. 1931. — Ins. Phil. Borneo. Malacca. Loyalty Ins. — *Lastrea* J. Sm. 1841, Pr. Epim. 36. 1849. *L. caudiculata* Pr. 1849.
- Vescoi** (Drake) C. Chr. Index = *D. dicksonioides*?
- (Ct) **villis** (Kze.) O. Ktze., Index. — Asia trop. — Adde syn. *Aspidium intermedium* Bl. 1828 (non Willd. 1810 et alior.); *Dryopteris rhodolepis* C. Chr. Index pro max. parte. *D. sarawakensis* (Bak.) v. A. v. R. 1909, Ind. Suppl. *D. padangensis* (Bedd.) C. Chr. Index. *D. Millettii* C. Chr. Index.
- (Eu) **Villarsii** (Bellardi) Woynar 1915, Ind. Suppl. pré. — *Polypodium Bellardi*, Mém. Ac. Turin 5. 255 (49). 1792. *Nephrodium* G. Beck 1918. *Polypodium rigidum* Hoffm. 1795; *Dryopteris* Und. 1893, Index c. loc. et syn. excl. Alaska—California et *Aspidium argutum* Klf.
- (Ct) **villosa** (L.) O. Ktze., Index, C. Chr. Vid. Selsk. Skr. VIII. 6. 87 f. 19. 1920. — Jamaica, Hispaniola.
- (L) **villosipes** Gepp in Gibbs, Dutch N. W. N. Guinea 70. 1917. — N. Guinea.
- (Ct) **villosula** C. Chr. Vid. Selsk. Skr. VIII. 6. 89. 1922. — Bolivia.
- (L) **vinoscarpa** v. A. v. R. III. 5. 198. 1922. — Sumatra.  
*viridescens* (Bak.) O. Ktze. 1891, Index = *D. sparsa* forma.
- (L) **viscosa** (J. Sm.) O. Ktze., Index. — Asia trop. — Adhuc refero: *D. gymnopoda* (Bak.) C. Chr. Index, *D. Ridleyi* (Bedd.) C. Chr. Ind. Suppl. *D. athyriocarpa* Cop. 1909, Ind. Suppl. *D. kinabaluensis* Cop. 1917.
- (G) **vivipara** (Raddi) C. Chr. — Dele var. *A. macropus* Mett.
- (Ct) **Vogelii** (Hk.) C. Chr. Index. — Potius *D. protensa* var.
- (Ct) **Wacketii** Ros., C. Chr. Vid. Selsk. Skr. VIII. 6. 84 f. 17. 1920. — Bra-Wakefieldii (Bak.) C. Chr. Index = *D. extensa*. [silia austr.]
- (L) **Walliehii** Ros. Med. Rijks Herb. no. 31. 6. 1917. — Ind bor.  
*Aspidium appendiculatum* Wall. 1828. Mett. *Aspid.* no. 196. 1858; *Dryopteris prolixa* var. Index cum syn.
- (C) **Warburgii** (Kuhn et Christ) C. Chr. (Index 98), v. A. v. R. Mal. Ferns 180. 1909. — N. Guinea. — *Aspidium* Kuhn et Christ in Warb. *Monsonia* 1. 81. 1900.
- (Ct) **Warburii** C. Chr. Cat. Pl. Mad. Pter. 29. 1932 (nomen), Dansk Bot. Ark. 7. 58 t. 14. 1932. — Madagascar.
- (Po) **Webbiana** (A. Br.) C. Chr. Ind. Suppl. III. 101. 1934. — Madeira.  
*Polystichum* (A. Br.) C. Chr. Index cum syn.  
*Weberi* Cop. Phil. Journ. Sci. 38. 135. 1929 = *D. dichrotrichoides*.
- (L) **Williamsii** Cop. *Brittonia* 1. 67 t. 1. 1931. — Mindanao.  
*Willsii* (Bak.) C. Chr. Index = *D. connexa*.  
*wladiwostokensis* B. Fedtschenko 1912. Ind. Suppl. pré. = *D. laeta*.  
*Wolfii* Hier. 1997, Ind. Suppl. = *D. biserialis*.
- Wollastonii** (v. A. v. R.) C. Chr. Ind. Suppl. III. 101. 1934. — N. Guinea.  
*Phegopteris* v. A. v. R. 1917; *Goniopteris rigida* Ridley, Tr. Linn. Soc. II Bot. 9. 258. 1916; *Dryopteris Ridleyana* Brause 1920 (non *Dryopteris* Und.)
- woodsii** Hayata, Ic. Pl. Formosa 6. 158. 1916. — Formosa.  
*xanthomelas* (Christ) C. Chr. Ind. Suppl. = *D. Rosthornii*.

- (L) **xylodes** (Kze.) Christ, Not. syst. 1. 41. 1909. — India—China.  
Aspidium Kze. 1851; Dryopteris ochthodes var. Index.  
**yaku-montana** Masamune, Journ. Soc. Trop. Agric. Formosa 4. 76. 1932. —
- (C) **Zippelii** Ros. Med. Rijks Herb. no. 31. 6. 1917. — Java. [Formosa.
- DRYOSTACHYUM** J. Smith, Index = **Aglaomorpha** et **Merinthosorus**. — v.  
Ind. Suppl. pré-l. 48.
- EGENOLFIA** Schott, Gen. Fil. tab. 16. 1834. — Polybotrya sp. Index. — Cf.  
Ching, Bull. Fan Mem. Inst. Biol. 2. 297—310. 1931. — (Polypodiaceae  
Gen. 40).
- appendiculata** (Willd.) J. Sm. 1866, Ching l. c. 308. — Malaya—China austr.  
Acrostichum Willd. 1810; Polybotrya J. Sm. 1841, Index 503 (excl. syn.  
plur.). P. marginata Bl. 1828. Egenolfia Hamiltoniana Schott 1834. E. mon-  
tana (Gaud.) Fée 1852. E. Schottii Fée 1852. E. Gaudichaudiana Fée 1852.
- asplenifolia** (Bory) Fée, Gen. 358. 1852; Ching l. c. 309. — India, Ceylon.  
Acrostichum Bory, Bél. Voy. 2. 21 t. 3. 1833; Polybotrya Pr. 1836.
- bipinnatifida** J. Sm. Hist. Fil. 132. 1875; Ching l. c. 305. — India bor.  
Acrostichum appendiculatum var. costulata Hk. sp. 5. 252. 1864.
- fluviatilis** Cop. Phil. Journ. Sci. 38 152 t. 5. 1929. — Luzon.  
Gaudichaudiana Fée, Gen. 358. 1852 = E. appendiculata.  
Hamiltoniana Schott, Gen. Fil. t. 16. 1834 = E. appendiculata.  
Hamiltoniana (Wall.) Fée, Gen. 48. 1852 = E. vivipara.
- Helferiana** (Kze.) C. Chr. Contr. U. S. Nat. Herb. 26. 292. 1931; Ching l. c.  
303. — Assam. Burma. — Polybotrya Kze. Farrnkr. 2. 35 t. 114. 1848.
- intermedia** (J. Sm.) Fée, Gen. 308. 1852; Ching l. c. 308. — Luzon.  
Polybotrya J. Sm. 1841 (nomen), Fée Acrost. 76 t. 40 f. 1. 1845.  
montana Fée. Gen. 358. 1852 = E. appendiculata.  
neglecta Fée, Gen. 48. 1852 = E. serrulata.  
nodiflora Fée, Gen. 48. 1852; Ching l. c. 304 = E. vivipara.  
Schottii Fée, Gen. 48. 1852. — E. appendiculata.
- serrulata** (J. Sm.), Fée, Gen. 358. 1852; Ching l. c. 307. — Ins. Phil.—For-  
mosa. — Polybotrya J. Sm. 1841 (nomen), Fée, Acrost. 76 t. 43. 1845.  
Lacaussadea rhizophylla Gaud. 1846 (an Gymnogramme Klf. 1824?). Poly-  
botrya neglecta Fée 1845, Egenolfia Fée 1852. Polybotrya exaltata Brack.  
1854. P. duplicato-serrata Hayata 1915.
- sinensis** (Bak.) Maxon, Proc. Biol. Soc. Wash. 36. 173. 1923; Ching l. c. 305.  
— Himalaya—China austr. — Acrostichum Bak. Kew Bull. 1906. 14; Poly-  
botrya C. Chr. Ind. Suppl.; Campium C. Chr. 1931.
- tonkinensis** C. Chr. apud Ching, l. c. 306. 1931. — Tonkin.
- vivipara** (Ham.) C. Chr. Ind. Suppl. III. 102. 1934. — India, Cambodja. —  
Polybotrya Ham., Hk. Exot. Fl. t. 107. 1825. P. nodiflora Bory 1833; Ege-  
nolfia Fée 1852, Ching, l. c. 304.
- ELAPHOGLOSSUM** Schott. — (Excl. Microstaphyla et Rhipidopteris) —  
(Polypodiaceae Gen. 169).
- acutifolium** Ros. Fedde Rep. 25. 60. 1928. — Bolivia.
- Alfredii** Ros. Fedde Rep. 22. 20. 1925. — Costa Rica.
- angustissimum** (Fée) C. Chr. Ark. för Bot. 20 A. 25. 1926. — Bolivia.  
Acrostichum Fée, 10. mém. 6 t. 29 f. 3. 1865.
- assurgens** (Bak.) C. Chr. Ind. Suppl. III. 102. 1934. — Ecuador.  
Acrostichum Bak. Syn. 408. 1874.
- bahiense** Ros. Fedde Rep. 20. 92. 1924. — Brasilia.

- barbae** Ros. Fedde Rep. **22**. 19. 1925. — Costa Rica.
- callifolium** (Bl.) Moore. — Asia trop.
- carillense** Ros. Fedde Rep. **22**. 19. 1925. — Costa Rica.
- casanense** Ros. Fedde Rep. **25**. 64. 1928. — Bolivia.
- castaneum** (Bak.) Diels. — Cf. Hier. Hedwigia **62**. 31. 1920. — Adde loc.  
Costa-Rica—Ecuador et syn. *E. isophyllum* (Sod.) C. Chr. Index.
- cinctum** Ros. Fedde Rep. **25**. 63. 1928. — Bolivia.
- cismense** Ros. Fedde Rep. **22**. 18. 1925. — Costa Rica.
- commutatum** v. A. v. R. Mal. Ferns Suppl. 427. 1917 = *E. conforme* var.?
- conforme** (Sw.) Schott. — Plurimae var. vel subsp. americanae in Indice  
enumeratae veris. sp. bonae sunt.
- cordifolium** Ros. Fedde Rep. **25**. 62. 1928. — Bolivia.
- Curtii** Ros. Fedde Rep. **22**. 21. 1925. — Costa Rica.
- dolichaulon** v. A. v. R. Bull. Buit. III. 5. 203. 1922. — Java.
- Dombeyanum** (Fée) Hier. Hedwigia **62**. 35. 1920. — Venezuela—Ecuador.  
*Acrostichum* Fée, Acrost. 59 t. 17 f. 2. 1845.
- Dombeyanum* Moore et Houlst. 1851 = *E. perelegans*.
- Dussii** Underw., Maxon, Pter. Porto Rico 398. 1926. — Ind. occ.
- Eggersii** (Bak.) Christ 1899, Index = *E. muscosum*.
- erinaceum** (Fée) Moore 1857. — Amer. trop.—*Acrostichum* Fée, Acrost. 41.
- flipes** Ros. Fedde Rep. **25**. 62. 1928. — Bolivia. [1845.]
- flabellatum** (H. B. Willd.) Christ 1899, Index = *Rhipidopteris*.
- flaccidum** (Fée) Moore 1862, Index = *E. rigidum*.
- foeniculaceum** (Hk. et Grev.) C. Chr. Index = *Rhipidopteris*.
- furcatum** (L. fil.) Christ 1899, Index = *Microstaphyla*.
- Gillespiei** Cop. Bishop Mus. Bull. **59**. 17. 1929. — Fiji.
- glabellum** J. Sm. — Adde syn. *Acrostichum durum* Kze. 1849. *A. rigidum*
- glaucescens** Ros. Fedde Rep. **25**. 61. 1928. — Bolivia. [Fée 1872—73.]
- gorgoneum** (Klf.) Brack. — Dele loc. Malesia et syn. *Acr. pellucido-margi-*  
*natum* Christ.
- gracile** (Fée) Christ 1900. — Brasilia.  
*Acrostichum* Fée, Cr. vasc. Br. **2**. 8 t. 83 f. 2. 1872—73.
- Guentheri** Ros. Fedde Rep. **25**. 61. 1928. — Bolivia.
- Hayesii** (Mett.) Maxon, Proc. Biol. Soc. Wash. **46**. 105. 1933. — Panama.  
*Acrostichum* Mett., Kuhn, Linn. **36**. 43. 1869.
- hispaniolicum** Maxon, Amer. Fern Journ. **14**. 74. 1924. — Hispaniola.
- horridulum** (Klf.) J. Sm. 1854. — Brasilia.  
*E. spathulatum* var. Index cum syn.
- Humbertii** C. Chr. Cat. Pl. Mad. Pter. **62**. 1932 (nomen) Dansk Bot. Ark.  
**7**. 166 t. 66 f. 4—5. 1932. — Madagascar.
- ignambiense** Compton, Journ. Linn. Soc. **45**. 452. 1922. — N. Caledonia.
- isophyllum** (Sod.) Christ 1899, Index = *E. castaneum*.
- juruense** Sampaio, Comm. Linh. telegr. Matto Grosso ao Amazonas Publ.  
no. 33. **20** t. 3. 1916. — Brasilia (Matto Grosso).
- laminarioides** (Bory) Moore. — Dele syn. *A. Orbignyanum* Fée.
- lineare** (Fée) Moore. — Dele syn. *A. gracile* Fée.
- Lisboae** Ros. Fedde Rep. **20**. 92. 1924. — Brasilia.
- Lloydii** Und., Domin, Mem. R. Czech. Soc. Sci. n. s. **2**. 106 (nomen) t. 20 f.  
**2**. 1929. — Dominica.

- madagascariense* (Kuhn) C. Chr. Index = *E. subsessile*.  
*marquisearum* Bonap. N. Pt. 7. 413. 1918. — Marquesas.  
*martinicense* (Desv.) Moore 1857. — Ind. occ.  
*Acrostichum* Desv. 1811 (non auctt.). *Elaphoglossum Underwoodianum*  
**Matthewii** (Fée) Moore. — Dele syn. *Acr. assurgens* Bak. [Maxon 1920.  
**Mcclurei** Ching, *Sinensia* 1. 55. 1930. — Hainan.  
*minahasae* v. A. v. R. Bull. Buit. II. no. 28. 24. 1918. — Celebes.  
*Moorei* (E. Britt.) Christ 1903, Index = *Microstaphyla*.  
*multisquamosum* Bonap. 1915, Ind. Suppl. pré. = *E. Poolii*.  
*muscosum* (Sw.) Moore. — Adde syn. *E. Eggersii* (Bak.) Christ 1899, Index.  
— Dele syn. *Acr. Dombeyanum* Fée.  
**nematorhizon** Maxon, Amer. Fern Journ. 22. 11. 1932. — Jamaica.  
**neocaledonicum** Compton, Journ. Linn. Soc. 45. 452. 1922. — N. Caledonia.  
**nigrescens** (Hk.) Diels. — Guiana—Amazonas. — Cf. C. Chr. Dansk Bot.  
Ark. 6 no. 3. 99. 1929. — *E. pallidum* Hier. 1920 (non C. Chr. Index).  
**obtusum** A. Peter, Fedde Rep. Beih. 40. 23, Descr. 2 t. 1 f. 5—6. 1929. —  
**Orbignyanum** (Fée) Moore, Ind. XVI. 1857. — Bolivia. [Africa or. trop.  
*Acrostichum* Fée, *Acrost.* 56 t. 13 f. 2. 1845.  
**ovalilimbatum** Bonap. N. Pt. 16. 129. 1925, C. Chr. Dansk Bot. Ark. 7. 165 t.  
63 f. 1. 1932. — Madagascar.  
*pallidum* Hier. *Hedwigia* 62. 36. 1920 = *D. nigrescens*.  
*palustre* (Hk.) J. Sm. 1877, Index = *Stenochlaena elaphoglossoides*.  
**pellucido-marginatum** (Christ) C. Chr. Engl. Jahrb 66. 65. 1933. — Celebes.  
*Acrostichum* Christ 1895.  
*peltatum* (Sw.) Urban 1903, Index = *Rhipidopteris*.  
**Perrierianum** C. Chr. Cat. Pl. Mad. Pter. 62 (nomen), Dansk Bot. Ark. 7.  
171 t. 67 f. 1—3. 1932. — Madagascar.  
**petiolatum** (Sw.) Urban. — Dele syn. *Acr. angustissimum* Fée.  
**phanerophlebium** C. Chr. Cat. Pl. Mad. Pter. 62 (nomen), Dansk Bot. Ark. 7.  
169 t. 68 f. 1—2. 1932. — Madagascar.  
**piloselloides** (Pr.) Moore 1857. — Amer. trop. — *Acrostichum* Pr. 1825.  
**plicatum** (Cav.) C. Chr. — Cf. *E. lepidotum* Hier. *Hedwigia* 62. 34. 1920.  
**pseudovillosum** Bonap. N. Pt. 16. 131. 1925, C. Chr. Dansk Bot. Ark. 7. 169 t.  
68 f. 5. 1932. — Madagascar. Afr. or.  
*rampans* (Bak.) Christ 1899, Index = *E. revolutum*.  
*reptans* (Cav.) Moore 1862, Index = *Polypodium ciliatum*.  
**rigidum** (Aubl.) Alston, Kew Bull. 1932. 316. — Amer. trop. — *Polypodium*  
Aublet, Pl. Guian. 2. 963. 1775. *Elaph. flaccidum* (Fée) Moore, 1862,  
Index cum syn.  
*rigidum* (Aubl.) Urban, Symb. Ant. 9. 374. 1925 = *E. longifolium* et *E.*  
*rigidum* Maxon, Pter. Porto Rico 398. 1926 = *E. longifolium*. [latifolium.  
**rosillense** Urban, Symb. Ant. 9. 374. 1925. — Hispaniola.  
*E. Urbani* Brause 1913, Ind. Suppl. pré. (non Ind. Suppl. 1913).  
*Rudolphi* Espinosa, Rev. Chil. Hist. Nat. 36. 239. 1932 — Chile.  
*rufidulum* (Willd.) C. Chr. Index = *E. hirtum* var.  
**sclerophyllum** v. A. v. R. Nova Guinea 14. 22. 1924. — N. Guinea  
**simplex** (Sw.) Schott. — Jamaica (Dele loc. cet. et syn.)  
**Sinii** C. Chr., Wu, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no 3. 346 t.  
164. 1932, no. 6. 18. 1933. — Kwangsi.  
**societarum** Cop. Bishop Mus. Bull. 93. 12 t. 13. 1932. — Ins. Societatis.

- spathulatum** (Bory) Moore. — Varr. *americanae* melius ut sp. *validae* considerandae. — v. *E. Hayesii*, *E. horridulum*, *E. piloselloides* supra.
- subeiliatum** Ros. Fedde Rep. 22. 19. 1925. — Costa Rica.
- subcuspidatum** Ros. Fedde Rep. 22. 21. 1925. — Costa Rica.
- tovii** E. Brown, Bishop Mus. Bull. 89. 95 t. 18, 19 A. 1931. — Marquesas.
- tricholepis** (Bak.) C. Chr. Index = *E. hybridum*.
- Underwoodianum** Maxon, Pter. Porto Rico 397. 1926 = *E. martinicense*.
- Urbani** Brause 1913, Ind. Suppl. pré. = *E. rosillense*.
- viridifolium** (Jenm.) C. Chr. Index = *F. firmum*.
- yunnanense** (Bak.) C. Chr. Contr. U. S. Nat. Herb. 26. 327. 1931. — Yunnan.
- Acrostichum** Bak. Kew Bull. 1898. 233.
- EPIDRYOPTERIS** Rojas Acosta, Bull. Géogr. Bot. 28. 156. 1918.
- lycopodium* Rojas, l. c. — Paraguay. — (*Polypodium* sp.?).
- ESCHATOGRAMME** Trevisan. — Cf. C. Chr. Dansk Bot. Ark. 7. no. 3. 34—38. 1929. — (*Polypodiaceae* Gen. 147).
- Desvauxii** (Kl) C. Chr. l. c. 37. — Trinidad—Guiana—Amazonas. Bolivia.
- Taenitis** Kl. 1847 (= *T. furcata* Hk. et Grev. Ic. Fil. t. 7). *Cuspidaria subpinnatifida* Fée 1852; *Dicranoglossum* Moore 1857.
- furcata** (L.) C. Chr. Index reduct., l. c. 35. — Hispaniola, Cuba. — varr.
- panamensis** C. Chr. l. c. 37. — Honduras—Colombia. [Amer. merid.]
- polypodioides** (Hk.) C. Chr. l. c. 38. — Ecuador.
- Taenitis furcata** var. *polypodioides* Hk. sp. 5. 188. 1864.
- FILICULA** Seguer 1754, Farwell, Amer. Midl. Naturalist 12. 234. 251. 1931 = **Cystopteris**.
- bulbifera**, **Douglasii** (p. 251) — **montana** (252) Farwell, l. c. = *C. sp. homonym*.
- Filix-fragilis** Farwell, l. c. 251 = *C. fragilis*.
- FILIX** Farwell 1916 (v. Ind. Suppl. pré.) = **Dryopteris**.
- Benedictii** Farwell, Papers Michigan Acad. Sci. 2. 15. 1922 = *D. Clintoniana* × *spinulosa*.
- Dowellii** Farwell, l. c. 14 = *D. Clintoniana* × *intermedia*.
- FILIX-FOEMINA** Hill, Family Herbal 1755, British Herbal 528 t. 74. 1756, Farwell, Amer. Midl. Naturalist 12. 244, 290. 1931 = **Pteridium**.
- aquilina** Farwell, l. c. 290.
- vulgaris** Hill, l. c. 1756 = *P. aquilinum*.
- FILIX-MAS** Hill, British Herbal 527. 1756, Farwell, Amer. Midl. Naturalist 12. 235, 253. 1931 = **Dryopteris**.
- amplissima**, **augescens**, **Boottii**, **cristata** (p. 253), **decomposita**, **effusa**, **Filix-mas**, **fragrans**, **Goldiana**, **immersa**, **lanceolata** (254), **latifrons**, **lugubris**, **marginalis**, **montana**, **Noveboracensis**, **opposita** (255), **patens**, **patula**, **rigida** (256), **spinulosa** (257), **squamigera**, **Thelypteris**, **villosa** (258), Farwell, l. c. = *D. sp. homonym*.
- Benedictii** Farwell, l. c. 253 = *D. Clintoniana* × *spinulosa*.
- Dowellii** Farwell, l. c. 254 = *D. Clintoniana* × *intermedia*.
- vulgaris** Hill, Br. Herbal 527 t. 74. 1756 = *D. filix mas*.
- GLEICHENIA** Smith.
- Obs. Sp. plures ad Dicranopteridem (v. supra) recentius translatae sunt.*
- abscida** Rodway, Tasmanian Flora 289. 1903. — Tasmania.
- amboinensis** v. A. v. R. 1908, Ind. Suppl. — Adde loc. N. Guinea et syn.
- G. ornamentalis** Ros. 1912, Ind. Suppl.
- amoena** v. A. v. R. Bull. Buit. II no. 23. 12. 1916. — Lingga ins. (Malesia).



- Blotiana** C. Chr. Bull. Mus. Paris II. 6. 103. 1934. — Indochina.  
**borneensis** (Bak.) C. Chr. Ind. Suppl. III. 106. 1934. — Borneo.  
*G. circinnata* var. *borneensis* Bak. JoB. 1879. 39.  
**Brittonii** (Maxon) C. Chr. Ind. Suppl. III. 106. 1934. — Trinidad.  
*Dicranopteris* Maxon, Contr. U. S. Nat. Herb. 24. 47 t. 18. 1922.  
*candida* Ros. 1908, Ind. Suppl. = *G. hirta*.  
**caudata** Cop. Bishop Mus. Bull. 59. 9 t. 2. 1929. — Fiji.  
*emarginata* Moore 1862 = *G. hawaiiensis*.  
**gigantea** Wall. 1828; Hk. sp. 1. 5 t. 3 A. 1844. — Ind. bor. —?  
*G. glauca* var. Index cum syn.  
**glauca** (Thbg.) Hk. — *Dicranopteris* Nakai 1927. — Japonia, China. ?Ins.  
Hawaii. — Dele varr. *G. gigantea* et *G. longissima*.  
**Hallieri** Christ 1905, Index = *G. hirta*.  
**hawaiiensis** (Nakai) C. Chr. Ind. Suppl. III. 106. 1934. — Ins. Hawaii.  
*Mertensia* Nakai 1925; *M. emarginata* Brack. 1854 (non Raddi 1825); *Gleichenia* Moore 1862; *Dicranopteris* Robinson 1912.  
**hirta** Bl. — Adde syn. *G. Hallieri* Christ 1905, Index. *G. candida* Ros. 1908, *kiusiana* Mak. 1904, Ind. Suppl. = *G. laevissima*. [Ind. Suppl.]  
**Leonis** (Maxon) C. Chr. Ind. Suppl. III. 106. 1934. — Cuba.  
*Dicranopteris* Maxon, Journ. Wash. Acad. Sci. 12. 439. 1922.  
**linearis** (Burm.) Clarke. — Cf. Nakai, Bot. Mag. Tokyo 41. 695. 1927. —  
Dele var. *M. emarginata* Brack.  
**longissima** Bl. Enum. 250. 1828. — Malesia, Austr., Polynesia trop.  
*G. glauca* var. Index cum syn.  
**madagascariensis** C. Chr. Cat. Pl. Mad. Pter. 64. 1932 (nomen), Dansk Bot. Ark. 7. 173 t. 69. 1932. — Madagascar.  
**Montaguei** Compton, Journ. Linn. Soc. 45. 453. 1922. — N. Caledonia.  
**monticola** Ridley, Tr. Linn. Soc. II Bot. 9. 252. 1916. — N. Guinea.  
**novoguineensis** Brause, Engl. Jahrb. 56. 210. 1920. — N. Guinea.  
**nuda** (Moritz) Moore. — Venezuela. — Adde syn. *Dicranopteris* Maxon 1922  
**parallela** Ridley, Journ. Mal. Br. R. As. Soc. 4. 3. 1926 = *D. opposita*.  
**paulistana** Ros. Fedde Rep. 21. 343. 1925. — Brasilia.  
**peninsularis** Cop. Univ. Calif. Publ. Bot. 12. 387. 1931. — Malacca. — (An *G. hirta* var.?).  
**pseudoscandens** v. A. v. R. Nova Guinea 14. 24. 1924. — N. Guinea.  
**ruwenzoriensis** Brause 1910, Ind. Suppl. = *G. elongata*.  
**splendida** Hand.-Mzt. Akad. Anz. Akad. Wien 1924. 81, Symb. Sin. 6. 16. 1929. — China austr. Tonkin.  
*subflabellata* Christ, Bonap. N. Pt. 10. 215. 1920 (nomen) — Colombia.  
**subulata** v. A. v. R. Nova Guinea 14. 23. 1924. — N. Guinea.  
**tahitensis** Cop. Bishop Mus. Bull. 93. 7 t. 4. 1932. — Tahiti.  
**volubilis** Jungh. 1845. — An sp.? cf. *G. bullata*.  
**Williamsii** (Moore) C. Chr. Ind. Suppl. = *G. remota*.
- GONIOPHLEBIUM** Presl = **Polypodium**.  
*acuminatum* Fée 1866 = *P. antillense*.  
*ampliatum* Maxon 1908 = *P. gladiatum*.  
*brasiliense* Farwell, Amer. Midl. Naturalist 12. 295. 1931 = *P. triseriale*.  
*cambricum* Farwell, l. c. = *P. vulgare* var.  
*pectinatum* J. Sm. 1854 = *P. Wagneri*.

**GONIOPTERIS** Presl = **Dryopteris**.*aspera* Pr. 1836 = *D. Presliana*.*costata* Brack. 1854 = *D. costata*.*Danesiana* W. W. Watts, Proc. Linn. Soc. N. S. Wales **41**. 380. 1916.*Hillii* W. W. Watts, l. c.*leptocladia* Fée 1866 = *D. leptocladia*.*Plumieri* Fée, 11. mém. 59. 1866 = *D. alata*.*radicans* Farwell, Amer. Midl. Naturalist **12**. 292. 1931 = *D. reptans*.*rigida* Ridley, Tr. Linn. Soc. II Bot. **9**. 258. 1916 = *D. Wollastonii**rudis* Ridley, l. c. 259 = *D. rufo-pilosa*.**GRAMMATOPTERIDIUM** v. A. v. R. Nova Guinea **14**. 24. 1924. C. Chr.Dansk Bot. Ark. **6**. no. 3. 80. 1929. — (Polypodiaceae Gen. **155**).*Brooksii* v. A. v. R. Nova Guinea **14**. 24. 1924 = *G. costulatum* var.*costulatum* (Cesati) C. Chr. Dansk Bot. Ark. **6** no. 3. 80. — N. Guinea. —*Acrostichum* Cesati, Rend. Acad. Napoli **16**. 27, 30. 1877. *Polypodium**iboense* Brause 1912. — var. **Brooksii** (v. A. v. R.) C. Chr. l. c. 81 t.11 f. 1. — Sumatra. — *Drymoglossum* *Brooksii* v. A. v. R. 1918; *Gramma-**topteridium* v. A. v. R. 1924. — var. **Beguinii** (v. A. v. R.) C. Chr. l. c.t. 4 f. 13. — Ternate. — *Grammatopteris* *Brooksii* var. *Beguinii* v. A. v. R. 1918.*ferreum* (Brause) C. Chr. l. c. 81. — N. Guinea.*Polypodium* Brause, Engl. Jahrb. **56**. 197. 1920.? *pseudodrymoglossum* v. A. v. R. Nova Guinea **14**. 24. 1924, C. Chr. l. c.82. — N. Guinea. — *Grammatopteris* v. A. v. R. 1925.**GRAMMATOPTERIS** v. A. v. R. Bull. Buit. III. **4**. 318. 1922 = **Grammatop-***Brooksii* v. A. v. R. l. c. 318 t. 15 = *G. costulatum*.[**teridium**.*pseudodrymoglossum* v. A. v. R. l. c. 318.**GRAMMATOSORUS** Blumeanus Regel. — Cf. *Tectaria Maingayi* (*Campylogramma Trollei* Goebel).**GRAMMITIS** Swartz 1801, Copeland, Univ. Calif. Publ. Bot. **16**. 106. 1929 =*brevipila* Cop. Brittonia **1**. 69 t. 2. 1931.[**Polypodium**.*duplopilosa* Cop. l. c. t. 3.*limapes* Cop. Phil. Journ. Sci. **46**. 218. 1931.*multifolia* Cop. l. c. 219.*obscura* Bl. 1828 = *P. obscurum*.*pusilla* var. *lasiosora* Bl. Fl. Jav. Fil. 110 t. 46 f. 2. 1828 = *P. lasiosorum*.*setosa* Bl. 1828 = *P. sundaicum*.*stenocrypta* Cop. Phil. Journ. Sci. **46**. 220. 1931.**GYMNOCARPIUM** Newman 1851, Ching, Contr. Biol. Lab. Sci. Soc. China **9**. 38. 1933 = **Dryopteris**.*Dryopteris* Ching, l. c. 40 = *D. Linnaeana*.*gracilipes* (p. 39) — *oyamense* (40, t.) — *Robertianum* (42) Ching l. c. = *D.**remotum* Ching, l. c. 41 = *D. remoti-pinnata*.

[sp. homonym.

**GYMNOGRAMMA** Desvaux — (*Psilogramme* Kuhn. Maxon). — (Polypodiaceae Gen. **97**).*acrocladon* Mapplebeck, Hort. = *Pityrogramma pulchella* var. *Wetenhalliana*.*adiantoides* Karst. 1864 = *Pityrogramma*.*Alstoni* Hort. 1896, Index = *Pityrogramma chrysophylla* var.*argentea* (Willd) Mett. 1868, Index = *Pityrogramma argentea* et *P. aurea*.*attenuata* Fée 1869 = *Diplazium Lindbergii*.*aurantiaca* Hier. 1911, Ind. Suppl. = *Pityrogramma*.

- ?Balliviani Ros 1909, Ind. Suppl. = Pityrogramma.  
 Bernhardtii Hort. (1858) = Pityrogramma calomelanos × chrysophylla.  
 ?Bommeri Christ 1896, Index = Pityrogramma ferruginea.  
 Boucheana A. Br. 1854 = Pityrogramma chrysophylla × ferruginea.  
 Brackenridgei Carr. 1873 = Pityrogramma.  
 Chelsoni Moore, Hort. = Pityrogramma chrysophylla × pulchella.  
 chrysophyllum Kl. 1824 = Pityrogramma.  
 chrysosora Bak. 1887, Index = Cerosora.  
 consanguinea A. Br. 1854 = Pityrogramma chrysophylla × ferruginea.  
 Cordreyi Hort Pynaert 1906 = Pityrogramma chrysophylla var. hort.  
**cubensis** (Maxon) C. Chr. Ind. Suppl. III. 108. 1934. Cuba. — Psilogramme  
 Maxon, Journ. Wash. Acad. Sci. 12. 441. 1922.  
 davallioides Hort. Stelzner = Pityrogramma sulphurea.  
 dealbata Pr. 1825 = Pityrogramma calomelanos.  
 decomposita Bak. 1872, Index = Pityrogramma.  
 depauperata Hort. Bull. 1866 = Pityrogramma chrysophylla × ferruginea.  
 dissecta Hort. = Pityrogramma pulchella var. hort.  
 distans Link 1833 = Pityrogramma calomelanos × tartarea.  
 elegantissima Bull 1889, Index = Pityrogramma schizophylla.  
 elegantissima Pynaert, Rev. Hort. 15. 211. 1898 = P. decomposita var. hort.  
 farinifera Lind. et Rod. 1886, Index = Pityrogramma chrysophylla.  
 Felipponei Herter, Anal. Mus. Nac. Montevideo II. 1. 356. t. 25. 1925 = G.  
 ferruginea Kze. 1834 = Pityrogramma. [Glaziovii.  
 flexilis Kl. 1847 = Pityrogramma.  
**flexuosa** Desv. — Dele syn. G. refracta.  
 Gaerdiana Koch 1858, Index = Pityrogramma chrysophylla × pulchella.  
 gigantea Bak. 1889 = Diplazium giganteum.  
 gloriosa Hort. = Pityrogramma schizophylla var. hort.  
 gracilis Hew. 1838 = Dryopteris gracilis  
 gracilis Linden, Hort. = Pityrogramma pulchella.  
 grandis Bak. 1868 = Diplazium grandis.  
 guianensis Kl. 1847 = Pityrogramma ornithopteris.  
 Heyderi Lauche 1877, Index = Pityrogramma chrysophylla var. hort.  
 Hookeri J. Sm. 1868, Index = Pityrogramma adiantoides.  
 hybrida Martens 1837 = Pityrogramma calomelanos × chrysophylla.  
 Jamesonii Bak. 1874, Index = Pityrogramma.  
**Jimenezii** (Maxon) C. Chr. Ind. Suppl. III. 108. 1934. — Costa Rica.  
 Psilogramma Maxon, Amer. Fern Journ. 18. 3. 1928.  
 lanata Kl. 1854 = Pityrogramma ferruginea.  
 Lathamiae Moore 1884. Index = Pityrogramma.  
 Lauchiana Koch 1858, Index = Pityrogramma chrysophylla var. hort.  
 L'Herminieri Bory, Kze. 1850 = Pityrogramma chrysophylla.  
 luteo-alba Lauche, Hort. = Pityrogramma.  
 macrotis Kze. 1848 = Dryopteris labuanensis.  
 magnifica Hort. = Pityrogramma calomelanos var. hort.  
 Maingayi Bak. 1874 = Tectaria.  
 Martensii Bory, Kze. 1850 | = Pityrogramma calomelanos × chrysophylla.  
 Massoni Loud., Kze. 1850 |  
 Mayeriana A. Br. 1857, Index = Pityrogramma calomelanos × ferruginea.  
 Mayi Hort. = Pityrogramma peruviana var. hort.

- Mertensii hort: Houlst. et Moore, Gard. Mag. Bot. 3. 22. 1851 = G. Martensii?  
 ochracea Pr. 1825 = Pityrogramma  
 ochracea Hort. = Pityrogramma calomelanos × chrysophylla.  
 Parsonsii Hort. Veitch 1889 = Pityrogramma chrysophylla var. hort.  
**paucifolia** (A. C. Smith) C. Chr. Ind. Suppl. III. 109. 1934. — Guiana.  
 Psilogramme A. C. Smith, Bull. Torr. Cl. 58. 305. 1931.  
 Pearcei Moore 1864, Index = Pityrogramma.  
 ?pulchella Linden, Moore 1856 = Pityrogramma.  
**refracta** Kze., Kl. Linn. 20. 410. 1847. — Colombia—Costa Rica.  
 Anogramma Fée 1852; Psilogramme Maxon 1915.  
 sciatraphis Donn. Smith 1894, Index = Athyrium.  
 spectabilis Hort. Stelzner 1869 = Pityrogramma chrysophylla var. hort.  
 Stelzneri Koch 1859 = Pityrogramma chrysophylla × ferruginea.  
 ?subtrifoliata Hk. 1864 = Stenochlaena oleandrifolia.  
 sulphurea Desv. 1811, Index = Pityrogramma.  
 Wetenhalliana Moore 1860 = Pityrogramma pulchella var. hort.
- GYMNOGRAMMITIS** Griffith 1849 = **Leucostegia** dareiformis.
- GYMNOPREMNON** Lindig, Contr. Colomb. Cienc. 2. 34. 1861 — **Cyathea** sens. lat.
- GYMNOPTERIS** Bernhardt; Index excl. Bommeria (v. Ind. Suppl. préel. 8).  
 — (Polypodiaceae Gen. 101).  
 Delavayi (Bak.) Und 1902, Index = Notholaena.  
 ferruginea (Kze.) Und. 1902, Index = Pityrogramma.
- GYMNOPTERIS** Presl = **Leptochilus** et **Bolbitis**.  
 auriculata A. Peter, Fedde Rep. Beih. 40. 61. 1929 = Bolbitis.  
 Feei varr. Bedd. Ferns S. Ind. t. 211. 1864, Ferns br. Ind. t. 273. 1868 =  
 minor Hk. 1861 = L. minutulus. [L. laciniatus.  
 subsimplex Fée 1845 = Bolbitis.  
 taccaefolia J. Sm. 1841 = Hemigramma.
- HAPLODICTYUM** Presl 1849, Copeland, Univ. Calif. Publ. Bot. 16. 60. 1929  
 = **Dryopteris**.  
 majus Cop. Elmer's Leaflets 9. 3110. 1920 = D. heterophylla var.
- HEMIGRAMMA** Christ 1906, Ind. Suppl., Copeland Phil. Journ. Sci. 37. 402.  
 1928. — (Polypodiaceae Gen. 36).  
**decurrens** (Hk.) Cop. l. c. 404, Ching, Bull. Fan Mem. Inst. 1. 155. 1930. —  
 Tonkin—China merid.—Liu Kiu. — Gymnopteris Hk. 1857; Leptochilus  
 Harlandii (Hk.) C. Chr. Index cum syn.; Anapausia Nakai 1933. Lepto-  
 chilus Kanashiroi Hayata 1915, Ind. Suppl. préel. — L. Bonii (Christ)  
 C. Chr. Index; Anapausia Nakai 1933. — Polypodium hainanense C. Chr.  
 Index (f. simplex). — Tectaria dictyosora Cop. 1929. — Hemigramma  
 distinctipetiolata Ching 1930.  
 distinctipetiolata Ching, Bull. Fan Mem. Inst. 1. 156. 1930 = H. decurrens.  
 grandifolia Cop. 1911, Ind. Suppl. = H. Hollrungii.  
**Hollrungii** (Kuhn) Cop. Phil. Journ. Sci. 37. 406. 1928. — N. Guinea. N. Pom-  
 mern. — Leptochilus (Kuhn) C. Chr. Index. Hemigramma grandifolia Cop.  
 1911, Ind. Suppl.  
 ?**pentagonalis** (Bonap.) C. Chr. Ind. Suppl. III. 109. 1934. — Annam.  
 Leptochilus Bonap. N. Pt. 7. 158. 1918.  
**siifolia** (Ros.) Cop. Phil. Journ. Sci. 37. 407. 1926. — Ins. Lombok.  
 Leptochilus Ros. 1912, Ind. Suppl.

**taceifolia** (J. Sm.) Cop. l. c. 406. — Ins. Phil. — Gymnopteris J. Sm. 1841;  
Leptochilus Fée, Acrost. 89 t. 50, 1845.

**HEMIONITIS** Linné. — (Polypodiaceae Gen. 99).

**acrosticha** Noronha, Verh. Bat. Genootsch. 5. 78. 1827? —?

**elongata** Cav. 1802 = *Antrophyum lanceolatum*.

**Maingayi** Ridley, Journ. Mal. Br. R. As. Soc. 4. 106. 1926 = *Tectaria*.

**polypodioides** Sm. Rees Cycl. 17. no. 11. 1811, Alston, Phil. Journ. Sci. 50.

179 (descr. orig.). 1933 = *Diplazium* sp.

**stipitata** Sm. l. c. no. 8, Alston, l. c. (descr. orig.) = *Antrophyum planta-*  
*trifida* Noronha, Verh. Bat. Genootsch. 5. 77. 1827? —? [gineum.

**triloba** Sm. l. c. no. 9, Alston, l. c. (descr. orig.) = *Gymnopteris tomentosa*.

**Zollingeri** Kurz, Nat. Tijdschr. Ned. Ind. 27. 16. 1864, 34. 104 t. 5. 1874 =

*Hemigramma latifolia*.

**HEMIPTERIS** Rosenstock 1908, Ind. Suppl. — (Polypodiaceae Gen. 124).

*Hemistachyum* Copeland, Phil. Journ. Sci. 6C. 141. 1911 (*Aglaomorpha* §)

**HEMITELIA** R. Brown. [= *Aglaomorpha*.

*Obs. Omnes species hujus generis ad Cyatheam a cl. K. Domin 1929—*  
*1930 translatae sunt. Ex sentantia mea omnes species orbis veteris*  
*aut ad Cyatheam aut ad Alsophilam pertinent, sive omnes in Cyatheam*  
*potius includendae sunt.*

**abitaguensis** Domin, Kew Bull. 1929. 215; Mem. R. Czech. Soc. Sci. n. s. 2.  
74 t. 7, 15. 1929. — Ecuador.

**apiculata** Hk. — *Cyathea aristata* Domin 1930.

**arachnoidea** (Und.) Maxon 1912. — *Cyathea subarachnoidea* Domin 1929.

**arfakensis** v. A. v. R. Bull. Buit. II no. 28. 26. 1918 = *Alsophila*.

**australis** Pr. — *Cyathea australiensis* Domin 1929.

**Bakeriana** (Domin) C. Chr. Ind. Suppl. III. 110. 1934. — Brasilia.

*Cyathea* Domin, Acta Boh. 9. 96; 1930; *Hemitelia multiflora* var. *Sprucei*  
Bak. Fl. Bras. 1<sup>2</sup>. 313. 1870.

**bicolor** v. A. v. R. Mal. Ferns Suppl. 44. 1917 = *Cyathea*.

**Caesariana** Sampaio, Bol. Mus. Nac. Rio Janeiro 1. 19. 1923 = *Cyathea*.

**capensis** (L. fil) Klf. 1824, Index = *Cyathea*.

**caudiculata** Ros. Med. Rijks Herb. no. 31. 2. 1917. — Ins. Phil.

**decurrens** Liebm. — *Cyathea decurrentiloba* Domin 1930.

**decurrens** J. W. Moore, Bishop Mus. Bull. 102. 6. 1933 = *Alsophila*.

**denticulata** Hk. — *Cyathea pacifica* Domin 1929.

**fallax** v. A. v. R. Bull. Buit. III. 2. 153. 1920. — Sumatra.

**firma** Bak. — *Cyathea firmula* Domin 1930.

**glandulosa** Kuhn 1891, Index = *Cyathea Melleri*.

**grandifolia** (Willd.) Spr. — *Cyathea antillana* Domin 1930.

**Hartii** Bak 1886, Index = *H. multiflora*.

**hemichlamydea** v. A. v. R. Mal. Ferns Suppl. 47. 1917 = *Cyathea*.

**heterochlamydea** v. A. v. R. l. c. 53 = *Cyathea*.

**Humbertiana** C. Chr. Arch. Bot. (Caen) 2 Bull. mens. 210. 1928 = *Cyathea*.

**Imrayana** Hk. — *Cyathea antillana* pt. Domin 1930.

**latipinnula** v. A. v. R. Mal. Ferns Suppl. 52. 1917 = *Cyathea*.

**Lechleri** Mett. — *Cyathea Vilhelmii* Domin 1929.

**Ledermanni** Brause, Engl. Jahrb. 56. 60. 1920. — N. Guinea.

*Cyathea macrophylla* Domin 1930.

**leptolepia** v. A. v. R. Bull. Buit. II no. 23. 12. 1916. — Sumatra.

- Maxonii** Ros. Fedde Rep. **21**. 344. 1925. — Brasilia. — *Cyathea subarbore-Melleri* Bak. 1874, Index = *Cyathea*. [scens Domin 1930.]
- mexicana** Liebm. — *Cyathea Liebmannii* Domin 1929.
- microphylla** Col. — *Cyathea Novae-Zelandiae* Domin 1929.
- minuscula** Maxon, Journ. Wash. Acad. Sci. **18**. 316. 1928. — Haiti.
- montana** v. A. v. R. Bull. Buit. III. **2**. 153. 1920. — Sumatra.  
*Cyathea costulifera* Domin 1930.
- Moorei** Bak. — *Cyathea Howeana* Domin 1929.
- obscura** Mett. 1864, Ind. Suppl. 115. — *Cyathea columbiana* Domin 1929.
- paraphysophora** v. A. v. R. Bull. Buit. III. **2**. 154. 1920. — Sumatra.
- perpunctulata** v. A. v. R. l. c. II no. 28. 25. 1918. — Sumatra.
- petiolata** Hk. — *Cyathea panamensis* Domin 1929.
- quitensis** Domin, Kew Bull. **1929**. 215; Mem. R. Czech. Soc. Sci. n. s. **2**. 74 t. 8 f. 3. 1929. — Ecuador. — *Cyathea andicola* Domin 1930.
- raiateensis** J. W. Moore, Bishop Mus. Bull. **102**. 6. 1933. — Raiatea (Ins. Soc.)
- roraimensis** Domin, l. c. 216 et **2**. 75 t. 8, 15. — Guiana.
- rudimentaris** v. A. v. R. Bull. Buit. III. **5**. 205. 1922.
- squarrosa** Ros. Fedde Rep. **22**. 2. 1925. — Costa Rica.
- Stokesii** E. Brown, Bishop Mus. Bull. **89**. 16 f. 5. 1931. — Ins. Rapa (Mare pacif.)
- strigosa** Alston, Kew Bull. **1932**. 308 = *H. surinamensis* \* Parkeri.
- subconfluens** v. A. v. R. Bull. Buit. II no. 28. 25. 1918. — Sumatra.
- superba** (Jenm.) Maxon, Amer. Fern Journ. **19** 44. 1929. — Guiana anglica.  
*H. multiflora* var. *superba* Jenm. Ferns Br. W. Ind. and Guiana 49. 1898.
- Uleana** Sampaio, Bol. Mus. Nac. Rio Janeiro **1**. 65, fig. 1923. — Brasilia.
- warihon** v. A. v. R. Mal. Ferns Suppl. **43**. 1917 = *Alsophila* Cop., Ind. Suppl. pré-l. 4.
- HETEROGONIUM** Presl 1849; Copeland, Univ. Calif. Publ. Bot. **16**. 61. 1929.  
 — (Polypodiaceae Gen. **20**).
- aspidioides** Pr. 1849. — Ins. Phil. Borneo. — *Tectaria* Cop. 1929. *Aspidium ambiguum* Diels 1899, Index cum syn. (non *Digrammaria* Pr.)
- Nienwenhuisenii** (Racib.) C. Chr. Ind. Suppl. III. 111. 1934. — Borneo.  
*Polybotrya* Racib. 1902, Index.
- profereoides** (Christ) Cop. l. c. 1929. — Ins. Phil. Borneo.  
*Aspidium* Christ, Phil. Journ. Sci. **2C**. 158 1907.
- stenosemioides** (Bak.) C. Chr. Ind. Suppl. III. 111. 1934. — Borneo, Ins. Phil.  
*Polybotrya* (Bak.) Cop. 1905, Index.
- HETERONEVRON** Fée = **Bolbitis**.
- argutum** Fée 1845 = *Bolbitis arguta*.
- meniscioides** Fée 1845 = *Dryopteris anceps*?
- sinuosum** Fée 1845; Cop. Phil. Journ. Sci. **37**. 368 f. 31. 1928. — Ins. Phil.
- Heterospicanta** Nakai, Bot. Mag. Tokyo **47**. 184. 1933. (*Spicantopsis* §) =
- HEWARDIA** J. Smith = **Adiantum**. [Blechnum.]
- diphylla** Fée 1869 = *A. diphyllum*.
- HISTIOPTERIS** J. Smith. — (Polypodiaceae Gen. **130**).
- alte-alpina** v. A. v. R. Bull. Buit. II no. **23**. 13. 1916. — Sumatra.
- conspicua** v. A. v. R. l. c. III. **2**. 155. 1920. — Sumatra.
- estipulata** v. A. v. R. Nova Guinea **14**. 25. 1924. — N. Guinea.
- reniformis** v. A. v. R. Bull. Buit. II no. 28. 26. 1918. — Sumatra.
- sinuata** (Brack.) J. Sm. 1875. — Polynesia. — *Litobrochia* Brack. 1854.

**HOLODICTYUM** Maxon 1908, Ind. Suppl. — (Polypodiaceae Gen. 77).

**HUMATA** Cavanilles. — (Polypodiaceae Gen. 50).

**alpina** (Bl.) Moore 1857. — Malesia—Polynesia? — *Davallia* Bl. 1828.

**angustata** (Wall.) J. Sm. 1841. — Malesia. — *H. heterophylla* \**angustata* Index c. syn. — *H. microsora* Cop. 1912, Ind. Suppl. *H. attenuata* v. A. v. R. 1922. — Cf. *H. mutata* v. A. v. R.

**assamica** (Bedd.) C. Chr. Contr. U. S. Nat. Herb. 26. 293. 1931. — Ind. bor. — Yunnan. — *Davallia* (Bedd.) Bak. 1868, Index c. syn.

*attenuata* v. A. v. R. Bull. Buit. III. 5. 205. 1922 = *H. angustata* var. *microsora*.

**Banksii** Alston, Phil. Journ. Sci. 50. 176. 1933. — Polynesia.

*Davallia pectinata* Hk. et Gr. Ic. t. 139 (non Sm.); *Humata* auctt.

**dryopteridifrons** Hayata, Ic. Pl. Formosa 6 159. 1916. — Formosa. — *Davallia* Hayata l. c. *Gaimardiana* (Gaud.) J. Sm. 1842, Index = *D. pectinata*. [v. A. v. R. 1922 = *D. pectinata*.]

**Griffithiana** (Hk.) C. Chr. Contr. U. S. Nat. Herb. 26. 293. 1931. — Ind. bor.-China—Formosa. — *Davallia* Hk. 1846, Index. *D. platylepis* Bak. 1898, Index; *D. Henryana* Bak. 1906, Ind. Suppl. — Cf. *H. Tyermanni*.

**heterophylla** (Sm.) Desv. — Dele syn. *H. ophioglossa* et \**angustata*.

**huahinensis** Cop. Bishop Mus. Bull. 93. 11 t. 12 B. 1932 — Ins. Societatis. *Kaudernii* C. Chr. Svensk Bot. Tids. 16. 96 f. 3. 1922 = *H. pusilloides*.

**kinabaluensis** Cop. Phil. Journ. Sci. 12C. 48. 1917. — Borneo. Malacca.

**lanuginosa** v. A. v. R. Bull. Buit. III. 2. 155. 1920. — Sumatra.

**Ledermanni** Brause, Engl. Jahrb. 56. 120. 1920. — N. Guinea.

**melanophlebia** Cop. Bishop Mus. Bull. 93. 11 t. 12 A 1932 = Ins. Societatis.

**minuscula** (Christ) v. A. v. R. Mal. Ferns Suppl. 216. 1917. — Luzon. — *H. repens* var. *minuscula* Christ, Phil. Journ. Sci. 3C. 272. 1908.

**mutata** v. A. v. R. Bull. Buit. III. 5. 206. 1922. — Lingga Ins. (Malesia) — (An *H. angustata* var?).

**ophioglossa** Cav. 1802, C. Chr. Elmer's Leaflets 9 3161. 1933. — Ins. Phil., Mariannae et Carolinae.

**parvula** (Wall.) Mett. 1856. — Malesia. — *Davallia* Wall. 1828, Index cum syn.

**pectinata** (Sm.) Desv. 1827; cf. Alston, Phil. Journ. Sci. 50. 175 t. 1 f. 1. 1933. — Malesia—Polynesia. — *H. Gaimardiana* (Gaud.) J. Sm. 1842, Index *perdurans* Hier. Hedwigia 62. 12. 1920 = *Leucostegia*. [cum syn.]

*perpusilla* v. A. v. R. 1912, Ind. Suppl. = *H. pusilla*.

**pusilla** (Mett) Carr. — Adde syn. *H. perpusilla* et *H. subtilis* v. A. v. R. 1912, Ind. Suppl.

**pusilloides** Cop. Sarawak Mus. Journ. 2. 338. 1917 (nomen), v. A. v. R. Bull. Buit. II no. 28. 26. 1918. — Mindanao, Borneo, Celebes. — *H. Kau-*

*repens* (L. fil.) Diels. — Dele var. *Dav. alpina* Bl. [dennii C. Chr. 1922.]

**serrata** Brack. 1854 (non Desv. 1827). — Polynesia. (An *H. multifida* Carr. 1873?). — Cf. C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 74. 59. 1929.

**squarrosa** v. A. v. R. Bull. Buit. III. 2. 156. 1920. — Sumatra.

*subtilis* v. A. v. R. 1912, Ind. Suppl. = *H. pusilla*.

**Tyermanni** Moore. — An *H. Griffithiana* var.?

**Wernerii** Cop. Univ. Calif. Publ. 12. 400. t. 53 b. 1931. — N. Guinea.

**HYMENASPLENIUM** Hayata, Bot. Mag. Tokyo 41. 712. 1927 = **Asplenium**. *unilaterale* Hayata, l. c.

**HYMENOLEPIS** Kaulfuss; cf. C. Chr. Dansk Bot. Ark. 6. 54—70. 1929. (Polypodiaceae Gen. 152).

- abbreviata** Fée 1865. — Annam. — Polypodium (Fée) C. Chr. Ind. Suppl. pré-l. c. syn; Lemmaphyllum C. Chr. 1929.
- annamensis** C. Chr. l. c. 68. 1929. — Indochina.
- brachystachys** (Hk.) J. Sm. 1866, Index = *H. validinervis*.
- callifolia** Christ 1905; C. Chr. l. c. 66. 1929. — Malaya.
- glauca** (Cop.) C. Chr. l. c. 62. 1929. — Ins. Phil. — *H. platyrhynchos* var. *glauca* Cop. Elmer's Leaflets 3. 487. 1910.
- Henryi** Hier., C. Chr. l. c. 67. 1929. — India bor., Yunnan, Siam.
- mucronata** Fée, Gen. 82 t. 6. 1852; C. Chr. l. c. 62. 1929. — Asia, Australia, Polynesia trop.
- novoguineensis** (Ros.) C. Chr. Ind. Suppl. III. 113. 1934. — N. Guinea. Paltonium Ros. 1912, Ind. Suppl.; Lemmaphyllum C. Chr. 1929.
- ophioglossoides** Kze. Farrnkr. 99 t. 47 f. 1. 1842 (non Klf.) = *H. mucronata*.
- platyrhynchos** (J. Sm.) Kze. 1842, C. Chr. l. c. 68. 1929. — Luzon.
- platyrhynchos** var. *glauca* Cop. 1910 = *H. glauca*.
- revoluta** Bl. Enum. 201. 1828; C. Chr. l. c. 58. 1929. — Malaya, Polynesia. *H. rigidissima* Christ 1906.
- rigidissima** Christ 1906, Ind. Suppl. = *H. revoluta*.
- spicata** (L. fil.) Pr. 1819, C. Chr. l. c. 57. 1929. — Ins. afr. or., Afr. or. et occ.
- squamata** Hier., C. Chr. l. c. 59. 1929. — Ins. Phil., Borneo.
- validinervis** Kze. Bot. Zeit. 6. 132. 1848; C. Chr. l. c. 60. 1929. — Malaya. Taenitis Mett. 1856. — *Hym. brachystachys* J. Sm. 1866, Index 355.
- Vaupelii** Hier., C. Chr. l. c. 65. 1929. — Samoa.
- HYMENOPHYLLOPSIS** Goebel, Flora 124. 3. 1929. — (Genus incertae sedis 3).
- asplenioides** A. C. Smith, Bull. Torr. Cl. 58. 302 t. 22. 1931. — Guiana.
- dejecta** (Bak.) Goebel, Flora 124. 21, fig. 1929. — Guiana. Hymenophyllum Bak. in Hk. Ic. Pl. t. 1610. 1886, Index.
- HYMENOPHYLLUM** Smith.
- Alfredii** Ros. Fedde Rep. 22. 4. 1925. — Costa Rica.
- amabile** Morton, Journ. Wash. Acad. Sci. 22. 63 f. 1. 1932. — Peru.
- angustum** v. d. B. Ned. kr. Arch. 5<sup>3</sup>. 183. 1863. — Amazonas.
- anisopterum** A. Peter, Fedde Rep. Beih. 40. 15, Descr. 1 t. 1 f. 2. 1929. — Africa or.
- Babindae** Watts, Pr. Linn. Soc. N. S. Wales 39. 766 t. 87 f. 5. 1915. — Queensland.
- Bakeri** Cop. Sarawak Mus. Journ. 2. 309. 1917. — Borneo. [land. Trichomanes denticulatum Bak. Syn. 82. 1867 (non Hymenophyllum Sw. Baldwinii Eat. 1879, Index = Trichomanes. [1801).
- borneense** Hk. 1866, Index = Trichomanes palmatifidum.
- Blumeianum** Spr. — Plurimae sp. v. d. Boschii mihi validae sunt.
- breve** Ros. Fedde Rep. 20. 89. 1924. — Brasilia.
- cardunculus** C. Chr. Mitt. Inst. Hamburg 7. 144. 1928. — Borneo.
- cernuum** Gepp in Gibbs, Dutch N. W. N. Guinea 68. 1917. — N. Guinea.
- cinnamatum** Gepp, l. c. 68. — N. Guinea.
- Clemensiae** Cop. Phil. Journ. Sci. 12C. 46. 1917 = *H. pachydermicum*.
- compactum** Bonap. N. Pt. 16. 16. 1925. — Madagascar.
- constrictum** Hayata 1914, Ind. Suppl. pré-l. = *H. punctisorum*.
- contextum** Ros. Fedde Rep. 22. 3. 1925. — Costa Rica.
- coreanum** Nakai, Bot. Mag. Tokyo 40. 246. 1926. — Korea.
- Crügeri** Müll. Bot. Zeit. 1854. 722. — Ind. occ. Brasilia. *H. delicatissimum* Fée 1872—73.



- dejectum* Bak. 1886, Index = *Hymenophyllopsis*.  
*Delavayi* Christ 1905, Index = *H. exsertum*.  
*delicatissimum* Fée 1872–73 = *H. Crügeri*.  
*deltoides* C. Chr. Cat. Pl. Mad. Pter. 18. 1932 (nomen), Dansk Bot. Ark. 7. 10 t. 2 f. 4–5. 1932. — Madagascar.  
*demissum* (Forst.) Sw. — Dele loc. Malesia et var. *H. productum* Kze.  
*dichotomum* Cav. 1802 (non auctt. et Index); Loc. Chile falsa, veris. ex Ins. Phil. = *H. Neesii*?  
*dichotomum* auctt. et Index = *H. plicatum*.  
*dilatatum* (Forst.) Sw. — Dele var. *H. eximium* Kze.  
*ellipticosorum* v. A. v. R. Nova Guinea 14. 27. 1924. — N. Guinea.  
*epiphyticum* J. W. Moore, Bishop Mus. Bull. 102. 5. 1933. — Raiatea (Ins. Soc.)  
*eximium* Kze. Bot. Zeit. 1846. 478. — Malesia.  
*fastigiosum* Christ 1899, Index = *H. khasianum*.  
*firmum* v. A. v. R. Nova Guinea 14. 28. 1924. — N. Guinea.  
*Foxworthyi* Cop. Phil. Journ. Sci. 12 C. 45. 1917 = *Trichomanes*.  
*fujisanense* Nakai, Bot. Mag. Tokyo 40. 249. 1926. — Japonia.  
*gracilius* Cop. Bishop Mus. Bull. 93. 7 t. 3. 1932. — Tahiti.  
*hamuliferum* v. A. v. R. Bull. Buit. II no. 28. 29. 1918. — Ins. Banca.  
*hemipteron* Ros. Fedde Rep. 22. 4. 1925. — Costa Rica.  
*Henryi* Bak. 1889, Index = *H. barbatum*.  
*Herterlanum* Brause, Engl. Jahrb. 56. 43. 1920. — N. Guinea.  
*Hieronymi* (Brause) C. Chr. Ind. Suppl. III. 114. 1934. — N. Guinea.  
*Trichomanes* Brause, Engl. Jahrb. 49. 6 f. 1 A. 1912. (§ *Leptocionium*!).  
*holotrichum* A. Peter, Fedde Rep. Beih. 40. 16, Descr. 1, t. 1 f. 3–4. 1929.  
*Hosei* Cop. Phil. Journ. Sci. 12 C. 46. 1917. — Borneo. [Africa or.  
*Humbertii* C. Chr. Arch. Bot. (Caen) 2. Bull. mens. 209. 1928, Dansk Bot. Ark. 7. 10 t. 2 f. 6–8. 1932. — Madagascar.  
*involveratum* Cop. Univ. Calif. Publ. Bot. 12. 375. 1931. — Rarotonga.  
*johorenses* Holttum, Gard. Bull. S. S. 4. 408, fig. 1929. — Malay Penins., Borneo.  
*kerianum* Watts, Pr. Linn. Soc. N. S. Wales 39. 767 t. 87 f. 6. 1915. — Queensland.  
*khasianum* Bak. — Adde syn. *H. fastigiosum* Christ 1899. — India bor., China austr., Tonkin.  
*klabatense* Christ 1894, v. A. v. R. Mal. Ferns Suppl. Corr. 45. 1917. — Celebes.  
*latilobum* Bonap. N. Pt. 13. 103. 1921 = *H. badium*.  
*Ledermanni* Brause, Engl. Jahrb. 56. 41. 1920. — N. Guinea.  
*leptocarpum* Cop. Brittonia 1. 71. 1931. — Borneo.  
*lindsaeoides* Bak. 1894, Index = *Stenoloma odontolabia*.  
*lingganum* v. A. v. R. Bull. Buit. III. 5. 208. 1922. — Lingga Arch.  
*Lobbii* Moore 1863. — Adde syn. *Trichomanes serratum* Bak. 1867, Index. *Hym. subflabellatum* Cesati 1876, Index.  
*microchilum* (Bak.) C. Chr. Mitt. Inst. Hamburg 7. 143. 1928. — Borneo. *Trichomanes* Bak. 1894, Index.  
*miriflucum* Morton, Bot. Gaz. 93. 338, c. t. 1932. — Peru. (*Buesia* subgen. nov.).  
*nutantifolium* v. A. v. R. Nova Guinea 14. 27. 1924. — N. Guinea.  
*omeiense* Christ 1906, Ind. Suppl. = *H. barbatum* var.  
*osmundoides* v. d. B. 1863. — India bor. - China - Tonkin.  
*palmense* Ros. Fedde Rep. 22. 5. 1925. — Costa Rica.  
*parvifolium* Bak. 1866, Index = *Trichomanes*.

- parvum** C. Chr. Cat. Pl. Mad. Pter. 18. 1932 (nomen), Dansk Bot. Ark. 7. 8 t. 2 f. 1—3. 1932. — Madagascar.
- perflissum** Cop. Phil. Journ. Sci. 12 C. 47. 1917. — Borneo.
- piliferum** C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 70. 221. 1925. — N. Cale-
- pleiocarpum** v. A. v. R. Bull. Buit. III. 5. 208. 1922. — Sumatra. [donia.
- plicatum** Klf. 1824. — Amer. austr. temp.
- H. dichotomum auctt., Index cum syn. (non Cav. 1802).
- polyanthum** Hk. 1835 = Trichomanes societense.
- praetervisum** Christ. — Dele loc. Borneo et syn. Trichomanes denticulatum Bak. (v. H. Bakeri).
- praetervisum?** var. **australiense** Domin 1913 et var. **exsertum** Bailey 1889 = H. pseudo-tunbridgense.
- productoides** J. W. Moore, Bishop Mus. Bull. 102. 5. 1933. — Raiatea (Ins.
- productum** Kze. Bot. Zeit. 1848. 305. — Malesia. [Soc.
- pseudo-tunbridgense** Watts, Proc. Linn. Soc. N. S. Wales 39. 766. 1915. — Queensland. — H. praetervisum var. **exsertum** Bailey, Rep. Gov. Exp. Bel- lenden-Ker 74. 1889, Lith. t. 30? H.? praetervisum var. **australiense** Domin, Bibl. Bot. 85. 21. 1913.
- punctisorum** Ros. 1915, Ind. Suppl. pré. — Adde syn. H. constrictum Hayata 1914 (non Christ 1904).
- remotipinna** Bonap. N. Pt. 16. 17. 1925 = H. veronicoides.
- retusilobum** Hayata, Ic. Pl. Formosa 10. 72. 1921. — Formosa.
- Rosenstockii** Brause, Engl. Jahrb. 56 43. 1920. — N. Guinea.
- ruffolium** v. A. v. R. Bull. Buit. II no. 28. 28. 1918. — Sumatra.
- ruffrons** v. A. v. R. l. c. 28. — Sumatra.
- rugosum** C. Chr. et Skottsberg, Nat. Hist. Juan Fernandez 2. 12 f. 4. 1920. — Juan Fernandez.
- Sampaioanum** Brade et Ros. Bol. Mus. Rio Janeiro 7. 136 t. 1 f. 2, t. 3. 1931. — Brasilia.
- semifissum** Cop. 1915, Ind. Suppl. pré. = H. penangianum.
- sibthorpioides** (Bory) Mett., Kuhn 1868. — Ins. afric. or. — Trichomanes Bory, Willd. 1810. (An Tr. parvulum Poir. 1808?, non auctt., cf. C. Chr. Dansk Bot. Arkiv 7. 3, 11).
- Skottsbergii** C. Chr. 1910, Ind. Suppl. = H. Darwinii.
- spicatum** Christ 1906, Ind. Suppl. = H. barbatum.
- subfirmum** v. A. v. R. Nova Guinea 14. 28. 1924. — N. Guinea.
- sublabellatum** Cesati 1876, Index = H. Lobbiai.
- todjambuense** Kjellberg, Engl. Jahrb. 66. 41. 1933. — Celebes.
- veronicoides** C. Chr. in Bonap. N. Pt. 12. 20. 1920, Dansk Bot. Ark. 7. 9 t. 2 f. 9—12. 1932. — Madagascar. — H. remotipinna Bonap. 1925.
- vincentinum** Bak. 1891, Index = H. macrothecium.
- HYPODERRIS** R. Brown. — (Polypodiaceae Gen. 7).
- Stübelli** Hier. 1907. Ind. Suppl. = Bolbitis.
- Hypolepidopsis** Hieronymus, Hedwigia 62. 28. 1920 (*Cheilanthes* §) = **Chei-**
- HYPOLEPIS** Bernhardt. — (Polypodiaceae Gen. 113). [lanthes.
- aculeata** Gepp, JoB. 1923 Suppl. 59. — N. Guinea.
- Bergiana** (Schlecht.) Hk. 1852, Index = Cheilanthes.
- Brooksiae** v. A. v. R. Bull. Buit. II no. 28. 29. 1918. — Sumatra, Malacca, Borneo.
- Buehtienii** Ros. Fedde Rep. 25. 58. 1928. — Bolivia.

- californica* (Nutt) Hk. 1852, Index = *Cheilanthes*.
- celebica* C. Chr. Engl. Jahrb. **66**. 58. 1933. — Celebes.
- distans* × *millefolium* Carse, Tr. N. Zeal. Inst. **60**. 305. 1929. — N. Zealand.
- distans* × *rugosula* Carse, l. c. — N. Zealand.
- Ekmani* Maxon, Proc. Biol. Soc. Wash. **43**. 84. 1930. — Haiti.
- grandifrons* Gepp in Gibbs, Dutch N. W. N. Guinea. 195. 1917 = *Dennstaedtia penicillifera*.
- hispaniolica* Maxon, Journ. Wash. Acad. Sci. **14**. 88. 1924. — Hispaniola.
- incisa* (Kze.) C. Chr. Index = *Cheilanthes*.
- meifolia* (Eat.) Bak. 1891, Index = *Cheilanthes*.
- Petrieana* Carse, Tr. N. Zeal. Inst. **50**. 64. 1918 = *H. punctata*.
- pulcherrima* Underw. et Maxon, Proc. Biol. Soc. Wash. **43**. 84. 1930. — Hispaniola, Jamaica.
- punctata* × *rugosula* Carse, Tr. N. Zeal. Inst. **60**. 305. 1929. — N. Zealand.
- punctata* × *tenuifolia* Carse, l. c. — N. Zealand.
- rugosula* (Lab.) J. Sm. 1846 (*rugulosa*). — Reg. austr. temp., Montes trop. — *Polypodium* Lab. 1806; *Dryopteris punctata*\* Index 287.
- rugosula* × *tenuifolia* Carse, l. c. — N. Zealand.
- Schimperi* (Kze.) Hk. 1852, Index = *Cheilanthes*.
- tenerifrons* Christ 1908, Ind. Suppl. = *Dryopteris*.
- tenerrima* Maxon, Journ. Wash. Acad. Sci. **14**. 196. 1924 — Hispaniola.
- ITHYCAULON** Copeland, Univ. Calif. Publ. Bot. **16**. 79. 1929. — *Saccoloma* sp. Index. — (*Polypodiaceae* Gen. 48).
- acuminatum* (Ros.) Cop. Univ. Calif. Publ. Bot. **12**. 395. 1931. — N. Guinea. *Dennstaedtia* Ros. 1915, Ind. Suppl. pré-l.
- brasiliense* (Pr.) C. Chr. Ind. Suppl. III. 116. 1934. — Amer. austr. trop.— *Saccoloma* (Pr.) Mett. 1861, Ind. Suppl. 129.
- caudatum* Cop. Univ. Calif. Publ. Bot. **16**. 80. 1929. — N. Guinea. *Saccoloma* Cop. Phil. Journ. Sci. **30**. 327. 1926.
- domingense* (Spr) C. Chr. Ind. Suppl. III. 116. 1934. — Ind. occ. Mexico— Venezuela. — *Saccoloma* (Spr) Prantl 1892, Index.
- firmum* (Kuhn) C. Chr. Ind. Suppl. III. 116. 1934. — N. Caledonia. N. Hebridae. — *Saccoloma moluccanum* var. *firma* Kuhn, Verh. zool. bot. Ges. Wien **19**. 13. 1869, Chaetopt. t. 2 f. 15—16; *S. firmum* C. Chr. 1925.
- Guentheri* (Ros.) C. Chr. Ind. Suppl. III. 116. 1934. — Bolivia. *Saccoloma* Ros. Fedde Rep. **25**. 58. 1928.
- Henriettae* (Bak.) C. Chr. Ind. Suppl. III. 116. 1934. — Madagascar. *Dennstaedtia* (Bak.) Diels 1899, Index cum syn.; *Saccoloma* C. Chr. 1932.
- inaequale* (Kze.) Cop. Univ. Calif. Publ. Bot. **16**. 80. 1929. — Amer. trop. *Saccoloma* (Kze.) Mett. 1861, Index cum syn.
- minus* (Hk.) C. Chr. Ind. Suppl. III. 116. 1934. — Malesia, Polynesia. — *Davallia inaequalis* var. *minor* Hk. sp. **1**. 180 t. 58A. 1846; *Saccoloma minus* C. Chr. 1929. *S. moluccanum* Mett., Kuhn 1869, Index (excl. syn. plur.); *Ithycaulon* Cop. 1929 (non *Davallia* Bl. 1828). — *Davallia campylura* Kze. 1850 pt.?. — *Microlepia papillosa* Brack. 1854 (an sp.?) — *Davallia asperrima* Ces. 1877. — *Dennstaedtia Kingii* Bedd. 1893, Index.
- moluccanum* Cop. Univ. Calif. Publ. Bot. **16**. 80. 1929 = *I. minus*.
- JAMESONIA** Hook. et Grev. — (*Polypodiaceae* Gen. 98).
- brunnea* Maxon, Journ. Wash. Acad. Sci. **14**. 72. 1924. — Ecuador.
- ceracea* Maxon, l. c. 73. — Colombia.

- JAPANOBOTRYCHUM** Masamune, Journ. Soc. Trop. Agric. Formosa **3**. 246.  
*arisanense* Masamune, l. c. — Formosa. — (*Botrychium* sp?). [1931.]
- LACAUSSADEA** Gaudichaud = **Egenolffa**.  
*rhizophylla* Gaud. 1846 = *E. serrulata*.
- LASTREA** Bory = **Dryopteris**.  
*Africana* Ching, Contr. Biol. Lab. Sci. Soc. China **9**. 37. 1933.  
*acuminata* Houlst. Gard. Mag. Bot. **3**. 317. 1851. — Nepal.  
*acuminata* Moore 1858 = *D. acuminata*.  
*arborea* E. Brongn. Bull. Soc. Fr. **19**. 226. 1872. — Luzon.  
*articulata* Brack. 1854 = *Arthropteris*.  
*augescens* Houlst. Gard. Mag. Bot. **3**. 316. 1851; Lowe 1857.  
*Beccariana* Ridley, Tr. Linn. Soc. II. Bot. **9**. 257. 1916.  
*caudiculata* Pr. 1849 = *D. verrucosa*.  
*chupengensis* Ridley, Journ. Str. Br. R. As. Soc. no. **59**. 232. 1911.  
*ciliata* Liebm. 1849 = *D. equestris*.  
*elegans* hort.; Houlst. et Moore, Gard. Mag. Bot. **3**. 318. 1851; J. Sm. 1856.  
*grandifolia* Pr. 1849 = *D. effusa* var.  
*hispida* Houlst. Gard. Mag. Bot. **3**. 318. 1851.  
*Klossii* Ridley, Tr. Linn. Soc. II Bot. **9**. 257. 1916.  
*lancastricense* Houlst. Gard. Mag. Bot. **3**. 318. 1851; J. Sm. 1856.  
*leucolepis* Pr. 1849 = *D. leucolepis*.  
*Macgregorii* Ridley, Tr. Linn. Soc. II Bot. **9**. 257. 1916.  
*Norrisii* Ridley, Journ. Mal. Br. R. As. Soc. **4**. 69. 1926.  
*odorata* Wawra, Oest. Bot. Zeit. **13**. 144. 1863. — ex syn. = *D. crenata* (loc. St. Vincent falsa?).  
*Robinsonii* Ridley, Journ. Fed. Mal. Stat. Mus. **10**. (128—156). 1920, Journ. Mal. Br. R. As. Soc. **4**. 65. 1926.  
*sericea* Schott, Bedd. 1869 = *D. pseudocalcarata*.  
*Sieberiana* Pr. 1836 = *D. bivestita*.  
*spinescens* Houlst. et Moore, Gard. Mag. Bot. **3**. 318. 1851. — India.
- LATHYROPTERIS** Christ 1907, Ind. Suppl. = **Pteris**.  
*madagascariensis* Christ = *P. lathyropteris*.
- LECANOPTERIS** Reinwardt. — (*Polypodiaceae* Gen. 160).  
*crustacea* Cop. Univ. Calif. Publ. Bot. **12**. 406. 1931 = *Polypodium*.  
*davallioides* v. A. v. R. Bull. Buit. II no. 23. 14. 1916. — Borneo, Sumatra.  
*lomarioides* - mirabile - *Sarcopus* - *sinuosa* Cop. Univ. Calif. Publ. Bot. **16**. 123. 1929 = *Polypodium* sp. homonym.  
*saccata* v. A. v. R. Bull. Buit. II no. 28. 31. 1918. — Sumatra.
- LEMMAPHYLLUM** Presl, Epim. 157. 1849, C. Chr. Dansk Bot. Arkiv **6**. no. 3. 44 t. 5. 1929 (excl. § *Pseudovittaria*). — (*Polypodiaceae* Gen. 150).  
*abbreviatum* Kuhn, C. Chr. l. c. 50 t. 6. f. 2 = *Hymenolepis*.  
*adnascens* Ching, Bull. Fan Mem. Inst. **4**. 101. 1933 = *Polypodium* *Wangii*.  
*carnosum* (Wall.) Pr. 1849, C. Chr. l. c. 49 t. 5 f. 7. — Ind. bor.—China austr.—Tonkin. — *Drymoglossum* (Wall.) J. Sm. 1841, Index c. syn.  
*Christensenii* Ching, Bull. Fan Mem. Inst. **4**. 98. 1933 = *Polypodium* *Chingii*.  
*drymoglossoides* Ching, l. c. 100 = *Polypodium*.  
*microphyllum* Pr. 1849, C. Chr. l. c. 46 t. 5 f. 1—4. — Japonia—China or.—Annam. — *Drymoglossum* (Pr.) C. Chr. Index c. syn. — *D. subcordatum* part. Fée 1852. — *D. obovatum* Harr., Christ 1905, Index.  
*novoguineense* (Ros.) C. Chr. l. c. 51 = *Hymenolepis*.

- pyriforme Ching, Bull. Fan Mem. Inst. 4. 99. 1933 = *Polypodium*.  
 sinense (Christ) C. Chr. l. c. 51 t. 6 f. 1 = *Polypodium neurodioides*.  
**spathulatum** Pr. 1849, C. Chr. l. c. 49 t. 5 f. 6. — Ins. Phil.  
**squamosum** C. Chr. l. c. 48 t. 5 f. 5. — Tonkin.  
 subrostratum Ching, Bull. Fan Mem. Inst. 4. 97. 1933 = *Polypodium*.
- LEPISORUS** (J. Smith) Ching, Bull. Fan Mem. Inst. 4. 47. 1933 = ***Polypodium***.  
 annuifrons (70) — boninensis (p. 76) — clathratus (71) — eilophyllus (65)  
 — excavatus (68) — heterolepis (86) — infraplanicostalus (92) — kuchenensis (69) — Lewisii (65) — loriformis (81) — macrosphaerus (73) — megasorus (79) — nudus (83) — obscure-venulosus (76) — oligolepidus (80) — Onoei (87) — oosphaerus (70) — Perrierianus (51) — phlebodes (72) — pseudonudus (83) — Schraderi (51) — sordidus (78) — subconfluens (85) — sublinearis (78) — suboligolepidus (77) — Thunbergianus (88) — ussuriensis (91) Ching, l. c. = *P. sp. homonym*.  
 angustus Ching, l. c. 86 = *P. caudato-attenuatum*.  
 bicolor Ching, l. c. 66 = *P. excavatum*.  
 contortus Ching, l. c. 90 = *P. Thunbergianum* var.  
 elongatus Ching, l. c. 89 = *P. atropunctatum*.  
 Gueintzii Ching, l. c. 51 = *P. Schraderi*.  
 rotundus Ching, l. c. 51 = *P. vesiculari-paleaceum*.  
 sinensis Ching, l. c. 63 = *P. neurodioides*.  
 vittarioides Ching, l. c. 64 = *P. neurodioides* var.
- LEPTOCHILUS** Kaulfuss 1824, C. Chr. Index p. XXV excl. §§ 2—3: *Anapausia* et *Bolbitis* (= *Bolbitis*) et § 4: *Lomagamma* (= *Lomagamma*); Ching, Bull. Fan Mem. Inst. 4. 341. 1933. *Campium* sect. *Dendroglossa* Copeland, Phil. Journ. Sci. 37. 343. 1928. — *Myuropteris* C. Chr. 1929. — (*Polypodiaceae* Gen. 153).
- acrostichoides — auriculatus — Bernoulii — bipinnatifidus (Suppl.) — Boivini — Bradeorum (Suppl.) — Cadieri — costatus (Suppl. pré.) — crenatus (Suppl.) — curupirae — diversifolius — Donnell-Smithii (Suppl.) — fluviatilis — gaboonensis — gemmifer (Suppl.) — heteroclita — Heudelotii — Humblotii — hydrophyllus (Suppl.) — inconstans — labrusca — Lindigii — mexicanus (Suppl.) — modestus — Naumanni — nicotianifolius — opacus — ovatus (Suppl. pré.) — pandurifolius — phanerodictyus — Preslianus — Rawsoni — rivularis — sagenioides — salicinus — scalpturatus (Suppl. 49) — serratus — serratifolius — subcrenatus — Taylori C. Chr. Index cum Suppl. = ***Bolbitis*** sp. homonym.  
 alienus (Sw.) C. Chr. Index = *Bolbitis aliena*, *B. cladorrhizans*, *B. Liebmanni*, *B. semipinnatifida*.  
 angustipinnus Hayata 1915, Ind. Suppl. pré. = *Bolbitis contaminans*.  
 antrophyoides (Bak.) C. Chr. Index = *Loxogramme*.  
**axillaris** (Cav.) Klf. — Adde syn. *L. platyphyllus* Cop. 1928. *L. dichotomophlebia* Hayata 1914, Ind. Suppl. pré. (part.).  
 Bonii (Christ) C. Chr. Index = *Hemigramma decurrens*.  
**cantonensis** (Bak.) Ching, Bull. Fan Mem. Inst. 4. 343. 1933. — Kwangtung. *Polypodium* (Bak.) C. Chr. Index; *Christiopteris* Christ 1908; *Campium celebicus* (Bak.) C. Chr. Index = *Dryopteris*. [Ching 1930.  
*cladorrhizans* Maxon, Pter. Porto Rico 460. 1926 = *Bolbitis*.  
**cordatus** (Christ) Ching, Bull. Fan Mem. Inst. 4. 343. 1933. — Annam. Hainan. — *Drymoglossum* Christ 1911, Ind. Suppl.; *Myuropteris* C. Chr. 1929. *Campium dilatatum* Cop. 1928. — (*Veris. L. cantoniensis* f.).

- cuneatus* Bonap. N. Pt. 14. 453. 1924 = *Lomagramma sumatrana*.
- cuspidatus* C. Chr. Index = *Bolbitis cuspidata*, *B. bipinnatifida*, *B. lonchopora*, *B. Quoyana* (*Acr. repandum* Bl.).
- decurrens* Bl. — Adde loc. China et syn. *Campium* Cop. 1928.
- dichotomophlebia* Hayata 1914, Ind. Suppl. pré. = *L. axillaris* et *L. lance-*
- diversibasis* Bonap. N. Pt. 14. 216. 1924 = *Bolbitis*. [olatus? (t. Nakai).
- exsculptus* (Bak.) C. Chr. Index (*exsculptus* ex err. typ.) = *Dryopteris*.
- Fendleri* (Bak.) C. Chr. Index = *Dryopteris anceps*.
- grossedentatus* Bonap. N. Pt. 14. 217. 1924 = *Bolbitis*.
- guianensis* (Aubl) C. Chr. Index = *Lomagramma*.
- Harlandii* (Hk.) C. Chr. Index = *Hemigramma decurrens*.
- hemiotis* Maxon, Amer. Fern Journ. 14. 101. 1925 = *Bolbitis*.
- Hollrungii* (Kuhn) C. Chr. Index = *Hemigramma*.
- Kanashiroi* Hayata 1915, Ind. Suppl. pré. = *Hemigramma decurrens*.
- Killipii* Maxon, Amer. Fern Journ. 21. 138. 1931 = *Bolbitis Bradeorum*.
- laciniatus* (Hk.) Ching, Bull. Fan Mem. Inst. 4. 344. 1933. — Ceylon.  
*Campium* Cop. Phil. Journ. Sci. 37. 354 t. 1928; *Acrostichum variable*  
 var. *laciniatum* Hk. sp. 5. 255. 1864; *Gymnopteris Feei* var. *pinnatifida*  
 Bedd. 1864; *G. Feei* var. *triloba* Bedd. 1868.
- lanceolatus* Fée 1845, Index (excl. var. *G. normalis*) — India austr.  
*Campium* Cop. 1928.
- latifolius* (Meyen) C. Chr. Index = *Hemigramma latifolia* et *H. taceifolia*.
- Laurentii* (Christ) C. Chr. Index = *Bolbitis Boivini*.
- Liebmanni* Maxon, Proc. Biol. Soc. Wash. 43. 86. 1930 = *Bolbitis*.
- Linnaeanus* Fée. — *Campium* Cop. 1928.
- Listeri* (Bak.) C. Chr. Index. — *Mihi L. decurrens* f.
- lomarioides* Bl. 1828, Index = *Lomagramma*.
- longiflagellatus* Bonap. N. Pt. 4. 68. 1917 = *Bolbitis*.
- malaccensis* C. Chr. Gardens Bull. S. S. 4. 394. 1929 = *Bolbitis*.
- metallicus* (Bedd.) C. Chr. Index = *L. zeylanicus*.
- minor* Fée 1845, Index. — Dele loc. Ind. bor. et syn. *Gymnopteris* Hk. (non  
 alior.). — *Campium* Cop. 1928. *Leptochilus normalis* (J. Sm.) Cop. 1908,  
 Ind. Suppl. cum syn.
- minutulus* Fée 1865. — Assam. — *Campium* Cop. 1928; *Gymnopteris minor*  
 Hk. Sec. Cent. t. 86. 1861.
- ?*neglectus* (Bailey) C. Chr. — Genus valde dubium, *Blechno* affine.
- normalis* (J. Sm.) Cop. 1908, Ind. Suppl. = *L. minor*.
- novoguineensis* Brause, Engl. Jahrb. 56. 117. 1920 = *Lomagramma*.
- oligodictyus* (Bak.) C. Chr. Index = *Dryopteris*.
- pentagonalis* Bonap. N. Pt. 7. 158. 1918 = ?*Hemigramma*.
- pergamentaceus* Maxon, Journ. Wash. Acad. Sci. 14. 144. 1924 = *Bolbitis*.
- platyphyllus* Cop. Phil. Journ. Sci. 37. 340 t. 2. 1928 = *L. axillaris*.
- prolifer* (Bory) C. Chr. Index = *Bolbitis subcrenata*.
- Raapii* v. A. v. R. 1908, Ind. Suppl. = *Acrostichum speciosum*.
- Rizalianus* Christ 1906 = *L. minor*.
- rumicifolius* Ridley, Journ. Mal. Br. R. As. Soc. 4. 116. 1926 = *Tectaria*.
- siifolius* Ros. 1912, Ind. Suppl. = *Hemigramma*.
- simplicifolius* Holttum, Gardens Bull. S. S. 4. 409. 1929 = *Bolbitis*.
- stolonifer* Christ 1906, Ind. Suppl. = *Bolbitis subsimplex*.
- Stuebelii* Maxon, Proc. Biol. Soc. Wash. 46. 142. 1933 = *Bolbitis*.

*sumatranus* v. A. v. R. Bull. Buit. II. no. 23 t. 2. f. 1. 1916 = *L. Linnaeanus*.  
*tricuspis* (Hk.) C. Chr. Index = *Christiopteris*.  
*trifidus* v. A. v. R. 1908, Ind. Suppl. — Hort. Bogor.  
*Türkheimii* (Christ) C. Chr. Ind. Suppl. = *Bolbitis Bernoullii*.  
*turrialbae* Ros. Fedde Rep. 22. 22. 1925 = *Bolbitis*.  
*varians* (Mett.) Fourn. 1868, Index = *Christiopteris*.  
*virens* C. Chr. Index = *Bolbitis virens*, *B. contaminans*, *B. crispatula*, *B. semicordata*.

*zeylanicus* Fée 1865. — Ceylon. — *Campium* Cop. 1928. *Leptochilus metallicus* (Bedd.) C. Chr. Index.

*zeylanicus* (Houtt.) C. Chr. Index = *Quercifilix*.

*Zollingeri* (Kze.) Fée 1852, Index = *Bolbitis subsimplex*.

**LEPTOLEPIA** Mettenius. — (Polypodiaceae Gen. 59).

*maxima* (Fourn.) C. Chr. Ind. Suppl. pré-l. = *Oenotrichia*.

*novae guineae* (Ros.) v. A. v. R. Ind. Suppl. = *Oenotrichia*.

*tripinnata* (Muell.) Kuhn 1882, Index = *Oenotrichia*.

**LEUCOSTEGIA** Presl 1836. — *Davallia* sp. Index. — (Polypodiaceae Gen. 51).

*Leucostegia et Araiostegia* Copeland, Phil. Journ. Sci. 34. 252, 240. 1927.

*affinis* J. Sm. 1841 = *L. hymenophylloides*.

*assamica* J. Sm. 1875 = *Humata*.

*borneensis* J. Sm. 1866 = *Davallodes*.

*chaerophylla* J. Sm. 1842 = *L. pulchra*.

?*cicutarioides* (Bak.) C. Chr. Ind. Suppl. III. 120. 1934. — N. Guinea.

*Davallia* Bak. 1890, Index. — (An *Orthiopteris*?).

*Clarkei* (Bak.) C. Chr. Contr. U. S. Nat. Herb. 26. 294. 1931. — Ind. bor.-China austr. — *Davallia* Bak. 1874, Index c. syn. excl. *D. Delavayi*; *Araiostegia*

*Clarkei* var. *Faberiana* C. Chr. l. c. = *D. Faberiana*. [Cop. 1927.

*dareiformis* (Hk.) Bedd. 1876. — Ind. bor.-China austr.-Tonkin.

*Polypodium* Hk. 1860, Index cum syn.; *Araiostegia* Cop. 1931.

*Delavayi* (Bedd.) Ching in C. Chr. Ind. Suppl. III. 120. 1934. — Ind. bor.-

China austr. — *Davallia* Bedd. 1888. *D. Beddomei* Hope 1899, Index.

*Faberiana* (C. Chr.) Ching in C. Chr. Ind. Suppl. III. 120. 1934. — China austr. Burma. — *Davallia Clarkei* var. *Faberiana* C. Chr. Acta Hort.

Gothob. 1. 73. 1924; *Leucostegia* C. Chr. 1931.

*falcinella* J. Sm. 1841 = *Trogostolon*.

*Griffithiana* J. Sm. 1875 = *Humata*.

*gymnocarpa* (Cop.) C. Chr. Ind. Suppl. III. 120. 1934. — Siam.

*Araiostegia* Cop. Univ. Calif. Publ. Bot. 12. 398. 1931.

*hirsuta* J. Sm. 1841 = *Davallodes*.

*Hookeri* Bedd. 1883 = *L. Clarkei*.

*Hosei* Cop. Sarawak Mus. Journ. 2. 336. 1917 = *Tapeinidium biserratum*.

*hymenophylla* (Parish) Bedd. 1876. — Burma.

*Davallia* (Parish) Bak. 1868, Index cum syn.

*hymenophylloides* (Bl.) Bedd. 1876. — Malesia—Polynesia.

*Davallia* (Bl.) Kuhn 1869, Index cum syn.; *Araiostegia* Cop. 1927.

*immersa* (Wall.) Pr. 1836. — Asia trop. — *Davallia* Wall., Index cum syn.

*loxoscaphoides* (Bak.) C. Chr. Ind. Suppl. III. 120. 1934. — N. Guinea. —

*Dryopteris* (Bak.) C. Chr. Index. — (Cf. *L. subdigitata* et *Davallia Formac Gillivrayi* Fourn. 1873 = *Oenotrichia maxima*. besii Gepp).

*maxima* Fourn. 1873 = *Oenotrichia*.

- membranulosa J. Sm. 1875 = Davalloses.
- multidentata** (Wall.) Bedd. 1876. — Ind. bor.-China austr.  
Davallia (Wall.) Hk. 1867, Index cum syn.; Araiostegia Cop. 1927.
- nephrodioides Cop. Sarawak Mus. Journ. 2. 336. 1917 = Davalloses borneense.
- pallida** (Mett.) Cop. Phil. Journ. Sci. 34. 252. 1927. — Malacca, Borneo, Ins. Phil., N. Guinea, N. Hebridae, Samoa, Tahiti. — Davallia Mett., Kuhn 1869, Index c. syn.
- parva** (Cop.) C. Chr. Ind. Suppl. III. 121. 1934. — Sikkim.  
Araiostegia Cop. Univ. Calif. Publ. Bot. 12. 399. 1931.
- parvipinnula** Hayata, Ic. Pl. Formosa 4. 205 f. 139. 1914. — Formosa.  
Davallia Hayata 1911, Ind. Suppl. préL.; Araiostegia Cop. 1927. Davallia subalpina Hayata 1911, Ind. Suppl. préL.
- parvula J. Sm. 1842 = Humata.
- perdurans** (Christ) C. Chr. Contr. U. S. Nat. Herb. 26. 294. 1931 (Hier. ex err.). — China austr. — Davallia Christ 1898, Index; Humata Hier. 1920; Araiostegia Cop. 1931.
- pseudocystopteris** (Kze.) Bedd. 1876. — Ind. bor.-China austr. — Davallia Kze. 1850, Index; Araiostegia Cop. 1927. — Davallia athamantica Christ 1905, Index; Araiostegia Cop. 1927.
- pulchra** (Don) J. Sm. 1842. — India—China austr.  
Davallia Don 1825, Index cum syn.; Araiostegia Cop. 1927.
- subdigitata** (Brause) C. Chr. Ind. Suppl. III. 121. 1934. — N. Guinea.  
Dryopteris Brause, Engl. Jahrb. 56. 94. 1920. — (An L. loxoscaphoides?).
- yaklaensis** Bedd. 1892. — Sikkim. — Davallia C. Chr. Index.
- yunnanensis** (Christ) C. Chr. Ind. Suppl. III. 121. 1934. — China austr.  
Davallia Christ 1898, Index; Araiostegia Cop. 1927. Davallia rigidula Bak.
- LINDSAYA** Dryander. — (Polypodiaceae Gen. 67). [1906, Ind. Suppl.  
Abbottii Brause, Fedde Rep. 18. 245. 1922 = L. lancea.
- alpestris** v. A. v. R. Bull. Buit. III. 5. 210. 1922. — Sumatra.
- alutacea Mett. 1861, Index = Stenoloma.
- anogrammoides** C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 70. 223. 1925. — N. Caledonia. — L. minima Cop. 1929(?). — (Veris. = L. dimorpha Bailey).
- arcuata** Kze. 1834, Farrnkr. t. 119. — Amer. trop. — L. horizontalis Hk. 1846.
- Bakeri** C. Chr. Ind. Suppl. III. 121. 1934. — N. Guinea.  
Asplenium C. Chr. Index. Lindsaya Ledermanni Brause 1920.
- Balansae** Fourn. 1873. — Veris. Tapeinidium sp.
- binervata** C. Chr. Engl. Jahrb. 66. 52. 1933. — Celebes.
- canaliculatus v. A. v. R. Bull. Buit. III. 5. 211. 1922 = L. natunae.
- caudata Hk. 1846 = L. scandens var.?
- ceramica** v. A. v. R. l. c. II no. 28. 32. 1918. — Ceram.
- Changii** C. Chr. Ind. Suppl. III. 121. 1934. — China.  
L. minima Ching, Sinensia 1. 52. 1930 (non Cop. 1929).
- Chienii** Ching, Sinensia 1. 4. 1929, Ic. Fil. Sin. t. 19. — China austr.—Tonkin.  
chinensis Ching 1929 = L. Chingii.
- Chingii** C. Chr. Ind. Suppl. préL. III. 121. 1934. — Kwangsi. — L. chinensis  
Ching, Sinensia 1. 5. 1929, Ic. Fil. Sin. t. 20 (non Mett., Kuhn 1868).
- concinna** J. Sm. 1841, Hk. 1846. — Malesia.
- crenata** Kl. 1844, Hier. Hedwigia 62. 16. 1920. — Guiana—Brasilia—Uruguay.
- crenulata Fée 1852 = L. Lobbiana. [— L. curvans Fée 1852.
- crispa** Bak. — Adde loc. Lingga Ins. et syn. L. impressa Christ 1905, Index.



- curvans* Fée 1852 = *L. crenata*.
- decomposita** Willd. — Sp. coll. cf. Holttum, Gard. Bull. S. S. 5 66 f. 1930.  
— Dele varr. *L. recurvata* Wall. et *Schizoloma malabaricum* Bedd.
- deltoidea* C. Chr. Index = *Stenoloma*.
- dimorpha** Bailey. — V. *L. anogrammoides*.
- dissectiformis* Ching, Sinensia 1. 52. 1930 = *Stenoloma Eberhardtii*.
- exilis* Fourn. 1873, Index = *Tapeinidium flavicans*.
- Feei** C. Chr. Index. — Cf. Hier. *Hedwigia* 62. 16. 1920. — Adde syn. *L. Klotzschiana* Moritz 1854 (nomen), Ettingsh. 1865 (nomen, fig.).
- fissa** Cop. Phil. Journ. Sci. 38. 143 t. 1. 1929. — Palawan.
- flavicans* Mett. 1864, Index = *Tapeinidium*.
- gigantea** (Hk.) C. Chr. Engl. Jahrb. 66. 53. 1933. — Malesia.  
*L. flabellulata* var. *gigantea* Hk. sp. 1. 211 t. 63 C. 1846.
- gracilis** Bl. — Dele loc. N. Caledonia(?) et syn. omn.
- grandifolia** Sm. Rees Cycl 21. no. 12. 1812; Alston, Phil. Journ. Sci. 50. 180 (descr. orig.). 1933 = *Taenitis blechnoides*.
- heterophylloides* Ros., Bonap. N. Pt. 13. 260. 1921 (nomen) — N. Caledonia.
- horizontalis* Hk. 1846 = *L. arcuata*. [= ?*Schizoloma heterophyllum* ?]
- Hosei* C. Chr. Index = *Schizoloma*.
- hymenophylloides** Bl. — Dele loc. Polynesia(?) et syn. *Davallia Lapeyrousii* Hk.
- impressa* Christ 1905, Index = *L. crispa*.
- incisa* Prentice 1873, Index = *L. linearis*.
- integra** Holttum, Gardens Bull. S. S. 5 67. 1930. — Malacca.
- Kajewskii** Cop. Journ. Arnold Arb. 12. 48. 1931. — Vanikoro.
- Kjellbergii** C. Chr. Engl. Jahrb. 66. 53. 1933. — Celebes.  
*Klotzschiana* Moritz 1854 = *L. Feei*.
- lancea** (L.) Bedd. — Dele loc. Ceylon, Malesia et syn. omn. *L. trapezifolia* auctt. quoad pl. asiat. = *L. scandens*. [formis exc.]
- Lapeyrousii** (Hk.) Bak. Syn. 107 1867. — Fiji. — *Davallia* Hk. 2. Cent. t. 1. 1861.  
*laxa* Kze. = *L. Feei*. [56. 1861.]
- Ledermanni* Brause, Engl. Jahrb. 56. 130. 1920 = *L. Bakeri*.
- Lobbiana** Hk. 1846, C. Chr. Gardens Bull. S. S. 4. 396. 1929. — Malesia.  
*L. crenulata* Fée 1852. *L. propria* v. A. v. R. 1914, Ind. Suppl. prélim. — (An *L. lucida* Bl. 1828?).
- longa** Cop. Phil. Journ. Sci. 46. 216. 1931. — Palawan.
- longifolia** Cop. l. c. 38 145 t. 3. 1929. — Ins. Phil.
- longipetiolata** Ching, Sinensia 1 51. 1930. — China.
- lucida* Bl. 1828. — Forte = *L. Lobbiana*.
- Macraeana* Cop. Bishop Mus. Bull. 59. 70. 1929 = *L. repens*.
- malabarica** (Bedd.) Bak. 1874. — India austr.  
*Schizoloma* Bedd. Ferns br. Ind. t. 268. 1868.
- malayensis** Holttum, Gardens Bull. S. S. 5. 69 f. 8. 1930. — Malacca, Borneo.
- marginata** Brause, Engl. Jahrb. 56. 126. 1920. — N. Guinea.
- mediocris* Fourn. 1873, Index = *Tapeinidium Moorei* var.
- minima* Cop. Univ. Calif. Publ. Bot. 14. 365. 1929 = *L. anogrammoides*.
- minima* Ching, Sinensia 1. 52. 1930 = *L. Changii*.
- montana** Fée 1866. — Ind. occ.
- neocaledonica** Compton, Journ. Linn. Soc. 45. 443. 1922. — N. Caledonia.
- oblanceolata** v. A. v. R. Bull. Buít. II no. 23. 15. 1916. — Sumatra.
- obscura** Brause, Engl. Jahrb. 56. 132. 1920. — N. Guinea.

- orbiculata** (Lam.) Mett. — Dele var. *L. tenera* Dry.
- pallida** Kl. 1844, Hier. Hedwigia 62. 17. 1920. — Guiana. Brasilia.
- parallelogramma** v. A. v. R. Bull. Buit. III. 5. 212. 1922, Holttum, Gardens Bull. S. S. 5. 70. 1930. — Malacca. Sumatra.
- parasitica** Wall. 1929, Hier. Hedwigia 62. 14. 1920 = *L. scandens*.
- plumula** Ridley, Journ. Mal. Br. R. As. Soc. 4. 22. 1926. Holttum l. c. 62. 1930. — Malacca.
- pratensis** Maxon, Amer. Fern Journ. 23. 73. 1933. — Costa Rica.
- propria** v. A. v. R. 1914, Ind. Suppl. pré. = *L. Lobbiana*.
- protracta** Cop. Bishop Mus. Bull. 59. 14. t. 3. 1929. — Fiji.
- pumila** Kl. 1844, C. Chr. Dansk Bot. Ark. 6 no. 3. 97. 1929. — Guiana—Amazonas.
- raiateensis** J. W. Moore, Bishop Mus. Bull. 102. 8. 1933. — Raiatea (Ins. Soc.).
- Ramosii** Cop. Phil. Journ. Sci. 48. 144 t. 2. 1929. — Luzon.
- recurvata** Wall. 1828, Hk. sp. 1. 222 t. 70 A. 1846, Holttum, Gardens Bull. 5. 66. 1930. — Malacca. Sumatra, Borneo. — *L. trapezoidea* Cop. 1929.
- repens** (Bory) Mett. — Nomen dubium quia *Davallia repens* Bory ex Ins. Mascar. veris. *L. cultrata* forma sit. Nomen proprium sp. malesicae et polynesicae *L. Macraeana* (Hk. et Arn.) Cop. est?
- rhubifoliolata** v. A. v. R. Nova Guinea 14. 29. 1929 — N. Guinea.
- Rosenstockii** Brause, Engl. Jahrb. 56. 128. 1920. — N. Guinea.
- scandens** Hk. 1846. — Adde syn. *L. parasitica* Wall. 1829, Hier. 1920. *L. lancea* auctt. quoad pl. asiat. — ?*L. caudata* Hk. 1846 (Ceylon).
- securidifolia** Pr. 1836, Kze. 1846 = *L. concinna*?
- semilunata** C. Chr. Index = *L. Ulei*.
- sepikensis** Brause, Engl. Jahrb. 56. 131. 1920. — N. Guinea.
- sinuato-crenata** v. A. v. R. Nova Guinea 14. 30. 1924. — N. Guinea.
- societatis** J. W. Moore, Bishop Mus. Bull. 102. 7. 1933. — Ins. Societatis.
- spinulosa** Brause 1910, Ind. Suppl. = *Didymochlaena* sp. ster.
- subalpina** v. A. v. R. Bull. Buit. II no. 23. 15. 1916, Holttum, Gardens Bull. S. S. 5. 71. 1930. — Sumatra. Malacca.
- subsemilunularis** v. A. v. R. Bull. Buit. II no. 28. 31. 1918. — Borneo. — (= *L. Lobbiana*?).
- surinamensis** Posthumus, Rec. Trav. Bot. néerl. 23. 401 f. 1. 1927, Ferns
- tenera** Dry. 1797. — Malesia. [Surinam 72. — Surinam.
- trapezoidea** Cop. Univ. Calif. Publ. Bot. 14. 376 t. 64. 1929 = *L. recurvata*.
- tropidorachis** v. A. v. R. Bull. Buit. III. 5. 211. 1922. — Luzon.
- Versteegii** (Christ) v. A. v. R. Mal. Ferns Suppl. 206. 1917. — N. Guinea. Odontosoria Christ 1909, Ind. Suppl.
- virescens** Sw. 1817, Index = *Stenoloma*.
- viridis** Col. 1844, Index = *Stenoloma*.
- vrieseana** Ros. Med. Rijks Herb. no. 31. 4. 1917 = *Schizoloma ovatum*.
- Wollastonii** v. A. v. R. Mal. Ferns Suppl. 505. 1917. — N. Guinea. Odontosoria Ridley, Tr. Linn. Soc. II Bot. 9. 254. 1916.
- LITOBROCHIA** Presl = **Pteris**.
- nemoralis** J. Sm. Cat. Kew Ferns 4. 1856 = *P. biaurita*.
- LITHOSTEGIA** Ching, Sinensia 4. 2. 1933. — (Polypodiaceae Gen. 11).
- foeniculacea** (Hk.) Ching, l. c. — Ind. bor. - China merid. Polystichum (Hk.) J. Sm. 1875, Index.

**LOMAGRAMMA** J. Smith. Ind. Suppl. 118. — (Polypodiaceae Gen. 89).

**abscondita** v. A. v. R. Bull. Buit. III. 2. 159. 1920. — Java.

**guianensis** (Aublet) Ching, Amer. Fern Journ. 22. 17. 1932. — Guiana—  
Brasilia. Puerto Rico, Hispaniola. — *Leptochilus* (Aublet) C. Chr. 1904,  
Index cum syn.

**lomarioides** (Bl.) J. Sm. 1875, Ind. Suppl. 118 = *L. sorbifolia*.

**melanolepis** v. A. v. R. Bull. Buit. III. 5. 212. 1922. — Ternate.

**novoguineensis** (Brause) C. Chr. Ind. Suppl. III. 124. 1934. — N. Guinea.  
*Leptochilus* Brause, Engl. Jahrb. 56. 117. 1920.

**pteroides** J. Sm. 1841, Hk. Gen. t. 98. 1842, Cop. Elmer's Leaflets 2. 393.  
1908, v. A. v. R. Bull. Buit. III. 2. 158. 1920. — Ins. Phil. — *Polybotrya*

**sinuata** C. Chr. Svensk Bot. Tids. 16. 98 f. 1922. — Celebes. [Kuhn 1869.

**sorbifolia** (Willd.) Ching, Lingnan Sci. Journ. 120. 566. 1933. — China  
merid.—Malesia. — *Aspidium* Willd. sp. 5. 223. 1810. *Lomagramma lomarioides* (Bl.) J. Sm. 1875, Ind. Suppl. 118. *Campium Matthewii* Ching 1930.

**sumatrana** v. A. v. R. Bull. Buit. III. 2. 158. 1920. — Sumatra.

? *Leptochilus cuneatus* Bonap. 1924. — (Vix a *L. perakensi* diversa).

**LOMARIA** Willdenow = **Blechnum**.

**acutiuscula** v. A. v. R. Nova Guinea 14. 31. 1924.

**alta** Hew.; Houlst. et Moore Gard. Mag. Bot. 3. 226. 1851. — N. Zealand.

**articulata** F. Muell. 1866 = *Plagiogyria*.

**aurea** Wall. 1828 = *Onychium chrysocarpum*.

**Bamleriana** v. A. v. R. Mal. Ferns Suppl. 254. 1917.

**Brooksii** v. A. v. R. Bull. Buit. II no. 28. 32. 1918.

**glandulifera** Hew.; Houlst. et Moore, Gard. Mag. Bot. 3. 227. 1851. — Java.

**Keysseri** v. A. v. R. Mal. Ferns Suppl. 254. 1917.

**marginata** Schrad. 1824 = ?*B. Regnellianum*.

**Regnelliana** Kze. Linn. 22. 576. 1849 (non 20. 1847).

**revoluta** v. A. v. R. Nova Guinea 14. 31. 1924.

**salicifolia** Kze. 1834 = *Stenochlaena* sp.

**LOMARIOPSIS** Fée. — Holttum, Gardens Bull. S. S. 5. 264. 1932 = **Stenochlaena**. — (Cf. Obs. sub *Stenochlaena*).

**Balansae** Fourn. 1873 = *S. Balansae*.

**boninensis** Nakai, Bot. Mag. Tokyo 47. 171. 1933.

**intermedia** (p. 270) — **Kingii** (273) — **Raciborskii** (272) — **Setchellii** (276) —  
**subtrifoliata** (274) Holttum, l. c. = *S. sp. homonym*.

**LONCHITIS** L. — (Polypodiaceae Gen. 129).

**Friesii** Brause 1914, Ind. Suppl. pré-l. = *Anisosorus occidentalis* var.?

**hirsuta** L. 1753, Index = *Anisosorus*.

**occidentalis** Bak. 1867, Index = *Anisosorus*.

**polypus** Bak. 1876, Index = *L. tomentosa* var.

**LONCHITIS-ASPERSA** Hill, British Herbal 526 t. 74. 1756, Farwell, Amer. Mid-  
land Naturalist 12. 276. 1931 = **Blechnum**.

**capensis** (p. 276) — **discolor**, **Feei**, **L'Herminieri**, **Meridensis**, **Penna-marina**,  
**Plumieri**, **Polypodioides**, **Spicant**, **tabularis** (277) Farwell, l. c. = *B. sp.*

**LOPHIDIUM** Richard = **Schizaea**. [homonym.]

**dichotomum** Maxon, Proc. Biol. Soc. Wash. 36. 170. 1923.

**LOPHOSORIA** Presl = **Alsophila**. (Potius genus proprium).

**quadripinnata** C. Chr. in Skotts. Nat. Hist. Juan Fernandez 2. 16. 1920.

- LOXOGRAMME** (Bl.) Presl 1836, Ind. Suppl. préel. — (Polypodiaceae Gen. 149).
- acrosropa** (Christ) C. Chr. Dansk Bot. Ark. 6 no. 3. 48 t. e. f. 4. 1929. — Annam. — Polypodium Christ 1905, Index.
- africana** Cop. 1916, Ind. Suppl. préel. = *L. lanceolata*.
- antrophyoides** (Bak.) C. Chr. Mitt. Inst. Hamburg 7. 163. 1928. — Borneo. Celebes. — *Leptochilus* (Bak.) C. Chr. Index. — *Loxogramme iridifolia* (Christ) Cop. 1906, Ind. Suppl. préel.
- assimilis** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 31. 1933. — China merid. — *Polypodium succulentum* Wu, l. c. no. 3 t. 154. 1932.
- avenia** (Bl.) Pr. 1836. — Malesia. — *Grammitis* Bl. 1828. *L. Blumeana* Pr. 1836, Ind. Suppl. préel.; *Polypodium* C. Chr. Index cum syn. *Blumeana* Pr. 1836, Ind. Suppl. préel. = *L. avenia*.
- boninensis** Nakai, Bot. Mag. Tokyo 43. 10. 1929. — Ins. Bonin.
- Brooksii** Cop. 1914, Ind. Suppl. préel. = *L. subecostata*.
- chinensis** Ching, Sinensia 1. 13. 1929, Ic. Fil. Sin. t. 47. — China.
- dictyopteris** (Mett.) Cop. Univ. Calif. Publ. Bot. 14. 369. 1929. — N. Zealand. *Polypodium* Mett. 1861, Index.
- formosana** Nakai, Bot. Mag. Tokyo 43. 8. 1929. — Formosa.
- grammitoides** (Bak.) C. Chr. Ind. Suppl. préel. — China, Japonia. — Adde syn. *L. minor* Mak. 1905. *L. Yakushimae* (Christ) C. Chr. Ind. Suppl. préel. *L. spatulata* Cop. 1926.
- Humboldtii** C. Chr. Cat. Pl. Mad. Pter. 60. 1932, Dansk Bot. Ark. 7. 159 t. 60 f. 8. 1932. — Madagascar. — *Polypodium* C. Chr. Index.
- iridifolia** (Christ) Cop. 1908, Ind. Suppl. préel. = *L. antrophyoides*.
- lankokiensis** (Ros.) C. Chr. Ind. Suppl. III. 125. 1934. — Tonkin. *Polypodium* Ros. Med. Rijks Herb. no. 31. 5. 1917; *Loxogramme micro-latifolia* Bonap. N. Pt. 14. 334. 1924. — Congo. [phylla C. Chr. 1929.
- linearis** Cop. 1916, Ind. Suppl. préel. = *L. remote-frondigera*.
- Makinoi** C. Chr. Ind. Suppl. préel. = *L. salicifolia*.
- mexicana** (Fée) C. Chr. Ind. Suppl. III. 125. 1934. — Mexico. *Polypodium* (Fée) Salomon 1883, Index excl. syn. *Grammitis Salvinii*.
- microphylla** C. Chr. Dansk Bot. Ark. 6 no. 3. 48 t. 3. f. 6. 1929 = *L. lankominor* Mak. Bot. Mag. Tokyo 19. 139. 1905 = *L. grammitoides*. [kiensis.
- Parksii** Cop. Bishop Mus. Bull. 59. 18. 1929. — Polynesia.
- prominens** v. A. v. R. Bull. Buit. III. 2. 159. 1920. — Sumatra.
- salicifolia** Mak. Bot. Mag. Tokyo 19. 138. 1905. — Japonia—(China?). *L. Makinoi* C. Chr. Ind. Suppl. préel.
- spatulata** Cop. Phil. Journ. Sci. 30. 331. 1926 = *L. grammitoides*.
- subecostata** (Hk.) C. Chr. Gardens Bull. S. S. 4. 405. 1929. — Malacca, Sumatra, Borneo. — *Polypodium* Hk. 1863, Index. *Loxogramme Brooksii* Cop. 1914, Ind. Suppl. préel.
- Toyoshimae** Nakai, Bot. Mag. Tokyo 43. 9. 1929. — Iwoto Arch. (Japonia).
- vittariifolia** v. A. v. R. Bull. Buit. III. 2. 159. 1920. — Sumatra.
- Yakushimae** (Christ) C. Chr. Ind. Suppl. préel. = *L. grammitoides*.
- LOXOSCAPHE** Moore 1853. — *Asplenium* sp. Index. — (Polypodiaceae Gen. 75).
- brachycarpum** (Mett.) Kuhn 1879. — N. Hebridae. *Asplenium* (Mett.) Kuhn 1869, Index.
- foeniculaceum** (Hk.) Moore 1861. — Fiji. — *Davallia* Hk. 1861; *Asplenium gibberosum* (Forst.) Moore 1853. — Polynesia. [stenolobum C. Chr. Index. *Asplenium* (Forst.) Mett. 1870, Index c. syn.

- Mannii** (Eat.) Kuhn 1879. — Ins. Hawaii. — *Davallia* (Eat.) Bak. 1874, Index cum syn; *Diellia* Robinson 1912, Ind. Suppl.
- nigrescens** (Hk.) Moore 1861. — Africa trop. — *Davallia* Hk. 1861; *Asplenium hypomelas* Kuhn 1868, Index. A. Hollandii (Sim) C. Chr. Ind. Suppl.
- novo-guineense** (Ros.) C. Chr. Ind. Suppl. III. 126. 1934. — N. Guinea. *Asplenium* Ros. 1908, Ind. Suppl.
- Schultzei** (Brause) C. Chr. Ind. Suppl. III. 126. 1934. — N. Guinea. *Asplenium* Brause 1912, Ind. Suppl.
- theciferum** (HBK) Moore 1861. — Amer. trop. — *Asplenium* (HBK) Mett. — var. *concinna* (Schrad.). — Africa trop. cum ins. [1864, Index.]
- LOXSOMOPSIS** Christ.
- Lehmannii** Hier. 1904, Index = *L. Pearcei*.
- Pearcei** (Bak.) Maxon, Proc. Biol. Soc. Wash. 46. 105. 1933. — Ecuador. *Dennstaedtia* (Bak.) C. Chr. Index. *Loxsomopsis Lehmannii* Hier. 1904, Index.
- LUNATHYRIUM** Koidzumi, Acta Phytotax. 1. 30. 1932 = **Athyrium**.
- pycnosorum* Koidzumi, l. c.
- LYGODIUM** Swartz.
- conforme** C. Chr. Bull. Mus. Paris II. 6. 104. 1934. — Tonkin. Hongkong.
- derivatum** v. A. v. R. Bull. Buit. III. 5. 213. 1922. — Lingga Ins. (Malesia).
- flexuosum** (L.) Sw. — Dele syn. *Ugena semihastata* Cav. et *L. microstachyum*. *microstachyum* Desv. 1811, Nakai, Bot. Mag. Tokyo 39. 182. 1925 = *L. japonicum* var. (an sp. propr.?).
- Macrophyllidium** Rosenstock 1914, Ind. Suppl. prélim. (*Phyllitis* §) = **Diplora**.
- MARATTIA** Swartz.
- andaiensis** v. A. v. R. Bull. Buit. II. no. 23. 16. 1916. — N. Guinea.
- caudiformis** v. A. v. R. l. c. no. 28. 33. 1918 — Sumatra.
- cincta** Cop. Bishop Mus. Bull. 93. 6 t. 1 C. 1932. — Ins. Societatis.
- dolichocarpa** v. A. v. R. Bull. Buit. no. 28. 33. 1918. — Ceram.
- Grantii** Cop. Bishop Mus. Bull. 93. 6 t. 1 D. 1932. — Ins. Societatis.
- Koordersii** v. A. v. R. Mal. Ferns Suppl. 529. 1917. — Celebes.
- paleolata** v. A. v. R. Bull. Buit. II no. 23. 16. 1916. — Sumatra.
- papuana** v. A. v. R. l. c. 17. — N. Guinea.
- platybasis** Cop. Journ. Arnold Arb. 10. 174. 1929. — N. Guinea.
- rigida** v. A. v. R. Nova Guinea 14. 32. 1924. — N. Guinea.
- rugulosa** v. A. v. R. Bull. Buit. II no. 23. 17. 1916. — Borneo.
- Stokesii** E. Brown, Bishop Mus. Bull. 89. 103 f. 8. 1931. — Rapa Ins. (Polynesia).
- Teysmanniana** v. A. v. R. Bull. Buit. II. no. 23. 18. 1916. — Sumatra.
- MARGINARIA** Bory = **Polypodium**.
- angusta** Kümmerle, Mag. Bot. Lapok 32. 62. 1933.
- ciliata** Alston, Kew Bull. 1932. 315.
- lepidopteris**, **leucosticta** (p. 299) — **Lindeniana** (300) — **plebeja**, **subvestita**, **thysanolepis** (299) Farwell, Amer. Midland Naturalist 12. 299—300. 1931
- tecta** Alston, Kew Bull. 1932. 316. [= *P. sp. homonym.*]
- MARGINARIOPSIS** C. Chr. Dansk Bot. Ark. 6. no. 3. 42. 1029. — (*Polypodiaceae* Gen. 146).
- Wiesbaurii** (Sod.) C. Chr. l. c. 43 t. 6 f. 3. — Ecuador. Costa Rica. — *Drymoglossum* Sod. 1893, Index. — *D. Underwoodianum* (Maxon) C. Chr.
- MARSILEA** L. [Ind. Suppl.]
- auriculata** Vitm. Summa Pl. 6. 143. 1792 = *Salvinia*.
- Hickenii** Herter, Anal. Mus. Nac. Montevideo II. 1. 376 t. 29. 1925. — Uruguay.

- leiocarpa** C. Chr. Cat. Pl. Mad. Pter. 66. 1932 (nomen), Dansk Bot. Ark. 7. 180 t. 73 f. 10—12. 1932. — Madagascar.
- longipes** Austin, Bull. Torr. Cl. 3. 23. 1872. — *M. vestita* (t. Maxon).
- microphylla** C. Chr. Dansk Bot. Ark. 7. 180 t. 73 f. 8—9. 1932. — Madagascar.
- Perrieriana** C. Chr. l. c. 179 t. 73 f. 15—16. — Madagascar.
- pumila** Drège, Flora 1843. 2. Beigabe 58 (nomen) = *M. Burchellii*.
- sinensis** Hand.-Mzt. Symb. Sin. 6. 47. 1929. — China.
- striata** Ernst, Vargasia (Bol. Soc. Cienc. Caracas) no. 7. 181. 1868 = *M. Ernesti*.
- tenax** A. Peter, Abh. Ges. Wiss. Göttingen III. 2. 38. 1928, Fedde Rep. Beih. 40. 91, Descr. 2. 1929. — Afr. or. trop.
- trichocarpa** Bremekamp, Ann. Transvaal Mus. 15. 234. 1933. — Transvaal.
- MATTEUCCIA** Todaro — (Polypodiaceae Gen. 2).
- Cavaleriana** (Christ) C. Chr. Index = *M. orientalis* (fol. fert.) et *Dryopteris* sp. (fol. ster.) (t. Ching).
- japonica** (Hayata) C. Chr. Ind. Suppl. III. 127. 1934. — Japonia.
- Pentharizidium* Hayata, Bot. Mag. Tokyo 42. 345. 1928.
- MAXONIA** C. Chr. 1916, Ind. Suppl. prél. — (Polypodiaceae Gen. 26).
- MERINTHOSORUS** Copeland 1911, Ind. Suppl. prél. 50. — (Polypodiaceae)
- MERTENSIA** Willdenow = *Gleichenia*. [Gen. 158].
- emarginata* Brack. 1854 = *G. hawaiiensis*.
- hawaiiensis* Nakai, Bot. Mag. Tokyo 39. 181. 1925.
- laevissima* Nakai. l. c. 182.
- pumila* Mart. 1834 = *G. flexuosa*.
- MESOCHLAENA** R. Brown 1838, Index = **Sphaerostephanos**.
- larutensis* v. A. v. R. 1908.
- polycarpa* (Bl.) Bedd. 1876, Index.
- sumatrensis* v. A. v. R. Bull. Buit. III 2. 160. 1920.
- talamauensis* v. A. v. R. l. c. II no. 28 34. 1918.
- Toppingii* Cop. Phil. Journ. Sci. 12C. 57. 1917.
- Microcibotium** Hayata, Bot. Mag. Tokyo 43. 316. 1929 (*Cibotium* §) = **Cibo-**
- MICROLEPIA** Presl. — (Polypodiaceae Gen. 58). [tium (barometz)].
- Blumei* Moore 1861 = *Tapeinidium moluccanum*.
- Brooksii* Cop. 1914, Ind. Suppl. prél. = *M. puberula*.
- ?*caudata* Fée 1852 = *Ithycaulon inaequale*?
- chrysocarpa** Ching, Sinensia 1. 3. 1929, Ic. Fil. Sin. t. 18. — China austr.
- firmula* (Bak.) C. Chr. Index = *Tapeinidium*.
- grammatosora* (Cop.) C. Chr. Ind. Suppl. = *Davallodes*.
- gymnocarpa* (Cop.) C. Chr. Ind. Suppl. = *Davallodes*.
- Hallbergii** (d'Almeida) C. Chr. Ind. Suppl. III. 127. 1934. — India.
- Davallia* d'Almeida, Journ. Ind. Bot. Soc. 5. 19. c. t. 1926.
- hirsuta* (J. Sm.) Pr. 1849, Index = *Davallodes*.
- hirta* (Klf.) Pr. 1836, Index (excl. loc. Asia trop. et syn. *D. villosa* Don) = *hirta* auctt. et Index quoad pl. asiat. = *M. pyramidata*. [M. setosa.]
- hispidula** C. Chr. Bull. Mus. Paris II. 6. 104. 1934. — Tonkin.
- hispidula* v. A. v. R. Mal. Ferns Suppl. 233. 1917 = *M. pyramidata*.
- Hookeriana** (Wall.) Pr. — Adde loc. Tonkin, Java, Sumatra, Borneo et syn.
- M. phanerophlebia* (Bak.) C. Chr. Index. — *Nephrolepis* (?) *marginalis* Cop. [1917.]
- jamaicensis** Fée 1866. — Antillae majores. [1917.]
- madagascariensis** (Kze.) Pr. — An potius *Dennstaedtia*?

- pallida** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6, 23. 1933.  
**phanerophlebia** (Bak.) C. Chr. Index = Tapeinidium. [— Kwangsi.  
**philippinensis** (Harr.) Cop. 1905, Index = Tapeinidium.  
**puberula** v. A. v. R. 1913, Ind. Suppl. pré-l. — Adde loc. Sumatra, Borneo  
 et syn. *M. Brooksii* Cop. 1914.  
**puberula** Lacaita 1916 = *M. pyramidata* var.?  
**pyramidata** (Wall.) Lacaita, Journ. Linn. Soc. 43. 486. 1916. — Asia trop.—  
 China. — *M. hirta* auctt., Index quoad pl. asiat. — *Davallia* Wall. 1828  
 (nomen). — *D. villosa* Don 1825; *Dennstaedtia* Cop. 1910; (non *Microlepia*  
 Pr. 1849); *M. hispidula* v. A. v. R. 1917. — *M. puberula* Lacaita 1916?  
**setosa** (Sm.) Alston, Phil. Journ. Sci. 50. 177 (descr. orig.) t. 1 f. 3. 1933. —  
 Ins. Hawaii. — *Davallia* Sm. Rees Cycl. 10 no. 18. 1808. *D. hirta* Klf.  
 1824; *Microlepia* Pr. 1836, Index part.  
**tenuis** Brack. 1834 = *Tapeinidium tenue*.  
**Wilfordii** Moore. — An potius *Dennstaedtia*?
- MICROPOLYPODIUM** Hayata, Bot. Mag. Tokyo 42. 302, 341. 1928, Flora 124.  
 Okuboi Hayata, l. c. 341. [55 = **Polypodium**.  
*pseudotrichomanoides* Hayata, l. c. 341 = *P. Okuboi*.  
**MICROSORIUM** Link 1833, Copeland, Univ. Calif. Publ. Bot. 16. 111. 1929 =  
**Polypodium**.  
*accedens* (p. 12) — *diversifolium* (114) — *hemionitideum* insigne, lineare  
 (112) — *linguaeforme* (116) — *musifolium*, *neglectum*, *pteropus* (112), —  
*punctatum* (111) — *Scolopendria*, *taeniatum* (112) — *tenuilore* (113) —  
*Wallichianum* Cop. l. c. = *P. sp. homonym*.  
*Brassii* Cop. Journ. Arnold Arb. 10. 181. 1929.  
*Buergerianum* (p. 302) — *Fortuni* (304) — *Hancockii* (309) — *heterocarpum*  
 (295) — *hymenodes* (295) — *insignis* (311) — *membranaceum* (309) —  
*normale* (299) — *Pappei* (295) — *sarawakense* (295) — *Steeeri* (306) —  
*subhastatum* (298) — *suboppositum* (295) — *superficiale* (299) — *validum*  
 (295) — *Zippelii* (308) — *zosteriforme* (311) Ching Bull. Fan Mem. Inst. 4.  
 1933. — *P. sp. homonym*.  
*longifolium* Cop. Univ. Calif. Publ. Bot. 16. 112. 1929 = *P. revolutum*.  
*persicariaefolium* Alston, Kew Bull. 1932. 315.  
*surinamense* Alston, l. c. = *P. lycopodioides* var.  
*Thurnii* Alston, l. c.
- MICROSTAPHYLA** Presl 1849, Maxon, Journ. Wash. Acad. Sci. 13. 28. 1923.  
*Elaphoglossum* sp. Index. — (*Polypodiaceae* Gen. 170).  
**columbiana** Maxon, l. c. 30. — Colombia.  
**furcata** (L. fil.) Fée 1857, Maxon, l. c. 29. — St. Helena.  
*Elaphoglossum* (L. fil.) Christ 1899, Index c. syn.  
**Moorei** (Britton) Und. 1905, Maxon, l. c. 30. — Bolivia, Peru.  
*Elaphoglossum* (Britt.) Christ 1903, Index c. syn.
- MONACHOSORELLA** Hayata, Bot. Mag. Tokyo 41. 573, 642 f. 1927, Flora  
 124. 44. 1929. — (*Polypodiaceae* Gen. 13).  
**flagellaris** (Maxim.) Hayata, l. c. 540. 1927. — Japonia.  
*Polystichum* (Maxim.) C. Chr. Index c. syn.; *Monachosorum* Hayata 1909. —  
*M. nipponicum* Mak. 1909, Ind. Suppl.; *Monachosorella* Hayata 1927.  
**Maximowiczii** (Bak.) Hayata, l. c. 540. 1927. — Japonia, China or.  
*Polystichum* (Bak.) Diels 1899, Index c. syn.; *Monachosorum* Hayata 1909.  
*nipponica* Hayata, l. c. 540. 1927 = *M. flagellaris* var.

**MONACHOSORUM** Kunze. — (Polypodiaceae Gen. 14).

*flagellare* — Maximowiczii Hayata 1909 = *Monachosorella* sp. homonym.

*gracile* Cop. Univ. Calif. Publ. 12. 391. 1931. — N. Guinea.

*nipponicum* Mak. 1909, Ind. Suppl. = *Monachosorella flagellaris* var.

**MONOGRAMMA** Schkuhr 1809, Index excl. *Cochlidium* et *Vaginularia* — (Polypodiaceae Gen. 133).

*capillaris* Cop. 1911, Ind. Suppl. = *Vaginularia*.

*emarginata* Brause 1912, Ind. Suppl. = *Vaginularia*.

*graminoides* (Sw.) Bak. 1868, Index = *Cochlidium*.

*gyroflexa* (Christ) C. Chr. Index = *Cochlidium rostratum*.

*intermedia* Cop. 1906, Ind. Suppl. = *Scleroglossum pusillum*.

*interrupta* Bak. 1891, Index = *Nematopteris*.

*linearifolia* Desv. 1811, Index = *Cochlidium*.

*Loheriana* v. A. v. R. 1909 = *Scleroglossum minus*.

*minor* Jenm. 1897, Index = *Cochlidium*.

?*myrtillifolia* (Fée) Hk. 1864, Index. — Genus dubium.

*paradoxa* (Fée) Bedd. 1876, Index = *Vaginularia*.

*robusta* (Christ) C. Chr. Index = *Drymotaenium Miyoshianum*.

*rostrata* Hk. 1864, Index = *Cochlidium*.

*Rudolfii* Ros. 1905, Index = *Cochlidium paucinervatum*.

*seminuda* (Willd.) Bak. 1868, Index = *Cochlidium*.

*subfalcata* Hk. 1864, Index = *Vaginularia*.

*trichoidea* J. Sm. 1841, Index = *Vaginularia*.

**MONOMELANGIUM** Hayata, Bot. Mag. Tokyo 42. 343. 1928 = **Diplazium**.

*Hancockii* Hayata, l. c. = *D. Pullingeri* (supra).

*Monosorus* Domin, Publ. Fac. Sci. Univ. Charles no. 88. 10. 1928 (*Pityrogramma* §) = *Anogramma* (*microphylla*).**MYRIOTHECA** Commerson.

*arborescens* Blanco 1837 = *Angiopteris*.

**MYUROPTERIS** C. Chr. Dansk Bot. Ark. 6 no. 3. 73. 1929 = **Leptochilus**.

*cordata* C. Chr. l. c. 73 t. 9 f. 1—2, t. 10 f. 3.

**NEMATOPTERIS** v. A. v. R. Bull. Buit. II no. 28. 65. 1918; C. Chr. Dansk Bot. Ark. 6 no. 3. 31. 1929. — (Polypodiaceae Gen. 142).

*interrupta* (Bak.) C. Chr. l. c. 31 t. 4 f. 8—12. — N. Guinea.

*Monogramme* Bak. 1891, Index; *Pleurogramme* Christ 1897. *Polypodium pyxidiforme* v. A. v. R. 1911, Index.

*pyxidata* v. A. v. R. Bull. Buit. II no. 28. 65. 1918; C. Chr. l. c. 31 t. 4 f. 4—7. — Borneo. — *Scleroglossum* v. A. v. R. l. c. II no. 16. 37 t. 9. 1914;

*Vittaria* v. A. v. R. 1914, Ind. Suppl. pré-l.

**NEOCHEIROPTERIS** Christ. — (Polypodiaceae Gen. 166).

*ensata* (p. 109) — *Lastii* (111) — *phyllomanes* (110) — *triglossa* (108)

Ching, Bull. Fan Mem. Inst. 4. 108—112. 1933 = *Polypodium* sp. homonym.

?*Waltoni* Ching in Hk. Ic. Pl. t. 3158. 1932, l. c. 107 — Tibet.

**NEONIPHOPSIS** Nakai, Bot. Mag. Tokyo 42. 217. 1928 = **Cyclophorus**.

*linearifolia* Nakai, l. c.

**NEOTTOPTERIS** Fée = **Asplenium**.

*antiqua* Masamune, Tr. Nat. Hist. Soc. Formosa 22. 215. 1932 = *A. nidus*

**NEPHRODIUM** Richard = **Dryopteris**. [\**rigida*].

*amabile* Hand.-Mzt. Symb. Sin. 6. 26. 1929 = *Polystichum*.

*antarcticum* Bak. 1875 = *D. antarctica*.

Index Filicum. Supplementum III.



- aristulatum* (22) — *auritum* (21) — *brunneum* (21) — *chrysocoma* (24) —  
*fructuosum* (24) — *fuscipes* (24) — *nipponicum* (21) — *Sabaei* (25) —  
*sublacerum* (24) *Hand.-Mzt. Symb. Sin.* 6. 21–25. 1929 = *D. sp. homonym.*  
*articulatum hort.*; *Houlst. et Moore, Gard. Mag. Bot.* 3. 293. 1851; *Lowe* 1857  
 = *D. megaphylla*. (Ceylon).  
*assamense* *Hope* 1890 = *D. assamensis*.  
*austriacum* *Fritsch, Mitt. nat. Ver. Steierm.* 45. 1908 = *D. spinulosa* \**di-*  
*Bojeri* *Bak.* 1867 = *D. aquilinoides*. [lalata.  
*ciliatum* *Clarke* 1880 = *D. pseudocalcarata*.  
*clypeolutatum* *Desv.* 1827 = ?*D. L'Herminieri*.  
*costatum* *Diels* 1899 = *D. costata*.  
*crinibulbon* *Hk.* 1862 = *D. crinibulbon*.  
*crinitum* var. *exaggeratum* *Bak. Ann. Bot.* 5 319. 1892 = *D. exaggerata*.  
*decorum* *W. W. Watts, Proc. Linn. Soc. N. S. Wales* 41. 380. 1916.  
*dentatum* *Kümmerle, Mag. Bot. Lapok* 32. 60. 1933.  
*eurylepium* *A. Peter, Fedde Rep. Beih.* 40. 57, *Descr.* 3. 1929. — Africa or. trop.  
*glandulosum* *J. Sm.* 1841 = *Dr. Presliana*.  
*Griffithianum* *Fée, Gen.* 305. 1852. — Ceylon.  
*Haenkeanum* *Bak. Syn.* 290. 1867 (non Pr.) = *D. multilineata*.  
*hispidulum* *A. Peter, Fedde Rep. Beih.* 40. 58, *Descr.* 4 t. 4. f. 1–2. 1929. —  
*Hudsonianum* *Brack.* 1854 = *D. Hudsoniana*. [Africa or. trop.  
*indicum* *Ridley, Journ. Mal. Br. R. As. Soc.* 4. 73. 1926 = *D. Toppingii*.  
*ingens* *Atk., Clarke* 1880 = *D. ingens*.  
*juglandifolium* *Bak.* 1879 = *Tectaria*.  
*latifolium* *Pr.* 1849 = *D. malayensis* var.?  
*leuconeuron* *Fée* 1852 = *D. unita*?  
*Macgregori* *Bak. Ann. Bot.* 5. 320. 1892 = *D. Macgregori* (supra).  
*maritimum* *Cordemoy, Bull. Soc. sci. et arts Réunion* 1891 (seors. 58) = *D.*  
*monocarpum* *Cordemoy, l. c.* = *Arthropteris*. [crinita var.?  
*multifidum* *Rich.* 1834 = *Nephrolepis*.  
*multijugum* *Bak.* 1867 = *D. multijuga*.  
*multilineatum* *Pr.* 1836 = *D. multilineata*.  
*nemorosum* *Jenm. W. Ind. and Guiana Ferns* 223. 1908 = *D. meridionalis*.  
*Palatanganum* *Hk.* 1862 = *D. palatangana*.  
*prismaticum* *Desv.* 1827 = *D. prismatica*.  
*rheosorum* *Hand.-Mzt. Symb. Sin.* 6. 24. 1929 = *D. Championi*.  
*speciosum* *Hand.-Mzt. l. c.* 26 = *Polystichum*.  
*Villarsii* *G. Beck, Oest. Bot. Zeit.* 67. 118. 1918 = *D. Villarsii*.  
*transversarium* *Brack.* 1854 = *D. transversaria*.  
*viscidum* *Watson* 1891 = *Hypolepis rugosula*.  
*Wightii* *Clarke* 1880 = *Tectaria*.  
*xanthotrichium* *Sod.* 1883 = *D. exulta*.

**NEPHROLEPIS** *Schott.* — (Polypodiaceae *Gen.* 44).

- acutifolia* (*Desv.*) *Christ.* — *Adde* var. *Diellia Brownii* *E. Brown* 1931 (*Mar-*  
*dayakorum* *Bonap. N. Pt.* 7. 399. 1918. — Borneo. [quesas.  
*humatoides* *v. A. v. R. Nova Guinea* 14. 33. 1924. — N. Guinea.  
 ?*marginalis* *Cop. Phil. Journ. Sci.* 12 C. 49. 1917 = *Microlepia Hookeriana*.  
*mollis* *Ros. Fedde Rep.* 22. 13. 1925. — Costa Rica.  
*multifida* (*Rich.*) *Mett. Fil. Lechl. I.* 21. 1856. — Vanikoro. — *Nephrodium*  
*Rich.* 1834.

**paucifrondosa** d'Almeida, Journ. Ind. Bot. Soc. 5. 51 t. 1—4. 1926. — India.  
**Pickelii** Ros.; Sampaio, Arch. Mus. Nac. Rio 32. 36. 1930. — Brasilia.  
*schizolomae* v. A. v. R. 1912, Ind. Suppl. = *Schizoloma Guerinianum*.  
**serrata** v. A. v. R. Bull. Buit. II no. 28. 34. 1918. — Ceram.  
*tenuissima* Hayata 1914, Ind. Suppl. pré. = *Athyrium Nakanoi*.  
**Thomsoni** v. A. v. R. Bull. Buit. II no. 24. 2. 1917, Mal. Ferns Suppl. 499.  
 1917. — N. Guinea.

**NEUROCALLIS** Fée, Acrost. 89. 1845. — (Polypodiaceae Gen. 126).

**praestantissima** (Bory) Fée, l. c. t. 52. — Ind. occ. — Costa Rica.

*Acrostichum* Bory; Index et Suppl. 89.

**NIPHOBOLUS** Kaulfuss = **Cyclophorus**.

**lanceolatus** Trimen, Journ. Linn. Soc. 24. 152. 1886 = *C. lanceolatus*.

**Liebuschii** A. Peter, Fedde Rep. Beih. 40. 32. 1929.

**NOTHOLAENA** R. Brown. — (Polypodiaceae Gen. 109).

**argentea** hort.; Houlst. et Moore, Gard. Mag. Bot. 3. 20. 1851, Lowe etc. =  
*Bureaui* Christ 1905, Index = *N. Delavayi*. [N. candida.]

**candida** (Mart. et Gal.) Hk. sp. 5. 110. 1864. — Mexico. — *Cheilanthes* Mart.  
 et Gal. 1842; *Aleuritopteris* Fée 1852; *Chrysochosma* Kumm. 1914.

**crassifolia** hort.; Houlst et Moore, Gard. Mag. Bot. 3. 20. 1851; Lowe etc.

**Delavayi** (Bak.) C. Chr. Contr. U. S. Nat. Herb. 26. 307. 1931. — Yunnan.

*Gymnopteris* (Bak.) Und. 1902, Index. Noth. Bureaui Christ 1905.

**Ekmani** Maxon, Amer. Fern Journ. 16. 9. 1926. — Cuba.

**Herzogii** Ros. 1908, Ind. Suppl. = *N. obducta*.

**Jonesii** Maxon, Amer. Fern Journ. 7. 108. 1917. — California—Utah.

**lanceolata** Bonap. N. Pt. 5. 65. 1917; C. Chr. Dansk Bot. Ark. 7. 120 t. 17 f.  
 1—3. 1932. — Madagascar.

**limitanea** Maxon, Amer. Fern Journ. 9. 70. 1919 = *Pellaea dealbata* var.

**madagascariica** Bonap. N. Pt. 5. 66. 1917; C. Chr. Dansk Bot. Ark. 7. 120 t.  
 47 f. 4—7. 1932. — Madagascar.

**pilosa** Hk. et Arn. 1832 = *Cheilanthes Arnottiana*.

?**pteridiformis** (Ces.) Bak. 1886, Index = *Thysanosoria*.

**sulphurea** (Cav.) J. Sm. — *Dele* var. *C. candida* M. et G.

**ODONTOSORIA** (Pr.) Fée 1852, Index excl. *Stenoloma* — (Polypodiaceae  
 Gen. 62).

**angustifolia** (Bernh.) C. Chr. — **bifida** (Klf.) J. Sm. — **biflora** (Klf.) C. Chr.

— **chinensis** (L.) J. Sm. — **clavata** (L.) J. Sm. — **decomposita** (Bak.)

C. Chr. — **Eberhardtii** Christ 1908 — **flabellifolia** (Bak.) C. Chr. — **mei-**

**folia** (HBK) C. Chr. — **Melleri** (Hk.) C. Chr. — **odontolabia** (Bak.) Diels

— **retusa** (Cav.) J. Sm. — **scoparia** (Mett.) Diels, Index et Suppl. = *Steno-*

*loma* sp. homonym.

**decipiens** (Ces.) Christ 1909, Ind. Suppl. = *Stenoloma retusum*.

?**Lenormandi** (Bak.) C. Chr. Index. — Genus mihi dubium.

**Palmii** Rosendahl 1916, Ind. Suppl. pré. = *Stenoloma chinense* var. *tenui-*  
*parvula* Fée 1865, Index — *Lindsaya* sp.? [folia.]

**tenera** Ridley, Tr. Linn. Soc. II Bot. 9 254. 1916 = *Lindsaya Wollastonii*

**Tsoongii** Ching, Bull. Fan Mem. Inst. I. 149. 1930 = *Stenoloma biflorum*.

**OENOTRICHIA** Copeland, Univ. Calif. Publ. Bot. 16. 82. 1929. — (Polypodi-  
 aceae Gen. 60).

**maxima** (Fourn.) Cop. l. c. — N. Caledonia.

*Leptolepia* (Fourn.) C. Chr. Ind. Suppl. pré. cum syn.

- novae guineae** (Ros.) Cop. l. c. — N. Guinea.  
 Leptolepia (Ros.) C. Chr. Ind. Suppl.
- tripinnata** (F. Muell.) Cop. l. c. — Queensland. — Leptolepia (F. Muell.) Kuhn  
 OETOSIS Necker 1790 = **Vittaria**. [1882, Index.  
 stipitata Farwell, Amer. Midl. Naturalist 12. 291. 1931.
- OLEANDRA** Cavanilles. — (Polypodiaceae Gen. 41).
- africana** Bonap. N. Pt. 14. 257. 1924. — Africa trop. cum ins. or. — *O. articulata* auctt., Index. — *O. Welwitschii* Bak. 1867.
- angusta** Cop. Journ. Arnold Arb. 12. 48. 1931. — Vanikoro.
- articulata** (Sw) Pr. 1836, Maxon, Contr. U. S. Nat. Herb. 17. 394. 1914. —  
 Ind. occ. — *Aspidium* Sw. 1801. — *Oleandra nodosa* (Willd.) Pr. 1836,  
*articulata* auctt., Index = *O. africana*. [Index cum syn.
- benguetensis** Cop. Phil. Journ. Sci. 46. 217. 1931. — Luzon.
- chinensis** Hance 1862. — China austr. or.
- colubrina** (Blanco) Cop. 1905, Index = *O. neriiformis* (infra).
- coriacea** Cop. Journ. Straits Br. R. As. Soc. no. 63. 72. 1912. — Borneo.
- Cumingii** J. Sm. — Dele loc. China, Assam et var. *O. chinensis* Hance et  
 \**O. Sibbaldii* Grev.  
*Cumingii* var. *longipes* Hk. sp. 4. 159. 1860 = *O. undulata*.
- duidae** A. C. Smith, Bull. Torr. Cl. 58. 301. 1931. — Guiana angl.
- geniculata** v. A. v. R. 1913, Ind. Suppl. préel. = *O. musifolia*.
- gracilis** Cop. Univ. Calif. Publ. 12. 397 t. 52 b. 1931. — N. Guinea.
- guatemalensis** Maxon 1914, Ind. Suppl. préel. — Adde loc. Hispaniola et syn.  
*O. Urbani* Brause 1922.
- intermedia** Ching, Bull. Fan Mem. Inst. 2. 187 t. 2. 1931. — China merid.
- longipes** Ching, Lingnan Sci. Journ. 12. 565 (syn.). 1933 = *O. undulata*.
- madagascariensis** Bonap. N. Pt. 14. 371. 1924; C. Chr. Dansk Bot. Ark. 7. 70 t.  
 23. 1932. — Madagascar, Mauritius.
- neriiformis** Cav. 1799 (non auctt. et Index) — Ins. Mariannae. Ins. Phil.  
 Celebes, Borneo, Malacca. — *O. colubrina* (Blanco) Cop. 1905, Index. —  
 ?*O. tricholepis* Kze. 1851.
- neriiformis** auctt., Index = *O. pistillaris*.
- nodosa** (Willd.) Pr. 1836, Index = *O. articulata* supra.
- Parksii** Cop. Bishop Mus. Bull. 59. 15 t. 4. 1929. — Fiji.
- pistillaris** (Sw.) C. Chr. Ind. Suppl. III. 132. 1934. — Malesia.  
*Aspidium* Sw. Schrad. Journ. 1800<sup>2</sup>. 30. 1801. *Oleandra neriiformis* auctt.,  
 Index excl. varr. *O. pilosa* Hk. et *O. hirta* Brack. (non Cav.) — Est sp.  
 col. *O. hirtella* Miq., *O. mollis* Pr. et aliae veris. sp. validae sunt.
- platybasis** Cop. Bishop Mus. Bull. 59. 15 t. 4. 1929. — Fiji.
- pubescens** Cop. Univ. Calif. Publ. Bot. 12. 397 t. 52a. 1931 = *O. undulata*.
- samoensis** Gandoger, Bull. Soc. Fr. 66. 306. 1919 = *O. Whitmeei*?
- scandens** Cop. Phil. Journ. Sci. 46. 218. 1931. — Ins. Phil.
- Sibbaldii** Grev. 1848. — Tahiti.
- tricholepis** Kze. 1851, Index = *O. neriiformis* (supra).
- undulata** (Willd.) Ching, Lingnan Sci. Journ. 12. 565. 1933. — Formosa—  
 Hainan—India—Siam—Malacca. — *Polypodium* Willd. sp. 5. 155. 1810.  
*Oleandra Cumingii* var. *longipes* Hk. 1860. *O. longipes* Ching 1933. *O.*  
*pubescens* Cop. 1931.
- Urbani** Brause, Ark. för Bot. 17 no. 7. 68. 1922 = *O. guatemalensis*.

**Whangii** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 23. 1923.

*O. musifolia* Wu, l. c. 40. 3. t. 39. 1932. [— Kwangsi.

**OLIGOCAMPIA microcarpa** Trevisan 1851 = **Athyrium Cumingianum**.

*Oligolepis* Domin, Publ. Fac. Sci. Univ. Charles no. 88. 8. 1928 (*Pityrogramma* §)  
= **Pityrogramma**.

**ONOCLEA** L. — (Polypodiaceae Gen. 3).

*pensylvatica* Sm. Rees Cycl. 25 no. 3. 1813 = *Matteuccia struthiopteris* var.

**ONYCHIUM** Kaulfuss. — Kümmerle, Amer. Fern Journ. 20. 129. 1930. —

*aureum* Küm. l. c. 131 = *O. chrysocarpum*. [(Polypodiaceae Gen. 115).

**chrysocarpum** (Hk. et Grev.) C. Chr. Ind. Suppl. III. 133. 1934. — Ind. bor.

*Pteris* Hk. et Grev. Ic. Fil. ad t. 107. 1829 (*chrysosperma* sub t. 107).

*Lomaria aurea* Wall. 1828 (nomen); *Onychium* Küm. 1930.

*contiguum* Hope 1901 = *O. lucidum*.

*cryptogrammoides* Christ 1909, Ind. Suppl. = *O. lucidum*.

**japonicum** (Thbg.) Kze. 1848, Index (excl. var. *L. lucida* Don etc.), Küm.  
l. c. 134 (excl. varr.).

**lucidum** (Don) Spr. 1827. — Ind. bor. China. — *Leptostegia* Don, Prod. Fl.

Nepal. 14. 1825; *Cheilanthes* Wall. 1828. *C. contigua* Wall. 1828; *Onychium*

Hope 1901. *O. cryptogrammoides* Christ 1909, Ind. Suppl. *O. japonicum*

var. *lucidum* Küm. l. c. 135 t. 8 et var. *Delavayi* Christ 1905, Küm.  
l. c. 137? (an sp. bona?).

*multifidum* Fée 1857, Index = *O. strictum*.

**siliculosum** (Desv.) C. Chr. — Malesia. N. Guinea. — Dele syn. *Pteris chryso-*

*carpa* Hk. et Grev. — Adde syn. *O. viviparum* (Cav.) Küm. l. c. 131 t. 7

(*Acrostichum* Cav. 1802! non L. fil. 1781, loc. Peru falsa). *O. tenue* Christ  
*tenue* Christ 1901, Index = *O. siliculosum*. [1901, Index.

*viviparum* Küm. l. c. 131 t. 7 = *O. siliculosum*.

**OPHIODERMA** (Bl.) Endlicher = **Ophioglossum**.

*palmata* Nakai, Bot. Mag. Tokyo 39. 193. 1925.

**OPHIOGLOSSUM** L.

**Aitchisoni** (Clarke) d'Almeida, Journ. Ind. Bot. 3. 63. f. 12. 1922. — India

bor. Abyssinia. — *O. vulgare* var. *Aitchisoni* Clarke, Tr. Linn. Soc. II. 1.  
586. 1880.

**angustatum** Maxon, Proc. Biol. Soc. Wash. 36. 169. 1923. — Japonia, China

or. Buchara. — *O. japonicum* Prantl 1883, Index (non Thbg. 1784); *O.*

*nipponicum* Nakai 1925 (non Miyabe et Kudo 1916); *O. Savatieri* Nakai

1926. — *O. bucharicum* Fedtschenko 1923.

*bucharicum* O. A. & B. A. Fedtschenko, Not. syst. Herb. Hort. Bot. Petrop.

4. 8. 1923 = *O. angustatum*.

**fernandezianum** C. Chr. in Skottsberg, Nat. Hist. Juan Fernandez 2. 44 f.

7. 1920. — Juan Fernandez.

*gregarium* Christ 1909, Ind. Suppl. = *O. inconspicuum*.

**Harrisii** Und. N. Am. Fl. 16. 11. 1909. — Jamaica.

*japonicum* Prantl 1883, Index = *O. angustatum*.

**littorale** Mak. Journ. Jap. Bot. 6. 27. 1929. — Japonia.

**Moultoni** Cop. Journ. Straits Br. R. As. Soc. no. 63. 72. 1912. — Borneo.

*nipponicum* Miyabe et Kudo, Trans. Sapporo Nat. Hist. Soc. 6. 122. 1916 =  
*O. vulgatum*.

*nipponicum* Nakai, Bot. Mag. Tokyo 39. 193. 1925 = *O. angustatum*.

**nudicaule** L. fil. Suppl. 443. 1781; C. Chr. Dansk Bot. Ark. 7. 184 t. 74 f.  
2. 1932. — Afr. austr. Madagascar.

- pedunculatum* Desvaux, Nakai, Bot. Mag. Tokyo 40. 373. 1926 (err.) = *O. pedunculatum*.
- pusillum* Raf., Desv. Journ. de Bot. 4. 273. 1814 (Pennsylvania). — (Eadem ac *O. pusillum* Nutt. 1818?).
- Raciborskii* v. A. v. R. Bull. Buit. II. no. 28. 35. 1918. — Java.
- Savatieri* Nakai, Bot. Mag. Tokyo 40. 374. 1926 = *O. angustatum*.
- tapium* A. Peter, Fedde Rep. Beih. 40. 86, Descr. 2 t. 4 f. 1929. — Afr. or thermale Komarov 1914, Ind. Suppl. prël. = *O. vulgatum*.
- OREOGRAMMITIS** Copeland, Phil. Journ. Sci. 12 C. 64. 1917. — (Polypodiaceae Gen. 143).
- Clemensiae* Cop. l. c.; C. Chr. Dansk Bot. Ark. 6. no. 3. 30 t. 3 f. 7. 1929. — Borneo.
- ORMOLOMA** Maxon, Proc. Biol. Soc. Wash. 46. 143. 1933. — (Polypodiaceae Gen. 47).
- Imrayanum* (Hk.) Maxon, l. c. 144. — Dominica, Guadeloupe, Haiti, Guiana. *Saccoloma* Hk. 1839, Index.
- Standleyi* Maxon, l. c. 157. — Costa Rica—Panama.
- ORTHIOPTERIS** Copeland, Bishop Mus. Bull. 59. 14. 1929, Univ. Calif. Publ. Bot. 16. 79. 1929. — (Polypodiaceae Gen. 49).
- ferulacea* (Moore) Cop. l. c. — Fiji. — *Davallia* Moore 1861, Index.
- OSMUNDA** L.
- biformis* Mak. Journ. Jap. Bot. 4. 4. 1927 = *O. japonica*.
- bromeliifolia* (Pr.) Cop. 1909, Ind. Suppl. — Adde loc. — Japonia—China.
- cicutaria* Sav. 1797 = *Botrychium cicutarium*.
- cinnamomea* L. — (Nomen optimum: *O. bipinnata* L.?)
- japonica* Thbg. 1784. — Japonia—China. — *O. biformis* Mak. 1927.
- laciniata* Noronha, Verh. Bat. Genootsch. 5. 81. 1827(?) = *Helminthostachys oxyodon* Miq. 1867 = *O. bromeliifolia*.
- regalis* L. — Dele var. *O. japonica*.
- PAESIA** St. Hilaire. — (Polypodiaceae Gen. 132).
- divaricatissima* (Dry.) Cop. Bishop Mus. Bull. 93. 56. 1932. — Tahiti. *Pteris* Dry., Bak. 1874.
- Lamiana* v. A. v. R. Nova Guinea 14. 35. 1924. — N. Guinea.
- tahitensis* Cop. Bishop Mus. Bull. 93. 10 t. 11. 1932. — Tahiti.
- PALMA FILIX** Adanson 1763; Nakai, Bot. Mag. Tokyo 40. 68. 1926 = **Tec-**
- PALTONIUM** Presl. — (Polypodiaceae Gen. 148). [*taria* (martinicensis).  
?*dubium* Ros. Med. Rijks Herb. no. 31. 5. 1917. — Ins. Phil.  
*novoguineense* Ros. 1912, Ind. Suppl. = *Hymenolepis*.  
*sinense* (Christ) C. Chr. Index = *Polypodium neurodioides*.  
?*vittariiforme* Ros. 1912, Ind. Suppl.; C. Chr. Dansk Bot. Ark. 6. no. 3. 52 t. 7 f. 1—2. 1929. — N. Guinea. — (Genus valde dubium).
- PARASORUS** (v. A. v. R.) Bull. Buit. III. 4. 317. 1922. — (Polypodiaceae  
*undulatus* v. A. v. R. l. c. t. 14. — Ternate. [Gen. 54].
- PELLAEA** Link. — (Polypodiaceae Gen. 105).
- allosuroides* (Mett.) Hier. Hedwigia 62. 18. 1920. — Mexico.  
*Cheilanthes* Mett. 1859, Index. *Pellaea Arsenii* Christ 1910, Ind. Suppl.  
*Arsenii* Christ 1910, Ind. Suppl. = *P. allosuroides*.
- atropurpurea* (L.) Link. — Dele var. *P. glabella* Mett. Bojeri Hk. 1858 = *P. cambodiensis* Bak. 1891, Index = *Cheilanthes Belangeri*. [involuta.
- compacta* (Dav.) Maxon, Proc. Biol. Soc. Wash. 30. 183. 1917. — California.  
*P. Wrightiana compacta* Dav. Cat. Davenp. Herb. Suppl. 46. 1883.

- connectens** C. Chr. Acta Hort. Gothob. 1. 84 t. 18, 19. 1924. — China occ.
- dealbata** (Pursh) Prantl. — Adde var. *Notholaena limitanea* Maxon 1919.
- densa** (Brack.) Hk. — Adde syn. *Cheilanthes densa* St. John 1929; *Ch. sili-Fauriei* Christ 1904, Index = *Histiopteris incisa*. [quosa Maxon 1918.
- formosa** (Liebm.) Maxon, Contr. U. S. Nat. Herb. 24. 61. 1922. — *Allosorus* Liebm. 1849. *A. pulchellus* Mart. et Gal. 1842 (non Pr. 1836); *Pellaea* Fée 1852, Index.
- Fournieri** Bak. 1874. — Mexico. — *Doryopteris* (Bak.) C. Chr. Index.
- glabella** Mett., Kuhn 1869; Butters, Amer. Fern Journ. 7. 77. 1917. — U. S. A.
- Henryi** Christ 1899, Index = *P. nitidula* var.
- hirtula** C. Chr. in Bonap. N. Pt. 16. 190. 1925 = *Doryopteris pilosa*.
- intramarginalis** (Klf.) J. Sm. — Adde loc. Haiti et var. *Cheilanthes leonardi* Maxon 1924. — (An potius *Cheilanthes* (*Mildella*) sp.?).
- Kitchingii** Bak. 1880. — Adde syn. *Doryopteris* Bonap., Ind. Suppl. pré.
- longimucronata** Hk. 1858; Maxon, Proc. Biol. Soc. 30. 182. 1917. — U. S. A. occ. merid. — *P. truncata* Goodding.
- longipilosa** Bonap. N. Pt. 15. 33. 1924. — Sudan.
- Mairei** Brause 1914, Ind. Suppl. pré. = *P. nitidula*.
- maxima** Bonap. N. Pt. 14. 226. 1924. — Gabon.
- membranacea** Dav. 1896, Index = *Cheilanthes*.
- mucronata** Eat. 1859; Maxon, Proc. Biol. Soc. Wash. 30. 180. 1917. — California. — *P. ornithopus* Hk. 1858, Index. — Dele syn. *P. Wrightiana* Hk. et var. *P. longimucronata* Hk.
- nitidula** (Wall.) Bak. — Adde syn. *P. Henryi* Christ 1899, Index. *P. Mairei* Brause 1914, Ind. Suppl. pré. — (An potius *Cheilanthes* (*Mildella*) sp.?).
- ornithopus** Hk. 1858, Index = *P. mucronata*.
- ovalifolia** Bonap. N. Pt. 5. 62. 1917 = *P. tripinnata*.
- paupercula** (Christ) Ching, Bull. Fan Mem. Inst. 2. 203. 1931. — China occ. *Pteris* Christ 1906, Ind. Suppl.
- pulchella** (Mart. et Gal.) Fée 1852, Index = *P. formosa*.
- quadripinnata** (Forsk) Prantl. — Dele var. *C. contracta* Kze., *Pellaea Bojeri* Hk.
- rigida** (Sw.) Hk. 1858. — Mexico—Guatemala.  
*Doryopteris* (Sw.) Diels 1899, Index cum syn.
- scabra** C. Chr. Index = *Cheilanthes horridula*.
- Skinneri** Hk. 1858. — Guatemala. — *Doryopteris* (Hk.) C. Chr. Index.
- Smithii** C. Chr. Acta Hort. Gothob. 1. 84 t. 18. 1924. — China occ. — (An potius *Cheilanthes* (*Mildella*) sp.?).
- straminea** Ching, Bull. Fan Mem. Inst. 2. 203 t. 17. 1931. — Tibet.
- striata** (Desv.) C. Chr. Dansk Bot. Ark. 7. 117 t. 44 f. 12—15 1932. — Madagascar. — *Pteris* Desv. Prod. 300. 1827. *Pellaea sulcata* Bonap. 1917.
- Suksdorflana** Butters, Amer. Fern Journ. 11. 40, 75—82. 1921. — U. S. A. occ.
- sulcata** Bonap. N. Pt. 5. 63. 1917 = *P. striata*.
- tomentosa** Bonap. N. Pt. 5. 64. 1917; C. Chr. Dansk Bot. Ark. 7. 114 t. 44 f. 1—5. 1932. — Madagascar.
- Wrightiana** Hk. 1858; Maxon, Proc. Biol. Soc. Wash. 30. 181. 1917. — U. S. A. occ. merid.
- PENTARHIZIDIUM** Hayata, Bot. Mag. Tokyo 41. 715. 1927, 42. 345, 1928, *Flora intermedium* Hayata, l. c. 42. 346. 1928. [124. 52. 1929 = *Matteuccia japonicum* Hayata, l. c. 345.
- orientale** Hayata, l. c. 345.

**PERANEMA** Don. — (Polypodiaceae Gen. 5).

*formosana* Hayata 1912 et *luzonica* Cop. 1908, Ind. Suppl. = *P. cyathoides* formae (t. Ching).

**PHANEROSORUS** Copeland 1909, Ind. Suppl. — (Matoniaceae Gen. 2).

*major* Diels, Notizbl. Bot. Gart. Berlin-Dahlem 11. 311. 1932. — N. Guinea.

**PHEGOPTERIS** Fée = **Dryopteris**.

*acanthocarpa* v. A. v. R. Mal. Ferns Suppl. 315. 1917.

*adenochrysa* Fée 1852 = *D. opposita*?

*adnata* Fée 1869 = *D. connexa*.

*armata* v. A. v. R. Mal. Ferns Suppl. 318. 1917.

*banajaoensis* v. A. v. R. l. c. 310.

*cana* Mett. 1864 = *canescens* Mett. 1858 = *D. Blanchetiana*.

*Carrii* Farwell, Amer. Midl. Naturalist 12. 292. 1931 = *Stigmatopteris*.

*connectile* Watt, Canadian Naturalist II. 13. 159. 1867 = *D. phegopteris*.

*denticulata* Fée 1869 = *Stigmatopteris prionites*.

*dicksonioides* Mett., Kuhn 1869 = *D. dicksonioides*.

*Elmeri* v. A. v. R. Mal. Ferns Suppl. 314. 1917 = *Diplazium*.

*Engleriana* v. A. v. R. l. c. 309.

*epierioides* Fée 1852 = *D. subincisa*.

*eriopodia* Fée 1869 = *D. connexa*.

*fallax* v. A. v. R. Bull. Buit. III. 2. 162. 1920. — Java. — (*Diplazium* sp.).

*finisterrae* v. A. v. R. Mal. Ferns Suppl. 308. 1917.

*flagellaris* Mak. Bot. Mag. Tokyo 9. 181. 1895 = *Monachosorella*.

*fulgens* Mett., Schenck 1896 = *D. macrosora*.

*gymnocarpa* v. A. v. R. Mal. Ferns Suppl. 313. 1917.

*gymnogrammoides* v. A. v. R. l. c. 312 = *D. oyamensis*.

*heterocarpa* Fée 1869 = *Stigmatopteris*.

*hirsuta* Fée 1852 = *D. pulverulenta*.

*Hosei* var. *sumbensis* v. A. v. R. Bull. Dépt. agric. Ind. néerl. no. 21. 7. 1908 = *Campium semicordatum* (t. Posthumus).

*hypolepioides* v. A. v. R. Mal. Ferns Suppl. 309. 1917.

*lastreoides* v. A. v. R. Bull. Buit. III. 2. 161. 1920.—Java. — (*Diplazium* sp.).

*late-adnata* Christ 1899 (*latealata* Index ex err. typ.) = *D. connexa*.

*Lechleri* Mett. 1859 = *Stigmatopteris*.

*longissima* v. A. v. R. Mal. Ferns Suppl. 318. 1917.

*macrosora* Fée 1852 = *D. macrosora*.

*mamberamensis* v. A. v. R. Bull. Buit. II no. 24. 3. 1917.

*marginans* Fée 1869 = *D. macrosora*.

*melanophlebia* v. A. v. R. Mal. Ferns Suppl. 319. 1917.

*mollivillosa* Fée 1865 = *D. Blanchetiana*.

*montana* Watt, Canadian Naturalist II. 13. 159. 1867 = *D. oreopteris*.

*Moussetii* v. A. v. R. Mal. Ferns Suppl. 306. 1917 = *D. brunnea* var.

*oblanceolata* v. A. v. R. l. c. 320 = *D. Cesatiana*.

*obtusifolia* v. A. v. R. l. c. 315.

*oyamensis* v. A. v. R. l. c. 312.

*pentaphylla* v. A. v. R. l. c. 317.

*perforata* Fée 1852 = *Stigmatopteris* sp.

*polita* v. A. v. R. Mal. Ferns Suppl. 309. 1917.

*propinqua* Fée 1869 = *D. connexa*.

- rhaetica* Watt, Canadian Naturalist II. 13. 159. 1867 = *Athyrium americanum*.  
*Ridleyana* v. A. v. R. Mal. Ferns Suppl. 515. 1917 = *D. rufo-pilosa*.  
*rubicunda* v. A. v. R. Bull. Buit. III. 2. 162. 1920.  
*Rutteniana* v. A. v. R. Bull. Buit. II no. 28. 36. 1918 = *D. Cesatiana?*  
*Schlechteri* v. A. v. R. Mal. Ferns Suppl. 308. 1917 = *D. tuberculata*.  
*Scottii* Bedd. 1876 = *D. Scottii*.  
*scrobiculata* Fée 1869 = *D. connexa*.  
*sericea* Mett. 1860 = *D. chaerophylloides* var.  
*sparsiflora* Sadebeck, Ber. Deutsch. Bot. Ges. 21. 31 t. 3. 1895 = *Tectaria*.  
*spectabilis* Fée 1852 = *D. spectabilis*.  
*straminea* Fée 1852 — au *D. cruciata?*  
*supraspinigera* v. A. v. R. Mal. Ferns Suppl. 317. 1917.  
*uncidens* v. A. v. R. l. c. 313 = *Diplazium*.  
*vestita* Phil. 1857 = *D. spectabilis* var. *Philippiana*.  
*Wagneri* Mett., Fourn. Bull. Soc. Fr. 19. 252. 1872. — Nicaragua.  
 (*D. subincisa?*)  
*Wollastonii* v. A. v. R. Mal. Ferns Suppl. 515. 1917.  
*wurunuran* W. W. Watts, Proc. Linn. Soc. N. S. Wales 41. 380. 1916.

## PHOROLOBUS Desvaux.

*chinensis* Desv. 1827 = *Onychium japonicum*.

**PHYLLITIS** Ludwig. — Cf. *Biropteris* Kümmerle. — (Polypodiaceae Gen. 72).

*cardiophylla* Ching, Ic. Fil. Sin. t. 27. 1930 = *Asplenium*.

*Durvillei* (Bory) O. Ktze. 1891, Ind. Suppl. pré. 52. cum syn. = *Diplora*.

*Grashoffii* Ros. 1914, Ind. Suppl. pré. = *Diplora*.

*Ikenoi* (Mak.) C. Chr. Index = *Asplenium cardiophyllum*.

*longifolia* (Pr.) O. Ktze. 1891, Ind. Suppl. pré. = *Diplora*.

*palmata* Sampaio, Lista 10. 1913 = *Asplenium*.

*schizocarpa* (Cop.) v. A. v. R. 1908, Ind. Suppl. = *Diplora*.

*Virchowii* (Kuhn) Christ 1910, Ind. Suppl. = *Diplazium*.

**PHYMATODES** Presl = **Polypodium**.

*albopes* (p. 87) — *chrysotricha* (69) — *crenato-pinnata* (80) — *cruciformis* (77)

— *dactylina* (79) — *ebenipes* (86) — *Engleri* (72) — *erythrocarpa* (80) —

*falcatopinnata* (66) — *Griffithiana* (71) — *kwantungensis* (66) — *lucida* (61)

— *malacodon* (83) — *quasidivariata* (87) — *rhyrachophylla* (69) — *scolo-*

*pendria* (63) — *Stewartii* (81) — *Stracheyi* (83) — *trisecta* (65) — *Veitchii*

(84) Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 1933 = *P. sp. homo-*

*digitata* Ching, l. c. 77 f. 1. = *P. Koi*. [nym.]

*hainanensis* Ching, l. c. 68 = *P. echinosporum*.

*hastata* Ching, Sinensia 3. 344. 1933.

*Masaskei* Nakai, Bot. Mag. Tokyo 43. 4. 1929 = *P. superficiale*.

*nigrovenia* Ching, l. c. 79 = *P. Veitchii* var.

*subnormalis* Nakai, l. c. 3 = *P. Bandoi*.

*Takedai* Nakai, l. c. 2.

*variabilis* Ching, l. c. 64 t. 3 = *P. subnigresens*.

**PHYSEMATIUM** Kaulfuss = **Woodsia**.

*manchuriense* Nakai, Bot. Mag. Tokyo 39. 176. 1925.

**PITYROGRAMMA** Link, Handbuch d. Gewächse 3 19. 1833; Domin, Publ.

Fac. Sci. Univ. Charles no. 88. 1928 (excl. sect. *Anogramma* et *Monosorus*

— *clavis spec.* — infra cit. *Domin* 1928), idem, Rozpr. České Akad. II. 38



- no. 4. 1929 (revisio formarum hortulanorum — infra cit. *Domin 1929*) — *Ceropteris* Link 1841, Index. — (*Polypodiaceae* Gen. 94).
- adiantoides** (Karst.) *Domin 1928*. 8, 1929. 40. — Colombia—Bolivia.  
*Ceropteris* (Karst.) Hier. 1909, Ind. Suppl. *Gymnogramma Hookeri* J. Sm., Bak. 1868, Index.
- albicans** *Domin 1929*. 58 = *P. calomelanos* × *chrysophylla*.
- argentea** (Willd.) *Domin 1928*. 6, 1929. 20. — Africa trop. et austr. c. ins.  
*Gymnogramma* (Willd.) Mett., Kuhn 1868, Index (excl. var. *H. aurea* Willd.).
- ascensionis** *Domin 1928*, 9, 1929. 48 = *Anogramma*.
- aurantiaca** (Hier.) C. Chr. Ind. Suppl. III. 138. 1934. — Africa trop.  
*Gymnogramma* Hier. 1911, Ind. Suppl.
- aurea** (Willd.) C. Chr. Cat. Pl. Mad. Pter. 46. 1932, Dansk Bot. Ark. 7. 112 t. 43 f. 5. 1032. — Ins. Mascarenae, Madagascar. — *Hemionitis* Willd. sp. 5. 131. 1810; *Gymnogramma* Desv. 1811.
- aureo-villosa** *Domin 1929*. 69 = *P. chrysophylla* × *ferruginea*.
- austroamericana** *Domin 1928*. 7, Kew Bull. 1929. 221. — Brasilia, Bolivia,  
**Balliviani** (Ros.) *Domin 1928*. 10. — Bolivia. [Paraguay.  
*Gymnogramma* Ros. 1909, Ind. Suppl.
- berolinensis** *Domin 1929*. 68 = *P. chrysophylla* × *ferruginea*.
- Boucheana** *Domin 1929*. 65 = *P. chrysophylla* × *ferruginea*.
- Brackenridgei** (Carr.) Maxon, Dept. Marine Biology Carnegie Inst. 20. 124. 1924. — Samoa. — *Gymnogramme* Carr. in Seem. Fl. Vit. 370. 1873.
- calomelanos** (L.) Link, Handb. Gew. 3. 20. 1833. — Amer. trop. Reg. trop. et subtrop. orbis vet. introducta et saepe spontanea. — *Ceropteris* (L.) Und. 1902, Index (excl. varr.).
- calomelanos** × **chrysophylla** *Domin 1929*. 53 t. 8. — Ind. occ. Hort.  
*Pityrogramma hybrida* *Domin 1928*. — *Ceropteris intermedia* Fée 1866; *Pityrogramma* *Domin 1929*.  
*Formae cult.* *Gymnogramme hybrida* Martens 1837. *G. ochracea* Hort. *Ceropteris Massoni* et *Martensii* Link 1841. *Pityrogramma albicans*, *consimilis*, *mira* *Domin 1929*.
- calomelanos** × **ferruginea** *Domin 1929*, 62. — Hort.  
*P. Mayeriana* *Domin 1929*.
- calomelanos** × **peruviana** *Domin 1929*. 61. — Nicaragua.  
*P. nicaraguensis* *Domin 1929*.
- calomelanos** × **tartarea** *Domin 1929*. 49 t. 7. — Amer. trop. Hort.  
*Gymnogramme distans* Link 1833; *Ceropteris* Link 1841; *Pityrogramma* *Domin 1929*. — *P. Mac Gillivrayi* *Domin 1929*. — *P. Fendleriana* *Domin 1929*.
- caribaea** *Domin 1928*. 6, Mem. R. Czech. Soc. Sci. n. s. 2. 149. 1929. — *Dochaerophylla* *Domin 1928*. 9, 1929. 48 = *Anogramma*. [minica.
- chamaesorbus** *Domin 1928*. 6. — Guiana.
- Chelsonii** *Domin 1929*. 72 = *P. chrysophylla* × *pulchella*.
- chrysoconia** (Desv.) Maxon; *Domin 1928*. 10 (nomen). — Peru.  
*Acrostichum* Desv. Prod. 212. 1827; *Gymnogramme* Moore 1857.
- chrysophylla** (Sw.) Link, Handb. Gew. 3. 19. 1833, *Domin 1928*. 6, 1929. 20. — Amer. trop. — *Acrostichum* Sw. 1801; *Gymnogramme* Klf. 1824; *Ceropteris* Link 1841. — *C. Herminieri* Link 1841, *Domin 1929*. 29 t. 3; *Gymnogramme* L'Herminieri Bory, Kze. 1850.  
*Formae cult.* *Gymnogramme Laucheana* C. Koch 1858. *G. spectabilis* Stelzner

1869. *G. Heyderi* Lauche 1877. *G. Alstoni* Hort. 1877. *G. fariniferum* Linden et Rodigas 1886. *G. Parsonsii* Hort. Veitch 1889. *G. Cordreyi* Hort. 1906.
- chrysophylla* × *ferruginea* Domin 1929. 65 t. 11. — Hort. — Gymnogramme Boucheana A. Br. 1854. — *G. consanguinea* A. Br. 1854. — *G. Stelzneri* C. Koch 1859. *Pityrogramma aureo-villosa*, *berolinensis*, *Boucheana*, *consanguinea*, *depauperata*, *intercedens*, *Stelzneri* Domin 1929.
- chrysophylla* × *pulchella* Domin 1929. 72. — Hort.
- P. Chelsonii* (Moore) Domin 1929. *P. Gaerdiana* Domin 1929.
- chrysophylla* × *sulphurea* Domin 1929. 64. — Cuba.
- P. cubensis* Domin 1929.
- consanguinea* Domin 1929. 66 t. 8 = *P. chrysophylla* × *ferruginea*.
- consimilis* Domin 1929. 58 = *P. calomelanos* × *chrysophylla*.
- cubensis* Domin 1929. 64 = *P. chrysophylla* × *sulphurea*.
- decomposita** (Bak.) Domin 1928. 7, 1929. 36. — Andes?. — Hort.
- Gymnogramme Bak. 1872, Index; *Ceropteris* Und. et Benedict 1917.
- Gymnogramma elegantissima* Pynaert 1898.
- depauperata* Domin 1929. 68 = *P. chrysophylla* × *ferruginea*.
- distans* Domin 1929. 49 = *P. calomelanos* × *tartarea*.
- dualis* Domin 1929. 72 = *P. peruviana* × *tartarea*.
- Eggersii** (Christ) Maxon, Contr. U. S. Nat. Herb. 24. 62. 1922. — Cuba, Hispaniola. — Gymnogramme Christ 1891; *Anogramma* Christ in Index.
- Fauriei** Domin 1928. 70 = *Asplenium subvarians*.
- Fendleriana** Domin 1929. 53 = *P. calomelanos* × *tartarea*.
- ferruginea** (Kze.) Maxon, Contr. U. S. Nat. Herb. 17. 173. 1913; Domin 1928. 8, 1929. 39. — Guatemala—Peru. — *Ceropteris* (Kze.) C. Chr. Ind. Suppl. prélim. ? *ferruginea* × *hybrida* Domin 1929. 62 = *P. Rollinsonii*. [c. syn.]
- flexilis** (Kl.) Domin 1928. 5. — Colombia. — Gymnogramme Kl. Linn. 20.
- Gaerdiana** Domin 1929. 72 = *P. chrysophylla* × *pulchella*. [414. 1847.]
- guatemalensis** Domin 1928. 9 = *Anogramma*.
- Humbertii** C. Chr. Cat. Pl. Mad. Pter. 46. 1932 (nomen), Dansk Bot. Ark. 7. 112 t. 43 f. 1—2. 1932. — Madagascar. Afr. centr.
- hybrida* Domin 1928. 10, 1929. 53 (t. 8) = *P. calomelanos* × *chrysophylla*.
- insularis** Domin 1928. 6. — Fernando Po, Ins. Principe.
- intercedens* Domin 1929. 68 t. 3 = *P. chrysophylla* × *ferruginea*.
- intermedia* Domin 1929. 59 t. 9 = *P. calomelanos* × *chrysophylla*.
- Jamesonii** (Bak.) Domin 1928. 8. — Colombia—Ecuador.
- Gymnogramme Bak. Syn. 516. 1874, Index.
- Lathamiae** (Moore) Domin 1929. 39. — Hort. — Gymnogramme Moore 1884.
- leptophylla** Domin 1928. 9, 1929. 47 = *Anogramma*. [Index.]
- Lorentzii** Domin 1928. 9 = *Anogramma*.
- luteo-alba** (Lauche) Domin 1929. 60. — Hort. — Gymnogramme Lauche, Hort.
- Mac Gillivrayi** Domin 1929. 52 = *P. calomelanos* × *tartarea*. [1877.]
- Mayeriana** Domin 1929. 62 = *P. calomelanos* × *ferruginea*.
- microphylla** Domin 1928. 10 = *Anogramma*.
- mira** Domin 1929. 59 = *P. calomelanos* × *chrysophylla*.
- nicaraguensis** Domin 1929. 61 = *P. calomelanos* × *peruviana*.
- obtusa** (Fée) Domin 1928. 10 (nomen). — Colombia.
- Ceropteris* Fée 1857, Index.
- ochracea** (Pr.) Domin 1928. 8. — Amer. trop.
- Gymnogramme Pr. Rel. Haenk. 1. 17. 1825; *Ceropteris* Hier. 1909.

- ornithopteris** (Kl.) Domin 1928. 5. — Guiana—Peru.  
Gymnogramme Kl. Linn. 20. 413. 1847. — *G. guianensis* Kl. 1847; *Ceropteris* Hier. 1909, Ind. Suppl. — *Allosorus farinosus* Kze. 1848 (non Pr. 1836).
- Pearcei** (Moore) Domin 1928. 9, 1929. 45. — Peru. Chile. Hort.  
Gymnogramme Moore 1884, Index.
- perelegans** Domin 1928. 8. — Peru.
- peruviana** (Desv.) Maxon, Contr. U. S. Nat. Herb. 17. 173. 1913. — Mexico—Amer. centr.—Peru?. — *Ceropteris* (Desv.) Link 1841, Index cum syn.  
Gymnogramme Mayi Hort.
- peruviana** × **tartarea** Domin 1929. 72. — Mexico. — *P. dualis* Domin 1929.
- praestantissima** Domin 1928. 6. — Colombia.
- Presliana** Domin 1928. 6. 1929. 19 t. 1. — Peru.
- pulchella** (Moore) Domin 1928. 9, 1929. 41 t. 6. — Venezuela. Hort.  
Gymnogramme Moore 1856, Index; *Ceropteris* Und. et Benedict 1917. — *G. acrocladon*, *dissecta*, *gracilis* Hort. *G. Wetenhalliana* Moore 1860.
- Rollissonii** (Moore) Domin 1929. 62 t. 10. — Hort.  
Gymnogramme Moore, Hort. — (?*P. ferruginea* × *hybrida* Domin).
- schizophylla** (Bak.) Maxon, Contr. U. S. Nat. Herb. 24. 61. 1922; Domin 1928. 9, 1929. 46. — Jamaica. Hispaniola. — *Anogramma* (Bak.) Diels 1899, Index.
- speciosissima** Domin 1929. 38 t. 5. — Hort.
- Stelzneri** Domin 1929. 69 = *P. chrysophylla* × *ferruginea*.
- Stuebelii** (Hier.) Domin 1928. 7. — Colombia.  
*Ceropteris* Hier 1909, Ind. Suppl.
- subflexuosa** Domin 1928. 7. — Montserrat.
- subnivalis** Domin 1928. 5, Kew Bull. 1929. 220. — Colombia.
- sulphurea** (Sw.) Maxon, Contr. U. S. Nat. Herb. 17. 173. 1913. Domin 1928. 9, 1929. 40. — Antillae majores. — Gymnogramme (Sw.) Desv. 1811, Index.
- tartarea** (Cav.) Maxon, l. c., Domin 1928. 5, 1929. 18. — Amer. trop.  
*Ceropteris* (Cav.) Link 1841, Index (excl. varr.).
- triangularis** (Klf.) Maxon, l. c., Domin 1928. 5, 1929. 16. — Alaska—Mexico.  
*Ceropteris* (Klf.) Und. 1902, Index cum syn. — *C. viscosa* (Eat.) Und. 1902, Index; *Pityrogramma* Maxon 1913.
- triangulata** (Jenm.) Maxon, l. c., Domin 1928. 7. — Jamaica.  
*Ceropteris* (Jenm.) Und. 1902, Index.
- tripinnata** Domin 1928. 7. — Mexico.
- viscosa** Maxon, Contr. U. S. Nat. Herb. 17. 173. 1913 = *P. triangularis* var.
- xerophila** (Bak.) Domin 1928. 8. — Colombia. — Gymnogramme Bak. 1881, Index.
- PLAGIOGYRIA** Mett. Cf. Copeland, Phil. Journ. Sci. 38. 377 f. 1929. —
- anisodonta** Cop. l. c. 409 t. 9. — Costa Rica. [(Polypodiaceae Gen. 1).]
- arguta** Cop. l. c. 407 t. 8 = *P. semicordata*.
- articulata** (F. Muell.) Ching in C. Chr. Ind. Suppl. III. 140. 1934. — Queens-  
Lomaria Muell. Fragm. 5. 187. 1866. [land.]
- Christii** Cop. 1906, l. c. 388. — Adde loc. Kwantung.
- Clemensiae** Cop. l. c. 395 t. 4. — Borneo.
- denticulata** Cop. l. c. 412 t. 12. — Bolivia. Peru.
- distinctissima** Ching, Bull. Fan Mem. Inst. 1. 145. 1930 = *P. adnata* (f. *reducta*).
- egenolfoides** (Bak.) Cop. Journ. Straits Br. R. As. Soc. no. 63. 72. 1912. —  
Borneo. — *Blechnum* (Bak.) C. Chr. Index.
- euphlebica** (Kze.) Mett. — Dele loc. Australia et syn. *Lomaria articulata*  
*Fauriei* (Christ) C. Chr. Index = *P. Matsumureana*. [F. Muell.]

- formosana** Nakai, Bot. Mag. Tokyo 42. 205. 1928. — Formosa. — (*P. glauca* var.?).
- grandis** Cop. Phil. Journ. Sci. 38. 389 t. 1. 1929. — China austr.
- Henryi** Christ 1899, Index = *P. stenoptera*.
- integripinnata** Bonap. N. Pt. 14. 60. 1924. — Malacca.
- intermedia** Cop. Phil. Journ. Sci. 38. 390 t. 2. 1929 = *P. japonica*.
- japonica** Nakai, Bot. Mag. Tokyo 42. 206. 1928. — Japonia—Korea—China.
- Lomaria euphlebia** Hk. Sec. Cent. t. 89. (non Kze.). *Pl. adnata* var. *distans* Ros. Fedde Rep. 13. 12. 2. 1913. *P. intermedia* Cop. 1929.
- Koidzumii** Tagawa, Acta Phytotax. 2. 189. 1933. — Riu-Kiu Ins.
- latifolia** Cop. Phil. Journ. Sci. 38. 411 t. 11. 1929. — Peru.
- maxima** C. Chr. Bull. Mus. Paris II. 6. 105. 1934. — Tonkin.
- Maxonii** Cop. l. c. 410 t. 10 = *P. Urbani*.
- nana** Cop. 1909, Ind. Suppl. = *P. glauca*.
- novoguineensis** v. A. v. R. Nova Guinea 14. 36. 1924. — N. Guinea.
- obtusa** Cop. l. c. 413 t. 13. — Cuba.
- Petelotii** Cop. l. c. 399 t. 6 = *P. stenoptera*.
- rankanensis** Hayata, Ic. Pl. Formosa 8. 151 f. 80. 1919 = *P. adnata*.
- rotundipinnata** Bonap. N. Pt. 14. 484. 1924 = *B. tuberculata*.
- stenoptera** (Hance) Diels 1899, Index. — Adde loc. China austr.—Tonkin et syn. *P. Henryi* Christ 1899, Index, Cop. l. c. 399 t. 5. *P. Petelotii* Cop. 1929. — (Cf. *P. tenuifolia*).
- subrigida** v. A. v. R. Bull. Buit. III. 2. 163. 1920 = *P. tuberculata*.
- sumatrana** Ros. 1914, Ind. Suppl. préf. = *P. tuberculata*.
- tuberculata** Cop. 1908, Ind. Suppl. — Adde loc. Borneo, Sumatra . . . et varr. *P. sumatrana* Ros. 1914, Ind. Suppl. — *P. subrigida* v. A. v. R. 1920. — *P. rotundipinnata* Bonap. 1924.
- Urbani** (Brause) Cop. Phil. Journ. Sci. 38. 413 t. 14. 1929. — Hispaniola. Jamaica. — *Blechnum* Brause 1911, Ind. Suppl. — *Pl. Maxoni* Cop. 1929.
- yunnanensis** Ching, Bull. Fan Mem. Inst. 2. 186 t. 1. 1931. — Yunnan.
- PLATYCERIUM** Desvaux. — (Polypodiaceae Gen. 168).
- bifurcatum** (Cav.) C. Chr. — Dele loc. Africa or.? — *Pl. afric. mihi P. st-*  
*diversifolium* Bonap. N. Pt. 4. 84. 1917 = *P. Ellisii* var. [maria.
- PLATYTAENIA** Requiniana (Gaud.) Kuhn 1882, Index = **Taenitis** R.
- PLECTOPTERIS** Fée = **Polypodium** (§ *Calymmodon*).
- gracilis** Fée 1852 = *P. consociatum*.
- PLEOCNEMIA** Presl = **Tectaria**.
- fibrillifera** v. A. v. R. Mal. Ferns Suppl. 146. 1917 = *P. fimbriifera* id. 1914.
- Kingii** v. A. v. R. l. c. 147.
- malayensis** v. A. v. R. l. c. 146.
- membranifolia** Bedd. Handb. 225. 1883 (*membranacea* Index ex err.) = *T.*
- porphyrocaulos** v. A. v. R. Bull. Buit. III. 5. 215. 1922. [fuscipes.
- profereoides** v. A. v. R. 1909 = *Heterogonium*.
- rufinervis** Nakai, Bot. Mag. Tokyo 47. 163. 1933 = *T. Leuzeana* var.
- stenosemioides** v. A. v. R. l. c. III. 2. 164. 1920.
- PLEOPELTIS** v. A. v. R. (non Humb. et Bonpl.) = **Polypodium**.
- albicaula** (p. 383) — **angustato-decurrens** (388) — **aquatica** (397) — **argy-**  
**ropus** (524) — **Bamleriana** (381) — **batacorum** (385) — **ceratophylla** (395)  
— **cochlearis** (387) — **craspedosora** (378) — **Cromwellii** (392) — **Curranii**  
(398) — **flexiloba** (406) — **fluviatilis** (403) — **glossophylla** (391) — **holose-**  
**ricea** (392) — **Kingii** (396) — **Lauterbachii** (383) — **limaeformis** (389) —

- linealifolia* (405) — *loxogrammoides* (405) — *multijugata* (394) — *neo-guineensis* (390) — *papilligera* (385) — *papyracea* (393) — *rhomboidea* (389) — *senescens* (376) — *sibomensis* (393) — *soromanes* (377) — *subundulata* (379) — *taeniophylla* (378) — *tenuinervis* (399) — *tuanensis* (398) — *undulato-sinuata* (388) — *wobbensis* (382) v. A. v. R. Mal. Ferns Suppl. 1917 = *Polypodium* sp. homonym.
- acutifolia* v. A. v. R. l. c. 380 = *P. papuanum*.  
*Beccarii* v. A. v. R. 1909 = *P. subsparsum*.  
*brevidecurrens* v. A. v. R. Bull. Buit. III. 5. 216. 1922 = *P. Wernerii* var.?  
*Buchanani* v. A. v. R. Mal. Ferns Suppl. 396. 1917 = *Aglaomorpha*.  
*congregatifolia* v. A. v. R. l. c., Bull. Buit. III. 2. 166. 1920 = *P. congregata*.  
*contingens* v. A. v. R. l. c. 167.  
*crenulata* v. A. v. R. 1914 = *P. taenifrons*.  
*cretifera* v. A. v. R. Nova Guinea 14. 40. 1924.  
*dendroconchoides* v. A. v. R. Bull. Buit. III. 2. 165. 1920.  
*elongata* Klf. 1824 = *P. atropunctatum*.  
*Gibbsiae* v. A. v. R. l. c. II no. 28. 37. 1918.  
*gracilipes* v. A. v. R. Nova Guinea 14. 37. 1924.  
*iboensis* v. A. v. R. Mal. Ferns Suppl. 386. 1917 = *Grammatopteridium costulatum*.  
*lima* v. A. v. R. Bull. Buit. II no. 28. 38. 1918 = *P. Mettenianum*.  
*megalosoroides* v. A. v. R. Nova Guinea 14. 39. 1924.  
*moulmeinensis* Bedd. 1867 = *P. Wallichianum*.  
*murkeleana* v. A. v. R. Bull. Buit. III. 2. 166. 1920.  
*obolophylla* v. A. v. R. Nova Guinea 14. 38. 1924.  
*pampylocarpa* v. A. v. R. l. c. 37.  
*parvifrons* v. A. v. R. Bull. Buit. III. 2. 165. 1920.  
*peltata* Scott., v. A. v. R. 1909 = *P. sarawakense*.  
*pseudo-acrostichum* v. A. v. R. Bull. Buit. II no. 28. 36 t. 5. 1918.  
*pseudo-laciniata* v. A. v. R. l. c. 38.  
*pseudo-lateralis* v. A. v. R. 36 t. 6 = *P. Bakeri*.  
*pseudo-loxogramma* v. A. v. R. l. c. III. 5. 218. 1922.  
*remigera* v. A. v. R. Nova Guinea 14. 38. 1924.  
*renifera* Ridley, Tr. Linn. Soc. II. Bot. 9. 263. 1916 = *P. remigerum*.  
*Schlechteri* v. A. v. R. Mal. Ferns Suppl. 395. 1917 = *Aglaomorpha Leder-Schultzei* v. A. v. R. l. c. 399 = *Tectaria Beccariana*. [manni.  
*selligueoides* v. A. v. R. Bull. Buit. II no. 23. 18. 1916 = *P. macrophyllum* var.  
*subcaudiformis* v. A. v. R. Mal. Ferns Suppl. 384. 1917 = *P. Mettenianum* var.  
*subnormalis* v. A. v. R. Bull. Buit. III. 2. 165. 1920.  
*subopposita* v. A. v. R. Mal. Ferns Suppl. 390. 1917.  
*Versteegii* v. A. v. R. Mal. Ferns Suppl. 377. 1917 = *P. papuanum*.  
*viridis* Moore, Ridley, Journ. Mal. Br. R. As. Soc. 4. 93. 1926 = *P. punctatum*.
- Pleuripteris* C. Chr. Dansk Bot. Ark. 6 no. 3. 76. 1929 (*Pycnoloma* §) = *Pyc-*  
**PLEUROGRAMME** Presl = *Cochlidium*. [noloma.  
*Luetzelburgiana* Goebel, Flora 124. 21 f. 11–13. 1929 = *C. Connellii*.  
*nuda* Goebel, Flora 117. 119, fig. 1924 = *C. seminuda*.  
*rostrata* Goebel. l. c. 124.
- PLEUROSORIOPSIS** Fomin, Bull. Jard. Bot. Kieff XI. 8. 1939. Fl. Sib. et.  
 Or. Extr. 5. 215. 1930. — (*Polypodiaceae* Gen. 80).  
*Makinoi* (Maxim.) Fomin, l. c., fig. — Japonia—Reg. Amur.—Korea—China  
 bor. — *Anogramma* (Maxim.) Christ in Index.

PNEUMATOPTERIS Nakai, Bot. Mag. Tokyo 47. 179. 1933 = **Dryopteris?**  
callosa Nakai, l. c.

POECILOPTERIS Presl = **Bolbitis**.

stenophylla Kurz, Nat. Tijdschr. Ned. Ind. 27. 15. 1864; Cop. Phil. Journ.  
subrepanda Pr. 1849 = B. subsimplex. [Sci. 37. 393. 1828.]

**POLYBOTRYA** Humb. et Bonpl. — Index valde reduct. (Excl. Atalopteris,  
Egenolfia, Lomagramma, Psomiocarpa) — (Polypodiaceae Gen. 30).

apiifolia J. Sm. 1841, Index = Psomiocarpa.

appendiculata (Willd.) J. Sm. 1841, Index (excl. fere syn. omn.) = Egenolfia.

arfakensis Gepp in Gibbs, Dutch N. W. N. Guinea 71. 1917 = Alsophila bi-  
articulata J. Sm. 1841, Index = Lomagramma. [formis.]

aspidioides Gris. 1866, Index = Atalopteris.

asplenifolia Pr. 1836 = Egenolfia.

duplicato-serrata Hayata 1915, Ind. Suppl. pré. = Egenolfia serrulata.

exaltata Brack. 1854 = Egenolfia serrulata.

fliculifolia Farwell, Amer. Midl. Naturalist 12. 303. 1931 = P. osmundacea.

Hamiltoniana Pr. 1836 = Egenolfia vivipara.

Helferiana Kze. 1848 = Egenolfia.

intermedia J. Sm. 1841 = Egenolfia.

neglecta Fée 1845 = Egenolfia serrulata.

Nieuwenhuisenii Racib. 1902, Index = Heterogonium.

nodiflora Bory 1833 = Egenolfia vivipara.

polyphylla (Brack.) C. Chr. Index = Lomogramma.

serrulata J. Sm. 1841 = Egenolfia.

sinensis (Bak.) C. Chr. Ind. Suppl. = Egenolfia.

stenosemioides (Bak.) Cop. 1905, Index = Heterogonium.

Teysmannianum Posthumus, Rec. Trav. bot. néerl. 33. 872. 1930 = Steno-  
vivipara Hk. 1825 = Egenolfia. [semia.]

**POLYPODIUM** L. sens. Ind. Fil. excl. Loxogramme et Aglaomorpha Gaud.  
emend. Copeland; incl. Acrosorus Copeland et Prosaptia Presl. — (Poly-  
podiaceae Gen. 144).

Obs. Numerosae species ab auctt. rec. e Polypodio segregatae et ad genera  
restaurata translatae sunt; v. Calymmodon, Dictymia, Grammitis, Lepi-  
sorus, Microsorium, Pleopeltis supra ubi comb. nov. plurimae solum  
enumeratae sunt.

Subgenera:

A = **Aerosorus**.

M = **Marginaria**.

Ar = **Arthromeris**.

Mi = **Microsorium** (incl. Phymatodes Pr.,  
Pleopeltis v. A. v. R. part.)

C = **Campyloneurum**.

Co = **Colysis**.

My = **Myrmecophila** (Lecanopteris part.  
Cop.)

Cr = **Cryptosorus**.

Cy = **Calymmodon**.

P = **Eupolypodium** (sens. Ind.)

D = **Dendroconche**.

Ph = **Phlebodium**.

G = **Goniophlebium**.

Pl = **Pleopeltis** (sp. americanae).

Gr = **Grammitis**.

Pr = **Prosaptia**.

Lp = **Lepisorus**.

S = **Selliguea** (Index excl. Colysis.)

(P) abebaion v. A. v. R. Nova Guinea 14. 45. 1924. — N. Guinea.

abbreviatum (Fée) C. Chr. Ind. Suppl. pré. = Hypolepis.

acrosopum Christ 1905, Index = Loxogramme.

- acrosoroides* v. A. v. R. 1913, Index Suppl. pré-l. = *P. davalliaceum*.  
*acuminatum* Houtt. Nat. Hist. 14. 191 t. 99 f. 2. 1783 = *Dryopteris so-acutifolium* Brause 1912, Ind. Suppl. = *P. papuanum*. [phoroides.  
*alatum* L. 1753 = *Dryopteris alata*.  
(S) *albarum* Gepp, JoB. 1923 Suppl. 61. — N. Guinea.  
(Mi) *albido-paleatum* Cop. Phil. Journ. Sci. 12C. 63. 1917. — Borneo.  
(P) *alboglandulosum* Bonap. N. Pt. 10. 186. 1920; C. Chr. Dansk Bot. Ark. 7. 153 t. 58 f. 7—9. 1932. — Madagascar.  
(Mi) *albopes* C. Chr. et Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 15. 1933. — Kwangsi. — *P. sp. Wu*, Polyp. Yaoshan t. 141. 1932; *album* Christ, Index = *P. enerve*. [Phymatodes Ching 1933.  
*alcicorne* Ridley, Tr. Linn. Soc. II. Bot. 9. 261. 1916 = *P. fuciforme*?  
(P) *Alfredii* Ros. Fedde Rep. 22. 15. 1925. — Costa Rica.  
(P) *allocotum* v. A. v. R. Nova Guinea 14. 47. 1924. — N. Guinea.  
(S) *alloiosorum* Brause, Engl. Jahrb. 56. 202. 1920. — N. Guinea.  
*alsophiloides* Liebm. 1849 = *Dryopteris equestris*.  
*ampelideum* Christ 1905, Index = *P. digitatum*.  
(Ar) *amplexifolium* Christ 1908, Ind. Suppl. — *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 94. 1933.  
*anceps* (Christ) C. Chr. Index = *P. Hancockii*.  
(Lp?) *anguinum* A. Peter, Fedde Rep. Beih. 40. 29, Descr. 3 t. 1 f. 10. 1929. —  
(C) *angustialatum* Bonap. N. Pt. 14. 151. 1924. — Tonkin. [Africa or. trop.  
(Pl) *angustum* (H. B. W.) Liebm. — Dele var. *P. sectifrons*.  
(D) *Annabellae* Forbes. — *Dendroconche* Cop. 1911. — *D. Kingii* Cop. 1931.  
*Polypodium cyclobasis* Baker 1896, Index.  
*annamense* Christ 1905, Index = *P. digitatum* var.  
(G) *antillense* Maxon, Proc. Biol. Soc. Wash. 43. 83. 1930 — Ind. occ.  
*Goniophlebium acuminatum* Fée 11. mém. 68 t. 19 f. 1. 1866 (non  
(P) *arcuatum* Moritz—Colombia, Jamaica, Hispaniola. [Polypodium auctt.)  
*arenarium* Bak. 1895, Index = *P. hastatum*.  
(G) *argutum* Wall. — Adde loc. China merid. Ins. Phil. et syn. *P. mengtze-ense* Christ 1898, Index c. syn. *P. pseudoconnatum* Cop. 1906, Ind. Suppl.  
(Mi) *argyropus* Ridley, Tr. Linn. Soc. II. Bot. 9. 262. 1916. — N. Guinea.  
*Pleopeltis* v. A. v. R. 1917.  
*arisanense* Ros. 1915, Ind. Suppl. prel. = *P. Kawakamii*.  
*Asahinae* Ogata, Journ. Jap. Bot. 9. 266. 1933. — Japonia.  
(Cy) *asiaticum* (Cop.) C. Chr. Ind. Suppl. III. 144. 1934. — Annam.  
*Calymmodon* Cop. Phil. Journ. Sci. 38. 154. 1929.  
*asperum* Pr. 1825 — *Dryopteris Presliana*.  
*aspidistrifrons* Hayata 1915, Ind. Suppl. pré-l. = *P. Steerei*.  
(P) *asplenifolium* L. 1753, Maxon, Pter. Porto Rico 410. 1926. — Amer. trop.  
*P. suspensum* L. 1753?, auctt., Index. *P. laxifrons* Liebm. 1849.  
(C) *Asplundii* C. Chr. Ark. för Bot. 20A. 24. 1926. — Bolivia  
(M) *astrolepis* Liebm. 1849, Weatherby, Contr. Gray Herb. n. s. no. 65. 6. 1922. — Amer. trop. — *P. lanceolatum* \**elongatum* (Sw.) C. Chr. Index c. syn. (excl. *Drynaria crassinervata* Fée etc. et *Grammitis robusta* Phil.).  
*atacamense* Bak. 1887, Index = *P. pycnocarpum*.  
(Lp) *atropunctatum* Gaud. 1827. — Ins. Hawaii. — *Pleopeltis elongata* Klf. 1824; *Phymatodes* Pr. 1836; *Polypodium Goldm.* 1843 (non Ait. 1789); *Drynaria* Brack. 1854; *Lepisorus* Ching 1933.

- (Ph) **aureum** L. \**P. pseudoaureum* Cav. 1802. — *P. areolatum* H. B. Willd. 1810, Index.
- (Mi) **balteiforme** Brause, Engl. Jahrb. 56. 194. 1920. — N. Guinea.
- (Mi) **banaense** C. Chr. Bull. Mus. Paris II. 6. 105. 1934. — Indochina.
- (Mi) **Bandoi** C. Chr. Ind. Suppl. III. 145. 1934. — Ins. Bonin. — *Phymatodes subnormalis* Nakai, Bot. Mag. Tokyo 43. 3. 1929 (non *Polypodium* infra).  
*Bangii* Bak. 1901, Index = *P. chrysolepis*.  
*barbatum* Desv. 1827 = *Dryopteris pulverulenta*.  
*Beccarii* v. A. v. R. 1908, Ind. Suppl. = *P. subsparsum*.
- (Gr) **Beddomeanum** v. A. v. R. Bull. Buit. II no. 28. 39. 1918. — Ceylon.  
*P. lasiosorum* Bedd. Ferns br. Ind. t. 172 (non Hk.); *P. hirtellum* Bedd. l. c. t. 212, Handb. 305 (non Bl.).  
*Berteroanum* Hk. 1862 = *Dryopteris inaequalifolia*.
- (G) **Beyerianum** Ros. Fedde Rep. 22. 17. 1925. — Costa Rica.  
*?binerve* Hk. 1862 = *Blechnum binerve*.  
**biseriale** Ridley, Tr. Linn. Soc. II Bot. 9. 260. 1916. — N. Guinea.  
(Nomen malum, non Bak. 1867).
- (P) **blechnoides** (Grev.) Hk. — Adde syn. *P. decorum* Brack. 1954, Index part. — Dele syn. *C. Seemanni* et *Polypodium contiguum* Brack. 1854.  
*Blumeanum* (Pr.) C. Chr. Index = *Loxogramme avenia*.  
*Bodinieri* Christ 1902, Index = *P. niponicum*.
- (Co) **Boisii** Christ 1905, Index. — *Colysis* Ching 1933.
- (P) **bolanicum** (Ros.) Cop. Univ. Calif. Publ. Bot. 12. 403. 1931. — N. Guinea.  
*P. solidum* var. *bolanica* Ros. Fedde Rep. 12. 177. 1913.  
*Bonatianum* Brause 1914, Ind. Suppl. pré. = *P. amoenum* var.
- (Gr) **bongoense** Cop. Phil. Journ. Sci. 38. 153. 1929. — Borneo.  
*P. Brooksii* Cop. l. c. 12C. 60. 1917 (non C. Chr. 1913).
- (Co) **Bonii** Christ apud Ching Bull. Fan Mem. Inst. 4. 322. 1933 (syn.) — Hainan. — *Colysis* Ching, l. c.
- (Lp) **boninense** Christ 1900. — *Lepisorus* Ching 1933.
- (G?) **brachypodium** Cop. Phil. Journ. Sci. 12C. 62. 1917. — Borneo.  
*brasiliense* Poir. 1804, Index (excl. var. *Goniophlebium acuminatum* Fée) = *P. triseriale*.
- (Mi) **Brassii** (Cop.) C. Chr. Ind. Suppl. III. 145. 1934. — N. Guinea.  
*Microsorium* Cop. Journ. Arnold Arb. 10. 181. 1929.
- (P) **Brauseanum** v. A. v. R. Mal. Ferns Suppl. 521. 1917. — N. Guinea.  
*P. serraeforme* Brause 1912, Ind. Suppl. (non J. Sm., v. A. v. R. 1909).
- (Gr) **brevipilum** (Cop.) C. Chr. Ind. Suppl. III. 145. 1934. — Luzon.  
*Grammitis* Cop. Brittonia 1. 69 t. 2. 1931.
- (P) **brevivenosum** v. A. v. R. Bull. Buit. II no. 28. 40. 1918. — Sumatra, Borneo, Malacca.
- (P) **Brooksiae** v. A. v. R. Bull. Buit. II no. 23. 19 t. 2 f. 2. 1916. — Sumatra.  
*Brooksii* Cop. Phil. Journ. Sci. 12C. 60. 1917 = *P. bongoense*.
- (Gr) **bryophilum** Maxon, Amer. Fern Journ. 16. 7. 1926. — Costa Rica.  
*bullatum* Bak. 1876, Index = *P. excavatum*.  
*Büttneri* Kuhn 1889, Index = *Loxogramme*.  
*Cadieri* Christ 1905, Index = *P. digitatum*.
- (P) **calcipunctatum** Cop. Phil. Journ. Sci. 12C. 61. 1917. — Borneo.  
*callophyllum* C. H. Wright 1909, Ind. Suppl. = *P. minutum*.
- (P) **calvum** Maxon, Journ. Wash. Acad. Sci. 12. 440. 1922. — Cuba. Hispaniola.



- calymmodon »Fée«, v. A. v. R. Mal. Ferns Suppl. 351. 1917 = *P. cucullatum* sens. lat. (Cf. Cop. Phil. Journ. Sci. 34. 266. 1927).
- campyloneuroides Bak. 1883, Index = *P. regulare*.
- (P) **canaliculatum** v. A. v. R., l. c. 522. — N. Guinea.  
*P. petiolatum* Ridley, Tr. Linn. Soc. II. Bot. 9. 260. 1916 (non Dav. 1894).
- canescens Kze., Hk. 1862 = *Dryopteris Blanchetiana*.
- cantoniense Bak. 1879, Index = *Leptochilus*.
- caribaeum Desv. 1811 = *Dryopteris subincisa*.
- (P) **carpintera** Ros. Fedde Rep. 22. 16. 1925. — Costa Rica.
- (P) **Carstenszense** Ridley, Tr. Linn. Soc. II. Bot. 9. 260. 1916. — N. Guinea.
- (Lp) **caudato-attenuatum** (Takeda) C. Chr. Ind. Suppl. III. 146. 1934. — China. — *P. lineare* var. *Thunbergiana* f. *caudato-attenuata* Takeda, Notes Bot. Gard. Edinb. 8. 269. 1915; *Lepisorus angustus* Ching, Bull. Fan Mem. Inst. 4. 86. 1933 (non *Polypodium* Liebm. 1849).
- (G) **caudiceps** Moore. — Loc. Formosa sine dubio falsa; Amer. trop.? vel Afr. occ.? (= *P. Irvingii*?).  
*Cavaleriei* Ros. 1914, Ind. Suppl. pré. = *P. Leveillei*.
- (Gr) **ceramicum** v. A. v. R. Bull. Buit. III. 2. 168. 1920. — Ceram.
- (P) **cervicorne** v. A. v. R. Bull. Buit. II no. 28. 39. 1918. — Sumatra.
- (G?) **Cesatianum** Bak. — Adde syn. *P. coloratum* Cop. 1909, Ind. Suppl. *chaerophylloides* Poir. 1804 = *Dryopteris* ch. *chenopus* Christ 1905, Index = *P. dactylinum*.
- (Lp) **Chingii** C. Chr. apud Ching, Bull. Fan Mem. Inst. 4. 98. 1933 (syn.) — China. — *Lemmaphyllum Christensenianum* Ching, l. c. (non *Polypodium* Maxon 1909).
- (G) **chnodes** Spr. (non *P. dissimile* L.) [podium Maxon 1909].
- (Mi) **chrysotrichum** C. Chr. Contr. U. S. Nat. Herb. 26. 320 t. 23. 1931. — Yunnan. — *Phymatodes* Ching 1933.
- (Co) **Chunii** C. Chr. Ind. Suppl. III. 146. 1934. — Hainan. — *Colysis longipes* Ching, Bull. Fan Mem. Inst. 4. 332. 1933 (non *Polypodium* auctt.).  
*ciliiferum* v. A. v. R. 1914, Ind. Suppl. pré. = *P. padangense*.
- (Gr) **ciliolatum** v. A. v. R. Nova Guinea 14. 43. 1924. — N. Guinea.
- (P) **ciliolepis** C. Chr. Ark. för Bot. 20A. 21. 1926. — Bolivia, Brasilia.  
*Clemensiae* Cop. Brittonia 1. 76 t. 2. 1931 = *P. subsparsum*.  
*coloratum* Cop. 1909, Ind. Suppl. = *P. Cesatianum*.
- (Cy) **conduplicatum** Brause 1912, Ind. Suppl. — Adde syn. *Calymmodon* Cop.
- (Gr) **conforme** Brack. 1854. — Fiji, Samoa. [1927.
- (P) **congregatifolium** v. A. v. R. Nova Guinea 14. 47. 1924. — N. Guinea.
- (Mi) **congregatum** C. Chr. Ind. Suppl. III. 146. 1934. — Sumatra.  
*Pleopeltis congregatifolia* v. A. v. R. Bull. Buit. III. 2. 166. 1920 (non *Polypodium* v. A. v. R. 1924).  
*connatum* Christ 1907, Ind. Suppl. = *P. crenato-pinnatum*.  
*Connellii* Bak., Wright 1901, Index = *Cochlidium*.
- (Cy) **consociatum** v. A. v. R. 1912, Index Suppl. — Ins. Phil. Borneo... — *Plectopteris gracilis* Fée 1852; *Calymmodon* Cop. 1927 (non *Polypodium* Hk. 1831). *C. hirtus* Brack. 1854 (non *Polypodium* Sw. 1801).
- (Pr) **contiguum** (Forst.) J. Sm. 1841, Ind. Suppl. pré. — Adde var. *Prosaptia pubipes* Cop. 1932 (Fiji).  
*contiguum* Brack 1854 = *P. Seemanni*.
- (Mi) **contingens** (v. A. v. R.) C. Chr. Ind. Suppl. III. 146. 1934. — Sumatra.  
*Pleopeltis* v. A. v. R. Bull. Buit. III. 2. 167. 1920.

- convolutum Bak. 1906, Ind. Suppl. = *P. subfalcatum* var. *sinicum*.
- (M) **Conzattii** Weatherby, Contr. Gray Herb. n. s. no. 65. 11. 1922. — Mexico.
- (Gr) **coredrosorum** v. A. v. R. Nova Guinea 14. 44. 1924. — N. Guinea.
- (P) **cornigerum** Bak. in Wall, Cat. Ceylon Ferns 11. 1873, Syn. 508. 1874.  
— Ceylon. — (An *P. denticulatum*?).
- coronans Wall. 1828, Index = *Aglaomorpha*.
- costaricense Christ 1906 = *P. Wagneri* var.
- costatum Hk. 1863 = *Dryopteris costata*.
- crassulum Maxon 1916, Ind. Suppl. pré. = *P. fucoides*.
- crenulatum Kze., Mett. 1857, Ind. Suppl. pré. = *P. taeniatum* var.
- (S) **cretiferum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 147. 1934. — N. Guinea.  
*Pleopeltis* v. A. v. R. Nova Guinea 14. 40. 1924.
- cruciatum Klf. 1824 = *Dryopteris phegopteris* var.
- (Mi) **cruciforme** Ching, Sinensia 1. 47. 1930. — Kwantung. Tonkin.  
*Phymatodes* Ching 1933.
- (Gr) **cryptophlebium** Bak. 1880. — *P. Rutenbergii* Luer. 1882, Index, C. Chr.  
Dansk Bot. Ark. 7. 150.
- cryptum Und. et Maxon 1902, Index = *Dryopteris*.
- (Cr) **ctenoidium** Brause, Engl. Jahrb. 56. 188. 1920. — N. Guinea.
- (Cy) **encullatum** Nees et Bl. — Dele syn. *Plectopteris gracilis* Fée. — Adde  
syn. *Pol. gracillimum* Cop. 1905, Index. *P. subgracillimum* v. A. v. R.  
1912, Ind. Suppl. et varr. *Calymmodon Grantii* et *C. orientalis* Cop.  
1932 (Ins. Soc.).
- Curranii* Cop. 1909, Ind. Suppl. = *P. pentaphyllum*.
- (P) **Curtisii** Bak. — Sumatra, Borneo, Celebes, Ins. Phil. N. Guinea.  
*P. decrescens* Christ 1904, Index (et Suppl. pré. 53 — var. *blechni-*  
*frons* Hayata 1914. — Formosa?).
- (Mi) **cyathisorum** Brause, Engl. Jahrb. 56. 198. 1920. — N. Guinea.
- cyclobasis* Bak. 1896, Index = *P. Annabellae*.
- cyrtolobum* Clarke 1880, Index = *P. Stewartii*.
- dareaeformioides* Ching, Sinensia 1. 12. 1929, Ic. Fil. Sin. t. 41 = *Leuco-*  
*dareiforme* Hk. 1860, Index = *Leucostegia*. [stegia *dareiformis*.
- (Pr) **davalliaceum** F. Muell. et Bak. — Adde loc. Ins. Phil. Borneo et syn.  
*Prosaptia* Cop. 1931. *Polypodium monocarpum* Ros. 1913, Ind. Suppl.  
prél. — *P. acrosoroides* v. A. v. R. 1913, Ind. Suppl. pré. cum syn.
- decorum* Brack. 1854, Index = *P. blechnoides* et *P. Moultoni* (pl. malay.).
- decorum* var. *excaudata* Bonap. N. Pt. 4. 79. 1917 = *P. excaudatum*.
- decrescens* Christ 1904, Index = *P. Curtisii*.
- deltoidium* Bak. 1888 = *P. phyllomanes*.
- (D?) **dendrochonchoides** (v. A. v. R.) C. Chr. Ind. Suppl. III. 147. 1934. —  
Sumatra. — *Pleopeltis* v. A. v. R. Bull. Buit. III. 2. 165. 1920.
- dentatum* Forsk. 1775 = *Dryopteris dentata*.
- (G) **deorsipinnatum** Cop. Phil. Journ. Sci. 38. 152. 1929. — Formosa.
- dichotomum* Brause, Engl. Jahrb. 56. 190. 1920 = *P. fuciforme*.
- dieranophyllum* C. Chr. Index = *Cochlidium furcatum*.
- dictyopteris* Mett. 1861, Index = *Loxogramme*.
- (Co) **digitatum** (Bak.) C. Chr. — *Colysis* Ching 1933. — Formae sunt: *P.*  
*ampelideum*, *P. annamense*, *P. Cadieri*, *P. podopterum* Christ 1905,  
Index.

- diplosorum Christ 1896?, Index (excl. var. Grammitis setosa Bl.) = *P. sumatranum*? (cf. v. A. v. R. Bull. Buit. III. 5. 219. 1922).
- (P) **dissimile** L. 1759. — Ind. occ. Mexico—Peru. — *P. sororium* H. B. Willd. 1810, Index (t. Maxon).
- (Co) **dissimilialatum** Bonap. N. Pt. 14. 155. 1924. — Tonkin. — Colysis *distans* Mak. 1906 = *P. ussuriense*. [Ching 1933.  
*domingense* Brause 1911, Ind. Suppl. = *P. rigens*.
- (P) **duale** Maxon 1912. — *P. serrulatum* (Sw.) Mett. 1856. Index excl. var. *P. minimum* Brack. (non *P. serrulatum* Sw. 1801).  
*Duclouxii* Christ 1909, Ind. Suppl. = *P. amoenum* var. *dulitense* Bak. 1893, Index = *P. oodes*.
- (Gr) **duplopilosum** (Cop.) C. Chr. Ind. Suppl. III. 148. 1934. — Luzon. *Grammitis* Cop. *Brittonia* 1. 69 t. 3. 1931.  
*durum* Cop. 1910, Ind. Suppl. = *P. padangense*.
- (Mi) **ebenipes** Hk. — Dele loc. Borneo.
- (Mi) **echinosporum** C. Chr. Ind. Suppl. III. 148. 1934. — Hainan. *Phymatodes hainanensis* Ching, Contr. Inst. bot. Nat. Acad. Peiping 2.
- (Mi) **egregium** Brause, Engl. Jahrb. 56. 199. 1920. — N. Guinea. [68. 1933.  
*ellipsoideum* Fée 1857, Index = *P. Hartwegianum*.
- (Co) **ellipticum** Thbg. 1784. — Japonia—China—Tonkin. — Colysis Ching 1933. *P. Faurianum* Nakai 1911, Ind. Suppl. *P. neoellipticum* Koidzumi 1929. *P. flavescens* Ching 1931.  
*ellipticum* auctt., Index part. = *P. mediosorum*, *P. queenslandicum*.  
*ellipticum* var. *undulato-crenatum* C. Chr. Bull. Geogr. Bot. Mans 1904. 107 = *P. flexilobum*.
- (Pr) **Emersoni** (Hk. et Grev.) C. Chr. Gard. Bull. S. S. 7. 303. 1934. — Asia trop. — Samoa. — *Davallia* Hk. et Grev. 1829. *P. serraeforme* (Wall.) J. Sm. 1841, Ind. Suppl. pré. 56 cum syn.
- (Mi) **enerve** Cav. Descr. 245. 1802. — Malesia—Ins. Mariannae. — *P. evenium* Spr. 1827. — *P. rupestre* Bl. 1828; *P. triquetrum* var. Index c. syn. — *P. taeniopsis* Christ 1896. — *P. albulum* Christ in Index; *Pleopeltis* v. A. v. R. 1909. — ? *P. leucolepis* Ros. 1913 (non Gilbert 1897). — *P. subtriquetrum* Christ 1908.  
*Englerianum* v. A. v. R. Mal. Ferns Suppl. 371. 1917 = *P. Brausei* C. Chr. Ind. Suppl. pré.
- (Mi) **ensatum** Thbg. — Adde syn. *Neocheiropteris* Ching 1933. *Polypodium oligolepis* Bak. 1898, Index.
- (M) **erythrolepis** Weatherby, Contr. Gray Herb. n. s. no. 65. 11. 1922. — Mexico.
- (G) **Espinosae** Weatherby, Contr. Gray Herb. 85. 15 t. 2. 1929. — Chile. *euryphyllum* C. Chr. Index = *P. Hancockii* (pl. asiat) et *P. vitiense* (pl. polynes.).  
*exaltatum* v. A. v. R. 1909, Ind. Suppl. pré. = *P. streptophyllum*.
- (P) **excaudatum** (Bonap.) C. Chr. Arch. Bot. (Caen) 2. Bull. mens. 215. 1928, Dansk Bot. Ark. 7. 154 t. 58 f. 5—6. 1932. — Madagascar.  
*P. decorum* var. *excaudata* Bonap. N. Pt. 4. 79. 1917.
- (Lp) **excavatum** Bory. — Dele syn. *P. loriforme*, *P. phlebodes*, *P. astrolepis*. — Adde syn. *Lepisorus excavatus* et *L. bicolor* Ching 1933. *Polypodium morrisonense* Hayata 1909, Ind. Suppl.

- (P) **eximium** Brause, Engl. Jahrb. 56. 186. 1920. — N. Guinea.
- (P) **exornans** Maxon, Amer. Fern Journ. 18. 47. 1928. — Jamaica.  
*expansum* Bak. 1876 = *P. vitiense*.  
*Faberi* Christ 1905, Index = *Drynaria propinqua*.  
*Faurianum* Nakai 1911, Ind. Suppl. = *P. ellipticum*.
- (S) **Feei** (Bory) Mett. — Dele loc. Polynesia? (v. seq.). — Adde loc. China austr. et syn. *P. pedunculatioides* Ching 1930.
- (S) **feoioides** Cop. Bishop Mus. Bull. 59. 2929. — Fiji. Samoa. Tahiti. Rarotonga. Marquesas. N. Hebridæ.  
*ferreum* Brause, Engl. Jahrb. 56. 197. 1920 = *Grammatopteridium*.
- (G) **Fenillei** Bertero, Mercurio Chileno, Julio 1829. 745; Looser, Revista Universitaria 15. 700. 1930. — Chile. — *P. synammia* (Fée) C. Chr. Index cum syn. *P. glaucescens* Bory Nov. 1829.
- (P) **flabelliforme** Poir. — Dele var. *P. oligosorum*.  
*flabellivenium* Bak. 1867, Index = *Taenitis obtusa*.
- (G) **flagellare** Christ. — *P. patens* Hk. 1863, Index (non Sw. 1788).
- (P) **flagelliforme** Brause, Engl. Jahrb. 56. 187. 1920. — N. Guinea.  
*flavescens* Ching, Bull. Fan Mem. Inst. 2. 22 t. 8. 1931 = *P. ellipticum*.
- (Co) **flexilobum** Christ. — *Colysis* Ching 1933.  
*Forbesii* v. A. v. R. 1908, Ind. Suppl. = *P. scolopendria*.
- (Mi) **Fortunei** (Moore) Lowe 1856, Ind. Suppl. pré. 54. — Dele loc. Madagascar et var. *madagascariensis*.  
*frigidum* Ridley, Tr. Linn. Soc. II. Bot. 9. 259. 1916. — N. Guinea.
- (M) **fructuosum** Maxon et Weatherby, Contr. Gray Herb. n. s. no. 65. 1922. — Panama.
- (P) **fuciforme** Ros. 1912, Ind. Suppl. — Adhuc veris. *P. alcicorne* Ridley 1916 (non Bak. 1888) et *P. dichotomum* Brause 1920 (non Hoult. 1783).  
*Fuentesii* Hicken 1913, Ind. Suppl. pré. = *P. scolopendria*.  
*fusco-nigrum* Bak., Matthew, Journ. Linn. Soc. 39. 379. 1911, err. script. pro *griseo-nigrum*.
- (G) **Garrettii** C. H. Wright; Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 49. 1933. — Siam.  
*gedeense* v. A. v. R. 1914, Ind. Suppl. pré. = *P. inconspicuum*.
- (Mi) **Gibbsiae** (v. A. v. R.) C. Chr. Ind. Suppl. III. 149. 1934. — N. Guinea.  
*Pleopeltis* v. A. v. R. Bull. Buit. II no. 28. 37. 1918.  
*giganteum* Noronha, Verh. Bat. Genootsch. 5. 83. 1927? = *Asplenium nidus*.
- (Cy) **glabrescens** (Cop.) C. Chr. Ind. Suppl. III. 149. 1934. — Ceylon.  
*Calymmodon* Cop. Phil. Journ. Sci. 34. 263 t. 2. 1927.
- (G) **gladiatum** Kze. 1834. — Cuba, Hispaniola, Jamaica. •Amer. trop. •  
*Marginaria* Pr. 1836; *Goniophlebium* Fée 1852; *G. ampliatum* Maxon 1908.
- (P) **glanduloso-pilosum** Brause, Engl. Jahrb. 56. 181. 1920. — N. Guinea.
- (P) **Gordoni** Watts, Pr. Linn. Soc. N. S. Wales 39. 792 t. 89 f. 12. 1915. — Queensland.
- (Mi) **gracilipes** (v. A. v. R.) C. Chr. Ind. Suppl. III. 149. 1934. — N. Guinea.  
*Pleopeltis* v. A. v. R. Nova Guinea 14. 37. 1924.  
*gracillimum* Cop. 1905, Index = *P. cucullatum*.  
*grammitoides* (Bak.) Diels 1900, Index = *Loxogramme*.  
*grenadense* Jenm. 1894 = *P. tenuiculum*.  
*Gueintzii* Mett. 1857 = *P. Schraderi*.

- (Mi) **Hagerupii** C. Chr. Dansk Bot. Ark. 6 no. 3. 78 t. 9. 1929. — Sumatra.  
*hainanense* C. Chr. Index = *Hemigramma decurrens*.  
*haitiense* Urban, Symb. Ant. 9. 370. 1925. — Haiti.  
*Aspidium cuspidatum* Desv. 1827 (Plum. t. 153).
- (Mi) **Hancockii** Bak. 1885. — Formosa—Ind. bor.—Malacca. — *Microsorium*  
 Ching 1933. *Polypodium anceps* (Christ) C. Chr. Index. *P. euryphyllum*  
 C. Chr. Index (excl. loc. Samoa et var. *Drynaria acuminata* Brack. etc.).
- (P) **haphlophlebium** A. C. Smith, Bull. Torr. Cl. 58. 307. 1931. — Guiana.  
*harpophyllum* Zenker, Kze. 1851, Index = *Polystichum auriculatum*.
- (P) **Hayatai** Masamune, Journ. Soc. Trop. Agric. Formosa 2. 31. 1930. — For-  
 mosa. — *P. tenuissimum* Hayata, Ic. Pl. Formosa 4. 254 f. 178. 1914  
 (non Cop. 1914) (t. Ching = *P. subfalcatum*).  
*hemionitis* Cav. 1802, Index Suppl. 124. — Potius *P. scolopendria*.
- (Co) **hemitomum** Hance. — *Colysis* Ching 1933. — Dele syn. *P. deltoideum*.  
*Henchmannii* J. Sm.; Houlst et Moore, Gard. Mag. Bot. 3. 18. 1851 (corr.).
- (Co) **Henryi** (Christ) C. Chr. — *Colysis* Ching 1933. *Polypodium mon-chan-*  
*gense* C. Chr. Ind. Suppl. préf.  
*heracleum* Kze. 1848, Index = *Aglaomorpha*.
- (S) **heterocarpoides** (Cop.) C. Chr. Ind. Suppl. III. 150. 1934. — N. Caledonia.  
*Selliguea* Cop. Univ. Calif. Publ. Bot. 14. 367. 1929.
- (Mi) **heterocarpum** Bl. 1829. — Malesia. — *P. Zollingerianum* Kze. 1846,  
 Index. *Polypodium Scortechinii* Bak. 1891, Index. *Aspidium pteropodium*  
 Diels 1899, Index. *Campylogramma lancifolia* v. A. v. R. 1916.  
*heterocarpum* (Bl.) Mett. 1856, Index = *P. Mettenianum*.
- (Lp) **heterolepis** (Ros.) C. Chr. Ind. Suppl. III. 150. 1934. — China merid.  
*P. lineare* var. *heterolepis* Ros. Fedde Rep. 12. 247. 1913; *Lepisorus*  
*heterolepis* Ching 1933.
- (Mi) **heterophyllum** L. 1753. — *P. Swartzii* Bak. 1868, Index cum syn.  
*heterosorum* Bak. 1874 = *Tectaria Maingayi*.
- (Ar) **himalayense** Hk. — *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad.  
 Peiping 2. 99. 1933.
- (Gr) **hirtelloides** Cop. Bishop Mus. Bull. 59. 17. 1929. — Fiji.
- (Gr) **hirtellum** Bl. — Dele var. *P. lasiosorum* Hk.
- (P) **Homersleyi** Maxon, Amer. Fern Journ. 20. 1. 1930. — Trinidad.  
*Hoehnei* Sampaio, Comm. Linh. telegr. Matto grosso ao Amazonas Publ.  
 no. 33. 26. t. 4. 1916. — Brasilia (Matto Grosso).
- (Gr) **Hookeri** Brack. — Ins. Hawaii. — Dele var. *P. conforme* Brack.
- (Mi) **hoozanense** Hayata, Ic. Pl. Formosa 8. 152 f. 81—82. 1919. — Formosa.  
*Hosei* C. Chr. Index = *P. regulare*.  
*howeanum* W. W. Watts, Journ. R. Soc. N. S. Wales 49. 388. 1916 =  
*P. diminutum*.
- (P) **Humbertii** C. Chr. Arch. Bot. (Caen) 2. Bull. mens. 215. 1928, Dansk  
 Bot. Ark. 7. 155 t. 58 f. 1—2. 1932. — Madagascar.  
*Humblotii* C. Chr. Index = *Loxogramme*.
- (Cy) **hyalinum** (Cop.) C. Chr. Ind. Suppl. III. 150. 1934. — Borneo.  
*Calymmodon* Cop. Phil. Journ. Sci. 34. 264 t. 3. 1927.
- (Cy) **hygroscopicum** (Cop.) C. Chr. Ind. Suppl. III. 150. 1934. — N. Guinea.  
*Calymmodon* Cop. Phil. Journ. Sci. 34. 265 t. 5. 1927.  
*hypochrysum* Hayata 1915, Ind. Suppl. préf. = *P. megasorum*.

- iboense Brause 1912, Ind. Suppl. prél. = *Grammatopteridium costulatum*.
- (P) **imbeanum** Brade, Arch. Mus. Nac. Rio 34. 115 t. 1 f. 1. 1932. — Brasilia.  
 inaequale Klf., Link 1833 = *Dryopteris macrosora*.  
 inaequalifolium Colla 1836 = *Dryopteris*.
- (Gr) **inconstans** v. A. v. R. Nova Guinea 14. 43. 1924. — N. Guinea.  
 incurvatum Bl. 1828, Index = *P. triphyllum*.  
 ingens Brause, Engl. Jahrb. 56. 200. 1920 = *Tectaria Beccariana*.
- (G) **integriore** Cop. 1917. — Adde loc. Borneo et var. *P. rajaense* C. Chr. 1928.
- (G) **intermedium** Colla 1836. — *P. translucens* Kze. 1837, Index.  
 iridifolium (Christ) Diels 1899, Index = *Loxogramme antrophyoides*.
- (P) **itatimense** C. Chr. Ind. Suppl. III. 151. 1934. — Brasilia.  
*P. saxicola* Ros. Fedde Rep. 21. 348. 1925 (non Sw. 1817).
- (Mi) **ithycarpum** Cop. Phil. Journ. Sci. 12C. 64. 1917. — Borneo.  
 javanicum Cop. 1913, Ind. Suppl. prél. = *P. cryptosorum*.
- (Lp) **Kawakamii** Hayata 1909, Ind. Suppl. — Adde syn. *P. arisanense* Hayata  
 1914, Ind. Suppl. prél. — (t. Merrill = *P. oligolepidum*, mihi potius  
*P. megasorum* forma).
- (Gr) **kinabaluense** Cop. Phil. Journ. Sci. 12C. 60. 1917. — Borneo.
- (Gr) **Kjellbergii** C. Chr. Engl. Jahrb. 66. 63. 1933. — Celebes.  
*Knudsenii* Hier. 1905, Index = *P. Baldwinii*.
- (Mi) **Koi** C. Chr. Ind. Suppl. III. 151. 1934. — Kwantung. — *Phymatodes*  
*digitata* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 77 f. 1. 1933  
 (non *Polypodium* C. Chr. Index).  
*Koningsbergeri* v. A. v. R. 1908, Ind. Suppl. = *P. cyathoides*.
- (Lp) **kuchenense** Wu, Polyp. Yaoshan. 276 t. 129. 1932, Ching, Bull. Dept. Biol.  
 Coll. Sun Yatsen Univ. no. 6. 1933. — Kwangsi. — *Lepisorus* Ching 1933  
**Kuhlmannii** Sampaio, Comm. Linh. telegr. Matto Grosso ao Amazonas  
 Publ. 33. 27 t. 5. 1916. — Matto Grosso.  
*kusukusense* Hayata 1915, Ind. Suppl. prél. = *P. Wrightii*.
- (Mi) **kwantungense** Ching in C. Chr. Ind. Suppl. III. 151. 1934. — Kwantung.  
*Phymatodes* Ching 1933; *Polypodium longipes* Ching, Bull. Fan Mem.  
 Inst. 2. 212 t. 30. 1931 (non alior.).
- (M) **lanceolatum** L. — Cf. Weatherby, Contr. Gray Herb. no. 65. 1922. —  
 Dele *Grammitis elongata* Sw. 1801, Index cum syn. (excl. *Drynaria*  
*crassinervata* Fée).  
*lanceolatum* \**Grammitis elongata* Sw., Index = *P. astrolepis*.  
*lankokiense* Ros. Med. Rijks Herb. no. 31. 5. 1917 = *Loxogramme*.
- (Gr) **lasiosorum** (Bl.) Hk. 1862. — Malesia. — *Grammitis pusilla* var. *lasio-*  
*sora* Bl. Fl. Jav. Fil. 110. t. 46 f. 2. 1828. — (Cf. *P. Beddomeanum*).
- (Cy) **latealatum** (Cop.) C. Chr. Ind. Suppl. III. 151. 1934. — Samoa, Fiji. —  
*Calymmodon* Cop. Phil. Journ. Sci. 34. 265 t. 4. 1927.  
*lateritium* Bak. 1891, Index = *P. Mettenianum*.
- (Co) **latilobum** Ching, Bull. Fan Mem. Inst. 2. 21 t. 7. 1931. — Ind. bor.  
*Colysis* Ching 1933.  
*Ledermanni* Brause, Engl. Jahrb. 56. 202. 1920 = *Aglaomorpha*.
- (Ar) **Lehmanni** Mett. — Adde loc. China merid.—Siam—Tonkin et syn. *Ar-*  
*thromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 96. 1933.  
*Polypodium Mairei* Brause 1914, Ind. Suppl. prél. — Dele var. *P. mou-*  
*leiorhizum* Wall. 1828, Index = *P. lucidum*. [meinensis Bedd.]

- Lenormandi** Bak. 1874, Index = *P. Vieillardii*.
- (M) **lepidopteris** (Langsd. et Fisch.) Martius, Reise 2. 554. 1828, Kze. 1836.
- (Mi) **lepidosorum** C. Chr. Elmer's Leaflets 9. 3166. 1933. — Luzon.
- (P) **lepidum** Brause, Notizbl. Bot. Gart. Berlin—Dahlem 8. 139. 1922. — Samoa.  
*leptochiloides* Kuhn 1869, Index = *Leptochilus axillaris* (t. Brause).  
*leucolepis* Gilbert 1897, Index = *P. semihirsutum*.  
*leucolepis* Ros. Fedde Rep. 12. 180. 1913 = *P. enerve* var.
- (Pr) **Leysii** Bak. 1879. — Adde loc. Malacca, Sumatra et syn. *P. semicryptum*  
 (Cop.) C. Chr. Ind. Suppl. préł.
- L'Herminieri** Fée 1852, Index = *P. taxifolium*.
- (Gr) **limapes** (Cop.) C. Chr. Ind. Suppl. III. 152. 1934. — Java.  
*Grammitis* Cop. Phil. Journ. Sci. 46. 218. 1931.  
*lineare* Thbg. 1784 (typ.), Index part. = *P. Thunbergianum*.  
*lineare* C. Chr. Index part. = *P. atropunctatum*, *P. nudum*, *P. oligolepidum*, *P. Onoei*, *P. ussuriense*.  
*lineare* var. *heterolepis* Ros. Fedde Rep. 12. 247. 1913 = *P. heterolepis*.  
*lineare* var. *steniste* Clarke, Tr. Linn. Soc. II. Bot. 1. 559. 1880 = *P. loriforme* var.
- (Gr) **loeuosum** v. A. v. R. Nova Guinea 14. 42. 1924. — N. Guinea.
- (My) **lomarioides** (J. Sm.) Kze. — *Lecanopteris* Cop. 1929.
- (Mi) **longicuspe** C. Chr. Elmer's Leaflets 9. 3167. 1933. — Luzon.  
*longifolium* Cav. 1802 = *Cyclophorus longifolius*.  
*longipes* Ching, Bull. Fan Mem. Inst. 2. 212 t. 30. 1931 = *P. kwan-*
- (Co) **longisorum** (Bak.) C. Chr. — *Colysis* Ching 1933. [tungense.  
*longkyense* Ros. 1914, Ind. Suppl. préł. = *P. niponicum*.
- (Pl) **loretense** Maxon Amer. Fern Journ. 23. 105. (1933). 1934. — Peru. Brasilia.
- (G) **loriceum** L. — Dele var. *G. pectinatum* J. Sm.
- (G) **loriciforme** Ros. Fedde Rep. 22. 17. 1925. — Costa Rica.
- (Lp) **loriforme** Wall. 1828, Mett. 1857. — Ind. bor.-China austr. — *Drynaria*  
 J. Sm. 1841; *Phymatodes* Pr. 1836; *Pleopeltis* Moore 1862; *Lepisorus*  
 Ching 1933. *P. subimmersum* Bak. 1895, Index et Suppl. préł. 56. c.  
 syn. — *P. lineare* var. *steniste* Clarke 1880. *P. oblongisorum* C. Chr.  
*loxogramme* Mett. 1857, Index = *Loxogramme lanceolata*. [Index.  
*lucidulum* v. A. v. R. 1914, Ind. Suppl. préł. = *P. Zippelii*.
- (Mi) **lucidum** Roxb. Calc. Journ. 4. 486. 1844. — India bor.—China merid.  
 Tonkin. — *Phymatodes* Ching 1933. *Polypodium leiorhizum* Wall.  
 1828 (nomen), Index cum syn.  
*ludens* Bak. 1891, Index = *P. obscurum*.
- (P) **Luetzelburgii** Ros. Fedde Rep. 20. 93. 1924. — Brasilia.
- (Ar) **lungtauense** Ching in C. Chr. Ind. Suppl. III. 152. 1934. — Kwantung.  
 Tonkin. — *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2.  
*Macgregori* Bak. 1894, Index = *P. decorum*. [98. 1933.  
*Mackenii* Bak. 1868, Index = *P. lycopodioides*.
- (Co) **macrophyllum** (Bl.) Reinw. — *Formae veris. sunt*: *P. campyloneuroides*  
 Bak., *P. regulare* Mett. (= *P. Hosei* C. Chr.), *P. selliguea* Mett. (cf.  
 v. A. v. R. Mal. Ferns Suppl. 404). — ?*Pleopeltis selligueoides* v. A.  
 v. R. 1916; *Polypodium* v. A. v. R. 1916 (non Bak. 1874).
- (Lp) **macrophaerum** Bak. 1895, Ind. Suppl. préł. 54. — *Lepisorus* Ching 1933.  
*macrourum* Bak. 1886, Index = *P. maximum* (loc. veris. falsa).  
*maculosum* Christ 1896, Index = *P. normale*.

- (Cr) **Maideni** Watts, Pr. Linn. N. S. Wales 39. 793 t. 89 f. 11. 1915. —  
Maingayi (Bak.) Diels 1899, Index = Tectaria. [Queensland.  
Mairei Brause 1914, Ind. Suppl. pré. = P. Lehmanni var.  
majoense C. Chr. 1916, Ind. Suppl. pré. = P. Griffithianum.  
Makinoui C. Chr. Index = Loxogramma salicifolia.  
malaccanum Bak. 1894, Index = P. mollicomum.
- (G) **manmeiense** Christ. — Formae sunt: P. scalare Christ 1905, Index, P.  
pseudodimidiatum Christ 1905, P. simulans Bak. 1906, Ind. Suppl.  
marginatum Bak. 1874, Index = P. Mettenii.
- (Gr) **marginelloides** J. W. Moore, Bishop Mus. Bull. 102. 10. 1933 — Raiatea  
masafueræ Phil. 1857, Index = P. pycnocarpum. [(Ins. Soc.).  
Masaskei (Nakai) Ogata, Ic. Fil. Jap. 3 t. 138. 1930 = P. superficiale  
Mathewii Tutcher 1905, Index = P. hastatum. [(t. Ching).  
Matthewii v. A. v. R. 1914, Ind. Suppl. pré. = P. taeniatum var.  
Maxwellii Bak. 1893, Index = P. subevenosum.
- (Gr) **mediale** Bak. in G. Wall, Cat. Ceylon Ferns postscr. 1873, Syn. 507. 1874.  
*medicinale* R. Acosta, Bull. Géogr. bot. 28. 156. 1918. — Argentina.
- (Co) **mediosorum** Ching, Bull. Fan Mem. Inst. 2. 19 t. 4. 1931. — Yunnan,  
Tonkin. — Gymnogramme pentaphylla Bak. Kew Bull. 1898. 233 (non  
Polypodium Bak. 1891); Colysis Ching 1933.
- (Mi) **megalosoroides** (v. A. v. R.) C. Chr. Ind. Suppl. III. 152. 1914. — N. Guinea.  
Pleopeltis v. A. v. R. Nova Guinea 14. 39. 1924.
- (Lp) **megasorum** C. Chr. — Adde syn. Lepisorus Ching 1933. Polypodium  
hypochrysum Hayata 1915, Ind. Suppl. pré. — Cf. P. Kawakamii.
- (G) **mehipitense** C. Chr. Mitt. Inst. Hamburg 7. 159. 1928. — Borneo.  
melanocaulon v. A. v. R. 1913, Ind. Suppl. pré. = P. leucophorum.
- (P) **melanorhachis** v. A. v. R. Bull. Buit. II no. 24. 3. 1917. — Sumatra.
- (Mi) **membranifolium** R. Br. 1810. — Australia.  
mengtzeanum Bak. 1906, Ind. Suppl. = P. loriforme.  
mengtzeense Christ 1898, Index = P. argutum.  
meridionale Poir. 1804 = Dryopteris.
- (Gr) **mesocarpum** v. A. v. R. Nova Guinea 14. 42. 1924. — N. Guinea.
- (S) **Mettenianum** Cesati 1876. — Malesia. Annam. — P. heterocarpum Mett.  
1856, Index (non Bl. 1828) — Formae sunt: P. lateritium Bak. 1891,  
Index, Pleopeltis subcaudiformis v. A. v. R. 1917; Selligaea Ridley 1926.  
Pl. lima v. A. v. R. 1914. — P. Schouteni v. A. v. R. 1912, Ind. Suppl.  
— Etiam P. Treubii Christ 1905, Index?
- (Mi) **Mettenii** Cop. Univ. Calif. Publ. Bot. 14. 368. 1929 (sp. nov.). — N. Cale-  
donia. — Dictymia Cop. 1929. Polypodium marginatum Bak. 1874.  
Index (non Houtt. 1786).
- (G) **Mexiae** Cop. Univ. Calif. Publ. Bot. 17. 33 t. 8. 1932. — Brasilia.  
mexicanum (Fée) Salomon, Index = Loxogramme mexicana et L. Salvinii.  
Michaelis Bak. 1877 = Stigmatopteris.  
microchasmum Bak. 1887, Index = P. plebejum.
- (Gr) **microglossum** C. Chr. Cat. Pl. Mad. Pter. 58. 1932 (nomen), Dansk Bot.  
Ark. 7. 149 t. 56 f. 1—2. 1932. — Madagascar.  
microphyllum Bak. 1887, Index = P. Poolii.
- (Pr) **mindoreense** C. Chr. Ind. Suppl. III. 153. 1934. — Mindoro. — P. poly-  
morphum (Cop.) v. A. v. R. 1909, Ind. Suppl. pré. 56 (non Vill. 1786).



- minimum Herter, Anal. Mus. Nac. Montevideo II. 1. 368 t. 28. 1925 =  
P. polypodioides var.
- (P) **minutissimum** J. W. Moore, Bishop Mus. Bull. 102. 11. 1933. — Ins. Raiatea
- (My) **mirabile** C. Chr. — Lecanopteris Cop. 1929. [(Ins. Soc.)
- (Cy) **mnioides** (Cop.) C. Chr. Ind. Suppl. III. 154. 1934. — N. Guinea.  
Calymmodon Cop. Phil. Journ. Sci. 34. 267 t. 6. 1927.
- mollendense Maxon 1915, Ind. Suppl. préel. = P. pycnocarpum var.
- mon-changense C. Chr. Ind. Suppl. = P. Henryi.
- monocarpum Ros. 1913, Ind. Suppl. préel. = P. davalliaceum.
- (Mi) **Morei** Hayata, Ic. Pl. Formosa 8. 153 f. 83—84. 1919. — Formosa.  
Morlae Sod. 1893 = Tectaria.
- morrisonense Hayata 1909, Ind. Suppl. = P. excavatum.
- (Co) **Morsei** Ching, Bull. Fan Mem. Inst. 2. 17 t. 1. 1931. — China merid.  
Colysis Ching 1933.
- Moseleyi Bak. 1876, Index = P. taeniatum.
- mucronatum Sw. 1806 = Polystichum mucronatum.
- (Gr) **multifolium** (Cop.) C. Chr. Ind. Suppl. III. 154. 1934. — Java.  
Grammitis Cop. Phil. Journ. Sci. 46. 219. 1931.
- multisorum Cop. Phil. Journ. Sci. 12C. 61. 1917 = P. Havilandii.
- (Mi) **murkeleanum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 154. 1934. — Ceram.  
Pleopeltis v. A. v. R. Bull. Buit. III. 2. 166. 1920.
- (P) **murdense** Cop. Phil. Journ. Sci. 12C. 61. 1917. — Borneo.
- (Cy) **muscoides** Cop. 1910, Ind. Suppl. — Adde syn. Calymmodon Cop. 1927.
- (D?) **musifolium** Bl. — Dele var. P. Schumannianum.
- (P) **mutatum** v. A. v. R. Bull. Buit. III. 2. 169. 1920. — Ceram.
- (Gr) **nanodes** A. Peter, Fedde Rep. Beih. 40. 27, Descr. 3 t. 1 f. 7—9. 1929. —  
neglectum Bl. 1828, Index = P. stenophyllum. [Africa or. trop.
- neoe ellipticum Koidzumi, Bot. Mag. Tokyo 43. 388. 1929 = P. ellipticum.
- (Lp) **neurodioides** C. Chr. Contr. U. S. Nat. Herb. 26. 318. 1931. — Yunnan,  
Burma. — Paltonium sinense (Christ) C. Chr. Index; Lemmaphyllum  
C. Chr. 1929; Lepisorus Ching 1933. — L. vittarioides Ching 1923.
- nigricans v. A. v. R. 1915, Ind. Suppl. préel. = P. superficiale.
- nigripes Hassk. 1844 = Tectaria sp. (gigantea?).
- nigripes Hk. 1863 = P. steirolepis.
- nigrovenium Ching, Bull. Fan Mem. Inst. 1. 150. 1930 = P. Veitchii var.
- (G) **niponicum** Mett. — Formae: P. Bodinieri Christ 1902, Index. P. Sil-  
vestrii Christ 1909, Ind. Suppl. P. longkyense Ros. 1914, Ind. Suppl. préel.  
normale var. madagascariensis Bak. Journ. Linn. Soc. 15. 420. 1877 =  
oblongisorum C. Chr. Index = P. loriforme var. [P. Pappi.
- (Mi) **obolophyllum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 154. 1934. — N. Guinea.  
Pleopeltis v. A. v. R. Nova Guinea 14. 38. 1924.
- (Lp) **obscure-venulosum** Hayata 1915, Ind. Suppl. préel. — Adde loc. China  
austr. Tonkin. — Lepisorus Ching 1933.
- (Gr) **obscurum** (Bl.) Mett. 1847. — Java. — Grammitis Bl. Enum. 115. 1828,  
Fl. Jav. Fil. 113 t. 50 f. 1—2. — Polypodium ludens Bak. 1894, Index  
obscurum Hk. 1862 = Dryopteris. [(f. irreg. lobata).
- obtusilobum Desv. 1811 = Dryopteris crinita var.?
- obtusilobum Bak. Syn. 305. 1867 = Dryopteris Bergiana.
- (Mi) **occultivenium** Cop. Phil. Journ. Sci. 12C. 63. 1917. — Borneo.
- ochrophyllum Brause, Engl. Jahrb. 56. 195. 1920 = P. papuanum.

- (P) **Okuboi** Yatabe. — *Micropolypodium* Hayata 1928. *M. pseudotrichomanoides* Hayata 1928; *Polypodium* Hayata 1914, Ind. Suppl. préel. *P. pseudocucullatum* Ros. 1915 Ind. Suppl. préel.  
*oligolepis* Bak. 1898, Index = *P. ensatum*.
- (Lp) **oligolepidum** Bak. 1880, Ind. Suppl. préel. 55. — *Lepisorus* Ching 1933.  
*Polypodium trabeculatum* Cop. 1908, Ind. Suppl. — Cf. *P. Kawakamii*.  
*oligosorum* Moritz, Kuhn 1869 = *P. Alfarii*.
- (Lp) **Onoei** Franch. et Sav. 1879. — Japonia. — *Lepisorus* Ching 1933.
- (Mi) **oodes** Kze. — Adde syn. *P. dulitense* Bak. 1893, Index. *P. rhomboideum* Brause 1912, Ind. Suppl. (N. Guinea). *Pleopeltis* v. A. v. R. 1917. —
- (Lp) **oosphaerum** C. Chr. Contr. U. S. Nat. Herb. 26. 334 t. 29. 1931. — Siam bor. — *Lepisorus* Ching 1933.
- (Cy) **ordinatum** (Cop.) C. Chr. Ind. Suppl. III. 155. 1934. — Luzon.  
*Calymmodon* Cop. Phil. Journ. Sci. 34. 267. 1927.
- (P) **otites** L. 1753. — *P. tenuifolium* H. B. Willd. 1810, Index.
- (C) **oxypholis** Maxon, Journ. Wash. Acad. Sci. 14. 140. 1924. — Hispaniola.
- (Gr) **padangense** Bak. — Malesia. — Adde syn. *P. durum* Cop. 1910, Ind. Suppl. *P. ciliiferum* v. A. v. R. 1914; Ind. Suppl. préel.  
*paleaceum* Hk. fil. 1847 = *Dryopteris ampla*.
- (G) **pallens** Bl. 1829. — Java, Borneo. — *Goniophlebium* Pr. 1836; *Schello-pallidum* Brack. 1854 = *Dryopteris leucolepis*. [lepis J. Sm. 1875.  
*paltonioides* (Cop.) C. Chr. Ind. Suppl. = *Loxogramme*.
- (Mi) **pampolycarpum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 1934. — N. Guinea.  
*Pleopeltis* v. A. v. R. Nova Guinea 14. 37. 1924.
- (M) **panamense** Weatherby, Contr. Gray Herb. n. s. no. 65. 13. 1922. — Panama.
- (G) **panorense** C. Chr. Dansk Bot. Ark. 6 no. 3. 97. 1929. — Amazonas.
- (G) **papilliferum** Holttum, Journ. Mal. Br. R. As. Soc. 6. 22. 1928. — Sumatra. (Ins. Sipora).
- (Mi) **papuanum** Bak. 1886. — *P. Versteegii* Christ 1909, Ind. Suppl.; *Pleopeltis* v. A. v. R. 1917. *P. acutifolium* Brause 1912, Ind. Suppl.; *Pleopeltis* v. A. v. R. 1917. *Polypodium ochrophyllum* Brause 1920.  
*papuanum* Ridley, Tr. Linn. Soc. II. Bot. 9. 260. 1916 = *P. papuense*.
- (P) **papuense** v. A. v. R. Mal. Ferns Suppl. 521. 1917. — N. Guinea.  
*P. papuanum* Ridley 1916 (non Bak.).  
*parallelinerve* Desv. 1827 (loc. falsa) = *P. phyllitidis*.  
*parallelum* (Cop.) C. Chr. Index = *Loxogramme*.
- (Mi) **Parksii** Cop. Bishop Mus. Bull. 59. 16 t. 5. 1929. — Fiji.
- (Mi) **parvifrons** (v. A. v. R.) C. Chr. Ind. Suppl. III. 155. 1934. — Sumatra.  
*Pleopeltis* v. A. v. R. Bull. Buit. III. 2. 165. 1920.  
*patens* (J. Sm.) Hk. 1863, Index = *P. flagellare*.  
*paucinervatum* (Fée) C. Chr. Index = *Cochlidium*.  
*pedunculatioides* Ching, Sinensia 1. 48. 1930 = *P. Feei*.
- (Gr) **pellucidovenosum** Bonap. N. Pt. 10. 189. 1920; C. Chr. Dansk Bot. Ark. 7. 150 t. 56 f. 5—6. 1932. — Madagascar.
- (M) **peltatum** Cav. Descr. 244. 1802. — Mexico—Ecuador.  
*P. polylepis* Roem., Kze. 1839, Index cum syn.  
*peltatum* Scott., v. A. v. R. 1909 = *P. sarawakense*.
- (Cr) **pensile** Ridley, Tr. Linn. Soc. II. Bot. 9. 262. 1916. — N. Guinea.
- (Cy) **pergracillimum** v. A. v. R. 1915, Ind. Suppl. préel. — N. Guinea.  
*Calymmodon* Cop. 1927.

- (Lp) **Perrierianum** C. Chr. in Bonap. N. Pt. 16. 193. 1925, Dansk Bot. Ark. 7. 158 t. 60 f. 2-4. 1932. — Madagascar. — *Lepisorus* Ching 1933.  
*petiolatum* Ridley, Tr. Linn. Soc. II. Bot. 9. 260. 1916 = *P. canaliculatum*.  
*petraefolium* Jenm. 1897, Index = *P. sectifrons*.
- (Lp) **phlebodes** Kze., Mett. 1857. — Abyssinia...  
*Drynaria* Fée 1852; *Lepisorus* Ching 1933.
- (Mi) **phyllomanes** Christ. — *Neocheiropteris* Ching 1933.  
*Polypodium deltoideum* Bak. 1888. *P. Rosthornii* Diels 1900.  
*phymatodes* L. 1771, Index = *P. scolopendria*.  
*phymatodioides* Kurz, Nat. Tijdschr. Ned. Ind. 27. 16. 1864 = *P. sinuosum*?
- (Ar) **pinnatum** Hayata 1909, Ind. Suppl. — *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 95. 1933.
- (P) **pityrolepis** Ros. Fedde Rep. 22. 16. 1925. — Costa Rica.
- (M) **plebejum** Schl. et Cham. — Adde loc. Jamaica et syn. *P. microchasmum* Bak. 1887, Index. — Dele syn. omn.
- (M) **pleopeltidis** Fée 1869, C. Chr. Amer. Fern Journ. 7. 34. 1917. — Brasilia.  
*P. typicum* Fée 1873, Index.  
*Pohlium* Pr. 1836 = *Dryopteris grandis*.
- (P) **politum** Brause, Engl. Jahrb. 56. 185. 1920. — N. Guinea.
- (M) **polypodioides** (L.) Watt, Canadian Naturalist II. 13. 158. 1867, Hitchcock 1893. — Adde var. *P. minimum* (Bory) Herter 1925 (non alior.).  
*P. microlepis* Fée 1852 (Brasilia, Uruguay, an sp.?).
- (S) **polysorum** Brause, Engl. Jahrb. 56. 203. 1920. — N. Guinea. Borneo.  
*portoricense* Spr. 1821 = *Dryopteris chaerophylloides*.  
*prionodes* C. H. Wright 1906, Ind. Suppl. = *Dryopteris pauciflora*.
- (Mi) **pseudo-acrostichum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 156. 1934. — Sumatra. — *Pleopeltis* v. A. v. R. Bull. Buit. II no. 28. 36 t. 5. 1918.  
*pseudoconnatum* Cop. 1906, Ind. Suppl. = *P. argutum*.  
*pseudocucullatum* Ros. 1914, Ind. Suppl. pré. = *P. Okuboi*.  
*pseudo-dimidiatum* Christ 1905, Index = *P. manmeiense* var.
- (G) **pseudo-fraternum** A. C. Smith, Bull. Torr. Cl. 58. 307. 1931. — Guiana.
- (Mi) **pseudo-laciniatum** (v. A. v. R.) C. Chr. Ind. Suppl. III. 156. 1934. — Sumatra. — *Pleopeltis* v. A. v. R. Bull. Buit. II. no. 28. 38. 1918.
- (S) **pseudoloxogramma** (v. A. v. R.) C. Chr. Ind. Suppl. III. 156. 1934. — Ceram. — *Pleopeltis* v. A. v. R. Bull. Buit. III. 5. 218. 1922.
- (Gr) **pseudomarginellum** Bonap. N. Pt. 10. 190. 1920; C. Chr. Dansk Bot. Ark. 7. 150 t. 56 f. 3-4. 1932. — Madagascar.  
(Veris. = *P. kyimbilense*).
- (Lp) **pseudonudum** Ching, Bull. Fan Mem. Inst. 4. 83 (syn.) 1933. — China occ. — Burma. — *Lepisorus* Ching, l. c.
- (Gr) **pseudo-Poolii** Reimers, Notizbl. Bot. Gart. Berlin 11. 934. 1933. — Afr. trop. or.
- (P) **pseudorevolvans** v. A. v. R. Bull. Buit. III. 5. 219. 1922 = *P. Moultoni*.  
*pseudotrichomanoides* Hayata 1914, Ind. Suppl. pré. = *P. Okuboi*.  
*pteroides* Retz. 1786 = *Tectaria fuscipes*?
- (Gr) **pulchellum** W. W. Watts, Journ. R. Soc. N. S. Wales 49. 386. 1916. — Ins. Lord Howe.  
*pulcherrimum* Cop. 1910, Ind. Suppl. = *P. taxodioides*.  
*pulverulentum* Poir. 1804 = *Dryopteris*.  
*pumilio* Hier. 1904, Index = *P. pseudaustrale*.

- (P) **purpurascens** Nadeaud, Enum. 26. 1873. — Tahiti.
- (M) **pycnocarpum** C. Chr. — Formae mihi sunt *P. masafuerae* Phil. 1857, Index syn. *P. atacamense* Bak. 1887, Index et *P. mollendense* Maxon 1915, Ind. Suppl. préel.
- (Lp) **pyriforme** Ching, Bull. Fan Mem. Inst. 2. 212 t. 29. 1931. — China occ. *Lemmaphyllum* Ching 1933.  
*pyxidiforme* v. A. v. R. 1911, Ind. Suppl. = *Nematopteris interrupta*.  
*quinquefidum* Bak. 1880, Index = *P. taeniatum*.
- (Gr) **raiateense** J. W. Moore, Bishop Mus. Bull. 102. 10. 1933. — Raiatea. (Ins. Soc.).  
*raishaense* Ros. 1915, Ind. Suppl. préel. = *P. formosanum*.  
*rajaense* C. Chr. Mitt. Inst. Hamburg 7. 159. 1928 = *P. integriore* var.
- (P) **Randalli** Maxon, Amer. Fern Journ. 18. 46. 1928. — Trinidad.
- (Mi) **redimiens** Brause, Engl. Jahrb. 56. 193. 1920. — N. Guinea.
- (Gr) **reductum** v. A. v. R. Nova Guinea 14. 41. 1920. — N. Guinea.
- (Co) **regulare** Mett. — Adde loc. Malacca. — *P. campyloneuroides* Bak. 1883, Index. — *P. Hosei* C. Chr. Index. — (Omnes veris. formae *P. macro-*
- (Gr) **Reinwardtii** (Bl.) — Dele var. *Gr. obscura* Bl. [phylli].
- (Mi) **remigerum** Ridley, Gepp in Gibbs, Dutch N. W. N. Guinea 75. 1917. — N. Guinea. — *Pleopeltis renifera* Ridley, Tr. Linn. Soc. II. Bot. 9. 263. 1916 (nom. spec. false impressum).  
*revolvens* v. A. v. R. Bull. Buit. III. 2. 170. 1920 = *P. Moultoni*.  
*rhomboideum* Brause 1912, Ind. Suppl. = *P. oodes*.
- (P) **rigens** Maxon. — Adde loc. Hispaniola et syn. *P. domingense* Brause  
*rigidum* Aublet 1775 = *Elaphoglossum rigidum*. [1911, Ind. Suppl.  
*Rosenstockii* Maxon 1914, Ind. Suppl. préel. = *P. subinaequale*.  
*Rosthornii* Diels 1900, Index = *P. phyllomanes* var. *deltoideum*.  
*rotundum* Bonap. N. Pt. 15. 47. 1924 = *P. vesiculari-paleaceum*.  
*rufescens* Brause 1912, Ind. Suppl. = *P. rufidulum*.
- (P) **rufidulum** C. Chr. Ind. Suppl. III. 157. 1934. — N. Guinea.  
*P. rufescens* Brause 1912 (non Bl. 1829).  
*rupestre* Bl. 1828 = *P. enerve*.  
*Rutenbergii* Luerrs. 1882, Index = *P. cryptophlebium*.
- (P) **Sakaguchianum** Koidzumi, Acta Phytotax. 1. 29. 1932. — Japonia.  
*Sampsoni* Bak. 1891, Index = *Dryopteris* sp. (*D. urophylla*?).  
*Sarasinorum* v. A. v. R. 1909, Ind. Suppl. préel. 56 = *P. streptophyllum*.
- (Mi) **sarawakense** Bak. 1886. — Adde loc. Malacca et syn. *P. peltatum* Scott., v. A. v. R. 1909.
- (My) **sarcopum** Teijsm. et Binn. Tijdschr. Ned. Ind. 29. 241. 1867. — Celebes.  
*P. sarcopus* de Vriese et Teijsm., Bak. 1874, Index (excl. loc. China).  
*Pleopeltis* v. A. v. R. 1909; *Lecanopteris* Cop. 1929. *Polypodium Sauvini-*  
*nieri* Bak. 1891, Index; *Pleopeltis* v. A. v. R. 1909.  
*Sauvinieri* Bak. 1891, Index = *P. sarcopum*.  
*savaiese* Poweii, Bak. 1876, Index = *P. samoense*.  
*saxicola* Ros. Fedde Rep. 21. 348. 1925 = *P. itatimense*.  
*scalare* Christ 1905, Index = *P. manmeiense*.
- (P) **sculpturatum** C. Chr. Svensk Bot. Tids. 16. 100 f. 6. 1922. — Celebes.  
*Schlechteri* Brause 1912, Ind. Suppl. = *Aglaomorpha Ledermanni*.  
*Schouteni* v. A. v. R. 1912, Ind. Suppl. = *P. Mettenianum*.  
*Schraderi* Milde 1867 = *P. ussuriense*.

- Schultzei Brause 1912, Ind. Suppl. = *Tectaria Beccariana*.  
 Schumannianum Diels 1901 = *P. linguaeforme*.
- (Cy) **sclerophyllum** v. A. v. R. Nova Guinea 14. 45. 1924. — N. Guinea.
- (Mi) **scolopendria** Burm. Fl. Ind. 232. 1768. — Trop. orb. vet. — *Phymatodes* Ching 1933. — *Polypodium phymatodes* L. 1771, Index c. syn. — *P. hemionitis* Cav. 1802. — *P. Forbesii* v. A. v. R. 1908, Ind. Suppl.  
*scolopendrinum* (Bory) C. Chr. Index = *Loxogramme involuta*.  
*Scortechinii* Bak. 1891, Index = *P. heterocarpum* Bl.  
*Scottii* Bedd. 1870 = *Dryopteris Scottii*.
- (Pl) **sectifrons** Kze., Mett. 1857. — Ind. occ. Costa Rica.  
*P. petraefolium* Jenm. 1897, Index.
- (P) **secundum** Ridley, Tr. Linn. Soc. II. 9. 262. 1916. — N. Guinea.
- (Co) **selliguea** Mett. 1857. — Veris. *P. macrophyllum* var.  
*selligueoides* v. A. v. R. Bull. Buit. II no. 23. 1916 (syn.) = *P. macrophyllum* var.?
- (P) **Seemanni** (J. Sm.) Cop. Bishop Mus. Bull. 93. 69. 1933. — Fiji.  
*Cryptosorus* J. Sm. 1861; *Polypodium contiguum* Brack. 1854 (non alior.).  
*semicryptum* (Cop.) C. Chr. Ind. Suppl. pré. = *P. Leysii*.
- (P) **sepikense** Brause, Engl. Jahrb. 56. 182. 1920. — N. Guinea.  
*serraeforme* J. Sm. 1841, Ind. Suppl. pré. 56 = *P. Emersoni*.  
*serraeforme* Brause 1912, Ind. Suppl. = *P. Brauseanum*.  
*serrato-dentatum* v. A. v. R. 1908, Ind. Suppl. = *P. solidum*.  
*serrulatum* (Sw.) Mett. 1856, Index = *P. duale*.  
*sessilifolium* Hk. 1862 = *P. malaicum*.  
*setosum* Thbg. 1784 = *Hypolepis punctata*. — V. *Polystichum Thunbergianum*.  
*setosum* Pr. 1836 = *P. sundaicum*.  
*shintenense* Hayata, Ic. Pl. Formosa 8. 154 f. 85–86. 1919 = *P. diversum*.  
*Silvestrii* Christ 1909, Ind. Suppl. = *P. niponicum*.
- (P) **simacense** Ros. Fedde Rep. 25. 60. 1928. — Bolivia.  
*simplex* Burm. 1768 = *Blechnum orientale*.  
*simulans* Bak. 1906, Ind. Suppl. = *P. manmeiense*.
- (My) **sinuosum** Wall. — *Lecanopteris* Cop. 1929.  
*societense* J. W. Moore, Bishop Mus. Bull. 102. 9. 1933 = *P. vitiense*.  
*solidum* var. *bolanica* Ros. Fedde Rep. 12. 177. 1913 = *P. bolanicum*.
- (G) **Somayae** Yatabe, Bot. Mag. Tokyo 5. 245 t. 27. 1891. — Japonia.
- (M) **sordidulum** Maxon et Weatherby, Amer. Fern Journ. 17. 91 t. 5. 1927.  
 — Mexico.
- (Lp) **sordidum** C. Chr. Contr. U. S. Nat. Herb. 26. 320. 1931. — China merid.  
*Lepisorus* Ching 1933.  
*sororium* H. B. Willd. 1810, Index = *P. dissimile*.  
*Soulieanum* Christ 1905, Index = *P. clathratum*.  
*spectabile* Klf. 1824 = *Dryopteris spectabilis*.  
*spinulosum* Burm. 1768 = *Synaphea spinulosa* Merrill (Proteaceae). (Cf. Merrill, Proc. Linn. Soc. N. S. Wales 44. 353. 1919).
- (P) **Stahelianum** Posthumus, Rec. Trav. bot. néerl. 23. 401 f. 2. 1924, Ferns Surinam 130. — Surinam.
- (M) **steirolepis** C. Chr. Amer. Fern Journ. 7. 33. 1917. — Venezuela.  
*P. nigripes* Hk. 1863 (non Hassk. 1844).
- (Gr) **stenocryptum** (Cop.) C. Chr. Ind. Suppl. III. 159. 1934. — Java.  
*Grammitis* Cop. Phil. Journ. Sci. 46. 220. 1931.

- (Mi) **stenophyllum** Bl. — Forma est *P. neglectum* Bl. 1828, Index (t. Post-  
(Mi) **stenurum** C. Chr. Engl. Jahrb. 66. 64. 1933. — Celebes. [humus).  
(Mi) **Stewartii** (Bedd.) C. Chr. Index 566. 1906 (non Clarke 1880). — India  
bor. Yunnan. — *Pleopeltis* Bedd. 1866; *Phymatodes* Ching 1933. *Polypodium*  
*cyrtolobum* J. Sm., Clarke 1880, Index.  
*Stewartii* Clarke 1880 = *P. Stracheyi*.
- (Mi) **Stracheyi** Ching in C. Chr. Ind. Suppl. III. 159. 1934. — India bor.—  
China occ. — *Phymatodes* Ching, Contr. Inst. Bot. Nat. Acad. Peiping  
2. 83. 1933. *Polypodium* *Stewartii* Clarke 1880 (non supra).
- (A) **streptophyllum** Bak. — Malacca, Borneo, Celebes, Ins. Phil. — *P. tri-*  
*angulare* Sxort., Bedd. 1887, Index; *Acrophorus* Cop. 1909. *A. exaltatus*  
Cop. 1906; *Davallia* Cop. 1095, Index; *Polypodium* v. A. v. R. 1909,  
Ind. Suppl. pré. 53. — *Davallia* *Friderici et Pauli* Christ 1895, Index;  
*Acrosorus* Cop. 1906; *Polypodium* *Sarasinorum* v. A. v. R. 1909, Ind.
- (G) **subauriculatum** Bl. — Dele var. *P. pallens* Bl. [Suppl. pré. 56.  
(Lp) **subconfluens** (Ching) C. Chr. Ind. Suppl. III. 159. 1934. — Yunnan.  
*Lepisorus* Ching, Bull. Fan Mem. Inst. 4. 85. 1933.
- (P) **subcoriaceum** Cop. Bishop Mus. Bull. 93. 12 t. 16. 1932. — Tahiti.  
*subecostatum* Hk. 1863, Index = *Loxogramme*.  
*suberosum* (Christ) C. Chr. Ind. Suppl. = *Loxogramme*.
- (P) **subfalcatum** Bl. — Adde syn. *P. convolutum* et *P. trichophyllum* Bak.,  
Ind. Suppl. (= *P. sinicum* Christ) — Cf. *P. Hayatai*.
- (Mi) **subgeminatum** Christ 1905. — Adde loc. Celebes.  
*subgracillimum* v. A. v. R. 1912, Ind. Suppl. = *P. cucullatum*.
- (Pr) **subhamato-pilosum** v. A. v. R. Bull. Buit. III. 5. 220. 1922. — N. Guinea.  
*Davallia* *Ledermanni* Brause, Engl. Jahrb. 56. 123. 1920 (non *Poly-*  
*subimmersum* Bak. 1895, Index = *P. loriforme*. [podium Brause 1920).  
(P) **subinaequale** Christ 1910. — Adde syn. *P. Rosenstockii* Maxon 1914,  
Ind. Suppl. pré. — (Mihi *P. curvatum* forma).  
*subincisum* Mart. Ic. Cr. Bras. 89 t. 64. 1834 = *Dryopteris macrosora*.
- (Lp) **sublineare** Bak., Takeda 1915, Ind. Suppl. pré.; C. Chr. Contr. U. S. Nat.  
Herb. 26. 320 t. 22. 1931. — Yunnan, Burma. — *Lepisorus* Ching 1933.
- (Mi) **subnigrescens** C. Chr. Ind. Suppl. III. 159. 1934. — Hainan.  
*Phymatodes variabilis* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2.  
64 t. 3. 1933 (non *Polypodium* Mett. 1869).
- (Mi) **subnormale** (v. A. v. R.) C. Chr. Ind. Suppl. III. 159. 1934. — Sumatra.  
*Pleopeltis* v. A. v. R. Bull. Buit. III. 2. 165. 1920.
- (Lp) **suboligolepidum** (Ching) C. Chr. Ind. Suppl. III. 159. 1934. — Yunnan.  
*Lepisorus* Ching, Bull. Fan Mem. Inst. 4. 77. 1933.
- (Lp) **subrostratum** C. Chr. — *Lemmaphyllum* Ching 1933.
- (Mi) **subsparsum** Bak. 1880. — Adde loc. Borneo et syn. *P. Beccarii* v. A. v. R.  
1908, Ind. Suppl. *P. Clemensiae* Cop. 1931.  
*subtaeniatum* v. A. v. R. 1914, Ind. Suppl. pré. = *P. taeniatum*.  
*subtriquetrum* Christ 1908 = *P. enerve*.
- (P) **subulatipinum** v. A. v. R. Nova Guinea 14. 46. 1924. — N. Guinea.  
*succulentum* C. Chr. Ind. Suppl. = *Loxogramme*.  
**suisha-stagnale** Hayata, Ic. Pl. Formosa 6. 160. 1916, 8. 155. 1919. —
- (Gr) **sumatranum** Bak. — Sumatra, Java, Borneo, N. Guinea. [Formosa.  
? *Grammitis hirta* Bl. 1828; *Polypodium diplosorum* C. Chr. Index (au  
Christ?) — (t. v. A. v. R.).

- (Gr) **sundaicum** C. Chr. Ind. Suppl. III. 160. 1934. — Malesia. — *Grammitis setosa* Bl. Enum. 116. 1828, Fl. Jav. Fil. t. 48 f. 3; *Polypodium* Pr. 1836, v. A. v. R. (non alior.).  
*sundense* C. Chr. Index = *P. commutatum*.
- (Mi) **superficiale** Bl. — Dele syn. *P. hymenodes* Kze. — Adde syn. *P. nigricans* v. A. v. R. 1915, Ind. Suppl. pré.  
*suprapunctatum* Ching, Bull. Fan Mem. Inst. 4. 76. 1933 (syn.) = *P. obscure-venulosum*.  
*suspensum* L. 1753?, auctt. Index = *P. asplenifolium*.  
*Swartzii* Bak. 1868, Index = *P. heterophyllum*.  
*sylvaticum* Mett. 1870 = *P. vitiense*.  
*synammia* (Fée) C. Chr. Index = *P. Feuillei*.
- (P) **tablazianum** Ros. Fedde Rep. 22. 14. 1925. — Costa Rica.  
*Tachiroanum* Luer. 1883, Index = *Cyrtomium*.
- (Mi) **taeniatum** Sw. — Formae: *P. quinquefidum* Bak. 1880, Index. *P. taenitidis* et *P. subtaeniatum* v. A. v. R. 1914, Ind. Suppl. pré. (Sumatra).  
*P. taenifrons* v. A. v. R. 1914, Ind. Suppl. pré. *P. crenulatum* Kze., Mett. 1857 (non Gmel. 1791) (Celebes). — *P. Moseleyi* Bak. 1876, Index (Ternate).  
*taenifrons* v. A. v. R. 1914, Ind. Suppl. pré. = *P. taeniatum* var.  
*taenitidis* v. A. v. R. 1914, Ind. Suppl. pré. = *P. taeniatum*.  
**Takedai** (Nakai) C. Chr. Ind. Suppl. III. 160. 1934. — Formosa.  
*Phymatodes* Nakai, Bot. Mag. Tokyo 43. 2. 1929.  
*taliense* Christ 1905, Index = *P. microrhizoma*.
- (Ar) **tatsienense** Franch. et Bur. — Adde syn. *Arthromeris tatsiensis* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 93. 1933.
- (P) **taxodioides** Bak. — Adde loc. Celebes, Ins. Phil. N. Guinea et syn. *P. pulcherrimum* Cop. 1910, Ind. Suppl.  
*tenericaule* Wall. 1828 = *Dryopteris uliginosa*.
- (Ar) **tenuicauda** Hk. sp. 5. 90. 1863. — Ind. bor. Yunnan.  
*Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 91. 1933.  
*tenuifolium* H. B. Willd. 1810, Index = *P. otites*.  
*tenuissimum* Hayata 1914, Ind. Suppl. pré. = *P. Hayatai*.
- (Lp) **Thunbergianum** (Klf.) C. Chr. Ind. Suppl. III. 160. 1934. — Japonia—Korea—China. Ins. Phil. — *Pleopeltis* Klf. 1827; *Lepisorus* Ching 1933; *Polypodium lineare* Thbg. 1784, Index excl. varr., Ind. Suppl. pré. 54 excl. subsp. (non Burm. 1768).
- (Pl) **Thurnii** Bak. 1891. — Adde loc. Amazonas et syn. *Microsorium* Alston 1932. *Drynaria acuminata* Fée 1869 (non Brack. 1854).
- (M) **tobagense** C. Chr. Amer. Fern Journ. 7. 35. 1917. — Ins. Tobago. — (An *P. piloselloides* var.?).  
*tomentosum* Noronha, Verh. Bat. Genootsch. 5. 83. 1827? = *P. scolotrabeulatum* Cop. 1908, Ind. Suppl. = *P. oligolepidum*. [pendria?  
*transiens* Lindm. 1903, Index = *P. Kalbreyeri*.  
*translucens* Kze. 1837, Index = *P. intermedium*.
- (G) **transpiananense** Yamamoto, Journ. Soc. Trop. Agric. Formosa 3. 236. 1931.
- (S) **Treubii** Christ. — Potius *P. Mettenianum* f. minor. [— Formosa.  
*triangulare* Scort., Bedd. 1887, Index = *P. streptophyllum*.
- (Gr) **trichocarpum** v. A. v. R. Nova Guinea 14. 41. 1924. — N. Guinea.  
*trichodes* Reinw. = *Dryopteris uliginosa*.

- trichophyllum Bak. 1906, Ind. Suppl. = *P. subfalcatum* var. *sinicum*.
- (Mi) **triglossum** Bak. 1898. — *Neocheiropteris* Ching 1933.
- (Mi) **triphyllum** Jacq. 1788. — Malesia. — *P. incurvatum* Bl. 1828, Index. — *P. Valetonianum* v. A. v. R. 1908, Ind. Suppl.
- (Mi) **triquetrum** Bl. — Dele var. *P. rupestre* Bl.
- (G) **trisceriale** Sw. 1801. — *P. brasiliense* Poir. 1804, Index.
- (G) **truncato-sagittatum** Brause, Engl. Jahrb. 56. 192. 1920. — N. Guinea. *typicum* Fée 1873, Index = *P. pleopeltidis*.  
*udum* Christ 1910, Ind. Suppl. = *P. pteropus*.
- (My) **ulotheca** Brause, Engl. Jahrb. 56. 204. 1920. — N. Guinea.
- (P) **uluguruense** Reimers, Notizbl. Bot. Gart. Berlin 11. 932. 1933. — Africa *undulatum* Willd. 1810 = *Oleandra*. [trop. or.]
- (Lp) **ussuriense** Regel 1881. — Reg. ussur. — Manchuria—Korea—Japonia. *Pleopeltis* Regel et Maack 1861; *Lepisorus* Ching 1933; *Polypodium Schraderi* Milde 1867; *P. distans* Mak. 1906.  
*valdealatum* Christ 1899, Index = *P. amoenum*.  
*Valetonianum* v. A. v. R. 1908, Ind. Suppl. = *P. triphyllum* f. *simplex*.  
*vastum* Kze. 1834 = *Dryopteris vasta*.
- (Gr) **Vaupelii** Brause, Notizbl. Bot. Gart. Berlin 8. 140. 1922. — Samoa.
- (Mi) **Veitchii** Bak, Ind. Suppl. pré. 57. — Adde var. *P. nigrovenium* Ching 1930 (non Christ 1896); *Phymatodes* Ching 1933.
- (P) **vernicosum** v. A. v. R. Nova Guinea 14. 46. 1924. — N. Guinea. *Versteegii* Christ 1909, Ind. Suppl. = *P. papuanum*.
- (Gr) **viridulum** v. A. v. R. Nova Guinea 14. 41. 1924. — N. Guinea.
- (Mi) **vitiense** Bak. — Adde loc. Samoa, Tahiti, Rarotonga et syn. (var.?) *Drynaria acuminata* Brack. 1854 etc.; *Polypodium euryphyllum* var. Index cum syn; *P. societense* J. W. Moore 1933.
- (P) **vulgare** L. — \**P. virginianum* L. 1753, Fernald, Rhodora 24. 125. 1922. (Amer. bor.).
- (G) **Wagneri** Mett. 1864. — Mexico—Colombia. Cuba? — Adde syn. *Goniophlebium pectinatum* J. Sm. 1841. *Polypodium costaricense* Christ 1896, Index. — (Cf. C. Chr. Dansk Bot. Arkiv 6 no. 3. 98. 1929).
- (Ar) **Wallichianum** Spr. — Adde loc. Yunnan et syn. *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 92. 1933. — Dele var. *Pol. tenuicauda* Hk.
- (Lp) **Wangii** C. Chr. Ind. Suppl. III. 161. 1934. — China occ. — *Lemma-phyllum adnascens* Ching, Bull. Fan Mem. Inst. 4. 101. 1933 (non *Polypodium* Sw. 1806).
- (Ar) **Wardii** Clarke. — Adde loc. Birma, Yunnan et syn. *Arthromeris* Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 94. 1933.  
*wawoense* Brause, Engl. Jahrb. 56. 184. 1920 = *P. Friderici* et Pauli.
- (Mi) **Wernerii** Ros. 1908, Ind. Suppl. — ? *Pleopeltis brevidecurrens* v. A. v. R. 1922 (Ternate).  
*Whitfordii* Cop. 1906, Ind. Suppl. = *P. rhynchophyllum* (t. Ching).  
*Wilsoni* Christ 1906, Ind. Suppl. = *P. Dielseanum*.
- (P) **Wollastonii** Ridley, Tr. Linn. Soc. II. Bot. 9. 262. 1916. — N. Guinea.
- (Co) **Wui** C. Chr. Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 17. 1933. — China austr. — *Colysis* Ching 1933; *Polypodium* sp. nov. Wu, Polyp. Yaoshan. t. 150. 1932.  
*xiphopteris* Bak. 1906, Ind. Suppl. = *P. loriforme*.  
*xiphopteroidifolium* Jenm. 1895, Index = *P. funiculum*.



- (Mi) **yakuinsulare** Masamune, Journ. Soc. Trop. Agric. Formosa 2. 35. 1930. — yunnanense Franch. 1885, Index = *P. amoenum* var. [Japonia. Zollingerianum Kze. 1846, Index = *P. heterocarpum* Bl.
- Polystichopsis** J. Sm. emend. C. Chr. Vid. Selsk. Skr. VIII. 6. 101. 1920 (*Dryopteris* §) = **Dryopteris**.
- POLYSTICHUM** Roth. — (Polypodiaceae Gen. 25).
- abbreviatum** (Schrad.) Pr. 1849, Index = *Stigmatopteris guianensis*.
- aculeatum** (L.) Schott. — T. auctt. nonnullis rec. *Polypodium aculeatum* L. melius cum *P. lobato* Huds. = *Polystichum* Pr., Index convenit, si jure *Polyst. aculeatum* Index (*Aspidium angulare* Kit.) **P. setiferum** (Forsk.) Rosendahl (*Polypodium setiferum* Forsk. 1775) nominandum esse. Fere omnes varietates sub *P. aculeato* enumeratae sp. validae sunt, sed nomenclatura et synonymia valde confusae sunt.
- var. 30. — Dele var. *Phegopteris eximia*.
- aculeatum** × *Lonchitis* Holmberg, Skandnaviens Flora 17. 1922 = *P. lobatum* × *lonchitis*.
- alaskense** Maxon, Amer. Fern Journ. 8. 35. 1918. — Alaska.
- ammifolium** C. Chr. Cat. Pl. Mad. Pter. 31. 1932 = *P. aculeatum* var. 1.
- anomophyllum** Nakai, Bot. Mag. Tokyo 39. 115. 1925 = *Cyrtomium caryotideum*.
- aristatum** (Forst.) Pr. — Dele var. *Aspidium assamicum* Kuhn. — Adde syn. *A. carvifolium* Kze. (1848) 1851; *Polystichum* C. Chr. Index part.
- assamicum** (Kuhn) Ching in C. Chr. Ind. Suppl. III. 162. 1934. — Assam—Yunnan. — *Aspidium* Kuhn 1869; *Dryopteris* Ros. 1917.
- Atkinsoni** Bedd. — Adde syn. *P. Franchetii* Christ 1905, Index. *P. gracilipes* C. Chr. 1913, Ind. Suppl. pré.
- Bakerianum** (Atk.) Diels. — Dele loc. Japonia et var. *A. microchlamys* Christ.
- barbatum** C. Chr. Notizbl. Bot. Gart. Berlin 9. 178. 1924. = *P. Volkensii*.
- Bissetianum** Nakai, Bot. Mag. Tokyo 45. 102. 1931 = *Dryopteris*.
- Blinii** Lév. et C. Chr. 1916, Ind. Suppl. pré. = *P. Yoshinagae*.
- Bonatianum** Brause 1914, Ind. Suppl. pré. = *Dryopteris panda*.
- Braunii** (Spenn.) Fée. — Dele var. *P. Haleakalense* Brack. — Adde var. *kamtschaticum* C. Chr. et Hultén Sv. Vet. Akad. Handl. III. 5. 38. t. 2. 1927; *P. kamtschaticum* Fomin 1930.
- carvifolium** C. Chr. Index = *P. himalayense*.
- Christii** Ching, Bull. Fan Mem. Inst. 2. 192 t. 7. 1931. — China.
- Chunii** Ching, Sinensia 1. 2. 1929, Ic. Fil. Sin. t. 13. — China merid. Tonkin.
- coniifolium** Pr. 1836 = *P. himalayense*.
- constantissimum** Hayata 1914, Ind. Suppl. pré. = *Dryopteris formosana*.
- controversum** (Hance) Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 7. 1933. — China or. merid. — *Aspidium* Hance, Ann. sc. nat. IV. 18. 235. 1862.
- craspedosorum** (Maxim) Diels. — *Ptilopteris* Hayata 1928. — *Polystichum lacerum* et *leucochlamys* Christ 1911, Ind. Suppl.
- cyphochlamys** Fée 1852 = *P. echinatum*.
- decoratum** Maxon 1909, Ind. Suppl. — Cuba (non China).
- deminuens** Maxon, Contr. U. S. Nat. Herb. 24. 53 t. 19. 1922. — Cuba.
- dendrophilum** v. A. v. R. Bull. Buit. III. 5. 221. 1922. — Ternate.
- denticulatum** (Sw.) J. Sm. 1841, Index = *Dryopteris*.
- deversum** Christ 1911, Ind. Suppl. = *P. stenophyllum*.
- devexiscapulae** Koidzumi, Acta Phytotax. 1. 33. 1932 = *Cyrtomium falcatum* var.

- Dielsii** Christ 1906, Ind. Suppl. — An potius *P. deltodon* var.?  
*diplazioides* Christ 1902, Index = *Dryopteris decipiens*.  
**discretum** (Don) Diels. — Ind. bor. China. — *P. lobatum* var. 3 Index.  
**Dudleyi** Maxon, Journ. Wash. Acad. Sci. 8. 620. 1918. — California.  
**Duthiei** (Hope) C. Chr. — Adde syn. China occ. et syn. *P. glaciale* Christ 1905, Index; *Sorolepidium* Christ 1911, Ind. Suppl.  
**echinatum** (Gmel.) C. Chr. Index, Maxon, Journ. Wash. Acad. Sci. 18. 584. 1928. — Antillae majores. — Dele syn. omn. — Adde *P. falcatum* Fée 1852.  
**Ekmani** Maxon, Proc. Biol. Soc. Wash. 46. 108. 1933. — Hispaniola.  
**eriorachis** v. A. v. R. Bull. Buit. III. 5. 220. 1922. — Sumatra.  
**eximium** (Mett.) C. Chr. Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 8. 1933. — Ceylon-China merid. Tonkin. — *Phegopteris* Mett., Kuhn, Linn. 36. 107. 1869. *Polystichum fibrillosum* Ching 1931.  
*fibrillosum* Ching, Bull. Fan Mem. Inst. 2. 189 t. 4. 1931 = *P. eximium*.  
**flaccidum** v. A. v. R. Bull. Buit. III. 5. 220. 1922. — Sumatra.  
*flagellare* (Maxim) C. Chr. Index = *Monachosorella*.  
**flavidum** Ros. Fedde Rep. 22. 9. 1925. — Costa Rica. — (*P. aculeatum*\*).  
*foeniculaceum* (Hk) J. Sm. 1875, Index = *Lithostegia*.  
*formosanum* Ros. 1915, Ind. Suppl. pré. = *P. obtuso-auriculatum*.  
*Fortunei* Nakai, Bot. Mag. Tokyo 39 116. 1925 = *Cyrtomium*.  
**?fragile** Watts, Tr. Linn. Soc. N. S. Wales 39. 775 t. 88 f. 9. 1915. — Queens-Franchetii Christ 1905, Index = *P. Atkinsoni*. [land.  
*Fuentesii* Espinosa, Rev. Chil. Nat. Hist. 36. 239. 1932. — Chile.  
**gemmaiparum** C. Chr. Gardens' Bull. S. S. 7. 256 t. 54. 1934. — Borneo.  
*glaciale* Christ 1905, Index = *P. Duthiei*.  
*gracilipes* C. Chr. 1913, Ind. Suppl. pré. = *P. Atkinsoni*.  
*grande* Ching, Bull. Fan Mem. Inst. 2. 189 t. 5. 1931 = *P. grandifrons*.  
**grandifrons** C. Chr. Ind. Suppl. III. 163. 1934. — Yunnan.  
*P. grande* Ching 1931 (non Fée 1857).  
**haleakalense** Brack. 1854. — Ins. Hawaii.  
**Hillebrandii** Carr. 1873. — Ins. Hawaii. — *P. lobatum* var. 6 Index.  
**himalayense** Ching in C. Chr. Ind. Suppl. III. 163. 1934. — India—China—?.  
*Aspidium conifolium* Wall. 1828; Mett. *Aspid.* no. 157; *Polystichum* Pr. 1836 (non Schum. 1803); *P. carvifolium* C. Chr. Index (excl. syn. *Aspidium* Kze.); *Dryopteris* C. Chr. 1924. — (Mihi potius *Dryopteris* § *Polyhispidum* (Sw.) J. Sm. 1841, Index = *Dryopteris*. [stichopsis).  
**Holttumii** C. Chr. Gardens' Bull. S. S. 7. 256 t. 53. 1934. — Borneo.  
*Hookeriaum* (Pr.) C. Chr. Index = *Cyrtomium*.  
**ilicifolium** Fée 1852. — Cuba. — *P. aquifolium* Und. et Maxon 1902, Ind. *ilicifolium* (Don) Moore 1858, Index = *P. stimulans*. [Suppl.  
*inerme* Fée 1852 = *Stigmatopteris guianensis*.  
*integripinnum* Hayata 1914, Ind. Suppl. pré. = *Cyrtomium Tachiroanum*.  
*Jenningsii* Hopkins, Ann. Carnegie Mus. 11. 362 t. 37. 1917, Maxon, Amer. Fern Journ. 8. 36. 1918 = *P. Andersoni*.  
*kamtschaticum* Fomin, Fl. Sib. et Or. Extr. 5. 94. 1930 = *P. Braunii* var.  
**Killipii** Maxon, Contr. U. S. Nat. Herb. 24. 53 t. 20. 1922. — Jamaica.  
**kinabaluense** C. Chr. Gardens' Bull. S. S. 7. 255 t. 52. 1934. — Borneo.  
*Kingii* Watts, Proc. Linn. Soc. N. S. Wales 37. 401. 1913 = *P. Moorei*.  
*lacerum* Christ 1911, Ind. Suppl. = *P. craspedosorum*.

- lanceolatum** Bak. — Adde syn. *P. parvulum* Christ 1904, Index. *P. nanum* Christ 1906, Ind. Suppl.
- lastreoides** Ros. 1911, Ind. Suppl. = *Dryopteris phaeostigma*.
- leucochlamys** Christ 1911, Ind. Suppl. = *P. craspedosorum*.
- Levingei** Hope = *P. stenophyllum*.
- lindseaefolium** Scort., Ridley, Journ. Mal. Br. R. As. Soc. 4. 61. 1926. —
- lobatum** var. 1 Index = *P. luctuosum*. [Malacca.
- - 2 — = *P. tsus-simense*.
- - 3 — = *P. discretum*.
- - 4 — = *P. squarrosum*.
- - 6 — = *P. Hillebrandii*.
- - chinense Christ 1897 = *P. neo-lobatum*.
- lonchitoides** (Christ) Diels 1899, Index = *Cyrtomium*.
- luctuosum** (Kze.) Moore. — Afr. austr. Madagascar. — *P. lobatum* var. 1 Index.
- macrophyllum** Tagawa, Acta Phytotax. 2. 194. 1933. — Japonia.
- marquesense** E. Brown, Bishop Mus. Bull. 89. 40 t. 6. 1931. — Marquesas.
- Maximowiczii** (Bak.) Diels 1899, Index = *Monachosorella*.
- microchlamys** (Christ) Kodama in Matsum. Ic. Pl. Koisik. 3. t. 147. 1915. — Japonia. — *Aspidium* Christ 1899.
- miyasimense** Kodama in Matsum. Ic. Pl. Koisik. 2. 51 t. 110. 1914 = *Cyrtomium Tachiroanum*?
- monotis** Christ 1901, Index = *P. tsus-simense*.
- Morii** Hayata, Ic. Pl. Formosa 7. 95 f. 1918. — Formosa. — (An *P. lanceolatum*?).
- mucronatum** (Sw.) Pr. Tent. 83. 1936, Maxon, Journ. Wash. Acad. Sci. 18. 585. 1928. — Jamaica. — *Aspidium* Sw. 1801; *Polypodium* Sw. 1806; *Polystichum struthionis* Maxon 1909.
- nanum** Christ 1906, Ind. Suppl. = *P. lanceolatum*.
- neo-lobatum** Nakai, Bot. Mag. Tokyo 39. 118. 1925. — China.
- P. lobatum* var. chinense Christ, Nu. Giorn. Bot. It. n. s. 4. 92. 1897.
- nephrolepioides** Christ 1902, Index = *Cyrtomium*.
- nigrospinosum** Ching, Bull. Fan Mem. Inst. 2. 191. t. 6. 1931. — Kwantung.
- niitakayamense** Hayata 1906, Ind. Suppl. = *P. stenophyllum*.
- Obai** Tagawa, Acta Phytotax. 2. 194. 1933. — Japonia.
- pachyphyllum** Ros. 1914 = *Cyrtomium grossum*.
- pacificum** Nakai, Bot. Mag. Tokyo 39. 119. 1925 = *Dryopteris Bissetiana*.
- papyrifolium** v. A. v. R. Bull. Buit. II no. 28. 41. 1918. — Ceram.
- parvulum** Christ 1904, Index = *P. lanceolatum*.
- pauciaculeatum** Bonap. N. Pt. 7. 206. 1918. — Madagascar.
- polyblepharum** Nakai, Bot. Mag. Tokyo 39. 117. 1925 (non Pr. 1849) = *P. praelongum* Christ 1902, Index = *P. xiphophyllum*. [tsus-simense.
- prolificans** v. A. v. R. Bull. Buit. III. 2. 170. 1920. — Sumatra
- pseudo-aristatum** Tagawa, Acta Phytotax. 1. 91. 1932. — Japonia.
- pseudotsus-simense** Ching, Bull. Fan Mem. Inst. 2. 190. 1931. — Burma.
- pumilio** Maxon, Journ. Wash. Acad. Sci. 19. 197, f. 1929. — Ecuador.
- puncticulatum** v. A. v. R. Bull. Buit. III. 2. 171. 1920. — Sumatra, Borneo.
- punctiferum** C. Chr. Contr. U. S. Nat. Herb. 26. 288 t. 17. — Burma, Yunnan.
- rapense** E. Brown, Bishop Mus. Bull. 89. 39 t. 4 A. 1931. — Ins Rapa (*Polyrigidum* C. Chr. Ark. för Bot. 20 A. 13. 1926 = *P. aculeatum*\* 24. [nesia.
- Rochefordii** Hort. = *Cyrtomium falcatum* var.
- sacrosanctum** Koidzumi, Bot. Mag. Tokyo 43. 388. 1929 = *Dryopteris Bissetiana*.

- setillosum** Ching, Bull. Fan Mem. Inst. **2**. 188 t. 3. 1931. — China occ.  
**simplicius** (Mak.) Tagawa, Acta Phytotax. **1**. 90. 1932. — Japonia.  
 Aspidium aristatum var. *simplicius* Mak. Bot. Mag. Tokyo **15**. 61. 1901.  
**spongiosum** Maxon, Amer. Fern Journ. **19**. 47. 1929. — Haiti.  
**squarrosum** (Don) Fée. — India—China. — *P. lobatum* var. 4 Index c. syn.  
*Standishii* (Moore) C. Chr. Index = *Dryopteris*  
**stenophyllum** Christ. — Adde loc. Formosa. Ind. bor. et syn. *P. niitakaya-*  
*mense* Hayata 1906, Ind. Suppl. *P. deversum* Christ 1911, Ind. Suppl. *P.*  
*Levingei* Hope 1902.  
**stimulans** Pr. 1836. — Ind. bor.-China merid. — *P. ilicifolium* (Don) Moore  
 1858, Index (non Fée 1852).  
**Stokesii** E. Brown, Bishop Mus. Bull. **89**. 40 t. 5. 1931. — Ins. Rapa (Polynesia).  
**struthionis** Maxon 1909 = *P. mucronatum*.  
*Tachiroanum* Tagawa in Mayebara, Fl. Austro-Higoensis **9**. 1931, Koidzumi  
 Acta Phytotax. **9**. 29. 1932. Mak. Journ. Jap. Bot. **8**. 43. 1933 = *Cyrtomium*.  
**Thunbergii** Koidzumi, Bot. Mag. Tokyo **38**. 106. 1924. — Japonia.  
*Polypodium setosum* Thbg. 1784. — (Mihi confusa: specim. auth. in Herb.  
 Sw. est *Hypolepis punctata*).  
**triangulum** (L.) Fée 1852, Maxon, Journ. Wash. Acad. Sci. **18**. 582 f. 1. 1928.  
*triangulum* auctt. = *P. echinatum*. [— Haiti.  
**tripteron** (Kze.) Pr — *Ptilopteris* Hayata 1928.  
*truncatulum* v. A. v. R. 1914, Ind. Fil. Suppl. = *Dryopteris adnata*.  
**tsus-simense** (Hk.) J. Sm. 1875. — Japonia—China. — *P. lobatum* var. **2**  
*varium* (L.) Pr. 1849, Index = *Dryopteris*. [Index.  
*vittatum* (Christ) C. Chr. Index = *Cyrtomium*.  
**Wattii** (Bedd.) C. Chr. — (An *P. alcicorne*?).  
*Webbianum* (A. Br.) C. Chr. Index = *Dryopteris*.  
*woodsoides* Christ 1911, Ind. Suppl. = *P. moupinense*.  
**xiphophyllum** Bak. — Adde syn. *P. praelongum* Christ 1902, Index.  
**Yoshinagae** Mak. 1909, Ind. Suppl. — Adde loc. China et syn. *P. Blinii* Lév.  
 et C. Chr. 1916, Ind. Suppl. préł.
- POLYTAENIUM** Desvaux. = **Antrophyum**.  
*Feei* Maxon, Pter. Porto Rico 405. 1926 = *A. lanceolatum*.  
*guyanense* Alston, Kew Bull. **1932**. 314.
- POMATOPHYTUM** M. E. Jones, Contr. to Western Bot. no. 16. 12. 1930 =  
*pocillatum* Jones, l. c. = *C. lendigera*. [Cheilanthes.
- PROSAPTIA** Presl = **Polypodium**.  
*davalliacea* Cop. Univ. Calif. Publ. Bot. **12**. 404.-1931.  
*Engleriana* Cop. l. c. = *P. Brausei*.  
*Kanashiroi* Nakai, Yamamoto, Suppl. Ic. Pl. Formosan. V. 6. 1932.  
*linearis* Cop. 1909 = *P. davalliaceum*.  
*pubipes* Cop. Bishop Mus. Bull. **93**. 13. 1932 = *P. contiguum* var.  
*Rosenstockii* Cop. Univ. Calif. Publ. Bot. **12**. 404. 1931 = *P. contiguum* var.  
*subnuda* Cop. Bishop Mus. Bull. **93**. 69. 1932.
- PROTANGIOPTERIS** Hayata, Bot. Mag. Tokyo **42**. 305, 346. 1928 = **Archangi-**  
*Somai-subintegra-tamdaoensis* Hayata, l. c. 309 = *A. sp. homonym*. [opteris.
- PROTOLINDSAYA** Brooksii Cop. 1910, Index = **Tapeinidium**
- PROTOMARATTIA** Hayata, Bot. Gazette **67**. 88. 1919. — (Marattiaceae Gen. **43**).  
*tonkinensis* Hayata, l. c. t. 1. — Tonkin.

**PSAMMIOSORUS** C. Chr. Cat. Pl. Mad. Pter. 33 et Dansk Bot. Ark. 7. 73 t. 24. 1932. — (Polypodiaceae Gen. 43).

**paucivenius** C. Chr. l. c. — Madagascar. — Dryopteris C. Chr. Index.

**Pseudodrynaria** C. Chr. Ind. Suppl. III. 165. 1934 (*Aglaomorpha* §) = **Aglaomorpha**.

**Pseudovittaria** C. Chr. Dansk Bot. Ark. 6. no. 3. 45. 1929 (*Lemmaphyllum* §);

Ching, Bull. Fan Mem. Inst. 4. 58. 1933 (*Lepisorus* §) = **Polypodium**.

**PSILOGRAMME** Kuhn = **Gymnogramma**.

**cubensis** Maxon, Journ. Wash. Acad. Sci. 12. 441. 1922.

**Jimenezii** Maxon, Amer. Fern Journ. 18. 3. 1928.

**paucifolia** A. C. Smith, Bull. Torr. Cl. 58. 305. 1931.

**PSOMIOCARPA** Presl. — (Polypodiaceae Gen. 19).

**apiifolia** (J. Sm.) Pr. 1849. — Ins. Phil. — Polybotrya J. Sm. 1841, Index.

**aspidioides** Christ 1910 = *Atalopteris*.

**Maxoni** Christ 1911 = *Atalopteris*.

**PTERIDIUM** Gleditsch. — (Polypodiaceae Gen. 131).

*Sp. sequentes (pleraeque mihi validae) subspecies P. aquilini sensu latissimo Indicis sunt.*

**arachnoideum** (Klf.) Maxon, Journ. Wash. Acad. Sci. 14. 89. 1924 (Amer. trop.).

**esculentum** (Forst.) Nakai, Bot. Mag. Tokyo 39. 108. 1825.

**latiusculum** (Desv.) Maxon, Amer. Fern Journ. 9. 43. 1919 = *P. aquilinum* var. (Amer. bor.)

**psittacinum** (Pr.) Maxon, Proc. Biol. Soc. Wash. 46. 141. 1933 (Amer. trop.).

**revolutum** (Bl.) Nakai, Bot. Mag. Tokyo 39. 109. 1925 (Malesia).

**PTERIS** L. — (Polypodiaceae Gen. 123).

(P) **aberrans** v. A. v. R. Bull. Buit. III. 2. 173, fig. 1920. — Sumatra.

(L) **altissima** Poir. — Adde syn. *P. Kunzeana* Ag. 1839, Index.

(P) **appendiculifera** v. A. v. R. Bull. Buit. III. 2. 172. 1920. — Sumatra.

(L) **atrovirens** Willd. — Dele var. *P. spinulifera* Schum.

(P) **Balansae** Fourn. — Adde f. *P. Pancheri* Bak. 1874, Index. *P. Fournieri* C. Chr. Index.

(P) **bambusoides** Gepp in Gibbs, Dutch N. W. N. Guinea 195. 1917. — N. Guinea. *Beccariana* C. Chr. Index = *P. ligulata*.

(L) **Berteroana** Ag. Rec. 66. 1839. — Juan Fernandez. — *Litobrochia* Fée 1852.

(C) **biaurita** L. — Dele var. *P. nemoralis* W.

**biaurita** var. *intermittens* C. Chr. Contr. U. S. Nat. Herb. 26. 312. 1931 = *P. linearis*.

(P) **Bonapartei** C. Chr. Cat. Pl. Mad. Pter. 52. 1932 (nomen), Dansk Bot. Ark. 7. 129. 1932. — Madagascar.

**Brausei** Ros. in Ind. Suppl. 66 = *P. papuana*.

(P) **Brooksiana** v. A. v. R. Bull. Buit. II no. 23. 19. 1916. — Sumatra.

**Brooksii** Cop. 1914, Ind. Suppl. prélim. = *P. asperula*.

(P) **catoptera** Kze. 1844. — Africa austr. Madagascar.

**cheilanthoides** Hayata 1906, Ind. Suppl. = *Dryopteris concolor* (t. Hayata).

(C) **Christensenii** Kjellberg, Engl. Jahrb. 66. 60. 1933. — Celebes.

**chrysocarpa** Hk. et Grev. 1829

**chrysosperma** Hk. et Grev. 1829 } = *Onychium chrysocarpum*.

(P) **Clemensiae** Cop. Phil. Journ. Sci. 12C. 47. 1917. — Borneo. Sumatra.

(L) **eomans** Forst. — Dele loc. Juan Fernandez et var. *P. Berteroana*.

(P) **coriacea** Desv. — Dele var. *P. muricata* Hk.

- (L) **costaricensis** Ros. Fedde Rep. 22. 7. 1925. — Costa Rica.
- (L) **crassipes** Ag. Rec. 59. 1839. — Ind. occ. — *Litobrochia* Fée 1852.
- (P) **cretica** L. — Dele var. *P. melanocaulon* Fée.  
Curtisii C. Chr. Index = *P. laurea*.
- (P) **dactylina** Hk. — Adde loc. Celebes.
- (P) **dayakorum** Bonap. N. Pt. 7. 401. 1918; v. A. v. R. Bull. Buit. III. 2. 172. 1920. —  
*decurrentipinnulata* Bonap. N. Pt. 7. 65. 1918 = *P. formosana*. [Borneo.  
*decussata* J. Sm. 1841, Index = *P. mertensioides*.
- (P) **deltea** Ag. Rec. 33. 1839. — Tahiti.
- (P) **deltodon** Bak. — Adde loc. Tonkin et syn. *P. nana* Christ in Index.
- (P) **dissitifolia** Bak. — Adde loc. Yunnan. — Cf. *P. formosana*.  
*divaricatissima* Bak. 1874 = *Paesia* d.
- (P) **elongatiloba** Bonap. N. Pt. 5. 69. 1917; C. Chr. Dansk Bot. Ark. 7. 129 t.  
50 f. 1—3. 1932. — Madagascar.  
*excelsissima* Hayata 1914, Ind. Suppl. pré. = *P. excelsa*.
- (P) **formosana** Bak. — Adde syn. *P. Takeoi* Hayata 1915, Ind. Suppl. pré.  
*P. decurrentipinnulata* Bonap. 1918. — (Vix a *P. dissitifolia* diversa).  
*Fournieri* C. Chr. Index = *P. Balansae*.  
*Friesii* Köhler, Flora 113. 322. 1920 = *Anisosorus occidentalis* var.  
*furcans* Bak. 1888, Index = *P. ligulata*.  
*Gardneri* (Fée) Hk. 1852, Index = *P. mertensioides*.
- (C) **geminata** Wall. — Dele Ins. Comor. et var. *P. maxima* Bak.
- (L) **gigantea** Willd. — Dele var. *P. crassipes* Ag.
- (P) **griseo-viridis** C. Chr. Cat. Pl. Mad. Pter. 53. 1932 (nomen), Dansk Bot.  
Ark. 7. 131 t. 52 f. 2—3. 1932. — Madagascar.  
*Henryi* Christ 1898, Index = *P. actiniopteroides* var.  
*heterogena* v. A. v. R. 1912, Ind. Suppl. = *P. ligulata*.
- (P) **hispaniolica** Maxon, Journ. Wash. Acad. Sci. 14. 197. 1924. — Hispaniola.
- (L) **Holttumii** C. Chr. Gardens' Bull. S. S. 7. 287, fig. 1934. — Borneo.
- (P) **Hui Ching**, Sinensia 1. 9. 1929, Ic. Fil. Sin. t. 33. — Kwangsi.
- (P) **Humbertii** C. Chr. Cat. Pl. Mad. Pter. 52. 1932 (nomen), Dansk Bot. Ark. 7.  
137 t. 52 f. 5—8. 1932. — Madagascar.  
*indochinensis* Christ 1908, Ind. Suppl. = *P. insignis*.  
*intermedia* Christ, Matthew, Journ. Linn. Soc. 39. 389. 1911 = *P. cre-*  
*interrupta* Willd. 1794 = *Dryopteris interrupta*. [tica var.
- (P) **Johannis Winkleri** C. Chr. Mitt. Inst. Hamburg 7. 154. 1928. — Borneo.  
*Johnstoni* Bak. 1891, Index = *P. Burtoni*.  
*kilimensis* Ros., Bonap. N. Pt. 7. 297. 1918 (nomen). — Africa or. trop.
- (L) **Killipii** Maxon, Amer. Fern Journ. 23. 107. (1933). 1934. — Peru.
- (P) **kinabaluensis** C. Chr. Gardens' Bull. S. S. 7. 286. 1934. — Borneo.  
*Kuhnii* Fourn. Ann. sc. nat. V. 18. 322. 1973 = *P. excelsa*?  
*Kunzeana* Ag. 1839, Index = *P. altissima*.
- (L) **lanceaefolia** Ag. 1839, C. Chr. Dansk Bot. Ark. 7. 130 t. 50 f. 14—18.  
1932. — Adde var. *P. platyodon* Bak. 1876, Index.
- (L) **Lastii** C. Chr. Index, l. c. t. 50 f. 12—13.
- (P) **lathyropteris** C. Chr. l. c. 137 t. 53 f. 6—7. 1932. — Madagascar.  
*Lathyropteris madagascariensis* Christ 1902, Ind. Suppl. (non Pt. mada-  
gascarica Ag. 1839).
- (C) **laurea** Desv. 1827; C. Chr. l. c. 129 t. 50 f. 7—11. — Adde syn. *P. Cur-*  
*tisii* C. Chr. Index.

- (P) **ligulata** Gaud. — Adde syn. *P. mixta* Christ 1905, Index. *P. Beccariana* C. Chr. Index. *P. heterogena* v. A. v. R. 1912, Ind. Suppl. — *P. Walkeri* Bak. 1888, Index. — *P. furcans* Bak. 1888, Index.
- (L) **Limae** Brade, Arch. Mus. Nac. Rio 34. 114 t. 1 f. 2. 1932. — Brasilia.
- (C) **linearis** Poir. 1804, Ching, Lingnan Sci. Journ. 12. 568, t. 43. 1933. — Africa, Asia trop. — *P. nemoralis* Willd 1809; *Campteria* J. Sm. 1846. *longicauda* Christ 1901, Index = *P. pungens*. *macilenta* var. *saxatilis* Carse, Tr. N. Zeal. Inst. 51. 95. 1919 = *P. saxatilis*.
- (C) **maxima** Bak. Syn. 165. 1867. — Ins. Comor. [tilis.]
- (C) **McClurei** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 28. 1933. — China merid. — *P. biaurita* Wu, l. c. no. 3. t. 114. 1932
- (P) **melanocaulon** Fée 1852. — Malesia. — *P. Treacheriana* Bak. 1879. *mixta* Christ 1905, Index = *P. ligulata*.
- (P) **mertensioides** Willd. — Malesia. Polynesia. — *P. decussata* J. Sm. 1841. Index, *P. Gardneri* (Fée) Hk. 1852, Index.
- (P) **muricata** Hk. 1858. — Costa Rica—Bolivia. *nana* Christ in Index = *P. deltodon*. *nemoralis* Willd. 1809 = *P. linearis*. *normalis* Don 1825 = *P. linearis*. *occidentalis* Köhler, Flora 113. 322. 1920 = *Anisosorus*. *Pancheri* Bak. 1874, Index = *P. Balansae*. *paupercula* Christ 1906, Ind. Suppl. = *Pellaea*. *pectinata* Cav. 1802, Index (loc. Ins. Mascarenae falsa; loc. Cav. Ins. Mariannae etiam falsa est, certe planta andina) = *Blechnum loxense*.
- (P) **Perrieriana** C. Chr. Dansk Bot. Ark. 7. 132 t. 51 f. 1. 1932. — Madagasydon Bak. 1876, Index = *P. lanceaefolia* var. [gascar.]
- (P) **pseudocretica** Bonap. N. Pt. 14. 313. 1924. — Congo.
- (C) **pseudolonchitis** Bory; Willd. 1810; C. Chr. Dansk Bot. Ark. 7. 135 t. 51 f. 10. 1932. — Ins. Mascarenae. Madagascar.
- (P) **pungens** Willd. — Adde loc. Mexico—Bolivia et syn *P. longicauda* Christ 1901, Index.
- (P) **purpureorachis** Cop. Phil. Journ. Sci. 12C. 48. 1917. — Borneo. Ins. Phil.
- (P) **radicans** Christ. — Adde loc. Java, Ins. Phil. [Tonkin.]
- (P) **rangiferina** Pr., Miq. 1869, Ind. Suppl. 129. — Malesia.
- (P) **reducta** Bak. JoB. 1880. 211, v. A. v. R. Bull. III. 2. 171. 1920. — Java, Sumatra. — *P. salakensis* v. A. v. R. 1912, Ind. Suppl.
- (P) **remotifolia** Bak. 1877, C. Chr. Dansk Bot. Ark. 7. 136 t. 53 f. 1—2. 1932. — Madagascar.
- (P) **remotipinna** Bonap. N. Pt. 5. 72. 1917, C. Chr. l. c. t. 53 f. 3—5. 1932. — Madagascar. *roseo-lilacina* Hier. 1914, Ind. Suppl. pré. = *P. aspericaulis* (Ind. Suppl. *salakensis* v. A. v. R. 1912, Ind. Suppl. = *P. reducta*. [prél. 58].
- (L) **saxatilis** Carse, Tr. N. Zeal. Inst. 59. 315. 1928. — N. Zealand. *P. macilenta* var. *saxatilis* Carse l. c. 51 95. 1919. *siliquosa* Pal. Beauv. Fl. d'Oware 1. 63. 1804 = *Ceratopteris thalictroides*.
- (P) **silvatica** v. A. v. R. Mal. Ferns Suppl. Corr. 53. 1917, Bull. Buit. II no. 28. 42. 1918. — Sumatra, Java. *sinuata* Thbg. Fl. Jap. 332. 1784 = *Matteuccia struthiopteris*.
- (L) **spinulifera** Schum. 1827. — Africa occ. trop. — *Litobrochia* J. Sm. 1866.
- (P) **straminea** Mett. — Hort. ex Mexico (non Chile).

- Takeoi Hayata 1915, Ind. Suppl. pré-l. = *P. formosana*.
- (P) **talamanana** v. A. v. R. Bull. Buit. II no. 28. 42. 1918. — Sumatra.  
 tomentella Hand.-Mzt. Akad. Anz. Akad. Wien 1923. no. 19; Symb. Sin. 6.  
 41. 1929 = *P. Wallichiana*.  
 Toppingii Cop. Phil. Journ. Sci. 12C. 47. 1917 = *P. longipinnula*.
- (C) **trachyrachis** C. Chr. Cat. Pl. Mad. Pter. 54. 1932 (nomen), Dansk Bot.  
 Ark. 7. 133 t. 52 f. 1. 1932. — Madagascar.  
 Treacheriana Bak. 1879 = *P. melanocaulon*.  
 trialata Sod. 1893, Index = *P. podophylla*.  
 yunnanensis Christ 1908, Index = *P. Wallichiana*.  
 Walkeri Bak. 1888, Index = *P. ligulata*.
- PTERIS** Gleditsch, Syst. Pl. 289. 1764, Verm. Abh. 1. 24. 1765 = **Dryopteris**
- PTEROZONIUM** Fée. — (Polypodiaceae Gen. 90). [et **Polystichum**.  
**cyclosorum** A. C. Smith, Bull. Torr. Cl. 58. 303. 1931. — Guiana.  
**Tatei** A. C. Smith, l. c. 304 t. 23. — Guiana.
- PTILOPTERIS** Hance 1884 part., Hayata Bot. Mag. Tokyo 41. 706. 1927 =  
 craspedosora Hayata, l. c. 708. [Polystichum.  
 flagellaris Mak. 1899 = *Monachosorella*.  
 Maximowiczii Hance 1884 = *Monachosorella*.  
 triptera Hayata, l. c. 706.
- PYCNODORIA** Presl.  
 pinetorum Small, Ferns trop. Florida 31, fig. 1918 = *Pteris longifolia* var.  
 bahamensis (Ag.).
- PYCNOLOMA** C. Chr. Dansk Bot. Ark. 6 no. 3. 75. 1929. — *Drymoglossum*  
 sp. Index. — (Polypodiaceae Gen. 154).  
**metacoelum** (v. A. v. R.) C. Chr. l. c. 77 t. 8—10. — Borneo. Malacca.  
*Drymoglossum* v. A. v. R. Bull. Buit. II no. 28. 21 t. 2. 1918.  
**murudense** C. Chr. l. c. 78 t. 8, 10. — Borneo.  
**rigidum** (Hk.) C. Chr. l. c. 76 t. 7, 10. — Borneo. — *Drymoglossum* Hk. 1854,  
 Index c. syn.; *Taenitis* Cop. 1917. *Drymoglossum tetragonum* v. A. v. R. 1918.
- PYRRHOSIA** Mirbel 1803, Farwell, Amer. Midl. Naturalist 12. 245. 1931 =  
**Cyclophorus**.  
 lanceolatus (245) — *Lingua* (302) — *varia* (302) Farwell, l. c. = *C.* sp. homonym.
- QUERCIFILIX** Copeland, Phil. Journ. Sci. 37. 408. 1928 (Polypodiaceae Gen. 37).  
**zeylanica** (Houtt.) Cop. l. c. 409. — Asia trop. — *Leptochilus* C. Chr. Index.
- RHIPIDOPTERIS** Schott. — (Polypodiaceae Gen. 171).  
**flabellata** (H. B. Willd.) Fée 1845. — *Elaphoglossum* Christ 1899, Index c. syn.  
**foeniculacea** (Hk. et Grev.) Schott 1834. — *Elaphoglossum* C. Chr. Index c. syn.  
**peltata** (Sw.) Schott 1834. — *Elaphoglossum* Urban 1903, Index c. syn.  
**Standleyi** Maxon, Amer. Fern Journ. 18. 1. 1928. — Costa Rica.
- SACCOLOMA** Kaulfuss. — (Polypodiaceae Gen. 46). — Species unica: *S. ele-*  
*brasiliense* Mett. 1861, Ind. Suppl. 129 = *Ithycaulon*. [gans Klif.  
*caudatum* Cop. Phil. Journ. Sci. 30. 327. 1926 = *Ithycaulon*.  
*domingense* (Spr.) Prantl 1892, Index = *Ithycaulon*.  
*firmum* C. Chr. Vierteljahresschr. Nat. Ges. Zürich 70. 221. 1925 = *Ithy-*  
*Guentheri* Ros. Fedde Rep. 25. 58. 1928 = *Ithycaulon*. [caulon.  
*Henriettae* C. Chr. Dansk Bot. Ark. 7. 75 t. 25 f. 12—13. 1932 = *Ithycaulon*.  
*Imrayanum* Hk. 1839, Index = *Ormoloma*.  
*inaequale* (Kze.) Mett. 1861, Index = *Ithycaulon*.  
*minus* C. Chr. Gardens' Bull. S. S. 4. 399. 1929 = *Ithycaulon*.



*moluccanum* Mett. 1869, Index = *Ithycaulon minus*.

*Sloanei* (Jenm.) C. Chr. Index = ?

*sorbifolium* (Sm.) Christ 1897, Index = *Cystodium*.

*Wercklei* Christ 1904 = ? (*Ormoloma*?).

**Sacopteris** v. A. v. R. Mal. Ferns Suppl. 415. 1917 (*Drynaria* §) = **Drynaria**.

**SAFFORDIA** Maxon 1913, Ind. Suppl. pré-l. — (*Polypodiaceae* Gen. 107).

**SAGENIA** Presl = **Tectaria**.

*anastomosans* (166) — *cuspidato-pinnata* (167) — *subpedata* (166) Nakai, Bot. Mag. Tokyo 47. 166–167. 1933 = *T. sp. homonym*.

*decurrens* Houlst. Gard. Mag. Bot. 3 291. 1851.

*dilacerata* Moore 1857 = *T. dilacerata*.

*gemmifera* Fée 1852 = *T. macrodonta* var.

*macrodonta* Fée 1852 = *T. macrodonta*.

*martinicensis* Farwell, Amer. Midl. Naturalist 12. 259. 1931.

**SALPICHLAENA** J. Smith = **Blechnum**.

*Hookeriana* Alston, Kew Bull. 1932. 312 = *B. volubile* var.

**SALVINIA** (Micheli) Guettard, Hist. Acad. R. Sci. 546. 1762, Adanson 1763.

*adnata* Desv. 1827, Index (loc. falsa) = *S. auriculata*.

*cyathiformis* Maxon, Journ. Wash. Acad. Sci. 12. 401. 1922. — Trinidad.

*hastata* Desv. 1827, C. Chr. Dansk Bot. Ark. 7. 182 t. 73 f. 1–7. — Madagascar. — *S. mollis* Mett. 1868, Index. — *S. Hildebrandtii* Bak 1886, Index.

*Hildebrandtii* Bak. 1886, Index = *S. hastata*.

*imbricata* Roxb. 1844 = *Azolla imbricata*.

*mollis* Mett., Kuhn 1868, Index = *S. hastata*.

*nigropunctata* A. Br. 1868, Index = *S. nymphellula*.

**SAXIGLOSSUM** Ching, Contr. Inst. Bot. Nat. Acad. Peiping 2. 1. 1933. — (*Polypodiaceae* Gen. 162).

*taenioides* (C. Chr.) Ching (*taenoides*) l. c. 2. — China. — *Cyclophorus*

**SCHIZAEA** J. E. Smith. [C. Chr. Index.

*papuana* Brause, Engl. Jahrb. 56. 211. 1920 = *S. malaccana*.

*spirophylla* Troll, Flora 128. 343, fig. 1933. — Amboina.

**SCHIZOLOMA** Gaudichaud. — (*Polypodiaceae* Gen. 64).

*auriculatum* v. A. v. R. Bull. Buit. III. 5. 224. 1922 = *S. ovatum* var.

*coriaceum* v. A. v. R. 1908, Ind. Suppl. = *S. ensifolium*.

**Decaryanum** C. Chr. Cat. Pl. Mad. Pter. 35. 1932 (nomen), Dansk Bot. Ark. 7. 79 t. 28 f. 1–2. 1932. — Madagascar.

*fuligineum* Cop. 1906, Ind. Suppl. = *S. ovatum*.

**grandiareolatum** Bonap. N. Pt. 16. 50. 1925, C. Chr. l. c. t. 28 f. 3–4. — Madagascar.

**Guerinianum** Gaud. — *Dele* var. *L. ovata* J. Sm. — *Adde* var. *Nephrolepis schizolomae* v. A. v. R. 1912; *Schizoloma* v. A. v. R. 1917.

*malabaricum* Bedd. 1868 = *Lindsaya malabarica*.

**Hosei** (C. Chr.) Cop. Sarawak Mus. Journ. 2. 327. 1917. — Borneo.

*Lindsaya* C. Chr. Index cum syn.

**ovatum** (J. Sm.) Cop. Phil. Journ. Sci. 1. Suppl. IV. 252. 1906. — Malesia.

*Lindsaya* J. Sm., Hk. Sp. 1. 204 t. 64A. 1846. *Schizoloma fuligineum* Cop. 1906, Ind. Suppl. — *S. auriculatum* v. A. v. R. 1922.

**pluriforme** Bonap. N. Pt. 16. 51. 1925, C. Chr. Dansk Bot. Ark. 7. 79 t. 28 f. 5–6. 1932. — Madagascar.

- reniforme (Dry.) Diels 1899, Index = *S. sagittatum* f.  
 schizolomae v. A. v. R. Mal. Ferns Suppl. 214. 1917 = *S. Guerinianum* var.
- SCHIZOSTEGE** Hillebrand 1888, Ind. Suppl. — (Polypodiaceae Gen. 125).
- SCLEROGLOSSUM** v. A. v. R. Bull. Jard. Buit. II no. 7. 37. 1912; C. Chr. Dansk Bot. Ark. 6<sup>3</sup>. 25—30. 1929. — (Polypodiaceae Gen. 141).  
 angustissimum Cop. Phil. Journ. Sci. 12C. 65. 1917 = *S. pusillum* var.  
 crassifolium (Bak.) C. Chr. Gard. Bull. S. S. 4. 407. 1929; l. c. 30 t. 2. 1929. — Borneo, Mal. Penins. — *Vittaria* Bak. 1893, Index 653.  
 debile (Kuhn) v. A. v. R. Bull. Buit. II no. 7. 39. 1912; C. Chr. l. c. 26 t. 2, 4. 1929. — Mal. Penins., Borneo, N. Guinea. — *Vittaria* Kuhn 1869, Index 653.  
 mauruense (Nadeaud) J. W. Moore, Bishop Mus. Bull. 102. 1933. — Ins. Societatis. — *Vittaria* (Nadeaud) C. Chr. Index.  
 minus (Fée) C. Chr. l. c. 29 t. 2. 1929. — Ins. Phil. Amboina. — *Vittaria* Fée 1852; *Pleurogramme* Cop. 1912. P. Loheriana Christ 1907; *Monogramma* v. A. v. R. 1908.  
 pusillum (Bl.) v. A. v. R. Bull. Buit. II no. 7. 39. 1912; C. Chr. l. c. 27 t. 2. 1929. — Malaya. — *Vittaria* Bl. 1828, Index 655 (excl. syn. *V. minor*); *Cochlidium* Cop. 1929, *Monogramma intermedia* Cop. 1906; *Pleurogramme* Cop. 1908. — *Scleroglossum angustissimum* Cop. 1917 (an sp.?).  
 pyxidatum v. A. v. R. Bull. Buit. II no. 16. 37 t. 9. 1914 = *Nematopteris*.  
 sulcatum (Kuhn) v. A. v. R. l. c. II no. 7. 39. 1912; C. Chr. l. c. 28 t. 2. 1929. — Ceylon. Malaya. Polynesia. — *Vittaria* Kuhn 1869, Index.  
 wooroonoran (Bailey) C. Chr. l. c. 29 t. 2, 4. 1929. — *Vittaria* Bailey 1889,
- SCYPHOFILIX** Thouars = **Microlepia?** [Index 655.  
 Speluncae—strigosa (trrigosa ex err.) Farwell, Amer. Midl. Naturalist 12. 263. 1931 = *M. sp.* homonym.
- SCYPHULARIA** Fée, Gen. 324. 1852, Copeland, Phil. Journ. Sci. 34. 254. 1927. — *Davallia* sp. Index. — (Polypodiaceae Gen. 53).  
 dorsalis Cop. Univ. Calif. Publ. 12. 401 t. 54 a. 1931. — N. Guinea.  
 pentaphylla (Bl.) Fée 1852. — Malesia. — *Davallia* Bl. 1828, Index c. syn. excl. *D. pycnocarpa* Brack. et loc. Polynesia.  
 pycnocarpa (Brack.) Cop. Phil. Journ. Sci. 34. 255. 1927. — Fiji. *Davallia* Brack. 1854.  
 simplicifolia Cop. l. c. 7C. 64. 1912. — Borneo. — *Davallia* C. Chr. Ind. Suppl.  
 sinusora Cop. l. c. 34. 255 t. 5. 1927. — N. Guinea.  
 tannensis Cop. Univ. Calif. Publ. Bot. 12. 401 t. 54 b. 1931. — Ins. Tanna  
 triphylla (Hk.) Fée 1852. — Malacca. ([N. Hebridæ). *Davallia* Hk. 1846, Index.
- SELLIGUEA** Bory = **Polypodium**.  
 feeioides Cop. Bishop Mus. Bull. 59. 17. 1929.  
 subcaudiformis Ridley, Journ. Mal. Br. R. As. Soc. 4. 90. 1926 = *P. Mettenianum* var.
- SERPYLLOPSIS** v. d. Bosch. — (Hymenophyllaceae Gen. 2). [nianum var.  
 antarctica v. d. B. 1861 = *S. caespitosa*.  
 caespitosa (Gaud.) C. Chr. Ark. för Bot. 10 no. 2. 29, f. 4. 1910. — America antarct. Juan Fernandez. — *Trichomanes* (Gaud.) Hk. 1846, Index c. syn., *Hymenophyllum Dusenii* Christ 1899, Index.
- SINOPTERIS** C. Chr. et Ching Bull. Fan Mem. Inst. 4. 359. 1933. — (Polypodiaceae Gen. 111).  
 grevilleoides (Christ) C. Chr. et Ching, l. c. 360 t. 1. — China merid. *Cheilanthes* Christ 1909, Ind. Suppl.  
 hopeiensis C. Chr. et Ching, l. c. 361 t. 2. — China bor. (Hopei).

**SOROLEPIDIUM** Christ 1911, Ind. Suppl. = **Polystichum**.

glaciale Christ 1911, Ind. Suppl. = *P. Duthiei*.

**SPHAEROSTEPHANOS** J. Smith 1839, Copeland, Univ. Calif. Publ. Bot. 16. 60. 1929. — *Mesochlaena* R. Br. 1838 (nomen nudissimum), J. Smith 1840, Index. — (Polypodiaceae Gen. 16).

**larutensis** (Bedd.) C. Chr. Ind. Suppl. III. 172. 1934. — Malacca, Sumatra, Borneo. — *Dryopteris* (Bedd.) C. Chr. Index; *Mesochlaena* v. A. v. R. 1908.

**polycarpa** (Bl.) Cop. Univ. Calif. Publ. Bot. 16. 60. 1929. — Malesia. *Mesochlaena* (Bl.) Bedd. 1876, Index.

**sumatrensis** (v. A. v. R.) C. Chr. Ind. Suppl. III. 172. 1934. — Sumatra. *Mesochlaena* v. A. v. R. Bull. Buit. III. 2. 160. 1920.

**talamanensis** (v. A. v. R.) C. Chr. Ind. Suppl. III. 172. 1934. — Sumatra. *Mesochlaena* v. A. v. R. l. c. II no. 28. 34. 1918.

**Toppingii** (Cop.) C. Chr. Ind. Suppl. III. 172. 1934. — Borneo. *Mesochlaena* Cop. Phil. Journ. Sci. 12C. 57. 1917.

**SPHENOMERIS** Maxon 1913, Ind. Suppl. préel. = **Stenoloma**.

*alutacea* (p. 365) — *deltoidea*, *scoparia* (366) Cop. Univ. Calif. Publ. Bot. 14. 1929 = *St.* sp. homonym.

*chinensis* Maxon 1913 = *St. chusanum*.

*chusana* Cop. Bishop Mus. Bull. 59. 69. 1929 = *St. chusanum*.

*decomposita* (78 t. 26) — *flabellifolia* (78 t. 27 f. 7—8) — *Melleri* (78 t. 27 f. 1—3) — *odontolabia* (77 t. 26 f. 6—10) C. Chr. Dansk Bot. Ark. 7. 77—78 t. 26—27. 1932 = *St.* sp. homonym.

*Moorei* Cop. Univ. Calif. Publ. Bot. 14. 366. 1929 = *Tapeinidium*.

*Veitchii* C. Chr. Gardens' Bull. S. S. 7. 234. 1934.

**SPICANTA** Presl = **Blechnum**.

*amabilis* Nakai, Report. Veget. Kamikochi 13. 1928.

*nipponica* Hayata, Bot. Mag. Tokyo 41. 700. 1927.

**SPICANTOPSIS** Nakai, Bot. Mag. Tokyo 47. 180. 1933 = **Blechnum**.

*amabilis* (184) — *nipponica* (181) Nakai, l. c. = *B.* sp. homonym.

•**STEGNOGRAMME**• Lobbiana Ridley, Journ. Mal. Br. R. As. Soc. 4. 56. 1926 (ex err.) = *Syngamma* Lobbiana.

**STENOCHLAENA** J. Smith. — (Polypodiaceae Gen. 86).

*Obs.* Cl. Holttum 1932 (Gardens' Bull. S. S. 5. 245 f.) sp. males. hujus generis sensu Indicis recte in tria genera dividit: *Stenochlaena* (*S. palustris* et aff.), *Lomariopsis* Fée, *Teratophyllum* Mett. In hoc supplemento *Teratophyllum* ex *Stenochlaena* segregatum est.

*abrupta* v. A. v. R. 1915, Ind. Suppl. préel. = *S. cochinchinensis*.

*aculeata* (Bl.) Kze. 1848, Index = *Teratophyllum*.

**amydrophlebia** Slosson, Maxon, Journ. Wash. Acad. Sci. 14. 141. 1924. — Puerto Rico. Hispaniola.

*arthropteroides* Christ 1906, Ind. Suppl. = *Teratophyllum*.

**Balansae** (Fourn.) C. Chr. Vierteljahrsschr. Nat. Ges. Zürich 74. 59. 1929. — N. Caledonia. — *Lomariopsis* Fourn. Ann. sc. nat. V. 18. 271. 1873.

**boninensis** (Nakai) C. Chr. Ind. Suppl. III. 172. 1934. — Ins. Bonin. *Lomariopsis* Nakai, Bot. Mag. Tokyo 47. 171. 1933.

*cordata* Bonap. N. Pt. 4. 73. 1917. — Madagascar.

?*dubia* v. A. v. R. 1908, Ind. Suppl. — *Alsophila* sp.?

**elaphoglossoides** C. Chr. Ind. Suppl. III. 172. 1934. — Afr. occ. trop.

*Elaphoglossum palustre* (Hk.) J. Sm. 1877, Index c. syn. (non *Stenochlaena gracilis* (Bl.) Kze. 1848, Index = *Teratophyllum*. [Bedd.]

- limonifolia* J. Sm. 1841 = *Teratophyllum ludens*.  
*longicaudata* Bonap. N. Pt. 5. 93. 1917 = *S. pollicina*.  
*madagasearica* Bonap. N. Pt. 4. 74, 5. 84. 1917, C. Chr. Dansk Bot. Ark. 7. 109 t. 41 f. 3—7. 1932. — Madagascar.  
*oleandrifolia* Brack. 1854, Ind. Suppl. 130. — Adde syn. *S. Seemannii* (Carr.) Und. 1906, Ind. Suppl. Gymnogramme? *subtrifoliata* Hk. 1864.  
*Raciborskii* C. Chr. — *Lomariopsis* Holttum 1932.  
*rotundifoliata* Bonap. N. Pt. 14. 58. 1924 = *Teratophyllum*.  
*Seemanni* (Carr.) Und. 1906, Ind. Suppl. = *S. oleandrifolia*.  
*Setchellii* Maxon, Univ. Calif. Publ. Bot. 12. 23 t. 1. 1924. — Tahiti. Samoa. *Lomariopsis* Holttum 1932.  
*spondiaefolia* Pr. 1849 }  
*spondicifolia* J. Sm. 1841 } = *S. cochinchinensis*.  
*subtrifoliata* Cop. 1906, Ind. Suppl. — *Lomariopsis* Holttum 1932.  
*Williamsii* Und. 1906, Ind. Suppl. = *Teratophyllum*.
- STENOLOMA** Fée, Gen. Fil. 330. 1852 reduct. — *Sphenomeris* Maxon 1913. *Odontosoria* part. Index. — (*Polypodiaceae* Gen. 61).  
*alutaceum* (Mett.) C. Chr. Ind. Suppl. III. 173. 1934. — N. Caledonia. *Lindsaya* Mett. 1861, Index; *Sphenomeris* Cop. 1929.  
*angustifolium* (Bernh.) C. Chr. Ind. Suppl. III. 173. 1934. — N. Zealand. *Odontosoria* (Bernh.) C. Chr. Index.  
*bifidum* (Klf.) C. Chr. Ind. Suppl. III. 173. 1934. — Brasilia. *Odontosoria* (Klf.) J. Sm. 1875, Index.  
*biflorum* (Klf.) Ching, Sinensia 3. 338. 1933. — Ins. Phil. Hongkong. *Odontosoria* (Klf.) C. Chr. Index. O. Tsoongii Ching 1930.  
*chusanum* (L.) Ching, l. c. 337. — Asia—Polynesia trop.—Japonia, Ins. Mascar. Madagascar. — *Adiantum* L. sp. 1095. 1753; *Sphenomeris* Cop. 1929; *Odontosoria chinensis* (L.) J. Sm. 1857, Index cum syn.; *Sphenomeris* Maxon 1913.  
*clavatum* (L.) Fée 1852. — Ind. occ. Florida. — *Odontosoria* (L.) J. Sm. 1857, Index; *Sphenomeris* Maxon 1913.  
*decompositum* (Bak.) C. Chr. Ind. Suppl. III. 173. 1934. — Madagascar. *Odontosoria* (Bak.) C. Chr. Index; *Sphenomeris* C. Chr. 1932.  
*deltoideum* C. Chr. Ind. Suppl. III. 173. 1934. — N. Caledonia, Ins. Pinorum, N. Hebridae. — *Lindsaya* C. Chr. Index cum syn.; *Sphenomeris* Cop. 1929.  
*Eberhardtii* (Christ) Ching, Sinensia 3. 338. 1933. — Annam. Hainan. *Odontosoria* Christ 1908, Ind. Suppl. *Lindsaya dissectiformis* Ching 1930.  
? *flabellifolium* (Bak.) C. Chr. Ind. Suppl. III. 173. 1934. — Madagascar. *Odontosoria* (Bak.) C. Chr. Index; *Sphenomeris* C. Chr. 1932.  
*meifolium* (HBK) C. Chr. Ind. Suppl. III. 173. 1934. — Panama—Brasilia. *Odontosoria* (HBK) C. Chr. Index cum syn.  
*Melleri* (Hk.) C. Chr. Ind. Suppl. III. 173. 1934. — Madagascar. Réunion. *Odontosoria* (Hk.) C. Chr. Index; *Sphenomeris* C. Chr. 1932.  
? *odontolabium* (Bak.) C. Chr. Ind. Suppl. III. 173. 1934. — Madagascar. *Odontosoria* (Bak.) C. Chr. Index; *Sphenomeris* C. Chr. 1932; *Hymenophyllum lindsaeoides* Bak. 1894, Index.  
*retusum* (Cav.) Fée 1852. — Malesia, Melanesia. — *Odontosoria* (Cav.) J. Sm. 1857, Index. O. *decipiens* (Ces.) Christ 1909, Ind. Suppl. cum syn.  
*scoparium* (Mett.) C. Chr. Ind. Suppl. III. 173. 1934. — N. Caledonia. *Odontosoria* (Mett.) Diels 1899, Index; *Sphenomeris* Cop. 1929.

- Veitchii** (Bak.) C. Chr. Ind. Suppl. III. 174. 1934. — Borneo.  
Davallia Bak. 1879, Index; Sphenomeris C. Chr. 1934.
- virescens** (Sw.) C. Chr. Ind. Suppl. III. 174. 1934. — Brasilia.  
Lindsaya Sw. 1817, Index; Odontosoria Ros. 1906.
- viride** (Col.) C. Chr. Ind. Suppl. III. 174. 1934. — N. Zealand.  
Lindsaya Col. 1844, Index.
- STIGMATOPTERIS** C. Chr. 1909, Index Suppl. 70. — (Polypodiaceae Gen. 15).
- alloëptera** (Kze.) C. Chr. 1909, Index Suppl. 70. — Costa Rica. Peru.  
Dryopteris (Kze.) C. Chr. Ind. Suppl. 70 cum syn.
- Bradei** Ros. Fedde Rep. 21. 347. 1925. — Brasilia.
- Carrii** (Bak.) C. Chr. 1909. — Brasilia austr. Surinam (t. Posthumus).  
Dryopteris (Bak.) C. Chr. Index; Phegopteris Farwell 1931.
- caudata** (Raddi) C. Chr. 1909. — Brasilia.  
Dryopteris (Raddi) C. Chr. Index cum syn.
- contracta** (Christ) C. Chr. 1909. — Costa Rica.  
Dryopteris (Christ) C. Chr. Ind. Suppl.
- cyclocolpa** (Christ) C. Chr. Vid. Selsk. Skr. VIII. 6. 29 f. 5 a, 1920. — Costa Rica. — Dryopteris (Christ) C. Chr. Index.
- ecuadorensis** C. Chr. l. c. 29 f. 5 c. — Ecuador. — Dryopteris C. Chr. l. c.
- guianensis** (Kl.) C. Chr. Ind. Suppl. III. 174. 1934. — Guiana—Brasilia. Colombia. — Aspidium Kl. Linn. 20. 364. 1847; Polystichum Pr. 1849; Dryopteris Posthumus 1928. Aspidium abbreviatum Schrad. 1824 (non Poir. 1816); Polystichum J. Sm. 1842, Index cum syn. — Dryopteris subobliquata (Hk) O. Ktze., Index.
- hemiptera** (Maxon) C. Chr. Ind. Suppl. III. 174. 1934. — Cuba.  
Dryopteris Maxon, Contr. U. S. Nat. Herb. 24. 59. 1922.
- heterocarpa** (Fée) Ros. Fedde Rep. 21. 347. 1925. — Brasilia.  
Phegopteris Fée 1869.
- ichtiosma** (Sod.) C. Chr. 1909. — Ecuador—Colombia.  
Dryopteris (Sod.) C. Chr. Index. D. longipetiolata C. Chr. Index.
- Lechleri** (Mett) C. Chr. Vid. Selsk. Skr. VIII. 6. 28 f. 5 b. 1920. — Peru.  
Phegopteris Mett. Fil. Lechl. 2. 25. 1859. Dryopteris prasina (Bak.) C. Chr. Index; Stigmatopteris C. Chr. 1913.
- litoralis** Ros. Fedde Rep. 22. 12. 1925. — Costa Rica.
- longicaudata** (Liebm.) C. Chr. 1909. — Mexico—Peru.  
Dryopteris (Liebm.) C. Chr. Ind. Suppl.
- Michaelis** (Bak.) C. Chr. 1909. — Ecuador—Colombia.  
Dryopteris (Bak.) C. Chr. Index et Ind. Suppl. 108 cum syn.
- nephrodoides** (Kl.) C. Chr. 1909. — Venezuela—Colombia—Guatemala.  
Dryopteris Klotzschii C. Chr. Ind. Suppl.
- nothochlaena** (Maxon) C. Chr. Ind. Suppl. III. 174. 1934. — Jamaica.  
Dryopteris Maxon, Contr. U. S. Nat. Herb. 24. 58. 1922.
- opaca** (Bak.) C. Chr. 1913. — Ecuador. — Dryopteris Christii C. Chr. Index.
- palmensis** Ros. Fedde Rep. 22. 12. 1925. — Costa Rica.
- pellucido-punctata** C. Chr. 1909. — Ecuador. — Dryopteris C. Chr. Index.  
prasina C. Chr. 1913 = S. Lechleri.
- prionites** (Kze.) C. Chr. 1909. — Brasilia. — Dryopteris (Kze.) C. Chr. Index et Ind. Suppl. 109 cum syn.
- rotundata** (Willd.) C. Chr. 1909. — Antillae min. — Brasilia. — Dryopteris (Willd.) C. Chr. Index et Ind. Suppl. cum syn. — Nephrodium Imrayanum Hk. 1862; Dryopteris Domin 1929.

- saneti-gabrieli** (Hk.) C. Chr. Ind. Suppl. III, 175. 1934. — Trinidad. Venezuela. — *Dryopteris* (Hk.) Ktze., Index.
- sordida** (Maxon) C. Chr. Ind. Suppl. III, 175. 1934. — Guatemala.  
*Dryopteris* Maxon, Contr. U. S. Nat. Herb. 24, 60. 1922.
- tijuccana** (Raddi) C. Chr. 1909. — Brasilia. — *Dryopteris* (Raddi) C. Chr. Index et Ind. Suppl. 111 cum syn.
- varians** (Fée) Alston, Kew Bull. 1932, 309. — Trinidad. Guiana. — *Dryop-*
- STRUTHIOPTERIS** Weis = **Blechnum**. [teris (Fée) O. Ktze., Index.  
*castanea* Nakai, Bot. Mag. Tokyo 47, 186. 1933.  
*caudata* Maxon, Proc. Biol. Soc. Wash. 43, 86. 1930.  
*nipponica* Nakai, Report Veg. Daisetsusan 15. 1930.  
*tuerckheimii* Maxon, Journ. Wash. Acad. Sci. 14, 89. 1924.
- STRUTHIOPTERIS** Willd. = **Matteuccia**.  
*struthiopteris* Farwell, Amer. Midl. Naturalist 12, 252. 1931.
- SYNGRAMMA** J. Smith. — (Polypodiaceae Gen. 91).  
*alta* Copeland, Brittonia 1, 74. 1931. — Borneo.  
*angusta* Cop. 1909, Ind. Suppl. = *Dryopteris oligodictya*.  
*brevifrons* A. C. Smith, Bull. Torr. Cl. 57, 178 t. 8. 1930. — Guiana (Roraima).  
*campyloneuroides* Baker, Ridley, Journ. Mal. Br. R. As. Soc. 4, 105. 1926  
(gen. falsum) = *Polypodium*.  
*grandis* (Cop.) C. Chr. Ind. Suppl. = *Craspedodictyum*.  
*luzonica* v. A. v. R. Bull. Buit. III, 2, 174. 1920. — Luzon.  
*minima* Holttum, Gardens' Bull. S. S. 4, 56. 1927. — Johore.  
*paraphysata* A. C. Smith, Bull. Torr. Cl. 58, 304. 1931. — Guiana.  
*quinata* (Hk.) Carr. 1873, Index = *Craspedodictyum*.  
*Schlechteri* Brause 1912, Ind. Suppl. = *Craspedodictyum*.  
*scolopendrioides* (Bak.) C. Chr. Index = *Stenochlaena* sp. (sterilis).
- TAENITIS** Willdenow. — (Polypodiaceae Gen. 65).  
*blechnoides* (Willd.) Sw. — Dele var. *T. obtusa* et *T. interrupta*.  
*Brooksii* Cop. 1911, Ind. Suppl. = *T. obtusa*.  
*Desvauxii* Kl. 1847 = *Eschatogramme Desvauxii*.  
*drymoglossoides* Cop. 1909, Ind. Suppl. = *T. obtusa*.  
*furcata* Hk. et Grev. Ic. Fil. t. 7. 1827 (non Willd.) = *Eschatogramme Desvauxii*.  
*interrupta* Hk. et Grev. 1828. — Malesia. — *T. stenophylla* Christ 1905, Index.  
*obtusa* Hk. Ic. Pl. t. 994. 1854. — Borneo. — *T. drymoglossoides* Cop. 1909  
et *T. Brooksii* Cop. 1911, Ind. Suppl. *Polypodium flabellivenium* Bak. 1867  
Index cum syn.  
*Requiniana* (Gaud.) Cop. Univ. Calif. Publ. Bot. 16, 85. 1929. — Malesia—  
Melanesia. — *Platytaenia* (Gaud.) Kuhn 1882, Index.  
*rigida* Cop. Sarawak Mus. Journ. 2, 329. 1917 = *Pycnoloma*.  
*simplicivenia* Ces. 1877 = *Scleroglossum pusillum*.  
*stenophylla* Christ 1905, Index = *T. interrupta*.
- TAPEINIDIUM** (Presl) C. Chr. — (Polypodiaceae Gen. 63).  
*amboynense* (Hk.) C. Chr. Index = *T. moluccanum*.  
*Bartlettii* Cop. Univ. Calif. Publ. Bot. 14, 376 t. 60. 1929. — Sumatra.  
*biserratum* (Bl.) v. A. v. R. Mal. Ferns Suppl. 509. 1917. — Malesia.  
*Davallia* Bl. 1828; *Microlepia* Pr. 1849. — *Davallia gracilis* Bl. 1828; *Microlepia* J. Sm. 1842; *Wibelia* Christ 1905; *Tapeinidium* v. A. v. R. 1909.  
*Wibelia bipinnata* Fée 1852. *Davallia luzonica* Hk. 1846. — *Davallia Hosei* Bak. 1888, Index; *Leucostegia* Cop. 1017. — *Tapeinidium oligophlebium* (Bak.) C. Chr. Index.

- Brooksii** (Cop.) C. Chr. Ind. Suppl. III. 176. 1934. — Borneo. — Protolindsaya Denhami (Hk.) C. Chr. Index = T. tenue. [Cop. 1910, Ind. Suppl.]
- firmulum** (Bak.) C. Chr. Ind. Suppl. III. 176. 1934. — Sumatra.  
Microlepia (Bak.) C. Chr. Index.
- flavicans** (Fourn.) Hier. Hedwigia 62. 13. 1920. — N. Caledonia.  
Lindsaya Mett. 1864, Index. — L. exilis Fourn. 1873, Index. — (Cf. L. Balansae Fourn.).
- longipinnulum** (Cesati) C. Chr. Ind. Suppl. III. 176. 1934. — N. Guinea.  
Davallia Ces. 1877. D. intramarginalis Cesati 1877. Tapeinidium marginale Cop. 1911, Ind. Suppl.
- marginale Cop. 1911, Ind. Suppl. = T. longipinnulum.
- moluccanum** (Bl.) C. Chr. Gardens' Bull. S. S. 4. 399. 1929. — Moluccae. N. Guinea. . . . Davallia Bl. 1828; Microlepia Pr. 1849. Tapeinidium amboynense (Hk.) C. Chr. Index cum syn. — Davallia stenoloba Bak. 1886, Index. Tapeinidium stenocarpum v. A. v. R. 1924.
- Moorei** (Hk.) Hier. Hedwigia 62. 13. 1920. — N. Caledonia.  
Davallia Hk. 1861, Index; Sphenomeris Cop. 1929. — Lindsay amediocris Fourn. 1873, Index.
- obtusatum** v. A. v. R. Nova Guinea 14. 52. 1924. — N. Guinea.
- oligophlebium** (Bak.) C. Chr. Index = T. biserratum var.
- philippinense** (Harr.) C. Chr. Ind. Suppl. III. 176. 1934. — Ins. Phil.  
Microlepia (Harr.) Cop. 1905, Index.
- pinnatum** (Cav.) C. Chr. — Dele syn. plur., v. T. biserratum et T. longipinnulum.
- stenocarpum v. A. v. R. Nova Guinea 14. 52. 1924 = T. moluccanum var. stenolobum.
- sumatranum** v. A. v. R. Bull. Buit. III. 2. 174. 1920. — Sumatra.
- tenue** (Brack.) Cop. Bishop Mus. Bull. 59. 63. 1929. — Polynesia.  
Microlepia Brack. 1854. Tapeinidium Denhami (Hk.) C. Chr. Index.
- TECTARIA** Cavanilles, Anal. Hist. Nat. 1. 115. 1799. — Aspidium Sw. 1801 part. Index. — (Polypodiaceae Gen. 33).  
Obs. Omnes species Aspidii Ind. Fil. cum Suppl. ad Tectariam hic translatae sunt. — Cf. Copeland Phil. Journ. Sci. 2C. 409 ff. 1907 (Revisio sp. phil.) et Ching, Sinensia 2. 9 ff. 1931 (Revisio sp. himal. et chin.).
- acutiloba** (Hier.) Maxon, Proc. Biol. Soc. Wash. 43. 88. 1930. — Colombia.  
Aspidium Hier. 1904, Index.
- adenophora** Cop. Elmer's Leaflets 4. 1151. 1907. — Ins. Phil.  
Aspidium v. A. v. R. 1917.
- aequatoriensis** (Hier.) C. Chr. Ind. Suppl. III. 176. 1934. — Ecuador.  
Aspidium Hier. 1907, Index Suppl.
- ambigua** Cop. Phil. Journ. Sci. 2C. 415. 1907 = Heterogonium aspidioides.
- amblyotis** (Bak.) C. Chr. Ind. Suppl. III. 176. 1934. — Polynesia.  
Nephrodium Bak. 1891, Aspidium Veitchianum C. Chr. Index.
- Amesiana** A. A. Eaton, Bull. Torr. Cl. 33. 479. 1906. — Florida.  
Aspidium Christ 1910, Ind. Suppl.
- amplifolia** (v. A. v. R.) C. Chr. Ind. Suppl. III. 176. 1934. — Malacca.  
Aspidium v. A. v. R. Bull. Buit. II no. 11. 2. 1913, Ind. Suppl. pré.
- anastomosans** (Hayata) C. Chr. Ind. Suppl. III. 176. 1934. — Formosa.  
Aspidium Hayata, Journ. Coll. Sci. Univ. Tokyo 30. 450. 1911, Ind. Suppl. pré.; Sagenia Nakai 1933.

- andaiensis** (Bak.) C. Chr. Ind. Suppl. III. 176. 1934. — N. Guinea.  
Aspidium (Bak.) C. Chr. Index.
- andina** (Bak.) C. Chr. Ind. Suppl. III. 177. 1934. — Peru.  
Aspidium (Bak.) C. Chr. Index.
- angelicifolia** (Schum.) Cop. Phil. Journ. Sci. 2C. 410. 1907. — Africa trop. occ.  
Aspidium (Schum.) C. Chr. Index.
- angulata** (Willd.) C. Chr. Ind. Suppl. III. 177. 1934. — Malesia. N. Guinea.  
Aspidium (Willd.) J. Sm., Mett. 1864, Index.
- angustior** (Christ) Cop. Phil. Journ. Sci. 2C. 410. 1907. — Costa Rica.  
Aspidium (Christ) C. Chr. Ind. Suppl.
- antioquiana** (Bak.) C. Chr. Ind. Suppl. III. 177. 1934. — Colombia.  
Aspidium (Bak.) C. Chr. Index.
- apiifolia** Cop. Phil. Journ. Sci. 2C. 410. 1907 = *T. cicutaria*?
- artinexa** Ching, Sinensia 2. 15. 1931 = *T. Clarkei*.
- aspidioides** Cop. Phil. Journ. Sci. 38. 137. 1929 = *Heterogonium*.
- athyrioides** (Bak.) C. Chr. Ind. Suppl. III. 177. 1934. — Costa Rica.  
*Nephrodium* Bak. 1884; *Aspidium costaricanum* C. Chr. Index.
- austrosinensis** (Christ) C. Chr. Ind. Suppl. III. 177. 1934. — China austr.,  
Tonkin. — *Dryopteris* Christ 1907, Ind. Suppl.
- Bakeri** v. A. v. R. Bull. Dépt. agric. Ind. néerl. 21. 8. 1908 = *T. Trimeni*.
- Balansae** C. Chr. Ind. Suppl. III. 177. 1934. — Tonkin. — *Aspidium* C. Chr.  
Index; *Nephrodium stenopteron* Bak. 1890 (non *N. stenopterus* Eat. 1859);  
*Tectaria* Ching 1931.
- Bamleriana** (Ros.) C. Chr. Ind. Suppl. III. 177. 1934. — N. Guinea.  
*Aspidium* Ros. Fedde Rep. 10. 330. 1912, Ind. Suppl. — (An *T. Beccariana*?)
- Barberi** (Hk.) Cop. Phil. Journ. Sci. 2C. 414. 1907. — Malacca, Borneo, Ins.  
Phil. — *Aspidium* (Hk.) C. Chr. Index cum syn. — *A. Kuhnii* C. Chr.  
Index. — *A. Künstleri* Bedd. 1892, Index.
- Barelayi** (Carr.) C. Chr. Ind. Suppl. III. 177. 1934. — N. Ireland (non Fiji).  
*Aspidium* (Carr.) C. Chr. Index.
- Barteri** (J. Sm.) C. Chr. Ind. Suppl. III. 177. 1934. — Africa occ. trop.  
*Aspidium* J. Sm. 1866, Index.
- Beccariana** (Cesati) C. Chr. Ind. Suppl. III. 177. 1934. — N. Guinea.  
*Aspidium* (Ces.) Diels 1899, Index. *Polypodium ingens* Brause 1920. —  
*P. Schultzei* Brause 1912; *Pleopeltis* v. A. v. R. 1917.
- Brauniana** (Karst.) C. Chr. Ind. Suppl. III. 177. 1934. — Colombia.  
*Aspidium* Karst. Fl. Col. 1. 63 t. 31. 1859; *Dryopteris* O. Ktze. 1891, Index.
- Brooksii** Cop. Phil. Journ. Sci. 6C. 137 t. 20 b. 1911. — Borneo.  
*Aspidium* (Cop.) C. Chr. Ind. Suppl.; *Dictyopteris* v. A. v. R. 1917.
- Bryanti** Cop. l. c. 2C. 412. 1907. — Ins. Phil. — *Aspidium* Cop. 1905, Index.  
661. — *A. Bolsteri* Cop. 1906, Ind. Suppl.; *Dictyopteris* v. A. v. R. 1909.
- Buchholzii** (Kuhn) Cop. l. c. 38. 138. 1929 (*Buckholzii*). — Africa occ. trop.  
*Aspidium* Kuhn 1879; *Dryopteris* C. Chr. Index.
- Buchtienii** (Ros.) Maxon, Proc. Biol. Soc. Wash. 46. 143. 1933. — Bolivia.  
Brasilia. — *Aspidium* Ros. 1912, Ind. Suppl.
- Burchardii** (Ros.) C. Chr. Ind. Suppl. III. 177. 1934. — Sumatra.  
*Aspidium* Ros. Med. Rijks Herb. no. 38. 3. 1917.
- burmanica** Ching, Sinensia 2. 31. 1931 = *T. Rockii*.
- Cadieri** (Christ) C. Chr. Ind. Suppl. III. 177. 1934. — Annam.  
*Aspidium* Christ 1905, Index.
- Index Filicum. Supplementum III.**



- calcarea** (J. Sm.) Cop. Phil. Journ. Sci. 2C. 415. 1907. — Ins. Phil.  
**calcicola** Cop. Brittonia 1. 72 t. 1. 1931. — Borneo.  
**carinata** (v. A. v. R.) C. Chr. Ind. Suppl. III. 178. 1934. — Sumatra.  
 Dictyopteris v. A. v. R. Bull. Buit. II no. 28. 18. 1918.  
**celebica** C. Chr. Engl. Jahrb. 66. 49. 1933. — Celebes.  
**Cesatiana** (C. Chr.) Cop. Phil. Journ. Sci. 6C. 76. 1911. — N. Guinea.  
 Aspidium C. Chr. Index.  
**chattagrammica** (Clarka) Ching, Sinensia 2. 35, fig. 1931. — Sikkim-Burma.  
 Polypodium Clarke, Tr. Linn. Soc. II. Bot. 1. 548 t. 81. 1880; Dictyopteris Bedd. 1883; Aspidium Diels 1899.  
**chimbrazensis** C. Chr. Ind. Suppl. III. 178. 1934. — Ecuador.  
 Aspidium C. Chr. Index.  
 Christii Cop. Phil. Journ. Sci. 2C. 416. 1907 = *T. macrodonta*.  
**chrysotricha** (Bak) C. Chr. Ind. Suppl. III. 178. 1934. — Samoa.  
 Nephrodium Bak. Ann. Bot. 5. 328. 1891; Dryopteris C. Chr. Index; Aspidium C. Chr. Ind. Suppl. 92 (non Christ 1896).  
**cicutaria** (L.) Cop. Phil. Journ. Sci. 2C. 410. 1907. — Antillae maj.  
 Aspidium Sw. 1801, Index (excl. varr. et subsp. *A. tenuifolium* Mett., *A. Gaudichaudii* Mett., *A. coadunatum* Wall.) — *A. hippocrepis* (Jacq.) Sw., Index (t. Maxon).  
**Clarkei** (Bedd.) C. Chr. Ind. Suppl. III. 178. 1934. — Sikkim.  
 Pleocnemia Bedd. Ferns br. Ind. Suppl. 15 t. 368. 1876; Nephrodium artinexum Clarke 1880. Aspidium C. Chr. Index; Tectaria Ching 1931.  
**Clemensiae** Cop. Brittonia 1. 73. 1931. — Borneo.  
*coadunata* C. Chr. Contr. U. S. Nat. Herb. 26. 331. 1931 = *T. macrodonta*.  
**compitalis** (v. A. v. R.) C. Chr. Ind. Suppl. III. 178. 1934. — Sumatra.  
 Dictyopteris v. A. v. R. Bull. Buit. III. 5. 194. 1922.  
**cordulata** (Ros.) C. Chr. Ind. Suppl. III. 178. 1934. — Java.  
 Aspidium Ros. Med. Rijks Herb. no. 31. 3. 1917.  
**coriandrifolia** (Sw.) Underw. Bull. Torr. Cl. 33. 200. 1906. — India occ. Florida. — Aspidium Sw. 1801, Ind. Suppl. 92.  
**craspedocarpa** Cop. Journ. Arnold Arb. 10. 178. 1929. — N. Guinea.  
**erenata** Cav. Descr. 250. 1802. — Malesia—Polynesia. — Aspidium repandum Willd. 1810, Index. *A. pachyphyllum* Kze. 1848, Index. *A. platyphyllum* Pr. 1848. — *A. persoriferum* Cop. 1905.  
**erinigera** C. Chr. Dansk Bot. Ark. 7. 66 t. 18. 1932. — Madagascar.  
 Aspidium C. Chr. in Bonap. N. Pt. 16. 34. 1925.  
**cuspidato-pinnata** (Hayata) C. Chr. Ind. Suppl. III. 1934. — Formosa.  
 Aspidium subtriphylum var. *cuspidato-pinnatum* Hayata, Ic. Pl. Formosa 4. 189 f. 127. 1914; *Sagenia cuspidato-pinnata* Nakai 1933.  
**Dahlia** (Hier.) C. Chr. Ind. Suppl. III. 178. 1934. — N. Lauenburg.  
 Aspidium (Hier.) Diels 1801, Index; Dictyopteris v. A. v. R. 1912.  
**Decaryana** C. Chr. Dansk Bot. Ark. 7. 66 t. 19. 1932. — Madagascar.  
 Aspidium C. Chr. 1932.  
**de Castroi** (v. A. v. R.) C. Chr. Ind. Suppl. III. 178. 1934. — Timor.  
 Aspidium v. A. v. R. 1912, Ind. Suppl.  
**decurrens** (Pr.) Cop. Elmer's Leaflets 1. 234. 1907. — Asia trop.—Himalaya—Formosa—Polynesia. — Aspidium Pr. 1925, Index. *A. pteropus* Kze. 1846. *A. heterodon* Cop. 1905; *A. Copelandii* C. Chr. Index 661. — *A. mamillosum* (Moore) C. Chr. Index.

- devexa** (Kze.) Cop. Phil. Journ. Sci. 2C. 415. 1907. — Asia trop.—China austr.—Formosa. — *Aspidium* Kze. 1848, Index.
- dictyosora** Cop. Phil. Journ. Sci. 38. 137. 1929 = *Hemigramma decurrens*.
- dilacerata** (Kze.) Maxon, Proc. Biol. Soc. Wash. 43. 176. 1930. — America centr. — *Aspidium* Kze. Linn. 23. 226, 300. 1850, Mett. Fil. Lips. 94 t. 22 f. 14—16. 1856; *Sagenia* Moore 1857.
- distincta** (v. A. v. R.) C. Chr. Ind. Suppl. III. 179. 1934. — Sumatra.  
*Dictyopteris* v. A. v. R. Bull. Buit. III. 5. 193. 1922.
- divergens** (Ros.) C. Chr. Ind. Suppl. III. 179. 1934. — Hort. Bogor. (Malaysia?). — *Aspidium* Ros. Med. Rijks Herb. no. 31. 3. 1917.
- diversisora** Cop. Phil. Journ. Sci. 30. 328. 1926. — N. Guinea.
- dolichosora** Cop. l. c. 38. 136. 1929. — Luzon.
- draconoptera** (Eat.) Cop. l. c. 2C. 410. 1907. — Colombia—Ecuador.  
*Aspidium* Eat. 1860, Index.
- dubia** (Bedd.) Ching, Sinensia 2. 23 f. 5. 1931. — Assam.  
*Aspidium* Bedd. 1892, Index.
- ebenina** (C. Chr.) Ching, l. c. 18. — China austr. — *Aspidium* C. Chr. Bull. Ac. Géogr. Bot. Mans 1913. 138, Ind. Suppl. préel.
- elliptica** Cop. Phil. Journ. Sci. 9C. 228. 1914. — Sumatra. — *Aspidium* C. Chr. Ind. Suppl. préel.; *Dictyopteris* v. A. v. R. 1917.
- Endresi** (Bak.) C. Chr. Ind. Suppl. III. 179. 1934. — Costa Rica.  
*Aspidium* (Bak.) C. Chr. Index.
- euryloba** (Christ) Maxon, Amer. Fern Journ. 17. 6. 1927. — Costa Rica—Ecuador. — *Aspidium* Christ 1896, Index.
- evenulosa** (v. A. v. R.) C. Chr. Ind. Suppl. III. 179. 1934. — Ceram.  
*Aspidium* v. A. v. R. Bull. Buit. II no. 28. 7. 1918.
- Everettii** (Bak.) C. Chr. Ind. Suppl. III. 179. 1934. — Ins. Natuna, Borneo.  
*Aspidium* (Bak.) C. Chr. Index.
- excellens** (Bl.) C. Chr. Ind. Suppl. III. 179. 1934. — Java.  
*Aspidium* Bl. 1828, Index cum syn.
- falcipinna** (v. A. v. R.) C. Chr. Ind. Suppl. III. 179. 1934. — Sumatra.  
*Aspidium* v. A. v. R. Bull. Buit. II no. 28. 7. 1918.
- fernandensis** (Bak.) C. Chr. Ind. Suppl. III. 179. 1934. — Fernando Po.  
*Aspidium* (Bak.) Diels 1899, Index.
- ferruginea** (Mett.) Cop. Phil. Journ. Sci. 6. 76. 1911. — N. Guinea.  
*Phegopteris* Mett. 1864; *Aspidium Zippelianum* C. Chr. Index cum syn. — *Tectaria gymnocarpa* Cop. 1914; *Aspidium* C. Chr. Ind. Suppl. préel.; *Dictyopteris* v. A. v. R. 1917.
- flumbrillifera** (v. A. v. R.) C. Chr. Ind. Suppl. III. 179. 1934. — Sumatra.  
*Pleocnemia* v. A. v. R. Bull. Buit. II no. 16. 28. 1914; *Aspidium* v. A. v. R. 1914, Ind. Suppl. préel.
- fuscipes** (Wall.) C. Chr. Contr. U. S. Nat. Herb. 26. 290. 1931. — India—China austr.—Tonkin.— *Aspidium* Wall. 1828 part., Bedd. Ferns br. Ind. Suppl. 15 t. 366. 1876; *Nephrodium* Clarke 1880; *N. membranifolium* Hk. 1862 (non Pr. 1825); *Aspidium* C. Chr. Index part. *A. subsageniaceum* Christ 1906; *Dryopteris* C. Chr. Ind. Suppl. — *Polypodium pteroides* Retz. 1783?; *Aspidium* Ballard 1932.
- gaboonensis** (Kuhn) C. Chr. Ind. Suppl. III. 179. 1934. — Africa occ. trop.  
*Aspidium* Kuhn 1868, Index.

- Gaudichaudii** (Mett.) Maxon, Proc. Biol. Soc. Wash. **36**. 173. 1923. — Ins. Hawaii. — *Aspidium* Mett., Kuhn, Linn. **36**. 123. 1869. *A. cicutarium* part. auct., Index.
- gigantea** (Bl.) Cop. Phil. Journ. Sci. **2C**. 410. 1907. — Java . . . (Malesia) China. — *Aspidium* Bl. 1828, Index excl. loc. India et Ceylon et syn. *Pleocnemia Trimeni* Bedd. etc.
- Godeffroyi** (Luer.) Cop. Bishop Mus. Bull. **59**. 29. 1929. — Fiji.  
*Aspidium* (Luer.) Christ 1897, Index. *A. depariopsis* C. Chr. Index cum syn.
- grandifolia** (Pr.) Cop. Phil. Journ. Sci. **2C**. 413. 1907. — Ins. Phil. N. Guinea.  
*Aspidium* Pr. 1849, Index cum syn.
- Griffithii** (Bak.) C. Chr. Ind. Suppl. III. 180. 1934. — Ind. bor.—China austr.  
*Nephrodium* Bak. 1867. *Aspidium multicaudatum* Wall., Bedd. 1883, Index cum syn.; *Tectaria* Ching 1931. — *A. neglectum* Mett., Kuhn 1869, Index.
- gymnocarpa** Cop. Phil. Journ. Sci. **9C**. 4. 1914 = *T. ferruginea*.
- Haenkei** (Pr.) Cop. Bishop Mus. Bull. **59**. 50. 1929. — Ins. Mariannae, Fiji. (Timor). — *Aspidium* Pr. 1825, Index.
- Haynaldii** (Sod.) C. Chr. Ind. Suppl. III. 180. 1934. — Ecuador.  
*Aspidium* (Sod.) C. Chr. Index.
- hederifolia** (Bak.) C. Chr. Ind. Suppl. III. 180. 1934. — Ins. Salomonis.  
*Aspidium* (Bak.) Diels 1899, Index.
- hemiteliiformis** (v. A. v. R.) C. Chr. Ind. Suppl. III. 180. 1934. — Java.  
*Dictyopteris* v. A. v. R. Bull. Buit. II no. 11. 7. 1913; *Aspidium* v. A. v. R. 1913, Ind. Suppl. pré.
- heptaphylla** (Bak.) C. Chr. Ind. Suppl. III. 180. 1934. — Samoa.  
*Aspidium* (Bak.) C. Chr. Index.
- heracleifolia** (Willd.) Underw. Bull. Torr. Cl. **33**. 200. 1906.  
*Aspidium* Willd. 1810, Ind. Suppl. 93 cum syn.
- heterosora** (Bak.) Ching, Sinensia **2**. 29 f. 9. 1931. — India bor. Burma.  
*Aspidium* (Bak.) Bedd. 1892, Index cum syn.
- Hippocrepis** Cop. Phil. Journ. Sci. **2C**. 410. 1907 = *T. cicutaria*.
- Holttumii** C. Chr. Gardens' Bull. **7**. 259 t. 55. 1934. — Borneo.
- hymenodes** (Mett.) J. W. Moore, Bishop Mus. Bull. **102**. 7. 1933. — Ins. Soc.  
*Aspidium* Mett., Kuhn, Linn. **36**. 123. 1869.
- irregularis** (Pr.) Cop. Phil. Journ. Sci. **2C**. 416. 1907. — Malesia.  
*Aspidium* (Pr.) C. Chr. Index cum syn. — *A. Brongniartii* (Bory) Diels 1899, Index cum syn.; *Dictyopteris* Nakai 1933. *Aspidium Whitfordi* Cop. 1905, Index 662; *Dictyopteris* v. A. v. R. 1909. — *Aspidium submembranaceum* Hayata 1914, Ind. Suppl. pré.
- irrigua** (J. Sm.) Cop. l. c. 413. — Ins. Phil. — *Aspidium* J. Sm. 1841, Index cum syn. *A. lamaoense* Cop. 1905, Index 661; *Dictyopteris* v. A. v. R. 1909.
- Jardini** (Mett.) E. Brown, Bishop Mus. Bull. **89**. 36 f. 11. 1931. — Marquesas.  
*Aspidium* Mett., Kuhn 1869, Index.
- Johannis Winkleri** C. Chr. Ind. Suppl. III. 180. 1934. — Borneo.  
*Aspidium* C. Chr. Mitt. Inst. Hamburg **7**. 149. 1928.
- juglandifolia** (Bak.) C. Chr. Ind. Suppl. III. 180. 1934. — Fiji.  
*Nephrodium* Bak. *JoB*. **1879**. 296, Index. (an *Aspidium* Christ 1896, Samoa?).
- kanakorum** (Fourn.) Maxon, Proc. Biol. Soc. Wash. **36**. 176. 1923. — N. Caledonia. — *Aspidium* (Fourn.) C. Chr. Index.
- Kawakamii** (v. A. v. R.) C. Chr. Ind. Suppl. III. 180. 1934. — Celebes.  
*Aspidium* v. A. v. R. 1912, Ind. Suppl.

- Keckii** (Luer.) C. Chr. Ind. Suppl. III. 181. 1934. — Sumatra.  
Aspidium Luer. 1882, Index.
- Kingii** Cop. Phil. Journ. Sci. 9C. 4. 1914. — N. Guinea.  
Aspidium C. Chr. Ind. Suppl. préI; Pleocnemia v. A. v. R. 1917.
- Kunzei** (Hier.) C. Chr. Ind. Suppl. III. 181. 1934. — Ecuador.  
Aspidium Hier. 1907, Ind. Suppl.
- kwangtungensis** Ching, Bull. Fan Mem. Inst. 2. 199. t. 14. 1931. — Kwangtung.
- kwarensis** (Hayata) C. Chr. Ind. Suppl. III. 181. 1934. — Formosa.  
Aspidium Hayata, Ic. Pl. Formosa 8. 138. 1918; Dryomenis Nakai 1933.  
Aspidium pachinense Hayata 1918.
- labrusca** (Hk.) Cop. Phil. Journ. Sci. 2C. 410. 1907. — Malesia.  
Aspidium (Hk.) Christ 1897, Index. A. vitis (Racib.) C. Chr. Index; Dictyopteris v. A. v. R. 1909. — D. nusakembangana v. A. v. R. 1917. — (Cf. C. Chr. Sv. Bot. Tids. 16. 90. 1922).
- laciniata** Ching, Bull. Fan Mem. Inst. 2. 200 t. 15. 1931. — China austr. Tonkin.
- latifolia** (Forst.) Cop. Phil. Journ. Sci. 2C. 410. 1907. — Polynesia.  
Aspidium (Forst.) J. Sm. 1841, Index (excl. syn. Aspidium hymenodes Mett. et Bathmium Seemanni Fourn.).
- Lawrenceana** (Moore) C. Chr. Dansk. Bot. Ark. 7. 66 t. 17. 1932. — Madagascar. — Aspidium (Moore) Diels 1899, Index.
- Ledermanni** (Brause) C. Chr. Ind. Suppl. III. 181. 1934. — N. Guinea.  
Aspidium Brause, Engl. Jahrb. 56. 114. 1920.
- Leprieurii** (Mett.) C. Chr. Ind. Suppl. III. 181. 1934. — Panama—Guiana.  
Aspidium Mett., Kuhn 1869, Index.
- leptophylla** (C. H. Wright) Ching, Sinensia 2. 22. 1931. — Tonkin.  
Aspidium (Wright) C. Chr. Ind. Suppl.
- Leuzeana** (Gaud.) Cop. Phil. Journ. Sci. 2C. 417. 1907. — China merid.—Asia et Polynesia trop. — Aspidium (Gaud.) Kze. 1846, Index. — Tectaria olivacea Cop. 1914; Aspidium C. Chr. Ind. Suppl. préI; Dictyopteris v. A. v. R. 1917. — Aspidium rufinerve Hayata 1911, Ind. Suppl. préI; Pleocnemia Nakai 1933.
- lifuensis** (Fourn.) C. Chr. Ind. Suppl. III. 181. 1934. — N. Caledonia, Loyalty Ins. — Aspidium (Fourn.) C. Chr. Index.
- Lizarzaburui** (Sod.) C. Chr. Ind. Suppl. III. 181. 1934. — Ecuador.  
Aspidium (Sod.) C. Chr. Index.
- Lobbii** (Hk.) Cop. Phil. Journ. Sci. 10C. 146. 1913. — Borneo.  
Aspidium Hk. 1862, Index. — A. Hosei (Bak.) C. Chr. Index.
- longicruris** C. Chr. Contr. U. S. Nat. Herb. 26. 331. 1931 = T. Simonsii.
- macrodonata** (Fée) C. Chr. Ind. Suppl. III. 181. 1934. — China—austr.—Malesia (?). Africa pr. trop. Madagascar. — Sagenia Fée, Gen. 313 (nomen) t. 24 A f. 1. 1852; Aspidium coadunatum Wall. 1828, Hk. et Grev. Ic. t. 202. 1831 (non Klf. 1824); A. cicutarium C. Chr. Index cum syn. — A. pinfaense Christ 1909, Ind. Suppl. — Tectaria Christii Cop. 1907. Aspid. C. Chr. Ind. Suppl. Aspid. kwanonense Hayata 1918. — Sagenia gemmifera Fée 1852 (Madagascar, an sp. bona?). — (An Sagenia repanda Pr. 1849?, nom. opt.?).
- macrodonus** (Reinw.) C. Chr. Ind. Suppl. III. 181. 1934. — Malesia....  
Aspidium (Reinw.) Keys. 1873, Index cum syn.
- macrosora** (Bak.) C. Chr. Ind. Suppl. III. 181. 1934. — Ins. Salomonis.  
Aspidium (Bak.) Diels 1901, Index.
- magnifica** (Bonap.) C. Chr. Dansk Bot. Ark. 7. 67 t. 20, 21. 1932. — Madagascar. — Aspidium Bonap. N. Pt. 16. 183. 1925.

- Maingayi** (Bak.) C. Chr. Ind. Suppl. III. 182. 1934. — Malacca, Sumatra.  
Gymnogramme Bak. Syn. 517. 1874; Selligaea Bedd. 1876; Polypodium Diels 1899, Index; Hemionitis Ridley 1926. *Aspidium subdecurrens* (Luer.) C. Chr. Index. *Campylogramme Trollii* Goebel 1931. — (Cf. Holttum, Gard. Bull. S. S. 5. 207. 1931.)
- malayensis** (Christ) Cop. Phil. Journ. Sci. 2C. 416. 1907. — Malesia.  
*Aspidium* Christ 1907, Ind. Suppl.; *Pleocnemia* v. A. v. R. 1917.
- marchionica** E. Brown, Bishop Mus. Bull. 89. 33 f. 10. 1931. — Marquesas.
- martinicensis** (Spr.) Cop. Phil. Journ. Sci. 2C. 410. 1907. — America trop.  
*Aspidium* Spr. 1804, Index cum syn.; *Bathmium Nakai* 1926.  
*Matthewii* Ching, Bull. Fan Mem. Inst. 2. 199 t. 13. 1931. — Kwantung.  
(*Dryopteris* sp.?).
- megalocarpa** (Hk.) C. Chr. Ind. Suppl. III. 182. 1934. — Java.  
*Aspidium* (Hk.) C. Chr. Index.
- melanocaulis** (Bl.) Cop. Phil. Journ. Sci. 2C. 416. 1907. — Asia trop. N. Guinea. — *Aspidium* Bl. 1828, Index.
- melanorachis** (Bak.) C. Chr. Ind. Suppl. III. 182. 1934. — Borneo.  
*Aspidium* (Bak.) C. Chr. Index.
- menyanthidis** (Pr.) Cop. Phil. Journ. Sci. 2C. 414. 1907. — Ins. Phil. Melanesia. — *Aspidium* Pr. 1825, Index.
- Milnei** (Hk.) Cop. Univ. Calif. Publ. Bot. 14. 358. 1929. — N. Caledonia.  
*Polypodium* Hk. sp. 4. 254. 1862. *Aspidium viridans* Mett., Kuhn 1869, Index.
- minima** Underw. Bull. Torr. Cl. 33. 199. 1906. — Florida, Bahamae, Cuba, Hispaniola. — *Aspidium* Christ 1910, Index Suppl.
- minuta** Cop. Phil. Journ. Sci. 30. 328. 1926. — N. Guinea.
- Moorei** (Hk.) C. Chr. Ind. Suppl. III. 182. 1934. — N. Caledonia.  
*Aspidium* (Hk.) Diels 1899, Index.
- Morlae** (Sod.) C. Chr. Ind. Suppl. III. 182. 1934. — Ecuador.  
*Polypodium* Sod. Cr. vasc. quit. 461. 1893; *Dryopteris* C. Chr. Index.
- Mülleri** C. Chr. Ind. Suppl. III. 182. 1934. — Queensland.  
*Aspidium* C. Chr. Index cum syn.
- multicaudata** Ching, Sinensia 2. 20. 1931 = *T. Griffithii*.
- Murrayi** (Bak.) C. Chr. Ind. Suppl. III. 182. 1934. — Ins. St. Lucia.  
*Aspidium* Bak. 1891, Index; *Nephrodium Jenm.* 1898.
- murudensis** Cop. Phil. Journ. Sci. 12C. 58. 1917 = *T. ternata*.
- myriosora** (Christ) C. Chr. Ind. Suppl. III. 182. 1934. — Costa Rica.  
*Aspidium* Christ 1905, Index.
- nebulosa** (Bak.) C. Chr. Ind. Suppl. III. 182. 1934. — Sumatra.  
*Aspidium* (Bak.) C. Chr. Index.
- neglecta** (Mett.) C. Chr. supra 29 = *T. Griffithii*.
- nicaraguensis** (Fourn.) C. Chr. Ind. Suppl. III. 182. 1934. — Nicaragua.  
*Aspidium* (Fourn.) Bak. 1874, Index.
- nicotianifolia** (Bak.) C. Chr. Ind. Suppl. III. 182. 1934. — Ecuador.  
*Aspidium* (Bak.) Diels 1899, Index.
- nigrescens** (Mett.) C. Chr. Ind. Suppl. III. 182. 1934. — Africa occ. trop.  
*Aspidium* Mett., Kuhn 1868, Index.
- novoguineensis** (Ros.) C. Chr. Ind. Suppl. III. 182. 1934. — N. Guinea.  
*Aspidium* Ros. Med. Rijks Herb. no. 31. 4. 1917.
- novo-pommeranica** (Rechinger) C. Chr. Ind. Suppl. III. 182. 1934. — N. Pomern. — *Aspidium* Rechinger 1913, Ind. Suppl. pré-l.

- oligophylla** (Ros.) C. Chr. Ind. Suppl. III. 183. 1934. — Sumatra.  
Aspidium Ros. 1908, Ind. Suppl.
- olivacea** Cop. Phil. Journ. Sci. 9 C. 228. 1914 = *T. Leuzeana*.
- organensis** C. Chr. Ind. Suppl. III. 183. 1934. — Brasilia.  
Aspidium C. Chr. Index cum syn.
- orosiensis** (Christ) C. Chr. Ind. Suppl. III. 183. 1934. — Costa Rica.  
Aspidium Christ 1906, Ind. Suppl.
- palmata** (Mett.) C. Chr. Ind. Suppl. III. 183. 1934. — Borneo, Sumatra.  
Aspidium Mett. 1864, Index.
- pandurifolia** C. Chr. Ind. Suppl. III. 183. 1934. — Borneo.  
Aspidium C. Chr. Mitt. Inst. Hamburg 7. 149. 1928.
- papuana** Cop. Phil. Journ. Sci. 6 C. 76. 1911. — N. Guinea.  
Aspidium v. A. v. R. 1912, Ind. Suppl.
- papyracea** (v. A. v. R.) C. Chr. Ind. Suppl. III. 183. 1934. — Sumatra.  
Aspidium v. A. v. R. Bull. Buit. III. 2. 131. 1920.
- pentaphylla** v. A. v. R. Bull. Dépt agric. Ind. néerl. 18. 16. 1908 (syn.). — N. Guinea. — *Dictyopteris* v. A. v. R. l. c.; *Aspidium* v. A. v. R. l. c.; *A. quinquefoliolatum* C. Chr. Ind. Suppl.
- phaeocaulis** (Ros.) C. Chr. Ind. Suppl. III. 183. 1934. — Formosa.  
Aspidium Ros. Hedwigia 56. 345. 1915, Ind. Suppl. pré.
- pica** (L. fil.) C. Chr. Dansk Bot. Ark. 7. 65. 1932. — Ins. Mascarenæ, Madagascar. — *Aspidium* (L. fil.) Desv. 1811, Index cum syn.
- plantaginea** (Jacq.) Maxon, Contr. U. S. Nat. Herb. 10. 494. 1908. — Ind. occ.—Brasilia. — *Aspidium* (Jacq.) Gris. 1857, Index cum syn.
- platanifolia** (Mett.) C. Chr. Ind. Suppl. III. 183. 1934. — Malesia.  
Aspidium Mett. 1864, Index.
- pleiosora** (v. A. v. R.) C. Chr. Gardens' Bull. S. S. 7. 260. 1934. — Malacca, Sumatra, Borneo, N. Guinea. — *Aspidium* v. A. v. R. Mal. Ferns Suppl. 199. 1917, Bull. Buit. III. 2. 131. 1918.
- pleiotoma** (Bak.) C. Chr. Dansk Bot. Ark. 7. 65. 1932. — Ins. Seychellæ, Réunion. — *Aspidium* (Bak.) Kuhn 1879, Index.
- pleoenemioides** (v. A. v. R.) C. Chr. Ind. Suppl. III. 183. 1934. — N. Guinea.  
Aspidium v. A. v. R. Nova Guinea 14. 6. 1924.
- Plumierii** Cop. Phil. Journ. Sci. 2 C. 410. 1907 = *T. trifoliata*.
- Poeppigii** (Pr.) C. Chr. Ind. Suppl. III. 183. 1934. — Peru, Nicaragua.  
Aspidium Pr. 1849, Index.
- polymorpha** (Wall.) Cop. Phil. Journ. Sci. 2 C. 413. 1907. — China austr.—Malesia. — *Aspidium* Wall. 1828, Index (excl. syn. *Nephrodium Wightii* Cl.); *Dryomenis* Nakai 1933. — *Aspidium nantoense* Hayata 1918.
- porphyrocaulis** (v. A. v. R.) C. Chr. Ind. Suppl. III. 183. 1934. — Ternate.  
*Pleocnemia* v. A. v. R. Bull. Buit. III. 5. 215. 1922.
- prominens** (v. A. v. R.) C. Chr. Ind. Suppl. III. 183. 1934. — Sumatra.  
Aspidium v. A. v. R. Bull. Buit. II no. 16. 56. 1914, Ind. Suppl. pré.
- puberula** (Desv.) C. Chr. Dansk Bot. Ark. 7. 67. 1932. — Ins. Mascarenæ, Madagascar. — *Aspidium* Desv. 1827, Index cum syn.
- purdiaei** Maxon, Contr. U. S. Nat. Herb. 10. 494. 1908 = *T. trifoliata*.
- quinquefida** (Bak.) Ching, Sinensia 2. 26 f. 7. 1931. — Tonkin, China austr.  
*Aspidium* (Bak.) Diels 1899, Index. *A. Esquirolii* (Christ) C. Chr. Ind. Suppl.  
*A. polysorum* Ros. 1914, Ind. Suppl. pré.

- quitensis** C. Chr. Ind. Suppl. III. 184. 1934. — Ecuador.  
Aspidium C. Chr. Index.
- rara** (v. A. v. R.) C. Chr. Ind. Suppl. III. 184. 1934. — Banka.  
Aspidium v. A. v. R. Bull. Buit. II no. 28. 7. 1918.
- rheosora** (Bak.) C. Chr. Ind. Suppl. III. 184. 1934. — Costa Rica.  
Aspidium (Bak.) C. Chr. Index.
- Ridleyana** (v. A. v. R.) C. Chr. Ind. Suppl. III. 184. 1934. — N. Guinea.  
Aspidium v. A. v. R. Mal. Ferns Suppl. 505. 1917. *Asplenium alatum* Ridley, Tr. Linn. Soc. II Bot. 9. 256. 1916.
- rivalis** (Mett.) C. Chr. Ind. Suppl. III. 184. 1934. — Panama—Ecuador.  
Aspidium Mett., Kuhn 1869, Index.
- Rockii** C. Chr. Contr. U. S. Nat. Herb. 26. 331. 1931. — Burma.  
*T. burmanica* Ching 1931.
- rotundilobata** (Bonap.) C. Chr. Dansk Bot. Ark. 7. 67 t. 21 f. 3—7. 1932.  
Aspidium Bonap. N. Pt. 16. 185. 1925.
- rufo-villosa** (Ros.) C. Chr. Ind. Suppl. III. 184. 1934. — Costa Rica.  
Aspidium Ros. Fedde Rep. 22. 11. 1925.
- rumicifolia** (Ridley) C. Chr. Ind. Suppl. III. 184. 1934. — Malacca (Selangor).  
*Leptochilus* Ridley, Journ. Mal. Br. R. As. Soc. 4. 116. 1926.
- saxicola** (Bl.) Cop. Brittonia 1. 72. 1931. — Java.  
Aspidium Bl. 1828, Index.
- Seemanni** (Fourn.) Cop. Univ. Calif. Publ. Bot. 14. 358. 1929. — N. Caledonia. (Fiji?). — *Bathmium* Fourn. Ann. sci. nat. V. 18. 301. 1873.
- semibipinnata** (Wall.) C. Chr. Ind. Suppl. III. 184. 1934. — Malacca, Borneo.  
Aspidium Wall. 1828, Index. *A. nudum* (Bak.) Diels 1901, Index.
- serrata** Cav. 1802 = *Dryopteris Haenkeana*.
- Setchellii** Maxon, Proc. Biol. Soc. Wash. 36. 174. 1923. — Samoa.
- siifolia** (Willd.) Cop. Phil. Journ. Sci. 2C. 414. 1907. — Malesia, N. Guinea.  
Aspidium (Willd.) Mett. 1864, Index cum syn.
- Simonsii** (Bak.) Ching, Sinensia 2. 32 f. 13. 1931. — Ind. bor.—China austr.  
Aspidium (Bak.) Bedd. 1876; Index. *A. longicrure* Christ 1909, Ind. Suppl.; *Tectaria* C. Chr. 1931.
- singaporiana** (Wall.) Ching, Sinensia 2. 25. 1931. — Siam, Malacca, Borneo.  
Aspidium Wall., Hk. et Grev. 1827, Index (excl. loc. China).
- sinnata** (Labill.) C. Chr. Ind. Suppl. III. 184. 1934. — N. Caledonia.  
Aspidium Labill. 1824, Index.
- Sinii** Ching, Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 22. 1933. — Kwangsi. — *Aspidium* sp. Wu, Polypod. Yaoshan. t. 22. 1932.
- Sodiroi** (Bak.) Maxon, Proc. Biol. Soc. Wash. 43. 88. 1930. — Colombia—Ecuador. — *Aspidium* (Bak.) Hier. 1904, Index.
- sparsiflora** (Hk.) Alston, JoB. 1934. 3. — Africa occ. trop.  
Aspidium (Hk.) Diels 1899, Index; *Phegopteris* Sadebeck 1895.
- Stearnsii** Maxon, Proc. Biol. Soc. Wash. 36. 175. 1923. — Samoa.
- stenoptera** Ching, Sinensia 2. 27 f. 9. 1931 = *T. Balansae*.
- stenosemioides** (v. A. v. R.) C. Chr. Ind. Suppl. III. 184. 1934. — Sumatra.  
*Pleocnemia* v. A. v. R. Bull. Buit. III. 2. 164. 1920.
- subaequalis** (Ros.) Cop. Phil. Journ. Sci. 9C. 5. 1914. — N. Guinea. — *Aspidium* Ros. Fedde Rep. 12. 176. 1913, Ind. Suppl. pré.; *Dictyopteris* v. A. v. R. 1917.
- subcaudata** v. A. v. R. Bull. Dépt. agric. Ind. néerl. 18. 9. 1908 (syn.). — Borneo. — *Aspidium* v. A. v. R. l. c., Ind. Suppl.

- subconfluens** (Bedd.) Ching, *Sinensia* 2. 27 f. 8. 1931. — India bor.  
Aspidium Bedd. 1876, Index.
- subdigitata** (Bak.) C. Chr. Ind. Suppl. III. 185. 1934. — Borneo.  
Nephrodium Bak. 1887; Aspidium psilopodium C. Chr. Index.
- subebenea** (Christ) C. Chr. Ind. Suppl. III. 185. 1934. — Costa Rica.  
Aspidium Christ 1905, Index.
- subpedata** (Harr.) Ching, *Sinensia* 2. 23 f. 4. 1931. — Formosa, China austr.,  
Tonkin, Burma. — Aspidium (Harr.) Diels 1899, Index; *Sagenia* Nakai 1933.  
Aspidium Morsei (Bak.) C. Chr. Ind. Suppl.
- subrepanda** (Bak.) C. Chr. Ind. Suppl. III. 185. 1934. — Ecuador.  
Aspidium Bak. 1891, Index.
- subtriphylla** (Hk. et Arn.) Cop. Phil. Journ. Sci. 2. 410. 1907. — India—  
Formosa. — (Malesia—Polynesia?). — Aspidium (Hk. et Arn.) Hk. 1862,  
Index cum syn. *A. hokutense* Hayata 1911, Ind. Suppl. préł.
- sumatrana** C. Chr. Ind. Suppl. III. 185. 1934. — Sumatra.  
Aspidium C. Chr. Index.
- tahitensis** Maxon, Univ. Calif. Publ. Bot. 12. 29. 1924. — Tahiti.
- Tatei** (Bak.) C. Chr. Ind. Suppl. III. 185. 1934. — Nicaragua.  
Aspidium (Bak.) Diels 1899, Index.
- tenerifrons** (Hk.) Ching, *Sinensia* 2. 34. 1931. — Burma. — Polypodium  
Hk. sp. 5. 104. 1864 (non 4. 1862); Aspidium Diels 1899, Index.
- tenuifolia** (Mett.) Maxon, Proc. Biol. Soc. Wash. 36. 174. 1923. — Tahiti.  
Aspidium Mett. 1869.
- teratocarpa** (v. A. v. R.) C. Chr. Ind. Suppl. III. 185. 1934. — N. Guinea.  
Aspidium v. A. v. R. Nova Guinea 14. 6. 1924.
- terminalis** (Ros.) C. Chr. Ind. Suppl. III. 185. 1934. — Borneo, Luzon, Siam.  
Aspidium Ros. Med. Rijks. Herb. no. 31. 4. 1917, C. Chr. Gardens' Bull.  
S. S. 4. 393. 1929 (descr.). *A. trifolium* v. A. v. R. 1912, Ind. Suppl. (non  
*A. trifoliatum* Sw. 1801); *Tectaria* C. Chr. 1933.
- ternata** (Bak.) Cop. Phil. Journ. Sci. 12 C. 58. 1917. — Borneo, Malacca.  
Aspidium (Bak.) Diels 1899, Index. — *Tectaria murudensis* Cop. 1917.
- ternatensis** v. A. v. R. Bull. Dépt. agric. Ind. néerl. 18. 9. 1908 (syn.). —  
Ternate. — Aspidium v. A. v. R. l. c., Ind. Suppl. préł.
- ternifolia** (v. A. v. R.) C. Chr. Ind. Suppl. III. 185. 1934. — Perak.  
Aspidium v. A. v. R. Bull. Buit. II no. 11. 3. 1913, Ind. Suppl. préł.
- Thwaitesii** (Bedd.) Ching, *Sinensia* 2. 18. 1931. — Ceylon.  
Aspidium Bedd. 1876, Index cum syn.
- trifolia** C. Chr. Engl. Jahrb. 66. 49. 1933 = *T. terminalis*.
- trifoliata** (L.) Cav. Descr. 249. 1802. — Amer. trop.  
Aspidium (L.) Sw. 1801, Index (excl. syn. *A. heracleifolium* Willd.). — *A.*  
*psammiosorum* C. Chr. Index cum syn. — *A. Purdiaei* Jenm. 1897, Index;  
*Tectaria* Maxon 1908. *A. Plumierii* Pr. 1825, Index. *Tectaria* Cop. 1907. —  
*A. domingense* (Bak.) C. Chr. Ind. (loc. err.).
- triloba** (Sod.) C. Chr. Ind. Suppl. III. 185. 1934. — Ecuador.  
Aspidium Sod. 1893, Index.
- Trimeni** (Bedd.) C. Chr. Ind. Suppl. III. 1934. — India austr., Malesia.  
Aspidium (Bedd.) Diels 1899, Ind. Suppl. 94 cum syn.
- trinitensis** Maxon, Amer. Fern Journ. 20. 3. 1930. — Trinidad.
- tripartita** (Bak.) Cop. Bishop Mus. Bull. 59. 50. 1929. — Fiji.  
Aspidium (Bak.) Diels 1899, Index.



- tripinnata** (Ros.) Cop. Univ. Calif. Publ. Bot. **14**. 358. 1929. — Loyalty Ins.  
*Aspidium latifolium* var. *tripinnata* Ros. Fedde Rep. **9**. 162. 1910.
- varians** (Moore) C. Chr. Ind. Suppl. III. 186. 1934. — Africa occ. trop.  
*Aspidium* (Moore) C. Chr. Index cum syn.
- variolosa** (Wall.) C. Chr. Contr. U. S. Nat. Herb. **26**. 289. 1931. — Ind. bor.  
 —Formosa—Siam. — *Aspidium* Wall. 1828, Index. — t. Ching adhuc: *A.*  
*brachiatum* Zoll. et Moritz 1844, Index c. syn. (Java), an nom. optimum?.
- vasta** (Bl.) Cop. Phil. Journ. Sci. **2C**. 411. 1907. — Asia trop.  
*Aspidium* Bl. 1828, Index. — *A. tricuspe* Bedd. 1892, Index.
- Weberi** Cop. Phil. Journ. Sci. **7C**. 54. 1912. — Mindanao.  
*Aspidium* C. Chr. Ind. Suppl.
- Weinlandii** (Christ) Cop. Journ. Arnold Arb. **10**. 177. 1929. — N. Guinea.  
*Aspidium* Christ 1901, Index.
- Wightii** (Clarke) Ching, Sinensia **2**. 28 f. 10. 1931. — India austr. Sikkim.  
*Nephrodium* Clarke, Tr. Linn. Soc. II. Bot. **1**. 538 t. 76. 1880.
- yunnanensis** (Bak.) Ching, Sinensia **2**. 24 f. 6. 1931. — China austr. Tonkin.  
*Aspidium* (Bak.) Christ 1909, Ind. Suppl.
- TECTARIDIUM** Copeland, Phil. Journ. Sci. **30**. 329. 1926. — (Polypodiaceae  
**MacLeanii** Cop. l. c. t. 1. — Luzon. [Gen. **34**).  
**primitivum** Cop. l. c. — Leyte.
- TERATOPHYLLUM** Mettenius; Kuhn 1869; Holttum, Gardens' Bull. S. S. **5**.  
 277. 1932. — *Stenochlaena* sp. Index. — (Polypodiaceae Gen. **87**).  
**aculeatum** (Bl.) Mett. 1869; Holttum, l. c. 284 f. 38—40, t. 2—3. — Malesia.  
 N. Guinea. — *Stenochlaena* (Bl.) Kze. 1848, Index cum syn.  
**arthropteroides** (Christ) Holttum, l. c. 303 t. 12. — Ins. Phil.  
*Stenochlaena* Christ 1906, Index.  
**Clemensiae** Holttum, Gardens' Bull. S. S. **7**. 262 fig. 1934. — Borneo.  
**gracile** (Bl.) Holttum, l. c. 7. 291 t. 5. — Java. — *Stenochlaena* (Bl.) Kze. 1848,  
**Koordersii** Holttum, l. c. 301 f. 48—49, t. 11. — Celebes. [Index.  
**Indens** (Fée) Holttum, l. c. 298 t. 10. — Malesia. — *Lomariopsis* Fée 1845.  
*Stenochlaena sorbifolia* var. **20** cum syn.  
**luzonicum** Holttum, l. c. 297 t. 9. — Luzon.  
**rotundifoliatum** (Bonap.) Holttum, l. c. 294 t. 7—8. — Malesia.  
*Stenochlaena* Bonap. N. Pt. **14**. 58. 1924.  
**Williamsii** (Und.) Holttum, l. c. 292 t. 6. — Ins. Phil. — *Stenochlaena* Und.
- THAMNOPTERIS** Presl. = **Asplenium**. [1906, Ind. Suppl.  
*antiquum* Makino, Journ. Jap. Bot. **8**. 7. 1932 = *A. nidus* \**rigidum*.
- THELYPTERIS** Schmidel = **Dryopteris**.  
*arguta* Moxley, Bull. South. Calif. Acad. Sci. **19**. 57. 1920.  
*augescens* Munz et Johnston, Amer. Fern Journ. **12**. 75. 1922.  
*Clintoniana* House, N. Y. State Mus. Bull. no. 233—234. 69. 1920.  
*dilatata* House, l. c. = *D. spinulosa* \*.  
*Dryopteris* Slosson in Rydberg, Fl. Rocky Mts. 1044. 1917 = *D. Linnaeana*.  
*Feei* Moxley, Bull. South. Calif. Acad. Sci. **20**. 35. 1921 = *D. augescens*.  
*funesta* Alston, Kew Bull. **1932**. 309 = *D. protensa* \*.  
*hexagonoptera* Weatherby, Rhodora **21**. 179. 1919.  
*intermedia* House, N. Y. State Mus. no. 233—234. 1920 = *D. spinulosa* \*.  
*normalis* Moxley, Bull. South. Calif. Acad. Sci. **19**. 57. 1920 = *D. augescens*.  
*Oreopteris* Slosson in Rydberg, Fl. Rocky Mts. 1043. 1917.  
*Phegopteris* Slosson, l. c.

*Robertiana* Slosson, l. c. 1044.

*serrata* Alston, Kew Bull. 1932. 309.

**THYSANOBOTRYA** v. A. v. R. Bull. Buit. II no. 28. 66. 1918 = **Alsophila**.  
*arfakensis* v. A. v. R. l. c. t. 10 = *A. biformis*.

**THYSANOSORIA** Gepp in Gibbs, Dutch N. W. N. Guinea 193. 1917. — (Polypodiaceae Gen. 88).

*dimorphophylla* Gepp. l. c. t. 4 = *T. pteridiformis*.

*pteridiformis* (Cesati) C. Chr. Ind. Suppl. III. 187. 1934. — N. Guinea.

*Notholaena?* (Ces.) Bak. 1876, Index.

**TRACHYPREMNON** Lindig, Contr. Colomb. Cienc. 2. 34. 1861 = *Cyathea* sens. lat.

**TRACHYPTERIS** André. — (Polypodiaceae Gen. 100).

*Drakeana* C. Chr. in Bonap. N. Pt. 16. 194. 1925, Dansk Bot. Ark. 7. 111 t. 42. 1932. — Madagascar.

### TRICHOMANES L.

C = *Cephalomanes*.

M = *Microtrichomanes*.

Cr = *Crepidium*.

N = *Neuroman*.

F = *Feea*.

P = *Ptilophyllum*.

G = *Gonocormus*.

Pl = *Pleuroman*.

H = *Hemiphlebium*.

Ta = *Taschneria*.

sine litt. = *Eutrichomanes* sens. lat.

Cop. l. c. = Copeland: *Trichomanes*. Phil. Journ. Sci. 51. 1933.

(Ta) *acutilobum* Ching in C. Chr. Ind. Suppl. III. 187. 1934. — India—China merid.—Tonkin. — *Didymoglossum racemulosum* v. d. B. Ned. kr. Arch. 5<sup>3</sup>. 145. 1863 (non *Trichomanes* v. d. B. 1863).

*acuto-obtusum* Hayata 1914, Ind. Suppl. pré. = *T. Makinoi*.

(Pl) *acutum* Pr. Hym. 134. 1843; Cop. l. c. 140. — Ins. Phil. — *Pleuroman* *alatum* Bory 1828 = *T. Boryanum*. [Pr. 1849.

*ambongoense* Bonap. N. Pt. 9. 13. 1920 = *T. Mannii*.

(P) *anadromum* Ros. Fedde Rep. 21. 344. 1925. — Brasilia.

*angustilaciniatum* Bonap. N. Pt. 16. 11. 1925 = *T. Mannii*.

*angustimarginatum* Bonap. l. c. 12; C. Chr. Dansk Bot. Ark. 7. 7 t. 1 f. 14—17. 1932. — Madagascar.

*apiifolium* Pr. 1843, v. d. B. Hym. Jav. 26 t. 19; Cop. l. c. 227 t. 42 f. 1. — Malesia—Polynesia. — *T. Bauerianum* part. Index. — *T. meifolium* Bl. 1828 (non Bory 1810). — *T. eminens* Pr. 1843. — *T. myrioplasium* Kze. 1846. — *T. exaltatum* Brack. 1854.

*Asae-Grayi* v. d. B. 1861, Cop. l. c. 264 t. 61 f. 1. — Fiji, Samoa, Tahiti.  
*asplenioides* Pr. 1843, Cop. l. c. 249 t. 52 f. 2, t. 55 f. 1 (non Sw. 1788) = *T. javanicum* var. (an sp.?).

(C) *atrovirens* (Pr.) Kze. Bot. Zeit 1847. 371, Cop. l. c. 251 t. 52 f. 3, t. 55 f. 2. — Ins. Phil. N. Guinea. — *Cephaloman* Pr. Hym. 18 t. 5. 1843. *Trichomanes rhomboideum* J. Sm. 1841 (nomen).

*Baileyianum* Watts, Pr. Linn. Soc. N. S. Wales 39. 758 t. 86 f. 1. 1915 = *T. sublimbatum*.

*Baldwinii* (Eat.) Cop. Phil. Journ. Sci. 51. 230 t. 42 f. 4—8. 1933. — Ins. Hawaii. — *Hymenophyllum* Eat. 1879, Index.

*batrachoglossum* Cop. l. c. 244 t. 50, 51 f. 1—2. — Liberia.

*Bauerianum* Endl. 1833, Index excl. syn. omn.; Cop. l. c. 229 t. 42 f. 2. Ins. Norfolk et Lord Howe . . . . ?

*Bauerianum* auctt., Index pro max. parte = *T. apiifolium*.

- (H) **Beccarianum** Cesati 1876, Ind. Suppl. 130; Cop. l. c. 200 t. 29. — Malesia. N. Guinea. — *T. cognatum* Ces. 1877. *T. minutissimum* v. A. v. R. 1916, Ind. Suppl. préel.  
*bifidum* Vent.; Willd. 1810. — India or.?
- (Ta) **bilabiatum** Nees et Bl.; Cop. l. c. 179 t. 18 f. 4–5. — Dele syn. *D. brevipes* Pr. etc. — Adhuc t. Cop. *T. capillatum* Taschn. 1843; *Didymoglossum* Pr. 1843. *Trichomanes bilobatum* v. A. v. R. 1915 (*T. bilabiatum* Ind. Suppl. préel. ex err.). *T. minimum* v. A. v. R. 1920.  
*bilabiatum* Ind. Suppl. préel. (err.) = *bilobatum*.  
*bilingue* Hk. 1841 = *T. brevipes*.  
*bilobatum* v. A. v. R. Bull. Buit. II no. 20. 24. 1915 = *T. bilabiatum*.
- (Ta) **bipunctatum** Poir., Cop. l. c. 177 t. 18 f. 1–4. — Dele syn. plur. Cf. *T. acutilobum*, *insigne*, *latealatum*, *latifrons*, *plicatum*. *Sp. ceterae Boschii mihi dubiae sunt*.  
*bipunctatum* var. *venulosa* Ros. *Hedwigia* 56. 350. 1915 = *T. venulosum*.  
**birmanicum** Bedd. 1876. — Birma, Tonkin, China merid. Liu Kiu.  
*T. liu-kiuense* Yabe 1905, Index.
- blepharistomum** Cop. Phil. Journ. Sci. 51. 225 t. 41. 1933. — Ins. Phil.  
**Boivini** v. d. B. 1859. — Madagascar. — *T. latipinnulata* Bonap. 1920; *T. cornutum* C. Chr. 1920. (Cf. *T. madagascariense*).
- (M) **Bonapartei** C. Chr. in Bonap. N. Pt. 12. 15, fig. 1920. — Madagascar.
- (G) **bonincolum** Nakai, Bot. Mag. Tokyo 40. 262. 1926. — Ins. Bonin.  
**boninense** Koidzumi, Bot. Mag. Tokyo 38. 104. — Ins. Bonin.  
*borneense* v. A. v. R. 1915, Ind. Suppl. préel. = *T. singaporianum*.
- (C) **Boryanum** Kze. Farnkr. 1. 237 t. 97. 1847; Cop. l. c. 254 t. 52 f. 4. — Polynesia. — *T. alatum* Bory, Dup. Voy. 1. 282 t. 38 f. 2. 1828 (non Sw. 1801). — *Cephalomanes australicum* et *C. Wilkesii* v. d. B. 1861.
- (Ta) **brevipes** (Pr.) Bak. Syn. 84. 1867; Cop. l. c. 182 t. 20. — Ins. Phil. Borneo . . . — *Didymoglossum* Pr. Hym. 23, 47. 1843; *Trichomanes melanorhizon* Hk. 1845. *Didymoglossum anomalum* v. d. B. 1863.  
*brevipes* C. Chr. Gard. Bull. S. S. 4. 377. 1929 = *T. Christii*.
- (G) **Brooksii** Cop. Phil. Journ. Sci. 12C. 45. 1917. — Borneo.  
*caespitosum* (Gaud.) Hk. 1846, Index = *Serpyllopsis*.  
*calvescens* v. d. B. 1863, Index et Suppl. préel. 59 = *T. Lyallii*.  
*capillatum* Taschner 1843 = *T. bilabiatum* (t. Cop.).  
*cartilagineum* Vieill. et Panch., Index = *T. dentatum*.
- caudatum** Brack. 1854; Cop. l. c. 262 t. 57 f. 3–5, t. 58 f. 1. — Polynesia. — Dele syn. *T. flavofuscum* v. d. B. 1861. — Adde syn. *T. Milnei* v. d. B. 1861, Index.
- (Ta) **Christii** Cop. 1906, l. c. 185 t. 21, Ind. Suppl. — Malesia. — *T. recedens* Ros. 1912, Ind. Suppl. *T. microlirion* Cop. 1915, Ind. Suppl. préel.  
*cognatum* Ces. 1877 = *T. Beccarianum*.  
**compactum** v. A. v. R. Nova Guinea 14. 57. 1924; Cop. l. c. 265 t. 59. — N. Guinea.
- (H) **cordifolium** (Fée) Alston, Kew Bull. 1932. 306. — Ind. occ. Guiana.  
*Didymoglossum* Fée, 11 mém. 113 t. 28 f. 4. 1866.  
*cornutum* C. Chr. in Bonap. N. Pt. 12. 18 f. 6. 1920 = *T. Boivini*.  
*corticola* Bedd. 1863–65 = *T. nitidulum* (t. Cop.).
- (P) **crassipilis** Weatherby, Contr. Gray Herb. no. 95. 39 t. 8. 1931. — Hispaniola.
- (C) **crassum** Cop. Phil. Journ. Sci. 51. 256 t. 54, 55 f. 3. 1933. — Ins. Phil.

- cuneatum Christ 1907, Ind. Suppl. = *T. Francii*.  
 cupressifolium Hayata 1914, Ind. Suppl. pré-l. = *T. latifrons*.  
 cupressoides Desv.; Cop. l. c. 242 t. 49. — Dele loc. Asia trop. et syn. omn. — V. *T. obscurum*.
- (P) **Curranii** Weatherby, Contr. Gray Herb. no. 95. 39 t. 8. 1931. — Venezuela.
- (H) **Curtii** Ros. Fedde Rep. 22. 5. 1925. — Costa Rica.
- (P) **daguense** Weatherby, Contr. Gray Herb. no. 95. 36 t. 8. 1931. — Colombia.  
**dentatum** v. d. B. 1861; Cop. l. c. 237 t. 45, 46. — Adde syn. *T. cartilagineum* Vieill. et Panch. 1861, Index. *T. Seemanni* Carr. 1873.  
**denticulatum** Bak. 1867 = *Hymenophyllum Bakeri*.  
*Dregei* v. d. B. 1859. — Afr. austr.  
 elatum v. d. B. 1861 = *T. grande*.  
 eminens Pr. 1843 = *T. apiifolium*.
- (Cr) **Endlicherianum** Pr. 1848; Cop. l. c. 168 t. 14, 15. — Polynesia. N. Zealand. — *T. erectum* Brack. 1854. *T. tenue* Brack. 1854, Index. — *T. Naumannii* Kuhn et Luer. 1896, Index. — (Cf. *T. alternans* Carr.).  
**Englerianum** Brause, Engl. Jahrb. 56. 37. 1920. — N. Guinea.  
**erectum** Brack. 1854 = *T. Endlicherianum*.  
**exaltatum** Brack. 1854 = *T. apiifolium*.  
**extravagans** Cop. Phil. Journ. Sci. 51. 240 t. 48. 1933. — Luzon.  
**fallax** Christ 1909, Ind. Suppl., C. Chr. Dansk Bot. Ark. 7. 5 t. 1 f. 1—2. 1932. — Congo. Madagascar.  
**flavo-fuscum** v. d. B. 1861; Cop. l. c. 264 t. 58 f. 2. — N. Caledonia.  
**formosanum** Yabe 1902, Index = *T. latemarginale*.  
**Foxworthyi** (Cop.) C. Chr. Ind. Suppl. III. 189. 1934. — Borneo.  
*Hymenophyllum* Cop. Phil. Journ. Sci. 12C. 45. 1917.
- (H) **fulgens** C. Chr. in Bonap. N. Pt. 12. 9 f. 1. 1920. — Ins. Sechellae.  
**fusco-glaucescens** Hk. 1841 = *T. acutum*.
- (Cr) **gracillimum** Cop. Phil. Journ. Sci. 51. 168 t. 13. 1933. — Luzon.  
**grande** Cop. Phil. Journ. Sci. 6C. 70. 1911, 51. 224 t. 40 f. 1—4. 1933. — Ins. Phil. Borneo. — *T. millefolium* Pr. 1843?, v. d. B. Hym. Jav. 27 t. 20 (non Desv. 1827). *T. elatum* v. d. B. 1861 (non Forst. 1786). *T. Preslianum* Nakai 1926. — Cf. *T. uniflorum* Cav.  
**Hartii** Bak. 1882, Index = *T. guineense*.  
**Harveyi** Carr. 1873 — = *T. intermedium*.  
**Hieronymi** Brause 1912, Ind. Suppl. = *Hymenophyllum*.  
**hispidulum** Mett. 1868, Index = *T. superbum*.
- (Cr) **humile** Forst.; Cop. l. c. 164 t. 12. — Dele var. *T. Endlicherianum* Pr. et *T. erectum* Brack. — Adde syn. *T. Lauterbachii* Christ 1901, Index. — Cf. *T. filiculoides* Christ. — (*T. concinnum* Mett. est sp. diversa).  
**hymenophylloides** v. d. B. 1863; Slosson, Bull. Torr. Cl. 42. 651. 1915. — Amer. trop. Africa? — *T. pyxidiferum* Hk. et Gr. Ic. t. 206 (non L.); *T. leptophyllum* v. d. B. 1859 (non A. Cunn. 1836).  
**ignobile** Cesati 1876, Index = *T. superbum*.
- (C) **infundibulare** v. A. v. R. Nova Guinea 14. 55. 1924. — N. Guinea.  
**Ingae** C. Chr. in Skottsberg, Nat. Hist. Juan Fernandez 2. 3 f. 2. 1920. — Juan Fernandez.
- (Ta) **insigne** (v. d. B.) Bedd. 1868. — Ind. bor. — China—Tonkin.  
*Didymoglossum* v. d. B. Ned. kr. Arch. 5<sup>3</sup>. 143. 1863. — Cf. *T. Makinoi*.  
**intermedium** v. d. B. 1861; Cop. l. c. 226 t. 40 f. 5. — Fiji... N. Guinea. — *T. Harveyi* Carr. 1873.

- (C) **javanicum** Bl.; Cop. l. c. 246 t. 52 f. 1. — Dele loc. Polynesia, Austr. trop. et varr. Ceph. atrovirens Pr. etc. C. Singaporianum, Wilkesii, australicum v. d. B. Tr. alatum Bory etc.  
jungermannii Fourn. 1873, Index = T. Vieillardii.  
kalamocarpum Hayata 1915, Ind. Suppl. préel. = T. orientale.
- (P) **Killipii** Weatherby, Contr. Gray Herb. no. 95. 36. t. 8. 1931. — Colombia.  
Krugii Christ 1897, Index = T. rigidum.
- (Ta) **Kurzii** Bedd.; t. Cop. l. c. 189 = T. latemarginale (?)  
laetum v. d. B. 1861; Cop. l. c. 261 t. 57 f. 2. — N. Caledonia, N. Hebridae. — T. Luerssenii F. Muell. 1882, Index.
- (?) **lasiophyllum** v. A. v. R. Nova Guinea 14. 54. 1924. — N. Guinea.
- (Ta) **latealatum** (v. d. B.) Christ 1896? — India—China merid. — Indochina.  
Didymoglossum v. d. B. Ned. kr. Arch. 5<sup>3</sup>. 138. 1863; Cop. l. c. 192 t. 25, 26.
- (Ta) **latemarginale** Eat.; Cop. l. c. 189 t. 24 (excl. syn. T. Kurzii et T. viridans (et T. palmifolium?). — China merid.—Tonkin—Formosa. — T. formosanum Yabe 1902, Index.
- (H) **latilabiatum** E. Brown, Bishop Mus. Bull. 89. 8 f. 3. 1931. — Marquesas.  
latifrons v. d. B. 1863; Cop. l. c. 139 t. 4. — Ind. bor. Formosa.  
T. cupressifolium Hayata 1914, Ind. Suppl. préel.  
latipinnulata Bonap. N. Pt. 9. 28. 1920 = T. Boivini.  
latipinnum Cop. 1911, Ind. Suppl. = T. obscurum.  
Lauterbachii Christ 1901, Index = T. humile.
- (C) **Ledermanni** Brause, Engl. Jahrb. 56. 35. 1920. — N. Guinea.  
leptophyllum A. Cunn. 1836, Index (excl. syn.) = T. strictum.  
leptophyllum v. d. B. 1859 = T. hymenophylloides.
- (M) **liberiense** Cop. Phil. Journ. Sci. 51. 160 t. 9 f. 3—6. 1933. — Liberia.  
liu-kiuense Yabe 1905, Index = T. birmanicum.  
longifrons Nakai, Bot. Mag. Tokyo 40. 266. 1926. — Formosa.
- (M) **longilabiatum** Bonap. N. Pt. 16. 13. 1925; C. Chr. Dansk Bot. Ark. 7. 4 t. 2 f. 30—31. 1932. — Madagascar.
- (P) **Ludovicianum** Ros. Fedde Rep. 22. 6. 1925. — Costa Rica.  
Luerssenii F. Muell. 1882, Index = T. laetum.
- (M) **Lyallii** (Hk. f.) Hk.; Cop. l. c. 163 t. 7 f. 7, t. 11 f. 4. — Adde loc. N. S. Wales et syn. T. calvescens v. d. B. 1863, Index.  
madagascariense (v. d. B.) Moore. — Veris. = T. Boivini.
- (Ta) **Majorae** Watts, Pr. Linn. Soc. N. S. Wales 39. 759 t. 46 f. 2. 1915. — Queensland.
- (Ta) **Makinoi** C. Chr.; Cop. l. c. 195 t. 27. — t. Ching = T. insigne. — Adde syn. T. tosae Christ 1910, Index. T. acuto-obtusum Hayata 1914, Ind. Suppl. préel. et (t. Nakai) T. palmifolium Hayata 1914 (vix).
- (C) **maluense** Brause, Engl. Jahrb. 56. 36. 1920. — N. Guinea.  
mandioceanum Raddi 1825. — Brasilia, Africa trop.  
T. rigidum auctt. quoad pl. afr.
- (M) **Mannii** Hk. — Africa trop. — Ins. Mascarenae. — T. trinerve Bak. 1877.  
T. ambongoense Bonap. 1020. T. angustilaciniatum Bonap. 1925. — Cf. C. Chr. Dansk Bot. Ark. 7. 4 t. 2 f. 23—29.  
Marierii Vieill. (Bak. Syn. 466, syn.) = T. laetum.
- (P) **Martinsii** Pr. Hym. 36. 1843. — Amazonas. — T. pilosum Mart. Ic. Cr. Bras. 104 t. 68 1834 (non Raddi 1819). T. plumula Pr. 1843.  
maximum Bl.; Cop. l. c. 217 t. 38 f. 1—4. — Dele syn. omn. — Adde T. Miyakei Yabe 1905, Index (t. Nakai).

- maximum var. grandiflora Ros. Fedde Rep. 5. 371. 1908 = *T. intermedium*.
- (Ta) **megistostomum** Cop. Phil. Journ. Sci. 51. 191 t. 23 f. 4—6. 1933. — Siam.
- meifolium** Bory; Index excl. loc. et cit. v. d. B. — Madagascar. Réunion.
- Cf. *T. pluma* et C. Chr. Dansk Bot. Ark. 7. 7. 1932.
- meifolium** Bl. 1828 = *T. apiifolium*.
- meifolium** part. auctt., Cop. l. c. 265 = *T. pluma*.
- melanorhizon** Hk. 1846 = *T. brevipes*.
- Merrillii** Cop. 1906, Ind. Suppl. = *T. setaceum*.
- microchilum** Bak. 1894, Index = *Hymenophyllum*.
- microlirion** Cop. 1915, Ind. Suppl. pré. = *T. Christii*.
- millefolium** Pr. 1843 = *T. grande*.
- Milnei** v. d. B. 1861, Index = *T. caudatum*.
- minimum** v. A. v. R. Bull. Buit. III. 2. 175. 1920 = *T. bilabiatum*.
- minutissimum** v. A. v. R. 1916, Ind. Suppl. pré. = *T. Beccarianum*.
- Miyakei** Yabe 1905, Index = *T. maximum*.
- (H) **Motleyi** v. d. B.; Cop. l. c. 201 t. 30 f. 1—4. — Dele varr. omn.
- myrioplasium** Kze. 1846 = *T. apiifolium*.
- Naseanum** Christ. — Veris. *T. radicans* f.
- Naumanni** Kuhn et Luerss. 1896, Index = *T. Endlicherianum*.
- nipponicum** Nakai, Bot. Mag. Tokyo 40. 270. 1926. — Japonia.
- (Cr) **Nymanii** Christ; Cop. l. c. 187 t. 19 f. 4. — (*Mihi* potius *T. alternans* f.).
- obscurum** Bl. 1828; Cop. l. c. 233 t. 43, 44. — Malesia—Indochina—N. Guinea. — Adhuc t. Cop. *T. papillatum* K. Müll. 1854. *T. saxatile* Moore 1862, Index. *T. racemosum* v. d. B. 1863, Index. *T. latipinnum* Cop. 1911, Ind. Suppl. (*T. siamense* Christ et *T. Englerianum* Brause diversae sp. sunt).
- (H) **omphalodes** (Vieill.) C. Chr.; Cop. l. c. 203 t. 31 f. 1—6. — Adde syn. *T. pannosum* Cesati 1877, Ind. Suppl. 130 (an nom. opt.?).
- pachyphlebium** C. Chr. in Bonap. N. Pt. 12. 16 f. 5. 1920. — Madagascar.
- (Pl) **pallidum** Bl.; Cop. l. c. 141. — Dele var. *T. acutum* Pr. Adde var. *T. savaiense* Laut. 1908, Ind. Suppl.
- palmifolium** Hayata 1914, Ind. Suppl. pré. = *T. Makinoi* (t. Hayata), = *T. latemarginale* (t. Cop.).
- pannosum** Cesati 1877, Ind. Suppl. 130 = *T. omphalodes*.
- papillatum** K. Müll. 1854 = *T. obscurum* var.?
- (H) **papuanum** Brause, Engl. Jahrb. 56. 32. 1920. — N. Guinea,
- parviflorum** Poir. — Loc. Perak . . . Australia valde dubiae sunt.
- (H) **parvifolium** (Bak.) Cop. Phil. Journ. Sci. 51. 211. 1933. — Birma.
- Hymenophyllum* Bak. 1866, Index cum syn.
- parvulum** Poir. — Dele loc. Asia, Polynesia, Australia (Valde dubia sp., veris. eadem ac *Hymenophyllum sibthorpioides*; cf. C. Chr. Dansk Bot. Ark. 7. 3. 1932).
- parvulum** auctt. quoad Pl. asiat. etc. = *T. saxifragoides*.
- parvulum** Cop. Phil. Journ. Sci. 51. 145 t. 5. 1933 = ?.
- parvum** Cop. l. c. 134 t. 1 f. 3. — Formosa.
- pennatum** Klf. 1824, Index = *T. pinnatum*.
- (G) **piliferum** v. A. v. R. Bull. Buit. III. 5. 225. 1922. — Java.
- (N) **pinnatum** Hedw. — Adde varr. *T. pennatum* Klf., Index cum syn. et *T. Schomburgkianum* Sturm 1859, Index.
- (F) **platyrachis** Domin, Mem. R. Czech Soc. Sci. n. s. 2. 45 t. t f. 1—3. 1929. — Jamaica.

- (Ta) **plicatum** (v. d. B.) Bedd. 1868. — India—Indochina.  
*Didymoglossum* v. d. B. Ned. kr. Arch. 5<sup>3</sup>. 139. 1863.
- pluma** Hk. 1854, Index excl. syn. — *T. longisetum* v. d. B. Hym. Javae 28 t. 21 (vix Bory 1810); *T. meifolium* part. auctt., Index, Cop. l. c. 265 (vix Bory 1810, cf. C. Chr. Dansk Bot. Ark. 7. 7 t. 18—20). *T. trichophyllum* Moore 1862, Index.
- polyanthos** Hk. 1844 = *T. societense*.
- Preslianum** Nakai, Bot. Mag. Tokyo 40. 261. 1926 = *T. grande*.
- pseudo-arbuscula** v. A. v. R. Nova Guinea 14. 57. 1924. — N. Guinea.
- pseudocapillatum** v. A. v. R. l. c. 54. — N. Guinea.
- pulcherrimum** Cop. 1914, Ind. Suppl. préel. = *T. aphlebioides*.
- punctatum** Christ, Engl. Jahrb. 23. 336. 1896 = *T. bipunctatum*.
- (H) **pygmaeum** C. Chr. in Bonap. N. Pt. 12. 10, fig. 1920. — Madagascar.
- pyxidiferum** L. Cf. Slosson, Bull. Torr. Cl. 42. 652 t. 30. 1915, Cop. l. c. 132 t. 1 f. 1. — Amer. trop. Afr. trop.?.; deest in Asia-Polynesia. — Dele fere syn. omn; plurimae formae in Indice nominatae veris. sp. validae sunt. Cf. *T. hymenophylloides* et *T. Schmidianum*.
- racemulosum** v. d. B. 1863, Index = *T. obscurum*.
- radicans** Sw. — Cop. l. c. 213 t. 35 f. 1—2 hic refert *T. birmanicum* Bedd. (v. supra), *T. orientale* C. Chr. Index, *T. Naseanum* Christ, Index, *T. amabile* Nakai, Ind. Suppl. préel., *T. quelpaertense* Nakai, Ind. Suppl.
- recedens** Ros. 1912, Ind. Suppl. = *T. Christii*. [prél. (an jure?).]
- reniforme** Forst. 1786, Index = *Cardiomanes*.
- rhomboideum** J. Sm. 1841 = *T. atrovirens*.
- (M) **Ridleyi** Cop. Phil. Journ. Sci. 51. 162 t. 11 f. 2—3. 1933. — Malacca.
- rigidum** Sw. — Amer. trop. — Dele syn. *T. mandioccanum* Raddi et var. *T. Dregei* v. d. B., *T. papillatum* K. Müll., *T. Harveyi* et *T. Seemanni* Carr.
- rigidum** auctt. quoad. pl. asiat. = *T. obscurum*.
- Rosenstockii** v. A. v. R. 1912, Ind. Suppl. = *T. singaporianum*.
- rotundifolium** Bonap. N. Pt. 9. 23. 1920 = *T. cuspidatum*.
- savaïense** Lauterb. 1908, Ind. Suppl. = *T. pallidum*.
- saxatile** Moore 1862, Index = *T. obscurum*.
- Schmidianum** Zenker; Taschner, Dissert. 34 t. 1 f. 1. 1843; Cop. l. c. 135 t. Schomburgkianum Sturm 1859, Index = *T. pinnatum*. [2 f. 1. — India.
- Seemanni** Carr. 1873 = *T. dentatum*.
- serratulum** Bak. 1867, Index = *Hymenophyllum Lobbii*.
- setaceum** v. d. B. 1861; Cop. l. c. 260 t. 57 f. 1. — Malacca. Borneo. Ins. Phil. — *T. setigerum* Backh. 1861. *T. Merrillii* Cop. 1906, Ind. Suppl.
- setigerum** Backh. 1861, Moore 1862 = *T. setaceum*.
- sibthorpioides** Bory, Willd. 1810, Index, Cop. l. c. 154 t. 8 = *Hymenophyllum*.
- (C) **singaporianum** (v. d. B.) v. A. v. R. Bull. Buit. II no. 20. 25. 1925; Cop. l. c. 247 t. 52 f. 2. — Malacca. Borneo. — *Cephalomanes* v. d. B. Ned. kr. Arch. 4. 350. 1859; *Lacostea* Prantl 1875; *Trichomanes javanicum* Hk. et Grev. Ic. t. 249. *T. Rosenstockii* v. A. v. R. 1912, Ind. Suppl. *T. borneense* v. A. v. R. 1915, Ind. Suppl. préel.
- sinuatum** Bonap. N. Pt. 9. 25. 1920; C. Chr. Dansk Bot. Ark. 7. 4 t. 2 f. 19—22. 1932. — Madagascar.
- societense** J. W. Moore, Bishop Mus. Bull. 102. 5. 1933. — Ins. Societatis. *Hymenophyllum polyanthum* Hk. in Nightingale, Oceanic Sketch. 132. 1835 (non Sw. 1801); *Trichomanes (polyanthos)* Hk. 1844; Cop. l. c. [230 t. 42 f. 3.

*solitarium* Jenm. 1894, Index = *T. punctatum*.

*Somal* Nakai, Bot. Mag. Tokyo 40. 267. 1926. — Formosa.

*spinulosum* Philippi 1860, Index = *Hymenophyllum dicranotrichum*.

*stenosiphon* Christ: Cop. l. c. 133 t. 1 f. 2. — Sp. dubia t. Nakai = *T. orientale*.

*strictum* Menzies; Cop. l. c. 259 t. 56 f. 3—4. — Adde syn. *T. leptophyllum* A. Cunn. 1836, Index excl. syn. et loc.

(H) *sublimbatum* K. Müll., Cop. l. c. 198 t. 28 f. 1—2. — Asia trop. N. Guinea. Queensland. — Adde syn. *T. Baileyanum* Watts 1915.

(G) *subtilissimum* Brause, Engl. Jahrb. 56. 33. 1920. — N. Guinea.

*subtrifidum* Matthew et Christ 1909, Ind. Suppl. = *T. Teysmanni*.

(C) *suffrutex* v. A. v. R. Nova Guinea 14. 56. 1924. — N. Guinea (= *T. densinervium* Cop.?).

(C) *sumatranum* v. A. v. R. 1908, Ind. Suppl.; Cop. l. c. 249 t. 53 f. 4. — Malesia. Annam.

*superbum* Backh., Moore, Gard. Chr. 1862. 44; Cop. l. c. 221 t. 39. — Borneo. Sumatra. Malacca. — *T. hispidulum* Mett. 1868, Index. *T. ignobile* Cesati 1876, Index.

(M) *taeniatum* Cop. Bishop Mus. Bull. 93. 6 t. 2. 1932, Phil. Journ. Sci. 51. 161 t. 10. — Tahiti.

*tenue* Brack. 1954, Index = *T. Endlicherianum*.

*tereticaulum* Ching, Sinensia 1. 2. 1929, Ic. Fil. Sin. t. 3; Cop. l. c. 241.

*tosae* Christ 1910, Index = *T. Makinoi*. [— Kwangsi.

*trichophorum* v. A. v. R. Nova Guinea 14. 53. 1924. — N. Guinea.

*trichophyllum* Moore 1862, Index (excl. loc. N. Caledonia) = *T. pluma*.

*trinerve* Bak. 1877, Index = *T. Mannii*.

*trinitense* Domin, Mem. R. Czech Soc. Sci. n. s. 2. t. 5 f. 4—5. 1929 =

(F) *Trollii* Bergdolt, Flora 127. 264, f. 3. 1933. — Bolivia. [T. *accedens*.

*Ujhelyii* Kümmerle 1912, Index = *T. polypodioides*.

*uniflorum* Cav. 1802, Index. — Patria Chiloe certe falsa est, veris. in Luzon collectum = *T. grande*.

(H) *varians* v. A. v. R. Nova Guinea 14. 53. 1924. — N. Guinea.

*Vaupelii* Brause, Notizbl. Bot. Gart. Berlin 8. 138. 1922. — Samoa,

(Ta) *venulosum* (Ros.) Cop. Phil. Journ. Sci. 51. 186 t. 22 f. 1—2. 1933. — N. Guinea. — *T. bipunctatum* var. *venulosa* Ros. Hedwigia 56. 350. 1915.

(M) *vitiense* Bak.; Cop. l. c. 157 t. 9 f. 1—2 (excl. syn.).

(Ta) *Walleri* Watts, Pr. Linn. Soc. N. S. Wales 39. 761 t. 86 f. 3. 1915. — Queensland.

*Trichophylla* Domin, Publ. Fac. Sci. Univ. Charles no. 88. 8. 1928 (*Pityrogramma* §) = *Pityrogramma*.

TRICHOPTERIS Presl.

*falcata* Llanos, Fragm. Fl. Filip. 111. 1851 = *Cyathea integra*.

TRIPHLEBIA Baker 1886, Index = *Diplora*.

*dimorphophylla* Bak. 1886 = *D. d'Urvillaei*.

*linza* (Ces.) Bak. 1886, Index = *D. d'Urvillaei*.

*longifolia* (Pr.) Bak. 1886, Index = *D. longifolia*.

*pinnata* (J. Sm.) Bak. 1886, Index = *D. longifolia* var.

TROGOSTOLON Copeland, Phil. Journ. Sci. 34. 251. 1927. — (Polypodiaceae Gen. 56).

*falcinellus* (Pr.) Cop. l. c. t. 4. — Ins. Phil. — *Davallia* Pr. 1825, Index.

Index Filicum. Supplementum III.



- VAGINULARIA** Fée 1843—1852; Goebel, Flora 117. 110 f. 1924. — *Diclidopteris* Brack. 1854. *Monogramma* sp. Index. — (Polypodiaceae Gen. 134).  
*angustissima* (Brack.) Mett. 1868—69. — Polynesia. — *Diclidopteris* Brack. 1854.  
*capillaris* (Cop.) C. Chr. Ind. Suppl. III. 193. 1934. — Ins. Negros.  
*Monogramma* Cop. 1911, Ind. Suppl.  
*emarginata* (Brause) C. Chr. Ind. Suppl. III. 194. 1934. — N. Guinea.  
*Monogramma* Brause 1912, Ind. Suppl.  
*paradoxa* (Fée) Mett. 1868—69. — Malesia—Melanesia—Ceylon. — *Monogramma* (Fée) Bedd. 1876, Index excl. loc. Polynesia? et var. *Dicl. angustissima* Brack.  
*subfalcata* (Hk.) C. Chr. Ind. Suppl. III. 194. 1934. — N. Hebridae.  
*Monogramma* Hk. 1864, Index.  
*trichoidea* (J. Sm.) Fée 1852. — Ins. Phil. Borneo. Malacca.  
*Monogramma* J. Sm. 1841, Index.
- VITTARIA** J. E. Smith. — (Polypodiaceae Gen. 135).  
*amboinensis* Fée. — Malesia. Ind. bor. — Tonkin. — Adde syn. *V. ensata* Christ 1908, Ind. Suppl. — *V. loricea* Fée 1852.  
*angustata* v. A. v. R. Mal. Ferns Suppl. Corr. 57. 1917 = *V. angustifolia* Bl.  
*anguste-elongata* Hayata, Ic. Fl. Formosa 6. 161. 1916. — Formosa.  
*angustifolia* Bl. 1828. — Malesia. — *V. Blumei* Hier. 1915; *V. angustata* v. A.  
*angustifolia* (Sw.) Bak. 1870, Index = *Ananthocorus*. [v. R. 1917.  
*anodontolepis* Fée 1852 = *V. incurvata*.  
*arisanensis* Hayata 1914, Ind. Suppl. pré. = *V. taeniophyllum*.  
*Blumei* Hier. *Hedwigia* 57. 206. 1915 = *V. angustifolia*.  
*Bommeri* Christ 1905, Index = *V. Gardneriana*.  
*boninensis* Christ 1900, Index = *V. elongata*.  
*Bradeorum* Ros. Fedde Rep. 22. 18. 1925. — Costa Rica.  
*congoensis* Christ 1903, Index = *V. guineensis*.  
*costata* Kze. — Dele loc. Yunnan.  
*costularis* Ching, *Sinensia* 1. 185, fig. 1931. — Kwantung.  
*crassifolia* Bak. 1893, Index = *Scleroglossum*.  
*debilis* (Mett.) Kuhn 1869, Index = *Scleroglossum*.  
*elongata* Sw. — Dele syn. — Adde syn. *V. boninensis* Christ 1900, Index  
*ensata* Christ 1908, Ind. Suppl. = *V. amboinensis*. [(t. Ching).  
*ensiformis* Sw. — Dele syn. *V. incurvata*.  
*exigua* Hier. Engl. Jahrb. 56. 172. 1920. — N. Guinea.  
*flexuosa* Fée. — Adde loc. China, Japonia et syn. *V. revoluta* Don 1825 (non Klf. 1824). — *V. japonica* Miq. 1867, Index. *V. lanceola* Christ 1896, Index.  
*formosana* Nakai, Bot. Mag. Tokyo 39. 176. 1925 = *V. zosterifolia*.  
*Forrestiana* Ching, *Sinensia* 1. 191 f. 5. 1931. — Yunnan. Tonkin.  
*Fudzinoi* Mak. 1892 (*Fuzinoi* Index, err. typ.).  
*hainanensis* C. Chr. apud Ching, *Sinensia* 1. 182. f. 1. 1931. — Hainan. Tonkin.  
*himalayensis* Ching, *Sinensia* 1. 190 f. 5 B. — 1931. — Himalaya occ.  
*incurvata* Cav. 1802. — Guam. — *V. anodontolepis* Fée 1852.  
*japonica* Miq. 1867, Index = *V. flexuosa* var.  
*lanceola* Christ 1896, Index = *V. flexuosa*.  
*latissima* Hier. Engl. Jahrb. 56. 171. 1920. — N. Guinea.  
*Ledermanni* Hier. l. c. 166. — N. Guinea.  
*linearifolia* Ching, *Sinensia* 1. 183 fig. 1931. — Yunnan, Tibet, Burma.  
*loricea* Fée 1852 = *V. amboinensis* var.  
*malayensis* Holttum, Gardens' Bull. S. S. 4. 409. fig. 1929. — Malacca.

*mauruensis* (Nadeaud) C. Chr. Index = *Scleroglossum*.

*Merrillii* Christ 1907, Ind. Suppl. — Asia—Polynesia trop. — *V. pauciare-minor* Fée 1852 = *Scleroglossum*. [olata Ching 1929.

*modesta* Hand.-Mzt., Symb. Sin. 6. 42. 1929. — China. — *V. nana* Ching 1929.  
*nana* Ching, Sinensia 1. 11. 1929, Ic. Fil. Sin. 39 = *V. modesta*.

*Nymani* Hier. Engl. Jahrb. 56. 168. 1920. — N. Guinea.

*ogasawarensis* Kodama in Matsum. Ic. Pl. Koisik. 3. 1 t. 146. 1915. — Ins. Bonin.

*ophiopogonoides* Ching, Sinensia 1. 186 f. 5 A. 1931. — Yunnan, Himalaya.  
— (*V. flexuosa* forma?).

*pauciareolata* Ching, Sinensia 1. 11. 1929, Ic. Fil. Sin. t. 38 = *V. Merrillii*.

*pluridichotoma* Bonap. N. Pt. 13. 223. 1921. — Borneo.

*plurisulcata* Ching, Sinensia 1. 186 f. 4. 1931. — Yunnan. — (*V. flexuosa* forma?).

*pumila* Mett., Kuhn 1869, Index = *V. hirta*.

*pusilla* Bl. 1828, Index = *Scleroglossum*.

*revoluta* Don 1825 = *V. flexuosa*.

*rubens* Hier. Engl. Jahrb. 56. 164. 1920. — N. Guinea.

*Schliebenii* Reimers, Notizbl. Bot. Gart. Berlin—Dahlem 11. 924. 1933. — Afr.

*semipellucida* Hier. Engl. Jahrb. 56. 170. 1920. — N. Guinea. [trop. or.

*squamosipes* v. A. v. R. Nova Guinea 14. 58. 1924. — N. Guinea.

*suberecta* Hayata, Ic. Pl. Formosa 6. 161. 1916. — Formosa.

*sulcata* (Mett.) Kuhn 1869, Index = *Scleroglossum*.

*tortifrons* Hayata, Ic. Pl. Formosa 6. 162. 1916. — Formosa.

*wooroonooran* Bailey 1889, Index = *Scleroglossum*.

*zosterifolia* Willd. — Adde loc. China or. Formosa et syn. *V. formosana*  
Nakai 1925 (t. Ching).

**WOODSIA** R. Brown. — (Polypodiaceae Gen. 6). — Cf. Ching, Sinensia 3.  
131. 1932.

*Andersonii* (Bedd.) Christ 1905, Ching, l. c. 152. — Ind. bor. Yunnan.

*Gymnogramme* Bedd. Ferns br. Ind. t. 190. 1866.

*Brandtii* Franch. et Sav. 1879, Index = *W. macrochlaena*.

*eyeloloba* Hand.-Mzt. Symb. Sin. 6. 19 t. 1 f. 5. 1929. — Yunnan.

*Delavayi* Christ 1905, Index = *W. Rosthorniana*.

*eriosora* Christ 1908, Ind. Suppl. = *W. subcordata*.

*frondosa* Christ 1908, Ind. Suppl. = *W. macrochlaena*.

*gracillima* C. Chr. Acta Hort. Gothob. 1. 42 t. 16. 1924. — China bor.

*indusiosa* Christ 1909, Index = *Cheilanthes*.

*japonica* Mak. 1897, Index = *W. macrochlaena*.

*kitadakensis* Ohwi, Bot. Mag. Tokyo 44. 572. 1930. — Japonia.

*lanosa* Hk. 1866, Ching, l. c. 150. — Dele syn. *Gymn. Andersoni* Bedd. et  
adde *W. pellaeopsis* Hand.-Mzt. 1929.

*macrochlaena* Mett., Kuhn 1868. — Reg. Amur.—Korea—Shantung. Japonia.

*W. Brandtii* Fr. et Sav. 1879; *W. japonica* Mak. 1897, Index. *W. frondosa*

Christ 1908, Ind. Suppl.

*macrospora* C. Chr. et Maxon, Journ. Wash. Acad. Sci. 17. 499. 1927. — Kansu.

*microsora* Kodama in Matsum. Ic. Pl. Koisik. 3. 101 t. 196. 1927. — Korea.

*nivalis* Pirota 1908, Ind. Suppl. = *Cystopteris fragilis*.

*pellaeopsis* Hand.-Mzt. Symb. Sin. 6. 18 t. 1 f. 6. 1929 = *W. lanosa*.

*pilosella* Rupr. 1845 = *W. subcordata*.

*rupicola* Hoffmannsegg, Preiss-Verz. VII. 60. 1833 = *V. ilvensis*.

*shensiensis* Ching, Sinensia 3. 141. 1932. — China (Shensi).

- sinica** Ching, l. c. 145. — China (Shansi).  
**stenophylla** Cop. Phil. Journ. Sci. 40. 212. 1929. — Luzon.  
**subcordata** Turcz. 1832, Ching, l. c. 139. — Mongolia—China bor.—Japonia.  
*W. pilosella* Rupr. 1845. *W. eriosora* Christ 1908, Ind. Suppl.  
**tsurugisanensis** Mak. 1914, Ind. Suppl. pré. — T. Ching, l. c. 139 veris.  
 = *W. Hancockii*.  
*Veitchii* Christ 1906, Ind. Suppl. = *Dryopteris serrato-dentata*.  
**viridis** Ching, Sinensia 3. 146. 1932. — China.  
**xanthosporangia** Ching, Bull. Fan Mem. Inst. 1. 101, c. t. 1929 = *Dryopteris fragrans*.  
**WOODWARDIA** J. E. Smith. — (Polypodiaceae Gen. 84). — Cf. Nakai, Bot. Mag. Tokyo 39. 101. 1925 et Ching, Bull. Fan Mem. Inst. 2. 1. 1931.  
**angustiloba** Hance 1868 = *W. orientalis*.  
**auriculata** Bl. 1828. — Malesia.  
*Chamissoi* Brack. 1854 = *W. fimbriata*.  
**cochin-chinensis** Ching, Bull. Fan Mem. Inst. 2. 7. 1931. — Indochina.  
**exaltata** Nakai, Bot. Mag. Tokyo 35. 149. 1921 = *W. orientalis* var. *prolifera*.  
**fimbriata** Sm. Rees Cycl. 38 no. 6. 1818, Alston, Phil. Journ. Sci. 50. 181 (descr. orig) t. 1 f. 4. 1932. — U. S. A. pacif. — *W. Chamissoi* Brack. 1854, Maxon, Amer. Fern Journ. 9. 68. 1919.  
*Kempii* Cop. 1908, Ind. Suppl. = *W. Harlandii*.  
**orientalis** Sw. 1801. — China—Japonia. — *W. angustiloba* Hance 1868. — *W. prolifera* Hk. et Arn. 1840. *W. exaltata* Nakai 1921.  
**radicans** (L.) Sm. — Dele varr. *W. auriculata* et *W. orientalis*.  
**spinulosa** Mart. et Gal. — Mexico—Guatemala. — Dele syn. *W. Chamissoi* Brack. — (Cf. *W. biserrata* Pr. 1825).  
*Takeoi* Hayata 1915, Ind. Suppl. pré. = *W. Harlandii*.  
**unigemmata** (Mak.) Nakai, Bot. Mag. Tokyo 39. 103. 1925, Ching, Bull. Fan Mem. Inst. 2. — Himalaya—China—Japonia. Ins. Phil.  
*W. radicans* var. *unigemmata* Mak. Journ. Jap. Bot. 2. 7. 1918.

---



---

## ADDENDA ET CORRIGENDA.

(Vide supra pag. 4).

### ACROPHORUS Presl.

- Blumei** Ching apud C. Chr. Gardens' Bull. S. S. 7. 226. 1934. — Malesia.  
*Aspidium nodosum* Bl. 1828 (non Willd. 1810); *Acrophorus* Pr. 1836; *Davallia*? Hk 1846; *Cystopteris* Mett. 1864.  
*nodosum* Pr. 1836 = *A. Blumei*.  
**stipellatus** (Wall.) Moore, 1854, Index excl. loc. Malesia et syn. *Aspidium nodosum* Bl. etc. — India bor. China merid. — Tonkin.

### ADIANTUM L.

- alatum** A. Peter 1929, supra p. 18  
**Balansae** Bak. 1890, supra p. 18  
**Mettenii** Kuhn 1868, supra p. 19  
 } = *A. soboliferum*.  
**dolabriforme** Hk. 1837 (non supra p. 19, ubi ex errore gravissimo loc. et syn. *A. soboliferi* citata sunt). — Brasilia.  
**Klossii** Gepp, Journ. Nat. Hist. Siam 4. 159. 1921. — Annam.

- soboliferum* Wall. 1828, Hk. sp. 2. 13 t. 74 A. 1851. — Asia et Africa trop  
*A. Mettenii* Kuhn 1868, Index. *A. Balansae* Bak. 1890, Index. *A. alatum*  
**AGLAOMORPHA** Schott. [Cop. 1905 et A. Peter 1929.  
*Ieporella* (Goebel) C. Chr. Ind. Suppl. III. 197. 1934. — Malesia?  
*Drynaria* Goebel, Ann. Jard. Buit. 39. 145 t. 15, 18. 1928.
- ALSOPHILA** R. Brown.  
*costularis* Bak. 1906, Ind. Suppl. et supra p. 21 cum syn. = *Cyathea Bruno-*  
*glabra* (Bl.) Hk. — Dele var. *A. Metteniana*. [niana.  
*Metteniana* Hance 1868. — China merid.-Indochina—Formosa.  
*A. formosana* Bak. 1891, Index.  
*Ridleyi* Bak. 1894, Index et Suppl. 91 = *A. squamulata*.
- ANGIOPTERIS** Hoffmann.  
*Holttumii* C. Chr. Gardens' Bull. S. S. 7. 209. 1934. — Borneo.
- ARTHROMERIS** (Moore) J. Sm. 1875; Ching, Contr. Inst. Bot. Nat. Acad. Pei-  
ping 2. 89. 1933 = **Polypodium**.  
*amplexifolia* (p. 94) — *himalayensis* (99) — *Lehmanni* (96) — *lungtauensis*  
(93) — *pinnata* (95) — *tatsiensis* (93, err., = *tatsienensis*) — *tenuicauda*  
(91) — *Wallichiana* (92) — *Wardii* (94) Ching, l. c. = *P. sp. homonym*.
- ARTHROPTERIS** J. Smith.  
*orientalis* (Gmel.) Posthumus, Rec. Trav. Bot. Néerl 21. 218. 1924, C. Chr.
- ASPIDIUM** Sw. = **Tectaria**. [1932, supra p. 27.  
*cuspidatum* Desv. 1827, Index = *Polypodium haitiense*.  
*multicaudatum* Wall., Index = *T. Griffithii*.  
*neglectum* (Mett.) C. Chr. Index = *T. Griffithii*.  
*quinquefoliolatum* C. Chr. Ind. Suppl. = *T. pentaphylla*.
- ASPLENIUM** L.  
*brasiliense* Larrañaga, Escritos 1. 414. 1922. — Brasilia.  
*Grashoffii* Ros. 1914, Ind. Suppl. pré-l. = *A. batuense*.  
*kinabaluense* Holttum, Gardens' Bull. S. S. 7. 281 t. 62. 1934. — Borneo.  
*Klossii* C. Chr. Gardens' Bull. S. S. 7. 278 t. 60. 1934. — Borneo.  
*lobangense* C. Chr. l. c. 279. — Borneo.  
*malayo-alpinum* Holttum, l. c. 280 t. 61. — Borneo.  
*Matsumurae* Christ 1910, Ind. Suppl. — *Diplazium Kodama* 1912.  
*pachyehlamys* C. Chr. Gardens' Bull. S. S. 7. 277. 1934. — Borneo.  
*porphyrorachis* Bak. 1879. — Malesia. — *Diplazium Diels* 1899, Index cum
- ATHYRIUM** Roth. [syn.  
*amoenum* C. Chr. Gardens' Bull. S. S. 7. 267 t. 56. 1934. — Borneo.  
*calliphyllosum* Cop. Phil. Journ. Sci. 40. 303 t. 6. 1929. — Mindanao. — (*Di-*  
*gymnocarpum* Cop. l. c. 301 t. 4. — Mindanao. — (*Diplazium?*). [plazium?).  
*monomachi* Komarov, Bull. Jard. bot. Kieff no. 13. 145. 1931 = *A. filix fe-*  
*oreopteris* Cop. l. c. 302 t. 5. — Luzon. — (*Diplazium?*). [mina var.  
*Otaria* Posthumus, Proc. Fourth Pacif. Congress Java 137. 1929 = *A. Cumin-*  
*tenuifolium* Cop. l. c. 302. — Mindanao. — (*Diplazium?*). [gianum.
- BLECHNUM** L.  
*fluviatile* (R. Br.) Lowe. — Adde loc. Borneo (Kinabalu).
- BOLBITIS** Schott.  
*auriculata* (Lam.) Alston, JoB. 1934 Suppl. 3; Ching supra p. 47.  
*enormis* (Cop.) C. Chr. Ind. Suppl. III. 197. 1934. — Mindanao.  
*Campium* Cop. Phil. Journ. Sci. 40. 307 t. 8. 1929.  
*gaboonensis* (Hk.) Alston, Kew Bull. 1934 Suppl. 3; Ching supra p. 48.

**Heudelotii** (Bory) Alston, l. c.; Ching, supra p. 48.

**Linnaeana** (Fée) C. Chr. Ind. Suppl. III. 198. 1934. — Malesia. — *Leptochilus* Fée 1845, Index et supra p. 119; *Campium* Cop. 1928. *Leptochilus modestus* (Bak.) C. Chr. Index; *Campium* Cop. 1931; *Bolbitis* Ching supra p. 49.

**membranacea** (Cop.) C. Chr. Ind. Suppl. III. 198. 1934. — Mindanao.

*Campium* Cop. Phil. Journ. Sci. 40. 307. 1929.

*modesta* (Bak.) Ching, supra p. 49 = *B. Linnaeana*.

**nicotianifolia** (Sw.) Alston, Kew Bull. 1932. 310; Ching supra p. 49.

#### **BOTRYCHIUM** Sw.

*oneidense* House, Amer. Midl. Naturalist 7. 126. 1921 = *B. obliquum* var.

#### **CAMPIUM** Presl.

[(t. Victorin).

*angustipinum* Cop. Phil. Journ. Sci. 37. 381. 1928 = *Bolbitis contaminans*.

*enorme* Cop. l. c. 40. 307 t. 8. 1929 = *Bolbitis*.

*membranaceum* Cop. l. c. 40. 307 = *Bolbitis*.

*modestum* Cop. l. c. 1931 = *Bolbitis Linnaeana*.

*neglectum* Cop. l. c. 37. 374. 1928 = *Leptochilus*.

#### **CHAMAEFILIX** Hill, Farwell = **Asplenium**.

*Adiantioides* Farwell, Amer. Midl. Naturalist 12. 272. 1931.

*Hemionitis* Farwell, l. c. 268 = *A. palmatum*.

*laxa* Farwell, l. c. 272 = *A. mucronatum*.

#### **CYATHEA** Sm.

*amboinensis* Merrill, Interpr. Rumph. Herb. Amboin. 63. 1917 = *Alsophila*.

*dubia* Cop. Sarawak Mus. Journ. 2. 349. 1917, Domin 1929 = *Alsophila vexans*.

*Rumphiana* Merrill, l. c. 63 = *Alsophila*.

*vexans* C. Chr. Gardens' Bull. S. S. 7. 218. 1934 = *Alsophila*.

*vitiensis* Cop. Bull. Bishop Mus. 59. 36. 1929 = *Alsophila*.

#### **CYCLOPHORUS** Desvaux.

*micraster* Cop. 1931, supra p. 65 (Malacca, non N. Guinea) = *C. angustatus*

#### **DAVALLODES** Copeland.

[(t. Holttum).

*borneense* (Hk.) Cop. Sarawak Mus. Journ. 2. 336. 1917, etc. (v. supra p. 69).

*Burbidgei* C. Chr. Gardens' Bull. S. S. 7. 230. 1934. — Borneo.

#### **DENNSTAEDTIA** Bernh.

*rufidula* C. Chr. Gardens' Bull. S. S. 7. 226 t. 51. 1934. — Borneo.

#### **DIPLAZIUM** Sw.

*atrosquamosum* (Cop.) C. Chr. Gardens' Bull. 7. 274. 1934 et supra p. 72.

*barbatum* C. Chr. l. c. 272 t. 59. — Borneo.

*falcinellum* C. Chr. l. c. 270 et supra p. 73.

*laevipes* C. Chr. l. c. 271 t. 58. — Borneo.

*Petersenii* (Kze.) Christ, Index cum syn. = *D. japonicum*.

*polense* C. Chr. l. c. 268. — Borneo.

*porphyrorachis* (Bak.) Diels 1899, Index = *Asplenium*.

*tricholepis* C. Chr. l. c. 270 t. 57. — Borneo.

#### **DRYMOCLOSSUM** Presl.

*Nobukoanum* Mak. Journ. Jap. Bot. 7. 8. 1934 = *Lemmaphyllum*.

#### **DRYOMENIS** Fée 1852; Nakai, Bot. Mag. Tokyo 47. 159. 1933 = **Tectaria**.

*kwarenkoensis* Nakai, l. c. 160 — *polymorpha* Nakai, l. c. 161 = *T. sp.*

#### **DRYOPTERIS** Adanson.

*austro-philippina* Cop. Phil. Journ. Sci. 40. 300. 1929. — Mindanao.

(C) *baramensis* C. Chr. Gardens' Bull. S. S. 7. 246. 1934. — Borneo.

*canlaonensis* Cop. Phil. Journ. Sci. 40. 300. 1929. — Ins. Negros.

*diminuta* Cop. l. c. 298. — Mindanao.

- Elmerorum** Cop. l. c. 295 t. 2. — Mindanao.  
**festina** (Hance) C. Chr. Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 5, 1933 et supra p. 86.  
**gracilis** Cop. Phil. Journ. Sci. 40. 294. 1929. — Mindanao. (Nomen malum? non Domin 1929).  
**indusiata** H. Itô, Journ. Jap. Bot. 9. 57. 1933. — Japonia. — (An D. *indusiata inuyamensis* H. Itô, l. c. 54. — Japonia. [Mak. et Yamamoto 1932?]).  
 (C) **lobangensis** C. Chr. Gardens' Bull. S. S. 7. 245. 1934. — Borneo.  
**matutumensis** Cop. Phil. Journ. Sci. 40. 299 t. 3. 1929. — Mindanao.  
 (L) **multisora** C. Chr. Gardens' Bull. S. S. 7. 241. 1934. — Borneo.  
**rhomboideo-ovata** H. Itô, Journ. Jap. Bot. 9. 55. 1933. — Japonia.  
**spectabilis** (Klf.) Macloskie et Dusén, Rep. Princeton Univ. Exp. Patagonia 8. Suppl. 10. 1915; C. Chr. 1920 et supra p. 98.  
 (L) **supravillosa** C. Chr. Gardens' Bull. S. S. 7. 241. 1934. — Borneo.  
 (C) **tenompokensis** C. Chr. l. c. 248. — Borneo.  
**tephrophylla** Cop. Phil. Journ. Sci. 40. 296. 1929. — Mindanao.  
**Vatnonei** Hicken, Darwiniana 1. 100. 1924. — Argentina.

**ELAPHOGLOSSUM** Schott.

- acuminans** C. Chr. in Urban, Symb. Ant. 9. 372. 1926. — Haiti. — (?)  
**minahasae** v. A. v. R. Mal. Ferns Suppl. 527. 1917, etc. (v. supra p. 104).  
**truncatum** Ros. Fedde Rep. 25. 63. 1928 = E. *Lindbergii* var. Ros. l. c. = E. *hybridum* var.? (Bolivia).  
**uluguruense** Reimers, Notizbl. Bot. Gart. Berlin 12. 80. 1934. — Afr. or. trop.

**GLEICHENIA** Sm.

- borneensis** (Bak.) C. Chr. Gardens' Bull. S. S. 7. 211. 1934 (descr.) et supra  
**peltophora** Cop. Phil. Journ. Sci. 40. 291 t. 1. 1929. — Mindanao. [p. 106.  
 GRAMMITIS *subspathulata* Farwell, Amer. Midl. Nat. 12. 294. 1931 = **Poly-**  
**GYMNOGRAMMA** Desv. [podium.  
**Felipponei** Herter, Darwiniana 1. 159. 1924 etc. (v. supra p. 108).

**HYMENOPHYLLUM** Sm.

- pachydermicum** Cesati. — Adde syn. *Trichomanes vestitum* Bak. 1894, Index.  
 Hym. *Clemensiae* Cop. 1917. — Cf. H. *pilosum* v. A. v. R. 1914.  
**physocarpum** Christ 1905, Index = H. *thuidium*.  
**pilosissimum** C. Chr. Gardens' Bull. S. S. 7. 213. 1934. — Borneo. N. Guinea.  
**thuidium** Harr. — Adde loc. Borneo, N. Guinea et syn. H. *physocarpum*

**LEMMAPHYLLUM** Presl.

- [Christ 1905, Index.  
**Nobukoanum** (Mak.) Ching, Ic. Fil. Sin. ad. t. 80. 1934. — Formosa.  
*Drymoglossum* Mak. Journ. Jap. Bot. 7. 8. 1931; Ogata, Ic. Fil. Jap. t. 165.

**LEPTOCHILUS** Kaulf.

- [1931.  
**Linnaeanus** Fée 1845, Index et supra p. 119 = *Bolbitis*.  
**subcordatus** Wu, Polyp. Yaoshan. t. 92 = *Bolbitis*.

- Leptoselliguea** C. Chr. Gardens' Bull. S. S. 7. 309. 1934 (*Polypodium* §) =  
**LINDSAYA** Dryander. [*Polypodium* § *Colysis*.

- colombiana** Arbeláez Bot. Abh. Goebel H. 14. 55. 1928 = *Odontosoria*.  
**gomphophylla** Bak. 1891, Index = L. *tenera*.

- kinabaluensis** Holttum, Gardens' Bull. S. S. 7. 237. 1934. — Borneo.

**LOMAGRAMMA** J. Sm.

- sorbifolia** (Willd.) Ching supra p. 124 lege 12 (non 120).  
**subeoriacea** Cop. Phil. Journ. Sci. 40. 308. 1929. — Ins. Phil.

**LOXOGRAMME** Presl.

- nidiformis** C. Chr. Gardens' Bull. S. S. 7. 312. 1934. — Borneo.

**MARSILEA** L.

*ephipplocarpa* Alston, JoB. 1930. 118, fig. — Rhodesia.

**MICROLEPIA** Presl.

*doniana* Cop. Phil. Journ. Sci. 40. 305. 1929 = *M. pyramidata*.

**NEPHRODIUM** Rich. = **Dryopteris**.

*gongylodus* Watts, JoB. 1920. 153.

*scabrum* Kümmerl. Mag. Bot. Lapok 32. 60. 1933.

**ODONTOSORIA** *chinensis* (L.) Sm., Index = *Stenoloma chusanum*.**OPHIODERMA** Endl. = **Ophioglossum**.

*falcatum* Deg. Fl. Hawaiiensis 1932 = *O. pendulum* var. (?)

**OSMUNDA** L.

*herbacea* Cop. Phil. Journ. Sci. 40. 291. 1929. — Mindanao.

**PHYLLITIS** Hill, British Herbal 525 t. 74. 1756. 1929 (t. Farwell), Ludwig 1757.**PITYROGRAMMA** Link.

*ornithopteris* Maxon ex Knuth, Fedde Rep. Beih. 43. 95. 1926, Domin 1928.

**PLAGIOGYRIA** Mett.

*integripinnata* Bonap. 1924, supra p. 141 = *P. tuberculata* (t. Holttum).

**POLYPODIUM** L.

*amorphum* Suksdorf, Werdenda 1. 16. 1927 = *P. hesperium* var.?

(Gr) *bulbotrichum* Cop. Phil. Journ. Sci. 40. 309. 1929. — Luzon.

*Copelandii* C. Chr. Index = *Loxogramme*.

*Garrettii* C. H. Wright, Kew Bull. 1930. 174, supra p. 149. — Siam.

(Gr) *heanophyllum* Cop. Phil. Journ. Sci. 40. 310. 1929. — Mindanao.

(Mi) *kamboranganum* C. Chr. Gardens' Bull. S. S. 7. 306. 1934. — Borneo.

(Mi) *pakkaense* C. Chr. l. c. 310. — Borneo.

*papilliferum* Holttum 1928, supra p. 155 = *P. mehipitense* (t. Holttum).

*Raciborskii* C. Chr. Index = *Loxogramme*.

*spongiosum* Cop. Phil. Journ. Sci. 40. 308 t. 9. 1929. — Mindanao.

**PROSAPTIA** *urceolare* Cop. l. c. 311 = **Polypodium**.**PTERIDIUM** Gleditsch.

*esculentum* (Forst.) Cockayne in Engler, Veg. d. Erde 14. 71, 308. 1921,

Nakai 1925 (non 1825) et supra p. 166, C. Chr. Gardens' Bull. S. S. 7. 230. 1934.

*Pteridrys* C. Chr. Gardens' Bull. S. S. 7. 243. 1934 (*Dryopteris* §) = **Dryopteris**.

**PTERIS** L.

*quiquepartita* Cop. Phil. Journ. Sci. 40. 305 t. 7. 1929. — Mindanao.

*subternata* Larrañaga, Escritos 1. 414. 1922. — Brasilia.

**PYCNODORIA** *longifolia* Britton, Fl. Bermuda 418. 1918 = **Pteris**.**SACCOLOMA** f' *Herminieri* Knuth, Fedde Rep. Beih. 43. 30. 1926 = *Davallia*.**SELLIGUEA** Bory = **Polypodium**.

*heterocarpoides* Cop. Univ. Calif. Publ. Bot. 14. 367. 1929 = *P. h.* supra p. 150.

**TECTARIA** Cav.

*austrosinensis* (Christ) C. Chr. Contr. U. S. Nat. Herb. 26. 290. 1931 et supra p. 177.

*dilacerata* (Kze.) Maxon in Standley et Calderon, Lista prel. Pl. El Salvador 24. 1925 et postea 1930 (v. p. 179).

**THELYPTERIS** Schmidel = **Dryopteris**.

*oregana* St. John, Proc. Biol. Soc. Wash. 41. 192. 1928.

*Pittsfordensis* Victorin, Fil. Québec 2. 51. 1933.

**TRICHOMANES** L.

*australicum* Cop. Bishop Mus. Bull. 59. 27. 1929 = *T. Boryanum*.





- Becherer:** Ber. Schw. Bot. Ges. 38. 1929.
- Beck:** Oest. Bot. Zeitschr. 1918.
- Bergdolt:** Flora 127 (N. F. 27). 1933.
- Ber. Schw. Bot. Ges. 42. 1933.
- \*Blatter & d'Almeida:** Blot v. Tardieu-Blot.
- Bonap.** Bull. Mus. d'Hist. Nat. 1916.
- — — — 1917.
- N. Pt. 1-16. 1915-1925.
- A. Becherer:** Pteridologische Beiträge. — pag. 24-29.
- Günther R. v. Beck:** Einige Bemerkungen über einheimische Farne. — pag. 53-63, 113-123.
- Ernst Bergdolt:** 1. Pteridophytenstudien. I. Die heterophyllen Trichomanes-Arten. — pag. 251-271, 14 fig.
- 2. Ueber die Artkonstanz von Trichomanes vitaria DC. — pag. 238-240.
- B. & d'A.:** Ferns of Bombay. 1922.
- Le Prince Bonaparte:** 3. Fougères de l'Herbier du Muséum. — pag. 410-416.
- 4. Fougères d'Afrique de l'Herbier du Muséum. pag. 42-48.
- 5— Notes Ptéridologiques. Paris 8<sup>o</sup>.
5. Fascicule I. 1915 230 pag.
6. — II. 1915. 219 pag.
7. — III. Fil. Javae l. M. Fleischer 1916. 27. pag.
8. — IV. 1917. 123 pag.
9. — V. 1917. 131 pag. — (Fasc.VI. deest).
10. — VII. 1918. 414 pag.
11. — VIII. Les Ptéridophytes de l'Indochine. Première partie. 1919. 197 pag.
12. — IX. Les Ptéridophytes de Madagascar. Première partie. 1920. 104 pag.
13. — X. 1920. 349 pag.
- XI. **C. Houard:** Les Zoocécidies des Ptéridophytes de l'ancien continent. 1920.
- XII. 1920. v. C. Chr. no. 31.
14. — XIII. 1921. 299 pag.
15. — XIV. 1924 (1923). 492 pag. (Cf. de Wildeman.)
16. — XV. 1924. 54 pag.
17. — XVI. Fougères de Madagascar récoltés de M. H. Perrier de la Bâthie. Oeuvre publiée et augmentée par Carl Christensen. 1925. 221 pag. 2 chartes, 8 pl.
- v. d. B.**
- Brade:** Zeitschr. Deutsch. Ver. Wiss. (São Paulo). 1. 1920.
- Bol. Mus. Nac. Rio Janeiro 5. 1929.
- — — — 7. 1931.
- Arch. Mus. Nac. Rio 34. 1932.
- R. van den Bosch** vide Goddijn.
- A. C. Brade:** 1. Die Farnflora der Umgebung der Stadt São Paulo. — pag. 39-61.
- 2. Filices novae Brasilianae. — pag. 93-96, 3 pl.
- 3. — & **Rosenstock:** — —. II. pag. 135-147, 9 pl.
- 4. Especies novas de plantas do Estado do Rio de Janeiro. — pag. 114-115, pl. 1.

- Brause:** Fedde Rep. 15. 1917.  
— Engl. Jahrb. 56. 1920.  
— Hedwigia 61. 1920.  
— Ark. för Bot. 17. no. 7. 1921.  
— Fedde Rep. 18. 1922.  
— Notizbl. Bot. Gart. Berlin 8. 1922.
- Bremekamp:** \*Ann. Transvaal Mus. 15. 1933.
- Britton:** Fl. Bermuda 1918.
- E. Brown:** Bishop Mus. Bull. 89. 1931.
- Burkart:** Physis 11. 1933.
- Butters:** Rhodora 19. 1917.
- Carse:** Tr. N. Zeal. Inst. 50. 1918.  
— — — 51. 1919.  
— — — 56-60. 1926-1929.
- Ching:** Bull. Fan Mem. Inst. 1. 1929.  
— Sinensia 1. 1929.  
— 1930-1933.  
— Sinensia 1. 1930.  
— Bull. Fan Mem. Inst. 1. 1930.  
— — — — 2. 1931.
- G. Brause:** 9. Ein neues Adiantum aus Westindien (A. Urbanianum). — pag. 93.  
—10. Bearbeitung der von C. Ledermann von der Sepik - (Kaiserin - Augusta-) Fluss - Expedition 1912 bis 1913 und von anderen Sammlern aus dem Papuagebiete früher mitgebrachten Pteridophyten, nebst Übersicht über alle bis jetzt aus dem Papuagebiet bekannt gewordenen Arten derselben. — pag. 31-250. — (Hieronymus Asplenias et Vittarieas descripsit, v Hier. no. 22).  
—11. Über die von C. R. W. K. van Alderwerelt van Rosenburgh neu aufgestellte Gattung *Thysanobotrya*. — pag. 401.  
—12. Polypodiaceae. In Urban: Plantae Haitienses — pag. 67-69.  
—13. Filices novae domingenses. — pag. 245-247.  
—14. Einige neue Samoa-Farne. — pag. 138-141.
- C. E. Bremekamp:** New or otherwise noteworthy plants from the Northern Transvaal. — pag. 233-264.
- N. L. Britton:** Flora of Bermuda. New York.
- Elizabeth D. W. Brown and Forest B. H. Brown:** Flora of Southeastern Polynesia. II. Pteridophytes. — 123 pag., 19 fig., 21 pl.
- Arturo Burkart:** Pteridófitas platenses. — pag. 253-265. (Buenos Aires).
- Frederic K. Butters:** Taxonomic and geographic studies in North American Ferns. — pag. 169-216, pl. 123.
- H. Carse:** 1. A new species of *Hypolepis*. — pag. 64.  
— 2. A new variety of *Pteris macilenta*. — pag. 95.  
— 3. Botanical notes, including descriptions of new species. 56: 80 86. 1926; 59: 314. 1928; 60: 305. 1929.
- R. C. Ching:** 1. A new noteworthy *Woodsia* from Hopei. — pag. 101-106, pl.  
— 2. Some new species of ferns from Kwangsi, China. — pag. 1-13.  
— 3-13. The studies of Chinese ferns. I-XI:  
— 3. — I. [Species novae]. — pag. 43-56, 7 pl.  
— 4. — II. [Species novae et criticae]. — pag. 145-159. fig.  
— 5. — III. *Woodwardia* of China with notes on the species in other parts of Asia. — pag. 1-7, 3 pl.

- Ching: Bull. Fan Mem. — 6. — IV. — *Polypodium ellipticum* Thunberg  
Inst. 2. 1931. and species confounded with it.  
— pag 15-23, 8 pl.
- — — — — — — — 7. — V. — *Filices chinenses novae aut minus  
cognitae praecipue in Herbario Re-  
gii horti botanici Kewensis.* —  
pag. 185-223, 31 pl.
- Sinensia 1. 1931. — 8. — VI. — Genus *Vittaria* of China & Sikkime  
— Himalaya. — pag. 175-200, 5 fig.
- — 2. 1931. — 9. — VII. — A revision of the genus *Tectaria*  
from China and Sikkime—Hima-  
laya. — pag. 9-36, 14 fig.
- — 3. 1932. —10. —VIII. — *Woodsia. Cheilanthopsis.* — pag.  
131-156.
- Bull. Fan Mem. Inst. —11. — IX. — *Lepisorus. Lemmaphyllum. Neo-  
cheiropteris.* — pag. 47-113.
- — — — — — — — —12. — X. — *Microsorium. Colysis. Leptochilus.  
Selligoea.* — pag 293-352.
- Contr. Inst. Bot. Nat. —13. — XI. — *Polypodium Phymatodes. Arthro-  
Acad. Peiping 2. 1933. meris.* — pag. 31-100, 2 pl.
- Ic. Fil. Sin. 1930, 1934. —14. — Hu et Ching: *Icones Filicum Sinicarum.*  
— Peiping 4<sup>o</sup>. — Fascicle I. pl. 1-50. 1930.  
— Ching: Fascicle II. pl. 51-101. 1934.
- Bull. Fan Mem. Inst. —15. On the genus *Egenolfia* Schott. — pag. 297-  
2. 1931. 317.
- Amer. Fern Journ. —16. The genus *Lomagramma* in America. — pag.  
22 1932. 15-18.
- Hk. Ic. Pl. 1932. —17. *Neocheiropteris Waltoni.* — pl. 3158.
- Peking Nat. Hist. Soc. —18. The present status of our knowledge of Chi-  
Bull. 7. 1933. nese ferns. — pag. 253-273.
- Sinensia 3. 1933. —19. The Pteridophyta of Kiangsu Province. —  
pag. 319-348.
- Bull. Dépt Biol. Coll. —20. Annotationes et Corrigenda ad Wu, Wong et  
Sci. Sun Yatsen Univ. Pong: *Polypodiaceae Yaoshanensis.* Part II.  
no. 6. 1933. — pag. 19-32. — (Part I v. C. Chr. no. 56).
- Bull. Fan Mem. Inst. —21. *Sinopteris* etc. v. C. Chr. no. 58.  
4. 1933.
- Sinensia 4. 1933. —22. *Lithostegia*, a new genus of Polypodiaceous  
fern from Sikkim—Yunnan. — pag. 1-13, pl.
- Contr. Inst. Bot. Nat. —23. *Saxiglossum*, a new genus of Polypodiaceous  
Acad. Peiping 2. 1933. fern in China. — pag. 1-4, pl.
- Contr. Biol. Lab. Sc. —24. On the nomenclature and systematic posi-  
Soc. China 9. 1933. tion of *Polypodium dryopteris* L. and rela-  
ted species. — pag. 30-42, pl.
- Lingnan Sci. Journ. —25. Notes on the Herbarium Willdenow. — pag.  
12. 1933. 565-570, pl. 43.
- Ic. Fil. Sin. 1934. vide no. 14.
- C. Chr. Ind. Suppl. prélim. 1917. Carl Christensen. 27. *Index Filicum. Supplément  
préliminaire pour les années 1913. 1914  
1915. 1916. Hafniae 8<sup>o</sup>. 60 pag.*

- C. Chr. Fedde Rep. 15.** 1917. **Carl Christensen. 28.** *Dryopteris species et varietates novae.* — pag. 24-26.
- **Amer. Fern Journ. 7.** 1917. —29. *New Polypodiums from Tropical America.* — pag. 33-35.
- **Vid. Selsk. Skr. VIII.** 6. 1920. —30. *A monograph of the genus Dryopteris. Part II. The tropical American bipinnate-decompound species.* — pag. 1-132, 29 fig.
- **Bonap. N. Pt. 12.** 1920. —31. *New species of Hymenophyllaceae from Madagascar.* — In Bonaparte: *Notes Ptéridologiques. Fasc. XII.* Copenhagen. — 20 pag. 6 fig.
- **et Skottsberg, Nat. Hist. Juan Fern. Fern.** 2. 1920. —32. **and Carl Skottsberg:** *The Pteridophyta of the Juan Fernandez Islands.* — Skottsberg: *The Natural History of Juan Fernandez and Easter Island.* Upsala. pag. 1-46, 7 fig. 5 pl.
- — — —33. **and Carl Skottsberg:** *The ferns of Easter Island.* Ibid. p. 47-53, 3 fig.
- **Amer. Fern Journ. 11.** 1921. —34. *An overlooked species of Dryopteris.* — pag. 44-46.
- **Sv. Bot. Tids. 16.** 1922. —35. *On a collection of Pteridophyta from Celebes leg. Dr. W. Kaudern.* — pag. 88-102, 7 fig.
- **Acta. Hort. Gothob. 1.** 1924. —36. *Plantae Sinenses a Dre. H. Smith annis 1921-22 lectae. III. Pteridophyta.* — *Medde'anden från Göteborgs Botaniska Trädgård (Acta Horti bot. Gothoburgensis).* — pag. 41-110, t 16 20.
- **Notizbl. Bot. Gart. Berlin—Dahlem 9.** 1924. —37. *Über die Farne des Kenia und Mt. Aberdore, tropisches Ostafrika.* (Rob. E. und Th. C. E. Fries: *Beitr. z. Kenntnis d. Flora des Kenia etc. VI.*) — pag. 173-189.
- **Bishop Mus. Bull. 25.** 1925. —38. *Revised list of Hawaiian Pteridophyta.* — 29 pag.
- **Vierteljahrsschr. Nat. Gez. Zürich 70.** 1925. —39. *Filices neocaledoniae.* — pag. 221-224.
- **Bonap. N. Pt. 16.** 1925. —40. *Supplément (ad Bonaparte: Fougères de Madagascar).* — pag. 157-198, 8 pl.
- **Ark. för Bot. 20 A.** 1926. —41. *Filices in Erik Asplund: Contributions to the Flora of the Bolivian Andes.* — pag. 8-28, 2 fig.
- **Journ. Wash. Acad. Sci. 17.** 1927. —42. *On a small collection of pteridophyta from the province of Kansu, China.* — pag. 497-501.
- **Sv. Vet. Ak. Handl. III.** 5. 1927. —43. *Vide E. Hultén.*
- **Mitt. Inst. Hamburg** 7. 1928. —44. *Pteridophyta. (Excl. Selaginella)* — (In E. Irmischer: *Beitr. z. Kenntnis der Flora von Borneo 7.*) — *Mitt. aus d. Institut f. allgem Bot. Hamburg.* — pag. 141-165.
- **Dansk Bot. Ark. 5** no. 22. 1928. —45. *On the systematic position of Polypodium vulgare.* — 10 pag., fig.
- **Arch. Bot. (Caen) 2.** Bull. mens. 1928. —46. *Fougères nouvelles ou peu connues de Madagascar récoltées par M. H. Humbert en 1924.* — pag. 209-216.

- C. Chr.** Dansk Bot. Ark. 6. no. 3. 1929.
- Gardens' Bull. S. S. 4. 1929.
- Vierteljahrsschr. Nat. Ges. Zürich 74. 1929.
- Amer. Fern Journ. 20. 1930.
- Contr. U. S. Nat. Herb. 26. 1931.
- Journ. Wash. Acad. Sci. 22. 1932.
- Cat. Pl. Mad. Pter. 1932.
- Dansk Bot. Ark. 7. 1932.
- 1932 v. Däniker.
- Elmer's Leaflets 9. 1933.
- Bull. Dept. Biol. Coll. Sci. Sun Yatsen Univ. no. 6. 1933.
- Engl. Jahrb. 66. 1933.
- Bull. Fan Mem. Inst. 4. 1933.
- Bull. Mus. Paris II 6. 1934.
- — — — —
- Gardens' Bull. S. S. 7. 1934.
- Clarkson:** Amer. Fern Journ. 20. 1930.
- Compton:** Journ. Linn. Soc. 45. 1922.
- Cop.** Journ. Str. Br. R. As. Soc. no. 63. 1912.
- Carl Christensen.** 47. Taxonomic Fern-studies. I-II. I. Revision of the polypodioid genera with longitudinal coenosori (Cochlidiinae and Drymoglossinae); with a discussion of their phylogeny. — II. On a small collection of ferns from the state of Amazonas, made by Mr. A. Roman in 1924. — 102 pag., 13 pl.
- 48. On some ferns from the Malay Peninsula. — The Gardens' Bull. Straits Settlements. — pag. 375-407.
- 49. On some ferns from New Caledonia. — pag. 55-62.
- 50. The genus *Cyrtomium*. pag. 41-52.
- 51. Asiatic Pteridophyta collected by Joseph F. Rock 1920-1924. — pag. 259-337, pl. 13-29.
- 52. A new *Dryopteris* from Cuba. — pag. 166.
- 53. Catalogue des Plantes de Madagascar, publié par l'Académie Malgache. Pteridophyta. — Tananarive 8<sup>o</sup>. 72 pag.
- 54. The Pteridophyta of Madagascar. With contributions of H. Perrier de la Bâthie (Distribution), A. H. G. Alston (*Selaginella*) and Johs. Iversen (*Isoetes*). — XVI et 253 pag., 80 pl.
- 55. Report of Mount Pinatubo Ferns collected in May, 1927 by A. D. E. Elmer. — pag. 3139-3172.
- 56. Annotationes et Corrigenda ad Wu, Wong et Pong: Polypodiaceae Yaoshanensis, Kwangsi. Part. I. — pag. 1-18. — (Part II v. Ching no. 20).
- 57. **G. Kjellberg und Carl Christensen:** Pteridophyta von Celebes gesammelt von G. Kjellberg 1929. — pag. 39-70.
- 58. — and **R. C. Ching:** *Sinopteris*, a new fern genus in China. — pag. 355-362, 2 pl.
- 59. *Filices novae indochinenses*. — pag. 100-106.
- 60. — et **Tardieu-Blot:** Deux *Aspléniées* nouvelles d'Indochine. — pag. 107-109, fig.
- 61. — **R. E. Holttum:** The Ferns of Mount Kinabalu. — pag. 191-324, 12 pl. — (Species novae in appendice (supra p. 196f.) enumeravi).
- Edward H. Clarkson:** The rootstocks of the broad-leaf spinulose ferns. — pag. 117-119.
- R. H. Compton:** A systematic account of the plants collected in New Caledonia and the Isle of Pines. Part II. Pteridophyta. — pag. 435-462.
- E. B. Copeland.** 42. The ferns of the Batu Lawi Expedition. — pag. 71-72.

- Cop.** Sarawak Mus. Journ. **E. B. Copeland.** 43. Keys to the ferns of Borneo. —  
 2. 1917. pag. 287-424.
- Phil. Journ. Sci. 12C. —44. New species and a new genus of Borneo ferns  
 1917. chiefly from the Kinabalu collections of Mrs.  
 Clemens and Mr. Topping. — pag. 45-65.
- — — — — — —45. The genus *Christiopteris*. — pag. 331-336.
- Elmer's Leaflets 9. —46. Few new ferns from Mt. Bulusan. — pag.  
 1920. 3107-3111.
- Phil. Journ. Sci. 30. —47. Filices aliquot novae orientales. — pag. 325-  
 1926. 331.
- — — — — 34. 1927. —48. Davalodes and related genera. — pag. 239-  
 256, 5 pl.
- — — — — — —49. The genus *Calymmodon*. — pag. 259-269, 6 pl.
- — — — — 37. 1928. —50. *Leptochilus* and genera confused with it. —  
 pag. 333-416, 52 fig., 30 pl.
- — — — — 38. 1929. —51. New or interesting ferns. — pag. 129-154, 5 pl.
- — — — — — —52. The fern genus *Plagiogyria*. — pag. 377-415,  
 15 pl.
- \* — — — — — 40. — —53. New or interesting Philippine Ferns. VII. —  
 pag. 291-313, 9 pl. (Sp. nov. in Add. citavi).
- Univ. Calif. Publ. Bot. —54. The oriental genera of Polypodiaceae. —  
 16. 1929. pag. 44-128.
- — — — — 14. 1929. —55. Pteridophyta Novae Caledoniae. — pag. 353-  
 369.
- — — — — — —56. New Pteridophytes of Sumatra. — pag. 371-  
 378, 6 pl.
- Bishop Mus. Bull. 59. —57. Ferns of Fiji. — 105 pag., 5 pl.  
 1929.
- Journ. Arnold Arb. —58. Papuan Pteridophytes collected for the Arnold  
 10. 1929. Arboretum by L. J. Brass. — pag. 174-182.
- Phil. Journ. Sci. 46. —59. New or interesting oriental ferns. — 209-  
 1931. 220.
- Univ. Calif. Publ. Bot. —60. Rarotonga ferns, collected by Harold E. and  
 12. 1931. Susan Thew Parks. — pag. 375-381.
- — — — — — —61. Miscellaneous oriental Pteridophytes. — pag.  
 383-418, 6 pl.
- Brittonia 1. 1931. —62. Philippine ferns collected by R. S. Williams.  
 — pag. 67-70, 3 pl.
- — — — — — —63. Sarawak ferns collected by J. and M. S. Cle-  
 mens. — pag. 71-78, 3 pl.
- Journ. Arnold Arb. —64. Pteridophytes collected for the Arnold Arbo-  
 12. 1931. retum on Vanikoro, Santa Cruz Islands, by  
 S. F. Kajewski. — pag. 47-49.
- Univ. Calif. Publ. Bot. —65. Brazilian ferns collected by Ynes Mexia. —  
 17. 1932. pag. 23-50, 8 pl.
- Bishop Mus. Bull. 93. —66. Pteridophytes of the Society Islands. — 86  
 1932. pag., 16 pl.
- Phil. Journ. Sci. 51. —67. *Trichomanes*. — pag. 119-280, 61 pl.  
 1933.

- Däniker:** Vierteljahrsschr. Nat. Ges. Zürich 77. Beiblatt no. 19. 1932.
- Diels:** Notizbl. Bot. Gart. Berlin-Dahlem 11. 1932.
- Domin:** Bibl. Bot. 85. 1913.
- Publ. Fac. Sci. Univ. Charles no. 88. 1928.
- Preslia 8. 1929.
- Acta. Bot. Boh. 8. 1929.
- Kew Bull. 1929.
- Mem. R. Czech Soc. n. s. no. 2. 1929.
- Rozpravy II. České Akad. 38 no. 4. 1929.
- \*Pteridophyta 1929.
- Acta Bot. Bohemica 9. 1930.
- Dutra:** Ostenia 1933.
- Espinosa:** \*Rev. Chil. Hist. Nat. 36. 1932.
- \* — — — —
- Farwell:** Mich. Ac. Sci. Rep. 21. 1919.
- Papers Mich. Ac. Sci. 2. 1922.
- Amer. Midl. Naturalist 12. 1931.
- Fedtschenko:** Not. syst. Herb. Hort. Petrop. 4. 1923.
- Fernald:** Rhodora 24. 1922.
- — — 1928. (= Contr. Gray Herb. n. s. LXXIX).
- A. U. Däniker:** Ergebnisse der Reise von Dr. A. U. Däniker nach Neu-Caledonien und der Loyalty-Inseln. 4. Katalog der Pteridophyta. — pag. 8-43. (Plurima specimina C. Chr. desteterminavit).
- L. Diels:** 5. Matoniacea nova papuasica. — pag. 311.
- K. Domin:** 1. Beiträge zur Flora und Pflanzengeographie Australiens. 1. Abt. Pteridophyta (Prodromus einer Farnflora Queensland). — Bibliotheca Botanica herausgeg. von Chr. Luerssen. Heft 85. 238 pag., 57 fig., 8 pl. [Sp. nov. in Ind. Suppl. prélim. citavi].
- 2. Generis Pityrogramma (Link) species ac sectiones in clavem analyticam dispositae. — 10 pag.
- 3. Generis Asplenii L. species duo novae africanae. — pag. ?.
- 4. Cerosora, a new genus of ferns. — pag. 1-4.
- 5. New ferns from tropical America and the West Indies. — pag. 215-222.
- 5. The Pteridophyta of the island of Dominica with notes on various ferns from tropical America. — 259 pag., 40 pl.
- 7. The hybrids and garden forms of the genus Pityrogramma (Link). — 80 pag., 11 pl.
- 8. Pteridophyta. — Praha. [Textbook.]
- 9. The species of the genus Cyathea J. E. Sm. A preliminary list. — pag. 85-174.
- J. Dutra:** Uma Pteridophyta nova do Rio Grande do Sul. — pag. 5, fig. — Ostenia. Coleccion de Trabajos ded. a Don Cornelio Osten. Montevideo.
- M. R. Espinosa:** 1. Um helecho nuevo chileno. — pag. 92.
- 2. Algunas Pteridófitas de Concón. — pag. 101-
- O. A. Farwell:** 2. Notes on the Michigan Flora II. — pag. 345.
- 3. Notes on the Michigan Flora V. — pag. 11-46.
- 4. Fern notes II. Ferns in the herbarium of Parke, Davis & Company. — pag. 233-311.
- O. A. et B. A. Fedtschenko:** De generis Ophioglossum specie nova. — pag. 8.
- M. L. Fernald:** 2. Polypodium virginianum and P. vulgare. — pag. 126-142 = Contr. Gray Herb. n. s. no. LXVI.
- 3 — 5. The eastern American variety of Polystichum Braunii. — pag. 28-30. pl. — The American representative of Asplenium ruta-mura-

- ria. — pag. 37-43. — The eastern American occurrence of *Athyrium alpestre*. — pag. 44-49, 8 pl.
- Fernald:** *Rhodora* 32. 1930. (= Contr. no. LXXXVII).
- Fernald:** 6. Some varieties of the American species of *Osmunda*. — 71-76.
- Filarszky:** *Ann. Mus. Nat. Hung.* 20. 1923.
- Filarszky, Nándor (Ferdinand):** A Gleicheniaceák Családjába tartozó tropikus harasztfélék leveleiről. — pag. 1-23. — Résumé:
- Die Blätter der in die Familie der Gleicheniaceen gehörigen tropischen Farnkräuter. — pag. 163-170.
- — — — 21. 1924.
- Fomin:** \**Fl. Cauc. crit.*
- A. Fomin:** 6. Pteridophyta in Kusnezow, Busch et Fomin: *Flora Caucasica critica*. — pag. 129-248, I-XLVI. — Etiam in *Trudi Bot. Tiflis* 10. 1913.
- *Bull. Jard. Bot. Kieff* no. III. 1925.
- 7. De varietatibus atque formis *Woodsiarum* in *Sibiria crescentium*. — pag. 3-7, 2 fig.
- — — — no. X. 1929.
- 8. Eine neue Art der Gattung *Cryptogramma* aus Sibirien. — pag. 3.
- — — — — XI. 1930.
- 9. Über die *Anogramma Makinoi* H. Christ. — pag. 8.
- *Fl. Sib. et Or. Extr.* 5. 1930.
- 10. Filices. — *Flora Sibiriae et Orientis Extremi a Museo Bot. Acad. Sci. edita. Leningrad* 8. — pag. 1-218, fig. num.
- Gandoger:** *Bull. Soc. Fr.* 66. 1919.
- M. Gandoger:** 4. *Sertum plantarum novarum. Pars secunda*. — pag. 305-306. — [Sp. novae imperfectissime descriptae].
- Gepp:** *Gibbs, Dutch N. W. N. Guinea* 1917.
- A. Gepp:** 1. Pteridophyta in *L. S. Gibbs: Dutch N. W. New Guinea. A contribution to the phytogeography and flora of the Arfak Mountains &c.* — London 8. — pag. 67-78, 192-197, pl. 4.
- \**Journ. Nat. Hist. Soc. Siam* 4. 1921.
- 2. ?
- *JoB.* 1923 Suppl.
- 3. Filices in *A. B. Rendle: Dr. H. O. Forbes's New Guinea plants*. — pag. 59-62.
- Goddijn:** *Meded. Rijks Herb.* no. 38. 1919.
- W. A. Goddijn:** *Synopsis Hymenophyllacearum. Monographiae hujus ordinis prodromus auctore R. B. van den Bosch*, mit zahlreichen Zusätzen und Abbildungen aus dem Nachlass des Verfassers neu herausgegeben. Teil II. — 41 pag., 22 fig.
- Goebel:** *Flora* 117 (N. F. 17). 1924.
- K. Goebel:** 1. Archegoniatenstudien. XVI. *Vittariaceen und Pleurogrammaceen*. — pag. 91-132.
- *Ann. Jard. Buit.* 36. 1926.
- 2. Morphologische und Biologische Studien. IX. Beiträge zur Kenntnis einiger javanischer Farne. — pag. 107-160, t. 7-11.
- — — — 39. 1928.
- 3. — — XIII. Weitere Untersuchungen über die Gruppe der *Drynariaceen*. — pag. 117-169, t. 15-20.





- Hicken:** \*Darwiniana 1. **Cristóbal M. Hicken:** 8. Plantae Vattuonei. — pag. 1924. 100-102.
- Hier.** Hedwigia 59, 61, **G. Hieronymus:** 19. Kleine Mitteilungen über Pteridophyten. I-III. — I. 59. pag. 319-339. 1917. 62. 1917-20. — II. 61. pag. 4-39. 1919. — III. 62. pag. 12-37. 1920.
- — 60. 1918. —20. Aspleniorum species novae et non satis notae. Beschreibungen von neuen Arten und Bemerkungen zu älteren Arten der Gattung Asplenium. — pag. 210-266.
- — 61. 1919. —21. Bemerkungen zur Kenntnis der Gattung Angiopteris Hoffm. nebst Beschreibungen neuer Arten und Varietäten derselben. — pag. 242-285.
- Engl. Jahrb. 56. 1920. —22. Aspleniae et Vittarieae in Brause no. 10.
- Notizbl. Bot. Gart. Berlin—Dahlem 7. —23. Über Cheilanthopsis Hieron., eine neue Farn- 1920. gattung. — pag. 406-409.
- Holloway:** Tr. N. Zeal. **J. E. Holloway:** Studies in the New Zealand Hymenophyllaceae. — 54. pag. 577-618, pl. 56-76. Inst. 54, 55. 1923, 55. pag. 67-94, 1924. 1923-24.
- Holmberg:** Skand. Flora **Otto R. Holmberg:** Hartmans Handbok i Skandnaviens Flora. Häfte I. — Pteridophyta pag. 1922. 1-50.
- Holttum:** Gardens' Bull. **R. E. Holttum:** 1. A new fern from the Malay Peninsula. — pag. 56-57. — (The Gardens' Bulletin Straits Settlements). S. S. 4. 1927.
- — — — — — 2. Notes on Malayan ferns. — pag. 57-69, pl.
- Journ. Mal. Br. R. As. — 3. Spolia Mentawiensia: Pteridophyta. — pag. Soc. 6. 1928. 14-23, fig.
- Gardens' Bull. S. S. 4. — 4. New species of ferns from the Malay Peninsula. — pag. 408-410, fig. 1929.
- — — 5. 1930. — 5. The genus Lindsaya in the Malay Peninsula. — pag. 58-71, fig.
- — — — 1931. — 6. Aspidium Maingayi (Baker) Holttum, comb. nov. — pag. 207-211, fig.
- — — — 1932. — 7. On Stenochlaena, Lomariopsis and Teratophyllum in the Malayan region. — pag. 245-312, fig., 12 pl.
- — — 7. 1934. — 8. The Ferns of Mount Kinabalu. Cf. C. Chr. no. 61.
- Hopkins:** \*Ann. Carnegie **L. S. Hopkins:** A new species of fern (Polystichum Mus. 11. 1917. Jenningsi). — pag. 362, pl. 37.
- House:** Amer. Fern Journ. **Homer D. House:** The genus Aetopteron Ehrhart. 10. 1920. — pag. 88-89.
- Hu et Ching:** Ic. Fil. Sin. **Iisen Hsu Hu and Ren Chang Ching:** Icones Filicum Sinicarum. Fascicle I. — Peiping 4<sup>o</sup>. 50 pl. 1930.
- Hultén:** Sv. Vet. Ak. **Eric Hultén:** Flora of Kamtschatka and the adjacent Islands. — Pteridophyta pag. 1-64. — (det. C. Chr.). Handl. III. 5. 1927.

- Itô:** \*Journ. Jap. Bot. 9. 1933. **H. Itô:** Nuntia ad Filices Japonicae. — pag. 54-59, 9 fig. (T. Ballard).
- Jeanpert:** Bull. Soc. Fr. 68. 1921. **Ed. Jeanpert:** 4. Fougères du Cameroun. — pag. 324-329.
- Jones:** \*Contr. Western Bot. 1930. **Marcus E. Jones:** Contributions to Western Botany no. 16.
- Kjellberg:** Engl. Jahrb. 66. 1933. **G. Kjellberg und Carl Christensen:** Pteridophyta von Celebes gesammelt von G. Kjellberg 1929. pag. 39-70.
- Knuth:** Fedde Rep. Beih. 43. 1926. **R. Knuth:** Initia Florae venezuelensis. — Filices pag. 1-90.
- Kodama in \*Matsum. Ic. Pl. Koisik. 1-4. 1911-1921.** **Kodama:** Filices in J. Matsumura: Icones Plantarum Koisikavensis, or figures with brief descriptive characters of new and rare plants, selected from the University Herbarium, Tokio. — 1. 1911-13, 2. 1914-15, 3. 1915-17, 4. 1918-21.
- Köhler:** Flora 113 (N. F. 13). 1920. **Erich Köhler:** Farnstudien. — pag. 311-336.
- Koidzumi:** Bot. Mag. Tokyo 38. 1924. 39. 1925. 43. 1929. Acta Phytotax. 1. 1932. — Fl. Symb. Or. Asiat. 1930. **G. Koidzumi:** 1. Contributiones ad cognitionem Asiae orientalis. 38: 104-112. — 39: 13-15. — 43: 386-388. — Acta Phyt. 1: 26-33.  
— 2. Florae Symbolae Orientali-Asiaticae, sive Contributions to the Flora of Eastern Asia. — Kyoto 8. 115 pag.
- Komarov:** Bull. Jard. Pierre Le Grand 16. 1916. — Bull. Jard. bot. Kieff no. 13. 1931. **V. L. Komarov:** 3. Adnotationes ad Floram provinciae Austro-Ussuriensis. — pag. 146-151.  
— 4. Zwei neue Athyrien. — pag. 145-146.
- Kossinsky:** Not. syst. Herb. Hort. Petr. 2. 1921, 3. 1922. **C. Kossinsky:** [Descriptiones spec. nov.] — 2: 1, 3: 67, 122.
- Kudo v. Miyabe.**
- Kümmerle:** Bot. Közl. 19. (1920) 1921. **J. B. Kümmerle:** 6. Asplenium Bornmülleri Küm. spec. nova. — pag. 81-84; germanice pag. (13)-(14).  
— 7. Pteridologiai közlémenyek. Pteridologische Mitteilungen. — 19: 2-10, 21: 1-5, fig.  
— 8. Adatok Albánia flórájához. — Additamenta ad floram Albaniae. — A Magyar Tudományos Akadémia Balkán-kutásainak tudományos eredményei 3. Budapest. — Pteridophyta pag. 197-218, pl. 13.  
— 9. Has the genus Onychium any representative in South America? — pag. 129-138, t. 7-8.  
— 10. Die paraguayenischen Pteridophytensammlungen Anisits's. — pag. 58-63.
- Mag. bot. lapok 19. (1920) 1922, 21. (1922) 1923.
- Addit. fl. Albaniae 1926.
- Amer. Fern Journ. 20. 1930.
- Mag. bot. lapok 32. 1933.

- Laing:** Tr. N. Zeal. Inst. 48. 1916.
- Larrañaga:** \*Escritos 1922.
- Looser:** Revista Universitaria 15. 1930.
- Anal. Univ. Chile 1931.
- Revista Hist. Geogr. 69. 1932.
- La Farmacia chilena 1933 no. 7.
- Mak.** \*Journ. Jap. Bot. 2. 1918-22, 4. 1927, 6. 1929, 7. 1930-31, 8. 1932-33.
- \*— — — 6, 7, 8, 9.
- Masamune:** Journ. Soc. Trop. Agric. Formosa 2-4. 1930-32.
- Maxon:** Amer. Fern Journ. 7-15. 1917-1925.
- — — — 7. 1917.
- Proc. Biol. Soc. Wash. 30. 1917.
- — — — — 31. 1918.
- Journ. Wash. Acad. Sci. 8. 1918.
- Amer. Fern Journ. 8. 1918.
- — — — — —
- — — — — —
- — — — — 9. 1919.
- R. M. Laing:** 2. The Norfolk Island species of *Pteris*. — pag. 229-237, fig.
- D. A. Larrañaga:** Publ. Inst. Hist. Geog. Uruguay. 1.
- Gualterio Looser:** 1. Historia de los helechos chilenos. — pag. 693-718, fig. — Santiago de Chile.
- 2. Sinopsis de los helechos chilenos del género *Dryopteris*. — pag. 191-205.
- 3. Ensayo sobre la distribución geográfica de los helechos chilenos. — pag. 162-198.
- 4. Notas sobre helechos chilenos. — pag. 1-5.
- T. Makino:** 11. A contribution to the knowledge of the flora of Japan [in 7-8: *Nippon loco Japan*]. [Anglice].
- 12. Fragmentary notes on plants. [Japonice].
- G. Masamune:** Contribution to our knowledge of the flora of the southern part of Japan. I, VI, VIII. — I. 2: 31-54. 1930 (= Contr. from the Herbarium of Taihoku Imp. University no. 2). — VI. 3: 246-247. 1931 (= Contr. no. 13). — VIII. 4: 56-78. 1932 (= Contr. no. 17):
- William R. Maxon:** 43. Notes on American Ferns. XI-XX. XI: 7. 104-106. 1917. — XII. 8: 114-121, pl. 1918. — XIII: 9. 1-5. 1919. — XIV: 9. 67-73. 1919. — XV: 10. 1-4. 1920. — XVI: 11. 1-4. 1921. — XVII: 11. 33-39. 1921. — XVIII: 11. 105-107. 1921. — XIX: 13. 73-75. 1923. — XX: 15. 16-19. 1925.
- 44. A new *Notholaena* from the Southwest. — pag. 106-109.
- 45. Notes on western species of *Pellaea*. — pag. 179-184.
- 46. The Lip-Ferns of the southwestern United States related to *Cheilanthes myriophylla*. — pag. 139-151.
- 47. A new *Anemia* from Mexico. — pag. 199-200.
- 48. A new *Polystichum* from California. — pag. 620-622.
- 49. A new hybrid *Asplenium*. — pag. 1-3.
- 50. *Polystichum Andersoni* and related species. — pag. 33-37.
- 51. Further notes on *Pellaea*. — pag. 89-94.
- 52. Ferns of the District of Columbia. — pag. 38-48.

- Maxon:** Contr. U. S. Nat. Herb. **16.** 1919.  
 — Proc. Biol. Soc. Wash. **32.** 1919.  
 — — — — —  
 — — — — **34.** 1921.  
 — — — — **35.** 1922.  
 — Contr. U. S. Nat. Herb. **24.** 1922.  
 — Journ. Wash. Acad. Sci. **12.** 1922.  
 — — — — —  
 — — — — —  
 — — — — **13.** 1923.  
 — JoB. **1923.**  
 — Proc. Biol. Soc. Wash. **36.** 1923.  
 — — — — —  
 — — — — **37.** 1924.  
 — — — — —  
 — Journ. Wash. Acad. Sci. **14.** 1924.  
 — — — — —  
 — — — — —  
 — — — — —  
 — Univ. Calif. Publ. Bot. **12.** 1924.  
 — Dept. Marine Biology Carnegie Inst. **20.** 1924.  
 — Amer. Fern Journ. **14.** 1924.  
 — — — — **14-23.** 1925-1934.  
 — Pter. Porto Rico 1926.
- William R. Maxon:** 53. The relationship of *Asplenium Andrewsii*. — pag. 1- , 2 pl.  
 —54. A new *Cheilanthes* from Mexico. — pag. 111-112.  
 —55. A new *Alsophila* from Guatemala and Veracruz. — pag. 125-126.  
 —56. A neglected fern paper. — pag. 111-114.  
 —57. Notes on a collection of ferns from the Dominican Republic. — pag. 47-51.  
 —58. Studies of tropical American Ferns. No. 7. — pag. 33-63, 10 pl.  
 —59. A new *Salvinia* from Trinidad. — pag. 400-401.  
 —60. Ferns new to the Cuban Flora. — pag. 437-443.  
 —61. The genus *Culcita*. — pag. 454-460.  
 —62. The genus *Microstaphyla*. — pag. 28-31.  
 —63. The type-species of *Pteris*. — pag. 7-10.  
 —64. A new *Dryopteris* from Dominica. — pag. 49-50.  
 —65. Occasional notes on Old World ferns. I. — pag. 169-178.  
 —66. A third species of *Atalopteris*. — pag. 63-64.  
 —67. New or noteworthy ferns from the Dominican Republic. — pag. 97-104.  
 —68. Two new species of *Jamesonia*. — pag. 72-74.  
 —69. New or critical ferns from Haiti. — pag. 86-92.  
 —70. New West Indian ferns. — pag. 139-145.  
 —71. Further notes on *Hispaniola* ferns. — pag. 195-199.  
 —72. Report upon a collection of ferns from Tahiti. pag. 17-44, 6 pl.  
 —73. Pteridophyta in **W. A. Setchell:** American Samoa. Part I. Vegetation of Tutuila Island. — pag. 120-129, pl. 17.  
 —74. Two new ferns from the Dominican Republic. — pag. 74-76.  
 —75. New tropical American ferns. I-XI. — I: **14.** 99-102. (1924) 1925. — II: **15:** 54-57. 1925. — III: **16.** 7-9. 1926. — IV: **18.** 1-6. 1928. — V: **18.** 46-51. 1928. — VI: **19.** 44-48. 1929. — VII: **20.** 1-4. 1930. — VIII: **21.** 136-139. 1931. — IX: **22.** 11-15. 1932. — X: **23.** 73-76. 1933. — XI: **23.** 105-108. (1933). 1934.  
 —76. Pteridophyta of Porto Rico and the Virgin Islands. — Scientific Survey of Porto Rico and the Virgin Islands. **6** part 3. — pag. 373-521.

- Maxon:** Journ. Wash. Acad. Sci 18. 1928.  
 — — — — 19. 1929.  
 — — — — — — — —  
 — Proc. Biol. Soc. Wash. 43, 46. 1930, 1933.  
 — — — — 43. 1930.  
 — Kew Bull. 1932.  
 — Amer. Journ. Bot. 19. 1932.  
 — Proc. Biol. Soc. Wash. 46. 1933.
- Merrill:** \*Interpr. Rumph. Herb. Amb. 1917.  
 — \*Sp. Blancoanae 1918.
- \*— Phil. Journ. Sci. 13C. 1918.  
 — Proc. Linn. Soc. N. S. Wales 44. 1919.  
 — Phil. Journ. Sci. 19. 1921.  
 — Lingnan Sci. Journ. 5. 1927.
- Mille:** Nova Rec. Cr. vasc. Ecuad. 1927, 1928.
- Miyabe et Kudo:** \*Tr. Sapporo Hist. Soc. 7. 1918.  
 — \* — Fl. Hokkaido. 1930.
- J.W. Moore:** Bishop Mus. Bull. 102. 1933.
- C. V. Morton:** Journ. Wash. Acad. Sci. 22. 1932.  
 — Bot. Gaz. 93. 1932.
- William R. Maxon:** 77. The identification of *Polypodium triangulum*. — pag. 582-586, fig.  
 —78. A diminutive new hollyfern from Ecuador. — pag. 197-199, fig.  
 —79. A singular new *Dryopteris* from Colombia. — pag. 245-247, fig.  
 —80. Fern Miscellany. I-III. — I: 43. 81-88. 1930. — II: 46. 105-108. 1933. — III: 46. 139-146. 1933.  
 —81. and **Paul C. Standley:** Ferns of the Republic of San Salvador. — pag. 167-178.  
 —82. Two new ferns from Colombia. — pag. 134-136.  
 —83. and **C. A. Weatherby:** Two new American species of *Adiantum*. — pag. 165-167.  
 —84. A second species of *Ormoloma*. — pag. 157-158.
- E. D. Merrill:** 1. An interpretation of Rumphius's Herbarium Amboinense. — Manila.  
 — 2. Species Blancoanae. A critical revision of the Philippine species of plants described by Blanco and by Llanos.  
 — 3. Notes on the Flora of Loh Fau Mountains, Kwangtung Province, China. — pag. 126-129.  
 — 4. On the identity of *Polypodium spinulosum* Burm. f. — pag. 353-354.  
 — 5. A review of the new species of plants proposed by N. L. Burman in his *Flora Indica*. — pag. 329.  
 — 6. An Enumeration of Hainan plants. — Filices. — pag. 7-20.
- P. Luis Mille:** Nova Recensio Cryptogamarum vascularium Ecuadorensium. — Revista del Colegio Nacional Vicente Rocafuerte, Guayaquil, 9: 191-226. 1927 (*Polypodium*). 10: 25-59. 1928 (*Elaphoglossum*).
- K. Miyabe et Y. Kudo:** 1. Materials for a flora of Hokkaido. — pag. 23-35.  
 — 2. Flora of Hokkaido and Saghalien. I. Pteridophyta and Gymnospermae. — Journ. Fac. Agric. Hokkaido Imp. University.
- John William Moore:** New and critical plants from Raiatea. — 53 pag.
- C. V. Morton:** 1. A new species of *Hymenophyllum* from Peru. — pag. 63-65, fig.  
 — 2. *Buesia*, a new subgenus of *Hymenophyllum* from Peru. — pag. 336-339, fig.

- Nakai:** Bot. Mag. Tokyo 34, 35, 44, 45. 1920-1931.
- — — — 39-43, 47. 1929-1933.
- T. Nakai:** 4. Notulæ ad Plantas Japoniæ et Koreæ. XXII-XXIII. 34: 35 f., 141 f. 1920. — XXIV-XXV. 35: 131 f., 148 f. 1921. — XXXVIII. 44: 7 f. 1930. — XL. 45: 91 f. 1931.
- 5. Notes on Japanese Ferns I-IX:  
I-II. (Critical) Notes on Japanese Ferns, with special references to allied species. — 39: 101-121. 176-203. 1925.  
III. Tentamen Systematis Hymenophyllacearum Japonicarum. — 40: 239-275. 1926.  
IV. Ophioglossaceæ. Drymoglossum. — 40: 371-396. 1926.  
V. Cyatheaceæ & Danæaceæ Imperii Japonici. — 41: 64-78. 1927.  
VI. Osmundaceæ, Schizæaceæ & Gleicheniaceæ. — 41: 673-696. 1927.  
VII. Plagiogyriaceæ, Cheiropleuriaceæ, Dipteridaceæ & Polypodiaceæ I. — 42: 203-218, 1928.  
VIII. Polypodiaceæ II. — 42: 1-12. 1929.  
IX. 1. A new classification of Japanese Aspidium, with special view to the spores and connective cells. 2. Descriptions and amendments for East-Asiatic Ferns. — 47: 151-186, pl. 1933.
- — — — 40. 1926.
- Ogata:** \*Ic. Fil. Jap. 1928-33.
- \*Journ. Jap. Bot. 9. 1933.
- M. Ogata:** Icones Filicum Japoniæ. — 1. t. 1-50. 1928. 2. t. 51-100. 1929. 3. t. 101-150. 1930. 4. t. 151-200. 1931. 5. t. 207-250. 1933.
- 2. On Polypodium Asahinae. — pag. 266-268. (japonice).
- Ogura:** Bot. Mag. Tykyo 44. 1930.
- Y. Ogura:** On the structure of Hawaiian tree-ferns with notes on the affinity of the genus Cibotium. — pag. 467-478, fig.
- Ohwi:** Bot. Mag. Tokyo 44. 1930.
- J. Ohwi:** Symbolæ ad floram Asiae Orientalis. — pag. 565-573.
- Oliver:** Tr. N. Zeal. Inst. 49. 1917.
- W. R. B. Oliver:** The vegetation and flora of Lord Howe Island. — pag. 94-161.
- Osten:** Anal. Mus. Hist. Nat. Montevideo II. 1. 1925.
- Corn. Osten et Guil. Herter:** Plantæ Uruguayenses. I. Pteridophyta. — pag. 327-406, 5 pl. — (Sp. n. ab Herter descriptæ).
- A. Peter:** Fedde Rep. Beih. 40. 1929.
- Albert Peter:** Flora von Deutsch-Ostafrika. — Pteridophyta. — pag. 9-98, pl. 1-5. (Descr. sp. nov. pag. 1-45 f.)
- Petrov:** \*Fl. Jakutiae. 1930.
- V. Petrov:** Flora Jakutiae. Pteridophyta-Poaceæ. — pag. 1-221. Acad. Sci. U. S. S. R.
- Pong v. Wu.**
- Posthumus:** Rec. Trav. bot. néerl. 21. 1924.
- O. Posthumus:** 1. On some principles of stelar morphology. — pag. 111-296.

- Posthumus:** Rec. Trav. bot. néerl. **23.** (1926) 1927.  
 — — — — **25a.** 1928.  
 — Ferns Surinam 1928.  
 — Pr. Akad. Wet. Amsterdam **31.** 1928.  
 — \*Proc. Fourth Pac. Congr. Java. 1929.  
 — Pr. Akad. Wet. Amsterdam **33.** 1930.  
 — Nat. Tijdschr. Ned. Ind. **21.** 1931.
- Reimers:** Notizbl. Bot. Gart. Berlin—Dahlem **11-12.** 1933-34.
- Ridley:** \*Journ. Mal. Br. R. As. Soc. n. **50.** 1911.  
 — Tr. Linn. Soc. II. Bot. **9.** 1916.  
 — \*Journ. Fed. Malay. Stat. Mus. **10.** 1920.  
 — Journ. Mal. Br. R. As. Soc. **4.** 1926.
- Rojas:** \*Bull. Géogr. Bot. **28.** 1918.
- Ros.** Med. Rijks Herb. no. **31.** 1917.  
 — Fedde Rep. **20.** 1924.  
 — — — — **21.** 1925.  
 — — — — **22.** 1925.  
 — — — — **25.** 1928.  
 — Bull. Mus. Nac. Rio Janeiro **7.** 1931.
- St. John:** Amer. Fern Journ. **19.** 1929.
- Sampaio:** \*Comm. Linh. Telegr. Matto-Grosso ao Amaxonas. Publ. **33.** 1916.
- O. Posthumus:** 2. Notes on Guiana Ferns. — pag. 296-402.  
 — 3. Dipteris Novo-Guineensis. Ein lebendes Fossil. — pag. 244-249, fig.  
 — 4. The Ferns of Surinam and of French and British Guiana. — Malang, Java. 8°. 196 pag.  
 — 5. Notes on Pteridophyta from Djambi, Sumatra. — pag. 95-112.  
 — 6. On some ferns of Eastern Java. — pag. 131-140, map.  
 — 7. On the Ferns of Sumba (Lesser Sunda Islands). — pag. 871-875.  
 — 8. vide Backer.
- H. Reimers:** Pteridophyta in **J. Mildbraed:** Neue und seltene Arten aus Ostafrika (Tanganyika-Territ. Mandat) leg. H. J. Schlieben. IV, VI. **11:** 912-943. 1933. **12:** 79-82. 1934.
- H. N. Ridley:** 2. *Lastrea chupengensis*. — pag. 232.  
 — 3. Report on the botany of the Wollaston Expedition to Dutch New Guinea, 1912-13. Filices pag. 251-264.  
 — 4. New and rare plants from the Malay Peninsula. — pag. 128-156.  
 — 5. The Ferns of the Malay Peninsula. — pag. 1-121.
- N. Rojas Acosta:** Addenda ad floram regionis Chaco australis, (pars secunda). — pag. 153-165.
- E. Rosenstock:** 28. Filices palaeotropicae novae Herbarii Lugduno-Batavi. — 8 pag.  
 —29. Neue Arten und Abarten brasilianischer Pteridophyten. — pag. 89-95.  
 —30. Filices novae a cl. A. C. Brade in Brasilia collectae. — pag. 343-349.  
 —31. Filices novae a cl. Alfred et Curt Brade in Costarica collectae. — pag. 2-23.  
 —32. Filices novae a cl. Dr. O. Buchtien in Bolivia collectae. VI. — pag. 56-64. (conf. no. 7 et 22).  
 —33. Vide Brade.
- Harold St. John:** Notes on northwestern ferns. — pag. 11-16.
- A. J. de Sampaio:** Pteridophytas in Anexo 5, Historia Natural, Botanica. — Comissão de Linhas Telegraphicas Estrategicas de Matto-Grosso ao Amazonas. Publicação 33. — Tab.





- Weatherby:** Rhodora 21. 1919. **C. A. Weatherby:** 1. Changes in the nomenclature of the Gray's Manual Ferns. — pag. 173-179.
- — 22. 1920. — 2. Varieties of *Pityrogramma triangularis*. — pag. 113-120.
- Contr. Gray Herb. n. s. 65. 1922. — 3. The group of *Polypodium lanceolatum* in North America. — pag. 3-14.
- Amer. Fern Journ. 17. 1927. — 4. A new *Polypodium* from Mexico. — pag. 91-94.
- Contr. Gray Herb. 85. 1929. — 5. Filices in J. M. Johnston: Papers on the flora of Northern Chile. — pag. 13-17, t. 2.
- — — — 95. 1931. — 6. New American species of *Trichomanes*. — pag. 36-40, t. 8.
- — — — — — — 7. The group of *Asplenium fragile* in South America. — pag. 49-52.
- Amer. Journ. Bot. 19. 1932. — 8. vide Maxon no. 83.
- Wherry:** Amer. Fern Journ. 15. 1925. **Edgar T. Wherry:** The Appalachian *Aspleniums*. — pag. 47-54, t. 1.
- de Wild.:** \*Pl. Bequaert. 2. 1923. **E. de Wildeman:** *Plantae Bequaertianae*. — Filices. — pag. 125-191. — Etiam (vel partim?) cum descr. sp. nov. in Bonap. N. Pt. 14).
- Wong v. Wu.**
- Wu:** Polyp. Yaoshan. 1932. **Y. C. Wu, K. K. Wong and S. M. Pong:** *Polypodiaceae Yaoshanensis*, Kwangsi. — Bull. Dept. Biol. Coll. Sci. Sun Yatsen University No. 3. 372 pag. 165 pl. — Annot. et Corrig. ad hoc opus v. C. Chr. no. 56 et Ching no. 20.
- Yamamoto:** Journ. Soc. Trop. Agric. Formosa 3. 1931. **Y. Yamamoto:** 1. *Observationes ad floram Formosanam*. I. — pag. 236. — (= Contr. Herb. Taihoku Imp. Univ. no. 12).
- Suppl. Ic. Pl. Form. V. — 2. *Supplementa Iconum Plantarum Formosandarum*. V. — (= Contr. no. 18).

pag. 155 inserenda est:

*Polypodium ovatum* Burm. Fl. Ind. 233. 1768 = *Coleus scutellarioides* (L.) Bth. (Labiatae). — (Fide cl. Dr. van Steenis in litt. Oct. 1934).

Some botanical works of

**CARL CHRISTENSEN.**

**Index Filicum. Hafniae (H. Hagerup). 1906.**

— . Supplementum 1906—12. Hafniae (H. Hagerup). 1913.

— . Supplementum préliminaire pour les Années 1913—16. Hafniae (H. Hagerup). 1917.

**Revision of the American species of Dryopteris of the group of *D. opposita*. (Vid. Selsk. Skr. VII. 4). København (Høst & Søn). 1907.**

**A monograph of the genus Dryopteris. Part I. Ibid. VII. 10. 1913.**

— . Part II. Ibid. VIII. 6. 1920.

**Taxonomic fern-studies I—II. (Dansk Bot. Arkiv 6 no. 3). København (H. Hagerup). 1929.**

**The Pteridophyta of Madagascar. 80 plates. (Dansk Bot. Arkiv 7). København H. Hagerup). 1932.**

**Den danske botaniske Litteratur 1880—1911. København (H. Hagerup). 1913.**

**Den danske Botaniks Historie. 2 vols. København (H. Hagerup). 1924—26.**

**Naturforskeren Pehr Forsskål, hans Rejse til Ægypten og Arabien 1761—63 og hans botaniske Arbejder og Samlinger. København (H. Hagerup). 1918.**

**Index to Pehr Forsskål: Flora ægyptiaco-arabica 1775 with a revision of Herbarium Forsskålei contained in the Botanical Museum of Copenhagen. (Dansk Bot. Arkiv 4 no. 3). København (H. Hagerup). 1922.**